R3850-1.14

Pediatric Length of Stay in PAS Hospitals,

by Diagnosis and Operation,

United States,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:
. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:
Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface . . . iii
Discussion of the Data . . . 1
  Source of the Data . . . 1
  Data Quality . . . 3
  Coverage . . . 4
  Organization of Length of Stay Tables . . . 7
    ICD-9-CM List A: Hospital Diagnosis Groups . . . 7
    ICD-9-CM List B: Hospital Procedure Groups . . . 8
    Definition of Multiple Dx Patients . . . 8
    Definition of Operated Patients . . . 9
  Explanation of Statistics . . . 9
  Exclusions . . . 10
  Defining the Extended Stay Case . . . 11
Length of Stay Tables . . . 21
  Summary of All Patients in Diagnosis Groups . . . 22
  Summary of All Patients Except Newborn . . . 23
  Diagnosis Groups 1-398 . . . 24
  Summary of All Patients in Operation Groups . . . 224
  Operation Groups 501-764 . . . 225
Distribution Tables . . . 291
  Table 1: Distribution of Pediatric Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups . . . 293
  Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Pediatric Discharges . . . 312
  Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care for Pediatric Patients . . . 324
  Table 4: Distribution of Pediatric Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups . . . 339
  Table 5: Ranking of *ICD-9-CM* List B Operation Groups by Live Pediatric Discharges . . . 352
  Table 6: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care for Pediatric Patients . . . 362
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . . 373
Index to Length of Stay Tables . . . 377

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.


PAS
1234567890EV
1979 CASE ABSTRACT
SAMPLE
79
PAS
79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 2,811,084 pediatric patients discharged during 1979 from 1,659 nonfederal, short-term* hospitals participating in PAS. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals and hospitals without pediatric discharges participating in PAS. Patients studied were selected from a total of 2,924,945 discharges.

Characteristics of all U.S. hospitals that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Hospitals with Residencies			**Hospitals with Medical School Affiliation**		
Region and Census Division (1)	**Total[2] (2)**	**Number in PAS (3)**	**Percent in PAS (4)**	**Total[2] (5)**	**Number in PAS (6)**	**Percent in PAS (7)**
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups*[1] and the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[2] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients. Within each operation group, the patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflect the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[3] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E Codes (external causes of injury and poisoning)

---

[3] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the List B tables, an operated patient is one whose principal procedure is among the 249 List B groups that contain at least one Class 1 procedure. In the List A tables, however, a patient is considered operated if he has at least one Class 1 procedure recorded either as the principal procedure or as a secondary procedure. As a result, the total count of operated patients in the diagnosis tables exceeds the total count of operated patients in the procedure tables.

Explanation of Statistics

The diagnosis (operation) group titles heading the tables are followed in parentheses by the diagnosis (operation) codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1".

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The diagnosis tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay diagnosis and operation tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions from the diagnosis and operation tables include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Additional exclusions from the operation tables only include patients with illegal or unrecorded principal procedure, and patients with operation-age and operation-sex inconsistencies.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979 — *U.S., Western Region, 1979*
U.S., North Central Region, 1979 — *Canada, 1979*
U.S., Southern Region, 1979 — *United States Geriatric, 1979*
U.S., Northeastern Region, 1979 — *United States Pediatric, 1979*

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979 — *U.S., Western Region, 1979*
U.S., North Central Region, 1979 — *Canada, 1979*
U.S., Southern Region, 1979 — *United States Geriatric, 1979*
U.S., Northeastern Region, 1979 — *United States Pediatric, 1979*

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented for Pediatric patients are 0-27 days, 1-11 months, 1-5 years, 6-12 years, and 13-19 years.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 12-year-old patient is admitted to a United States hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. *For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)*			
2. *Scheduled for operation other than thoracentesis*			
3.			
4.			
Pleurisy, without mention of effusion or tbc *	4		186
Pneumonia			
acute interstitial	**3**		**17**
broncho-, organism not specified	**3**		**179**
chronic, interstitial	**3**		**186**
lobar	**3**		**179**
organism or type not specified	**3**		**179**
pneumococcal	**3**		**179**
viral	**3**		**179**
Criteria for admission (for above 7)			
1. ***Respiratory distress (cyanosis, dyspnea at rest, tachypnea > 40 resp/min, $PO_2 < 50$)***			
2. ***Complicating respiratory disease e.g., emphysema, COPD, asthma***			
3. ***Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease***			
4.			
5.			

b. The alphabetic index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.



DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	**Pneumonia, except influenzal**
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.



Pleurodynia **INDEX TO DISEASES**

Pleurodynia — *continued*
  epidemic 074.1
  viral 074.1
Pleurohepatitis 573.8
Pleuropericarditis *(see also* Pericarditis) 423.9
  acute 420.90
Pleuropneumonia (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
  chronic *(see also* Fibrosis, lung) 515
Pleurorrhea *(see also* Hydrothorax) 511.8
Plexitis, brachial 353.0
Plica
  polonica 132.0
  tonsil 474.8
Plicae dysphonia ventricularis 784.49
Plicated tongue 529.5
  congenital 750.13
Plug
  bronchus NEC 519.1
  meconium (newborn) NEC 777.1
  mucus — *see* Mucus, plug
Plumbism 984.9
  specified type of lead — *see* Table of drugs and chemicals
Plummer's disease (toxic nodular goiter) 242.3
Plummer-Vinson syndrome (sideropenic dysphagia) 280.8
Pluricarential syndrome of infancy 260
Plurideficiency syndrome of infancy 260
Plus (and minus) hand (intrinsic) 736.09
Pneumathemia — *see* Air, embolism, by type
Pneumatic drill or hammer disease 994.9
Pneumatocele (lung) 518.8
  intracranial 348.8
  tension 492.0
Pneumatosis
  cystoides intestinalis 569.89
  peritonei 568.89
  pulmonum 492.8
Pneumaturia 599.8
Pneumoblastoma (M8981/3) — *see* Neoplasm, lung, malignant
Pneumocephalus 348.8
Pneumococcemia 038.2
  with pneumonia 481
Pneumococcus, pneumococcal — *see* condition
Pneumoconiosis (due to) (inhalation of) 505
  aluminum 503
  asbestos 501
  bagasse 495.1
  bauxite 503
  beryllium 503
  carbon electrode makers' 503
  coal
    miners' (simple) 500
    workers' (simple) 500
  cotton dust 504

Pneumoconiosis (due to) (inhalation of) — *continued*
  diatomite fibrosis 502
  dust NEC 504
    inorganic 503
    lime 502
    marble 502
    organic NEC 504
  fumes or vapors (from silo) 506.9
  graphite 503
  hard metal 503
  mica 502
  moldy hay 495.0
  rheumatoid 714.81
  silica NEC 502
    and carbon 500
  silicate NEC 502
  talc 502
Pneumocystis carinii pneumonia 136.3
Pneumocystosis 136.3
  with pneumonia 136.3
Pneumoenteritis 025
Pneumohemopericardium *(see also* Pericarditis) 423.9
Pneumohemothorax *(see also* Hemothorax) 511.8
  traumatic 860.4
    with open wound into thorax 860.5
Pneumohydropericardium *(see also* Pericarditis) 423.9
Pneumohydrothorax *(see also* Hydrothorax) 511.8
Pneumomediastinum 518.1
  congenital 770.2
  fetus or newborn 770.2
Pneumomycosis 117.9
Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486
  with influenza, flu, or grippe 487.0
  adenoviral 480.0
  adynamic 514
  alba 090.0
  allergic 518.3
  alveolar — *see* Pneumonia, lobar
  anthrax 022.1 *[484.5]*
  apex, apical — *see* Pneumonia, lobar
  ascaris 127.0
  aspiration 507.0

586

Step 2. Find the table for group 179 of *Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979.*

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	617	6.1	17	2	3	5	7	10	12	18
1-11 MOS	10933	5.3	11	2	2	5	7	9	11	16
1-5 YRS	18858	4.7	9	2	2	4	6	8	10	15
6-12 YRS	7511	4.9	9	2	2	4	6	8	10	15
13-19 YRS	4198	5.4	10	2	2	5	7	9	11	16
B. *Operated*										
0-27 DYS	6	9.8	4	7	7	10	12	12	12	12
1-11 MOS	54	8.3	34	2	2	7	11	18	19	27
1-5 YRS	107	7.0	52	1	1	5	9	14	17	42
6-12 YRS	56	7.4	42	1	2	5	11	19	21	25
13-19 YRS	45	9.5	52	2	3	8	14	18	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	400	7.4	23	2	3	7	9	13	16	25
1-11 MOS	9527	6.2	17	2	3	5	8	11	13	21
1-5 YRS	15550	5.3	14	2	2	4	6	9	11	18
6-12 YRS	4623	5.6	14	2	2	5	7	10	12	19
13-19 YRS	2716	6.3	21	2	3	5	8	11	14	22
B. *Operated*										
0-27 DYS	22	9.8	36	2	3	8	13	19	22	26
1-11 MOS	251	12.6	78	3	4	11	16	24	32	40
1-5 YRS	302	11.5	73	3	4	9	14	23	29	44
6-12 YRS	132	11.9	109	2	3	10	16	22	27	59
13-19 YRS	166	14.5	118	4	4	11	18	27	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42117	5.0	10	2	2	4	6	8	10	15
B. *Operated*	268	7.8	46	1	2	6	10	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	32816	5.7	16	2	2	5	7	10	12	20
B. *Operated*	873	12.4	88	3	4	10	16	23	31	47
1. SINGLE DX	42385	5.0	10	2	2	4	6	8	10	16
2. MULTIPLE DX	33689	5.9	19	2	2	5	7	10	13	22
A. NOT OPERATED	74933	5.3	12	2	2	5	7	9	11	17
B. OPERATED	1141	11.3	82	2	3	9	15	22	28	45
TOTAL 0-27 DYS	1045	6.7	20	2	3	6	8	11	14	23
1-11 MOS	20765	5.8	15	2	2	5	7	10	12	20
1-5 YRS	34817	5.0	12	2	2	4	6	9	11	17
6-12 YRS	12322	5.2	12	2	2	4	6	9	11	18
13-19 YRS	7125	6.0	19	2	3	5	7	10	13	22
GRAND TOTAL	**76074**	**5.4**	**14**	**2**	**2**	**5**	**7**	**9**	**11**	**19**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



1,659 PAS Hospitals, United States, January–December 1979

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-27 DYS	617	6.1	17	2	3	5	7	10
1-11 MOS	10933	5.3	11	2	2	5	7	9
1-5 YRS	15858	4.7	9	2	2	4	6	8
6-12 YRS	7511	4.9	9	2	2	4	6	
13-19 YRS	4198	5.4	10	2	2	5	7	
B. *Operated*								
0-27 DYS	6	9.8	4	7	7	10	12	
1-11 MOS	54	8.3	34	2	2	7	11	
1-5 YRS	107	7.0	52	1	1	5		
6-12 YRS	56	7.4	42	1	2	5		
13-19 YRS	45	9.5	52	2	3			
LE DX								
	400	7.4						

180: Influenza (487)

113

Step 4. Since no surgery is scheduled, one is restricted to the first five lines of the table (Section 1.A.).



1,659 PAS Hospitals, United States, January–December 1979

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-27 DYS	617	6.1	17	2	3	5	7	10
1-11 MOS	10933	5.3	11	2	2	5	7	9
1-5 YRS	15858	4.7	9	2	2	4	6	8
6-12 YRS	7511	4.9	9	2	2	4	6	
13-19 YRS	4198	5.4	10	2	2	5	7	
B. *Operated*								
0-27 DYS	6	9.8	4	7	7	10	12	
1-11 MOS	54	8.3	34	2	2	7	11	
1-5 YRS	107	7.0	52	1	1	5		
6-12 YRS	56	7.4	42	1	2	5		
13-19 YRS	45	9.5	52	2	3			
LE DX								
	400	7.4						

180: Influenza (487)

113

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.



1,659 PAS Hospitals, United States, January–December 1979

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-27 DYS	617	6.1	17	2	3	5	7	10
1-11 MOS	10933	5.3	11	2	2	5	7	9
1-5 YRS	18858	4.7	9	2	2	4	6	8
6-12 YRS	7511	4.9	9	2	2	4	6	
13-19 YRS	4198	5.4	10	2	2	5	7	
B. *Operated*								
0-27 DYS	6	9.8	4	7	7	10	12	
1-11 MOS	54	8.3	34	2	2	7	11	
1-5 YRS	107	7.0	52	1	1	5		
6-12 YRS	56	7.4	42	1	2	5		
13-19 YRS	45	9.5	52	2	3			
LE DX								
	400	7.4						

180: Influenza (487)

113

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.



1,659 PAS Hospitals, United States, January–December 1979

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-27 DYS	617	6.1	17	2	3	5	7	10
1-11 MOS	10933	5.3	11	2	2	5	7	9
1-5 YRS	18858	4.7	9	2	2		6	8
6-12 YRS	7511	4.9	9	2	2	4	6	
13-19 YRS	4198	5.4	10	2	2		7	
B. *Operated*								
0-27 DYS	6	9.8	4	7	7	10	12	
1-11 MOS	54	8.3	34	2	2	7	11	
1-5 YRS	107	7.0	52	1	1	5		
6-12 YRS	56	7.4	42	1	2	5		
13-19 YRS	45	9.5	52	2	3			
LE DX								
	400	7.4						

180: Influenza (487)

113

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables Diagnosis Groups

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	765753	3.3	3	1	2	3	4	5	6	8
1-11 MOS	64274	4.3	13	1	1	4	5	8	10	17
1-5 YRS	112993	3.5	12	1	1	3	4	7	9	17
6-12 YRS	85417	3.8	24	1	1	3	4	7	9	26
13-19 YRS	221451	4.1	37	<1	1	3	4	7	11	34
B. *Operated*										
0-27 DYS	2267	5.2	29	1	2	4	6	10	14	29
1-11 MOS	16818	3.4	19	<1	<1	2	4	7	11	22
1-5 YRS	87438	2.4	12	<1	<1	2	2	4	7	18
6-12 YRS	129561	2.8	14	<1	1	2	3	5	8	20
13-19 YRS	295285	3.5	13	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	326813	5.2	29	2	2	4	6	8	12	30
1-11 MOS	72966	5.4	22	1	2	4	6	10	13	23
1-5 YRS	110984	4.2	15	1	1	3	5	8	10	20
6-12 YRS	64000	4.4	30	1	1	3	5	8	11	30
13-19 YRS	139716	5.5	59	1	1	3	6	10	17	46
B. *Operated*										
0-27 DYS	11367	15.9	317	2	3	9	22	47	68	99+
1-11 MOS	11391	6.8	83	<1	1	3	8	16	25	54
1-5 YRS	67589	3.1	26	<1	1	2	2	6	11	27
6-12 YRS	68946	3.8	37	<1	1	2	3	8	13	34
13-19 YRS	156055	5.8	58	1	2	4	6	11	17	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1249888	3.6	12	1	1	3	4	6	7	15
B. *Operated*	531369	3.2	14	<1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	714479	5.0	32	1	2	4	6	9	13	31
B. *Operated*	315348	5.2	63	1	1	3	5	11	17	49
1. SINGLE DX	1781257	3.4	12	1	1	3	4	6	7	16
2. MULTIPLE DX	1029827	5.1	42	1	1	3	6	9	14	36
A. NOT OPERATED	1964367	4.1	20	1	1	3	5	7	9	23
B. OPERATED	846717	3.9	33	<1	1	2	4	7	11	31
TOTAL 0-27 DYS	1106200	4.0	16	1	2	3	4	6	7	20
1-11 MOS	165449	4.9	23	1	1	4	6	9	12	24
1-5 YRS	379004	3.4	16	<1	1	2	4	7	9	20
6-12 YRS	347924	3.5	24	1	1	2	4	7	10	26
13-19 YRS	812507	4.4	37	1	1	3	5	8	12	34
GRAND TOTAL	**2811084**	**4.0**	**24**	**1**	**1**	**3**	**4**	**7**	**10**	**25**

1,659 PAS Hospitals, United States, January–December 1979

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13856	4.3	22	1	1	3	5	8	11	24
1-11 MOS	64274	4.3	13	1	1	4	5	8	10	17
1-5 YRS	112993	3.5	12	1	1	3	4	7	9	17
6-12 YRS	85417	3.8	24	1	1	3	4	7	9	26
13-19 YRS	221451	4.1	37	<1	1	3	4	7	11	34
B. *Operated*										
0-27 DYS	1691	5.4	31	1	1	4	6	11	16	30
1-11 MOS	16818	3.4	19	<1	<1	2	4	7	11	22
1-5 YRS	87438	2.4	12	<1	<1	2	2	4	7	18
6-12 YRS	129561	2.8	14	<1	1	2	3	5	8	20
13-19 YRS	295285	3.5	13	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9424	7.2	68	1	2	5	8	15	24	54
1-11 MOS	72966	5.4	22	1	2	4	6	10	13	23
1-5 YRS	110984	4.2	15	1	1	3	5	8	10	20
6-12 YRS	64000	4.4	30	1	1	3	5	8	11	30
13-19 YRS	139716	5.5	59	1	1	3	6	10	17	46
B. *Operated*										
0-27 DYS	1493	12.5	232	1	2	8	18	63	99+	99+
1-11 MOS	11391	6.8	83	<1	1	3	8	16	25	54
1-5 YRS	67589	3.1	26	<1	1	2	2	6	11	27
6-12 YRS	68946	3.8	37	<1	1	2	3	8	13	34
13-19 YRS	156055	5.8	58	1	2	4	6	11	17	48
SUBTOTALS:										
1 SINGLE DX										
A. *Not Operated*	497991	4.0	25	1	1	3	4	7	10	26
B. *Operated*	530793	3.2	14	<1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	397090	5.0	36	1	1	4	6	9	13	33
B. *Operated*	305474	4.8	50	1	1	3	5	10	15	42
1. SINGLE DX	1028784	3.5	20	<1	1	2	4	6	9	22
2. MULTIPLE DX	702564	4.9	42	1	1	3	5	9	14	37
A. NOT OPERATED	895081	4.4	30	1	1	3	5	8	11	29
B. OPERATED	836267	3.8	28	<1	1	2	4	7	11	28
TOTAL 0-27 DYS	26464	5.9	55	1	2	4	7	12	20	61
1-11 MOS	165449	4.9	23	1	1	4	6	9	12	24
1-5 YRS	379004	3.4	16	<1	1	2	4	7	9	20
6-12 YRS	347924	3.5	24	1	1	2	4	7	10	26
13-19 YRS	812507	4.4	37	1	1	3	5	8	12	34
GRAND TOTAL	**1731348**	**4.1**	**29**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	283	4.3	9	1	2	4	5	8	10	16
1-11 MOS	2922	4.2	9	1	2	4	5	7	9	16
1-5 YRS	3084	3.6	7	1	1	3	4	6	8	13
6-12 YRS	2204	3.0	7	1	1	2	4	5	7	13
13-19 YRS	2285	3.1	7	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	6	5.7	31	2	2	4	4	16	17	17
1-11 MOS	26	6.7	6	3	4	6	8	10	12	14
1-5 YRS	30	7.0	41	1	2	5	8	15	19	32
6-12 YRS	30	4.7	7	2	2	4	5	9	10	11
13-19 YRS	100	5.3	6	2	3	5	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	176	6.5	58	2	2	5	8	12	16	37
1-11 MOS	3520	5.1	15	2	2	4	6	9	11	20
1-5 YRS	3585	3.9	7	1	2	3	5	7	9	14
6-12 YRS	1482	3.3	5	1	1	3	4	6	7	12
13-19 YRS	1459	3.8	9	1	1	3	5	7	9	16
B. *Operated*										
0-27 DYS	7	10.1	116	3	3	8	9	29	34	34
1-11 MOS	98	10.8	135	3	3	7	13	23	28	70
1-5 YRS	64	6.4	16	2	2	6	8	11	13	25
6-12 YRS	39	6.1	21	1	2	5	8	11	17	23
13-19 YRS	62	7.3	43	2	3	5	8	13	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10778	3.6	8	1	1	3	4	6	8	14
B. *Operated*	192	5.7	13	2	3	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	10222	4.3	11	1	2	3	5	8	10	17
B. *Operated*	270	8.3	72	2	3	6	9	15	24	46
1. SINGLE DX	10970	3.6	8	1	1	3	4	6	8	15
2. MULTIPLE DX	10492	4.4	13	1	2	4	5	8	10	18
A. NOT OPERATED	21000	3.9	10	1	1	3	5	7	9	16
B. OPERATED	462	7.2	49	2	3	5	8	12	18	34
TOTAL 0-27 DYS	472	5.3	30	1	2	4	6	9	13	23
1-11 MOS	6566	4.8	15	2	2	4	6	8	11	19
1-5 YRS	6763	3.8	7	1	2	3	5	7	8	14
6-12 YRS	3755	3.2	6	1	1	3	4	6	7	13
13-19 YRS	3906	3.5	9	1	1	3	4	6	8	15
GRAND TOTAL	**21462**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	8	7.9	51	3	3	5	10	20	23	23
1-5 YRS	32	9.5	101	2	2	7	13	16	21	56
6-12 YRS	13	7.9	26	2	3	7	10	16	17	17
13-19 YRS	36	10.9	42	2	3	9	16	20	21	22
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	11	9.6	69	1	1	8	13	23	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	16.9	127	4	5	14	23	35	41	42
1-5 YRS	18	9.3	108	1	1	7	11	18	35	45
6-12 YRS	8	12.0	65	2	2	13	19	21	21	21
13-19 YRS	19	10.2	48	2	3	9	13	21	25	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	37	1	1	2	9	12	12	12
6-12 YRS	3	14.7	82	8	8	11	21	25	25	25
13-19 YRS	24	16.8	102	5	7	15	25	29	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	10.0	68	2	3	8	15	19	21	48
B. *Operated*	15	8.0	62	1	1	6	11	20	26	28
2. MULTIPLE DX										
A. *Not Operated*	57	11.6	90	1	3	9	16	22	30	45
B. *Operated*	30	15.4	102	2	5	14	25	29	45	99+
1. SINGLE DX	105	9.7	67	2	2	8	15	19	21	45
2. MULTIPLE DX	87	12.9	96	2	3	10	18	27	33	79
A. NOT OPERATED	147	10.6	77	2	3	8	15	21	23	45
B. OPERATED	45	12.9	99	1	2	10	20	28	32	99+
TOTAL 0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	21	12.7	114	2	3	10	17	27	36	42
1-5 YRS	54	9.0	97	1	2	6	11	16	21	56
6-12 YRS	26	9.8	47	2	2	8	16	20	22	25
13-19 YRS	90	12.2	68	2	3	10	18	24	28	78
GRAND TOTAL	**192**	**11.1**	**82**	**2**	**2**	**9**	**16**	**22**	**28**	**52**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	6	4.0	2	2	2	4	5	6	6	6
13-19 YRS	4	8.0	41	3	3	6	12	17	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	32	3.6	10	<1	<1	2	6	7	12	13
6-12 YRS	14	7.8	74	<1	<1	4	10	22	26	27
13-19 YRS	9	3.9	7	1	1	4	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	23.7	162	5	6	26	32	39	40	40
6-12 YRS	3	5.3	34	1	1	3	10	12	12	12
13-19 YRS	2	15.5	181	6	6	15	25	25	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS	2	44.5	13	42	42	44	47	47	47	47
1-5 YRS	7	8.4	131	1	1	6	6	28	34	34
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	10	7.6	41	1	1	5	13	17	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.9	15	2	3	5	7	11	16	17
B. *Operated*	56	4.7	27	<1	1	3	6	10	18	27
2. MULTIPLE DX										
A. *Not Operated*	11	17.2	174	1	2	13	27	35	40	40
B. *Operated*	21	11.0	184	1	1	6	13	37	44	47
1. SINGLE DX	69	4.9	25	<1	1	4	6	10	17	26
2. MULTIPLE DX	32	13.2	184	1	2	6	22	36	42	47
A. NOT OPERATED	24	11.1	116	2	3	6	15	27	34	40
B. OPERATED	77	6.4	76	<1	1	4	6	15	25	46
TOTAL 0-27 DYS										
1-11 MOS	4	25.8	476	5	5	25	44	47	47	47
1-5 YRS	47	7.0	86	<1	1	4	7	23	32	40
6-12 YRS	25	6.3	47	<1	1	4	6	20	22	27
13-19 YRS	25	7.0	40	1	2	4	9	17	21	25
GRAND TOTAL	**101**	**7.5**	**89**	**<1**	**1**	**4**	**7**	**21**	**29**	**44**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	55	3.8	5	1	2	3	4	6	9	11
1-5 YRS	376	2.9	3	1	1	3	4	5	6	8
6-12 YRS	514	3.0	5	1	1	3	4	5	6	13
13-19 YRS	416	3.3	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	30	2.0	1	1	1	2	2	2	4	5
6-12 YRS	80	1.9	1	<1	1	2	2	2	3	7
13-19 YRS	43	2.3	3	1	1	2	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	1	3	3	5	5	5	5	5
1-11 MOS	98	4.0	4	1	2	4	5	6	8	11
1-5 YRS	697	3.6	6	1	1	3	4	6	7	12
6-12 YRS	843	3.5	14	1	2	3	4	6	7	12
13-19 YRS	585	4.0	6	1	2	3	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.5	1	15	15	15	16	16	16	16
1-5 YRS	37	3.9	20	1	1	2	4	9	11	25
6-12 YRS	52	3.5	11	1	1	2	4	9	11	15
13-19 YRS	15	4.3	8	<1	1	3	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1362	3.1	4	1	1	3	4	5	6	11
B. *Operated*	153	2.1	1	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	2226	3.7	9	1	2	3	4	6	7	12
B. *Operated*	106	4.0	16	1	1	2	5	9	11	20
1. SINGLE DX	1515	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2332	3.7	9	1	2	3	4	6	8	13
A. NOT OPERATED	3588	3.5	7	1	1	3	4	6	7	12
B. OPERATED	259	2.8	8	1	1	2	2	6	9	15
TOTAL 0-27 DYS	4	4.8	2	3	3	5	6	6	6	6
1-11 MOS	155	4.1	6	1	2	3	5	6	9	15
1-5 YRS	1140	3.3	6	1	1	3	4	6	7	12
6-12 YRS	1489	3.3	10	1	1	3	4	5	7	13
13-19 YRS	1059	3.7	4	1	2	3	5	6	7	11
GRAND TOTAL	**3847**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	248	7.2	14	2	3	7	9	12	13	20
1-11 MOS	402	6.2	16	2	2	5	8	11	13	23
1-5 YRS	182	5.4	16	1	2	5	7	10	11	18
6-12 YRS	58	6.1	18	1	1	5	9	13	16	92
13-19 YRS	65	8.1	68	2	2	5	9	19	29	41
B. *Operated*										
0-27 DYS	10	7.0	10	2	2	7	10	11	11	11
1-11 MOS	21	9.2	65	2	2	8	11	16	27	39
1-5 YRS	6	20.5	577	4	5	12	14	63	69	69
6-12 YRS	6	8.3	13	5	5	8	10	14	14	14
13-19 YRS	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	173	8.3	27	2	4	7	11	14	17	21
1-11 MOS	440	7.5	30	2	3	6	10	14	16	24
1-5 YRS	303	7.0	24	2	2	6	9	13	15	26
6-12 YRS	101	8.4	35	2	2	7	11	16	21	30
13-19 YRS	140	9.1	47	3	3	7	12	16	25	34
B. *Operated*										
0-27 DYS	22	12.9	77	4	6	11	14	27	34	41
1-11 MOS	51	12.7	60	1	6	11	15	22	30	42
1-5 YRS	23	15.8	99	5	6	14	18	31	36	45
6-12 YRS	11	20.4	341	2	2	17	29	45	64	66
13-19 YRS	39	19.3	251	5	6	16	21	48	58	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	955	6.4	19	2	2	5	8	11	14	23
B. *Operated*	45	10.1	116	2	3	8	11	14	22	69
2. MULTIPLE DX										
A. *Not Operated*	1157	7.7	31	2	3	7	10	14	17	27
B. *Operated*	146	15.6	146	4	6	12	17	30	43	63
1. SINGLE DX	1000	6.6	24	2	2	5	9	11	14	24
2. MULTIPLE DX	1303	8.6	50	2	3	7	11	16	19	37
A. NOT OPERATED	2112	7.2	26	2	2	6	9	13	16	26
B. OPERATED	191	14.3	144	3	5	11	16	28	42	65
TOTAL 0-27 DYS	453	7.9	23	2	3	7	10	13	15	22
1-11 MOS	914	7.3	28	2	3	6	10	13	16	26
1-5 YRS	514	7.0	36	2	2	6	9	13	16	31
6-12 YRS	176	8.4	57	1	2	7	11	16	24	57
13-19 YRS	246	10.4	98	2	3	7	13	21	30	55
GRAND TOTAL	**2303**	**7.7**	**40**	**2**	**2**	**6**	**10**	**14**	**17**	**32**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	7.4	28	1	2	6	11	16	17	23
1-11 MOS	343	8.5	34	2	2	8	11	15	19	34
1-5 YRS	271	7.6	19	2	2	7	11	14	15	17
6-12 YRS	142	5.6	16	1	2	4	8	12	13	18
13-19 YRS	127	7.4	20	2	2	7	11	13	15	19
B. *Operated*										
0-27 DYS	5	16.8	29	13	13	15	19	26	26	26
1-11 MOS	20	10.7	23	3	4	11	13	17	19	20
1-5 YRS	23	9.4	32	1	1	10	13	15	19	23
6-12 YRS	9	9.1	84	1	1	6	14	24	30	30
13-19 YRS	7	6.9	31	1	1	5	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	32	9.6	60	3	3	6	11	18	31	34
1-11 MOS	234	9.1	41	2	3	8	12	17	21	31
1-5 YRS	197	7.8	29	2	2	7	11	14	16	24
6-12 YRS	127	5.9	16	2	2	5	7	12	14	19
13-19 YRS	106	8.6	43	2	2	7	12	17	21	66
B. *Operated*										
0-27 DYS	4	37.3	1591	5	5	26	67	91	91	91
1-11 MOS	27	20.1	139	7	9	17	27	34	45	54
1-5 YRS	24	13.5	89	3	4	13	17	21	33	48
6-12 YRS	8	8.0	118	1	1	5	8	26	34	34
13-19 YRS	16	9.8	25	2	3	10	12	14	20	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	928	7.6	25	2	2	7	11	14	16	25
B. *Operated*	64	10.1	39	1	2	11	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	696	8.1	35	2	2	7	11	15	19	32
B. *Operated*	79	15.7	194	2	4	12	18	33	44	80
1. SINGLE DX	992	7.8	26	2	2	7	11	14	16	26
2. MULTIPLE DX	775	8.9	56	2	2	7	12	16	21	41
A. NOT OPERATED	1624	7.8	30	2	2	7	11	14	17	28
B. OPERATED	143	13.2	132	2	3	11	16	25	33	57
TOTAL 0-27 DYS	86	10.1	135	2	3	7	13	17	27	74
1-11 MOS	624	9.3	46	2	3	8	12	17	23	35
1-5 YRS	515	8.0	28	2	2	8	11	14	16	24
6-12 YRS	286	5.9	21	1	2	4	8	12	14	21
13-19 YRS	256	8.0	30	2	2	7	11	14	18	31
GRAND TOTAL	**1767**	**8.3**	**40**	**2**	**2**	**7**	**11**	**15**	**18**	**33**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	221	5.5	9	2	3	5	6	9	12	17
1-11 MOS	924	4.7	7	1	2	4	6	8	10	13
1-5 YRS	598	3.9	7	1	1	3	5	7	10	14
6-12 YRS	902	3.5	7	1	1	3	4	6	8	13
13-19 YRS	785	4.3	19	1	2	3	5	7	9	15
B. *Operated*										
0-27 DYS	5	6.4	5	4	4	6	8	10	10	10
1-11 MOS	37	6.4	10	3	3	6	8	12	13	15
1-5 YRS	8	5.3	9	2	2	5	7	10	11	11
6-12 YRS	6	7.2	41	1	1	5	11	17	18	18
13-19 YRS	8	4.4	15	2	2	3	5	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	74	6.4	15	2	3	5	8	11	13	23
1-11 MOS	410	5.8	25	2	2	5	7	10	13	20
1-5 YRS	205	5.2	47	1	2	4	6	9	12	16
6-12 YRS	167	4.4	10	2	2	3	5	9	12	85
13-19 YRS	212	5.0	13	1	2	4	6	10	11	20
B. *Operated*										
0-27 DYS	9	8.1	10	4	4	9	11	12	12	12
1-11 MOS	20	9.9	51	2	3	8	13	20	25	29
1-5 YRS	5	8.0	11	5	5	6	11	12	12	12
6-12 YRS	6	20.0	323	6	6	10	41	45	45	45
13-19 YRS	9	13.2	140	2	2	10	22	32	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3430	4.2	10	1	2	4	5	7	10	14
B. *Operated*	64	6.1	12	2	2	5	7	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1068	5.3	24	2	2	4	6	10	12	20
B. *Operated*	49	11.2	94	3	3	9	12	25	35	45
1. SINGLE DX	3494	4.2	10	1	2	4	5	8	10	14
2. MULTIPLE DX	1117	5.6	29	2	2	4	7	11	13	27
A. NOT OPERATED	4498	4.5	14	1	2	4	5	8	10	15
B. OPERATED	113	8.3	54	2	3	6	11	14	21	42
TOTAL 0-27 DYS	309	5.8	11	2	3	5	7	10	12	18
1-11 MOS	1391	5.1	13	2	2	4	6	9	11	17
1-5 YRS	816	4.3	18	1	2	3	5	8	11	15
6-12 YRS	1081	3.8	11	1	1	3	4	7	9	15
13-19 YRS	1014	4.5	19	1	2	4	5	8	10	18
GRAND TOTAL	**4611**	**4.6**	**15**	**1**	**2**	**4**	**6**	**8**	**11**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	4.5	11	<1	1	4	6	10	12	13
1-11 MOS	688	3.0	2	1	2	3	4	5	5	8
1-5 YRS	723	3.4	4	1	1	3	4	6	7	12
6-12 YRS	272	4.1	26	1	1	3	5	6	8	25
13-19 YRS	355	4.5	10	1	2	4	6	8	10	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	6	3.3	11	<1	<1	2	3	9	10	10
6-12 YRS	4	6.8	48	2	2	4	11	17	17	17
13-19 YRS	17	4.4	7	1	2	4	7	10	64	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.0	10	3	3	4	8	11	12	12
1-11 MOS	655	3.7	10	1	2	3	4	6	7	13
1-5 YRS	1183	4.0	12	1	2	3	5	7	8	13
6-12 YRS	419	4.0	10	1	1	3	5	7	9	18
13-19 YRS	389	5.0	12	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	13	5.1	9	3	3	4	6	23	83	99+
1-5 YRS	28	10.8	240	1	2	5	10	26	57	66
6-12 YRS	16	7.1	35	1	2	6	11	21	73	99+
13-19 YRS	19	9.4	32	3	4	8	11	15	23	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2057	3.6	8	1	1	3	4	6		13
B. *Operated*	29	4.4	13	<1	1	3	5	10		99+
2. MULTIPLE DX										
A. *Not Operated*	2653	4.1	11	1	2	3	5	7	9	14
B. *Operated*	76	8.7	107	2	2	6	10	20	45	99+
1. SINGLE DX	2086	3.6	8	1	1	3	4	6	7	13
2. MULTIPLE DX	2729	4.2	14	1	2	3	5	7	9	16
A. NOT OPERATED	4710	3.9	10	1	2	3	5	6	8	14
B. OPERATED	105	7.5	84	1	2	5	9	16	31	99+
TOTAL 0-27 DYS	26	4.9	11	1	1	4	7	11	12	13
1-11 MOS	1358	3.4	6	1	2	3	4	5	6	11
1-5 YRS	1940	3.9	13	1	2	3	4	6	8	13
6-12 YRS	711	4.1	17	1	1	3	5	7	10	23
13-19 YRS	780	4.9	12	1	2	4	6	9	11	17
GRAND TOTAL	**4815**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**8**	**15**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	4.2	4	2	2	4	6	7	7	7
1-5 YRS	102	5.5	30	2	2	4	6	9	12	34
6-12 YRS	289	5.4	14	2	2	5	7	10	11	22
13-19 YRS	877	7.3	23	2	3	6	9	12	17	26
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	31	10.3	77	2	2	9	14	20	27	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	7	4.9	9	2	2	4	7	10	10	10
1-5 YRS	33	6.7	28	1	2	5	9	13	14	27
6-12 YRS	90	6.6	33	2	2	5	8	11	16	34
13-19 YRS	285	7.8	25	2	3	7	10	15	18	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	72	1	1	7	13	13	13	13
6-12 YRS	3	13.3	37	8	8	12	18	20	20	20
13-19 YRS	27	10.5	50	2	3	8	16	21	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	6.7	22	2	2	6	8	12	15	25
B. *Operated*	36	9.3	72	2	2	7	14	17	26	41
2. MULTIPLE DX										
A. *Not Operated*	417	7.4	27	2	3	6	9	14	18	27
B. *Operated*	32	10.5	48	2	3	8	15	20	25	26
1. SINGLE DX	1314	6.8	23	2	2	6	8	12	16	26
2. MULTIPLE DX	449	7.6	29	2	3	6	9	15	19	27
A. NOT OPERATED	1695	6.9	23	2	2	6	8	12	16	26
B. OPERATED	68	9.9	60	2	2	8	14	20	25	38
TOTAL 0-27 DYS	3	6.7	16	3	3	6	10	11	11	11
1-11 MOS	17	4.6	6	2	2	4	6	8	9	10
1-5 YRS	139	5.8	29	2	2	4	7	9	14	29
6-12 YRS	384	5.7	19	2	2	5	7	10	13	24
13-19 YRS	1220	7.6	26	2	3	6	9	14	18	27
GRAND TOTAL	**1763**	**7.0**	**25**	**2**	**2**	**6**	**8**	**13**	**17**	**27**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.7	6	1	1	3	5	7	9	9
1-5 YRS	204	3.9	7	1	2	3	5	7	9	13
6-12 YRS	462	3.9	8	1	2	3	5	6	8	14
13-19 YRS	2521	4.9	12	2	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.0	31	1	1	5	10	12	12	12
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	35	5.9	10	2	2	5	7	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.9	6	3	3	4	6	9	10	10
1-5 YRS	204	5.1	14	2	2	4	6	10	12	22
6-12 YRS	427	4.7	12	1	2	4	6	8	9	16
13-19 YRS	2063	5.4	11	2	2	5	7	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	7.9	19	2	3	8	9	15	16	16
6-12 YRS	11	7.9	8	5	5	7	10	12	13	13
13-19 YRS	67	8.7	39	2	3	8	11	14	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3198	4.7	11	2	2	4	6	8	10	14
B. *Operated*	39	5.8	11	2	2	5	7	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	2701	5.2	11	2	2	5	6	9	11	17
B. *Operated*	89	8.5	32	2	3	8	11	14	16	35
1. SINGLE DX	3237	4.7	11	2	2	4	6	8	10	14
2. MULTIPLE DX	2790	5.4	12	2	2	5	7	9	12	18
A. NOT OPERATED	5899	4.9	11	2	2	4	6	8	10	16
B. OPERATED	128	7.7	27	2	3	7	10	14	16	24
TOTAL 0-27 DYS										
1-11 MOS	18	4.2	6	1	2	4	5	8	10	10
1-5 YRS	422	4.6	11	1	2	4	6	8	11	19
6-12 YRS	901	4.3	10	1	2	4	5	7	9	15
13-19 YRS	4686	5.2	12	2	2	4	6	9	11	16
GRAND TOTAL	**6027**	**5.0**	**12**	**2**	**2**	**4**	**6**	**9**	**11**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	8	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	42	2.2	3	<1	<1	2	2	4	7	9
B. *Operated*										
0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	136	1.7	3	<1	<1	1	2	3	5	23
6-12 YRS	371	1.5	3	<1	<1	1	2	2	3	5
13-19 YRS	1264	2.4	10	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	4.2	8	1	1	4	6	8	8	8
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	38	3.8	18	<1	<1	3	5	6	10	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	34	2.0	3	1	1	2	2	4	4	10
13-19 YRS	310	3.3	6	1	1	3	4	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.2	3	<1	<1	2	2	4	6	9
B. *Operated*	1780	2.2	8	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	44	3.8	16	<1	1	3	5	6	9	25
B. *Operated*	358	3.1	6	1	1	2	4	6	9	13
1. SINGLE DX	1831	2.2	8	<1	<1	2	2	3	4	9
2. MULTIPLE DX	402	3.2	7	1	1	2	4	6	8	13
A. NOT OPERATED	95	2.9	10	<1	<1	2	4	6	8	19
B. OPERATED	2138	2.3	8	<1	<1	2	3	4	5	11
TOTAL 0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	156	1.8	3	<1	<1	1	2	4	6	12
6-12 YRS	414	1.6	3	<1	<1	1	2	2	3	6
13-19 YRS	1654	2.6	9	<1	1	2	3	4	6	12
GRAND TOTAL	**2233**	**2.3**	**8**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	532	3.9	4	2	2	4	5	6	7	9
1-11 MOS	1918	3.2	3	1	1	3	4	5	6	10
1-5 YRS	1599	3.1	12	1	1	3	4	5	6	11
6-12 YRS	1365	3.0	4	1	1	3	4	5	6	11
13-19 YRS	1206	3.5	7	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	11	5.0	13	1	1	5	7	11	13	13
1-11 MOS	29	3.8	3	1	1	3	5	7	7	8
1-5 YRS	50	2.8	25	<1	<1	2	3	5	7	35
6-12 YRS	63	4.0	27	<1	<1	2	4	9	12	31
13-19 YRS	70	5.4	24	1	2	4	7	11	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	214	4.6	11	2	2	4	5	8	10	24
1-11 MOS	1438	3.8	7	1	2	3	5	6	8	13
1-5 YRS	1916	3.5	14	1	1	3	4	6	8	16
6-12 YRS	1173	3.6	16	1	1	3	4	6	8	14
13-19 YRS	1127	4.2	17	1	1	3	5	7	10	18
B. *Operated*										
0-27 DYS	9	11.1	166	2	2	6	14	34	35	35
1-11 MOS	31	5.1	7	2	2	4	7	9	10	12
1-5 YRS	41	4.4	14	1	1	3	6	8	8	23
6-12 YRS	50	8.2	173	1	1	5	9	14	27	86
13-19 YRS	58	8.0	48	2	2	6	11	18	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6620	3.3	6	1	1	3	4	5	7	11
B. *Operated*	223	4.2	22	<1	1	3	5	9	12	30
2. MULTIPLE DX										
A. *Not Operated*	5868	3.8	13	1	1	3	4	7	8	16
B. *Operated*	189	7.0	74	1	2	5	8	12	23	36
1. SINGLE DX	6843	3.3	7	1	1	3	4	6	7	11
2. MULTIPLE DX	6057	3.9	15	1	1	3	5	7	9	17
A. NOT OPERATED	12488	3.5	10	1	1	3	4	6	7	13
B. OPERATED	412	5.5	48	1	1	3	6	11	16	33
TOTAL 0-27 DYS	766	4.2	8	2	2	4	5	7	8	13
1-11 MOS	3416	3.5	5	1	1	3	4	6	7	12
1-5 YRS	3606	3.3	13	1	1	3	4	6	7	13
6-12 YRS	2651	3.4	13	1	1	3	4	6	7	13
13-19 YRS	2461	4.0	14	1	1	3	5	7	9	17
GRAND TOTAL	**12900**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	8.6	26	2	2	8	11	16	16	16
1-5 YRS	116	5.5	9	2	2	5	7	10	11	17
6-12 YRS	163	5.0	7	2	2	4	6	8	10	16
13-19 YRS	127	4.9	4	2	3	5	6	8	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	8	3.0	4	1	1	3	4	6	7	7
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	8.0	130	1	1	4	6	28	31	31
1-5 YRS	35	6.7	21	1	2	6	9	10	17	23
6-12 YRS	52	5.3	9	2	2	4	7	9	11	18
13-19 YRS	48	8.4	119	2	3	6	9	14	18	72
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.0	18	5	5	8	11	11	11	11
6-12 YRS	3	7.7	49	1	1	7	13	15	15	15
13-19 YRS	3	14.0	67	7	7	12	20	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	5.1	7	2	2	5	6	8	10	16
B. *Operated*	10	3.9	7	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	141	6.8	55	2	2	5	8	10	16	39
B. *Operated*	8	10.1	46	1	2	9	13	21	23	23
1. SINGLE DX	423	5.1	7	2	2	5	6	8	10	16
2. MULTIPLE DX	149	7.0	55	2	2	5	8	11	16	36
A. NOT OPERATED	554	5.6	20	2	2	5	6	9	11	18
B. OPERATED	18	6.7	33	1	1	6	8	14	20	23
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	8.3	76	1	1	6	9	22	30	31
1-5 YRS	154	5.8	12	2	2	5	7	10	11	19
6-12 YRS	226	5.0	8	2	2	4	6	8	10	16
13-19 YRS	179	6.0	38	2	3	5	7	9	11	32
GRAND TOTAL	**572**	**5.6**	**20**	**2**	**2**	**5**	**7**	**9**	**11**	**19**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	44	7.6	15	3	4	7	9	12	16	20
1-11 MOS	17	8.2	31	1	2	9	11	13	19	23
1-5 YRS	23	5.7	7	2	2	6	7	9	11	12
6-12 YRS	14	3.6	5	1	1	3	4	8	8	8
13-19 YRS	435	5.3	13	2	2	4	6	10	12	21
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS										
1-5 YRS	10	1.6	1	1	1	1	2	3	4	4
6-12 YRS	8	3.9	25	1	1	2	3	12	16	16
13-19 YRS	115	3.7	14	<1	1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	11.1	14	5	6	10	14	16	17	17
1-11 MOS	11	9.5	14	4	5	9	13	14	15	15
1-5 YRS	25	6.9	25	2	3	6	9	12	17	25
6-12 YRS	13	5.2	17	1	1	3	8	11	13	13
13-19 YRS	338	5.6	12	2	3	5	7	9	11	21
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	32.0		32	32	32	32	32	32	32
1-5 YRS	3	6.3	1	5	5	7	7	7	7	7
6-12 YRS	6	4.3	30	<1	<1	2	5	14	15	15
13-19 YRS	66	5.7	26	2	2	4	7	10	13	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	5.6	14	2	2	5	7	10	12	21
B. *Operated*	134	3.6	14	<1	1	2	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	396	5.9	14	2	3	5	7	10	13	22
B. *Operated*	77	6.1	33	1	2	4	7	11	15	33
1. SINGLE DX	667	5.2	15	1	2	4	6	10	12	20
2. MULTIPLE DX	473	5.9	17	2	2	5	7	10	14	24
A. NOT OPERATED	929	5.7	14	2	2	5	7	10	13	21
B. OPERATED	211	4.5	22	1	1	3	6	10	12	29
TOTAL 0-27 DYS	55	8.3	16	3	4	7	10	14	16	20
1-11 MOS	29	9.5	42	2	2	9	12	15	23	32
1-5 YRS	61	5.5	16	1	1	5	7	10	12	24
6-12 YRS	41	4.3	13	1	1	3	6	10	14	16
13-19 YRS	954	5.3	14	2	2	4	6	10	12	22
GRAND TOTAL	**1140**	**5.5**	**16**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.0	3	1	1	3	4	6	6	6
1-11 MOS	32	4.0	8	1	2	3	5	8	11	13
1-5 YRS	36	5.0	11	1	2	4	6	8	13	15
6-12 YRS	41	6.0	18	1	2	5	8	12	14	21
13-19 YRS	41	5.7	34	1	1	4	7	11	15	34
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	7	8.3	46	1	1	10	14	16	16	16
13-19 YRS	19	6.2	45	1	1	3	7	16	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	5.1	14	1	2	4	6	11	15	17
1-11 MOS	136	4.8	17	1	2	4	6	8	12	28
1-5 YRS	53	5.9	28	1	2	5	7	10	14	34
6-12 YRS	37	5.8	19	1	2	5	7	12	17	19
13-19 YRS	86	6.8	81	<1	1	5	7	10	20	56
B. *Operated*										
0-27 DYS	2	26.5	1013	4	4	26	49	49	49	49
1-11 MOS	4	7.0	5	4	4	7	8	9	9	9
1-5 YRS	5	8.2	35	1	1	10	13	14	14	14
6-12 YRS	11	23.1	498	1	1	17	45	50	54	54
13-19 YRS	17	17.2	524	2	2	10	13	52	76	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	5.2	18	1	1	4	6	10	13	21
B. *Operated*	28	6.4	43	1	1	3	12	16	17	24
2. MULTIPLE DX										
A. *Not Operated*	338	5.6	35	1	2	4	6	10	14	35
B. *Operated*	39	17.2	418	1	2	10	16	49	55	87
1. SINGLE DX	186	5.3	22	1	1	4	7	11	15	23
2. MULTIPLE DX	377	6.8	86	1	2	4	7	12	18	53
A. NOT OPERATED	496	5.5	30	1	2	4	6	10	14	33
B. OPERATED	67	12.6	287	1	1	6	14	42	50	82
TOTAL 0-27 DYS	36	5.8	66	1	1	4	6	11	16	49
1-11 MOS	173	4.7	15	1	2	4	6	8	11	24
1-5 YRS	95	5.7	22	1	2	4	7	11	14	27
6-12 YRS	96	8.1	100	1	2	5	9	16	34	51
13-19 YRS	163	7.5	119	1	1	5	8	15	23	66
GRAND TOTAL	**563**	**6.3**	**65**	**1**	**2**	**4**	**7**	**12**	**16**	**48**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	24	3.5	4	1	1	3	5	6	7	10
6-12 YRS	44	2.9	2	1	1	3	4	5	6	7
13-19 YRS	18	4.0	8	<1	1	3	6	8	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	42	4.0	3	2	2	4	4	6	8	11
13-19 YRS	26	6.9	144	2	2	4	5	11	25	64
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	4	5.5	6	4	4	5	7	9	9	9
1-5 YRS	29	4.6	15	1	1	4	5	11	14	16
6-12 YRS	43	4.9	28	1	2	3	5	10	20	25
13-19 YRS	17	6.9	39	1	2	5	10	13	22	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.4	3	2	2	3	5	6	6	6
6-12 YRS	26	4.7	4	3	3	4	7	7	8	10
13-19 YRS	24	5.1	11	1	2	4	5	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	3.3	4	1	1	3	4	6	7	11
B. *Operated*	70	5.0	56	2	2	4	5	6	11	54
2. MULTIPLE DX										
A. *Not Operated*	94	5.3	26	1	2	4	6	13	17	26
B. *Operated*	59	4.7	7	2	2	4	5	8	11	14
1. SINGLE DX	157	4.1	28	1	2	3	4	6	8	15
2. MULTIPLE DX	153	5.1	19	1	2	4	5	10	14	25
A. NOT OPERATED	181	4.3	16	1	1	3	5	8	13	24
B. OPERATED	129	4.9	33	2	2	4	5	7	11	25
TOTAL 0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	4	5.5	6	4	4	5	7	9	9	9
1-5 YRS	64	4.0	9	1	1	3	5	7	11	16
6-12 YRS	155	4.0	10	1	2	3	4	7	8	20
13-19 YRS	85	5.8	57	1	2	4	6	11	13	51
GRAND TOTAL	**310**	**4.6**	**24**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	3.2	2	2	2	3	3	5	6	7
1-11 MOS	16	5.3	12	2	2	4	7	11	12	13
1-5 YRS	45	4.2	7	1	2	4	5	7	9	14
6-12 YRS	26	6.1	14	2	3	5	7	11	15	19
13-19 YRS	58	5.1	11	1	2	4	7	8	9	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	4	3.5	19	<1	<1	1	6	10	10	10
6-12 YRS	10	3.0	8	<1	<1	2	3	8	9	9
13-19 YRS	50	5.8	20	1	2	5	9	11	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	4.6	8	1	2	3	6	8	11	13
1-11 MOS	39	6.0	16	1	2	5	9	13	14	16
1-5 YRS	75	5.4	11	1	2	5	7	10	11	17
6-12 YRS	47	5.3	15	1	2	5	6	11	15	99+
13-19 YRS	84	5.0	17	1	2	4	6	9	13	23
B. *Operated*										
0-27 DYS										
1-11 MOS	5	13.0	142	6	6	9	34	93	99+	99+
1-5 YRS	8	6.8	26	1	1	6	11	13	14	14
6-12 YRS	7	5.0	23	1	1	2	8	13	14	14
13-19 YRS	35	9.8	82	2	2	8	14	18	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	4.7	10	1	2	4	6	8	11	18
B. *Operated*	66	5.2	19	<1	1	4	8	10	12	24
2. MULTIPLE DX										
A. *Not Operated*	264	5.3	14	1	2	4	7	10	13	23
B. *Operated*	55	9.0	73	1	2	7	13	18	33	97
1. SINGLE DX	242	4.8	12	1	2	4	6	9	11	19
2. MULTIPLE DX	319	5.9	26	1	2	5	7	12	15	38
A. NOT OPERATED	440	5.0	12	1	2	4	6	9	12	22
B. OPERATED	121	7.0	47	1	1	5	9	14	20	62
TOTAL 0-27 DYS	50	3.7	5	2	2	3	4	6	8	13
1-11 MOS	62	6.3	26	1	2	5	9	13	15	91
1-5 YRS	132	5.0	11	1	1	4	7	10	12	16
6-12 YRS	90	5.2	15	1	2	5	7	10	14	68
13-19 YRS	227	5.9	29	1	2	4	8	11	15	27
GRAND TOTAL	**561**	**5.5**	**20**	**1**	**2**	**4**	**7**	**10**	**14**	**26**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.7	114	2	2	3	16	21	21	21
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	4	5.5	32	2	2	3	9	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.3	12	5	5	8	11	12	12	12
13-19 YRS	15	6.1	28	<1	1	5	8	13	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	3	2	2	3	4	6	6	6
B. *Operated*	5	3.2	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	8	6.6	49	2	2	3	9	19	21	21
B. *Operated*	18	6.4	25	<1	1	5	8	13	17	20
1. SINGLE DX	10	3.3	2	2	2	3	4	5	6	6
2. MULTIPLE DX	26	6.5	31	1	1	5	8	14	20	21
A. NOT OPERATED	13	5.4	32	2	2	3	5	15	20	21
B. OPERATED	23	5.7	22	<1	1	4	8	12	15	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.7	114	2	2	3	16	21	21	21
6-12 YRS	8	5.8	9	2	3	5	7	11	12	12
13-19 YRS	25	5.2	22	1	1	3	6	13	15	20
GRAND TOTAL	**36**	**5.6**	**25**	**1**	**2**	**4**	**7**	**13**	**18**	**21**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.1	3	<1	<1	1	3	5	5	5
6-12 YRS	3	4.0		4	4	4	4	4	4	4
13-19 YRS	3	3.7	8	2	2	2	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	5	6.4	5	4	4	6	8	10	10	10
6-12 YRS	6	4.2	9	2	2	3	5	9	10	10
13-19 YRS	24	4.7	17	1	2	3	6	9	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	5.3	24	2	2	3	9	11	11	11
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	7	5.1	39	1	1	4	4	16	19	19
13-19 YRS	20	8.8	65	1	2	7	11	15	28	38
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	7.0	12	2	2	8	9	10	10	10
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	7	3.4	5	1	1	3	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.9	4	<1	1	2	4	5	7	7
B. *Operated*	36	5.1	15	1	2	4	7	10	15	16
2. MULTIPLE DX										
A. *Not Operated*	34	7.1	52	1	2	4	10	13	19	38
B. *Operated*	15	5.5	12	1	1	5	8	10	12	13
1. SINGLE DX	49	4.5	13	1	1	4	6	9	12	16
2. MULTIPLE DX	49	6.6	40	1	1	4	9	12	18	38
A. NOT OPERATED	47	6.0	42	1	1	4	8	12	18	38
B. OPERATED	51	5.2	14	1	2	4	7	10	13	16
TOTAL 0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS	5	7.0	21	2	2	7	11	12	12	12
1-5 YRS	19	4.2	10	<1	<1	4	7	9	10	10
6-12 YRS	18	4.7	17	1	2	4	4	9	15	19
13-19 YRS	54	6.0	36	1	2	4	7	12	16	37
GRAND TOTAL	**98**	**5.6**	**27**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	21.5	41	17	17	21	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	2	21.5	41	17	17	21	26	26	26	26
1. SINGLE DX	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX	3	14.7	160	1	1	17	24	26	26	26
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	3	17.0	81	8	8	17	24	26	26	26
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	3	14.7	160	1	1	17	24	26	26	26
GRAND TOTAL	**4**	**13.0**	**118**	**1**	**1**	**12**	**21**	**26**	**26**	**26**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	10.5	145	2	2	10	19	19	19	19
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	31.0		31	31	31	31	31	31	31
13-19 YRS	7	4.6	8	1	1	4	5	9	10	10
B. Operated										
0-27 DYS	1	66.0		66	66	66	66	66	66	66
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	20.0	353	8	8	12	30	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	3	9.7	74	2	2	8	16	19	19	19
2. MULTIPLE DX										
A. Not Operated	8	7.9	94	1	2	4	8	25	31	31
B. Operated	5	29.2	688	8	8	13	52	66	66	66
1. SINGLE DX	4	8.0	61	2	2	5	13	19	19	19
2. MULTIPLE DX	13	16.1	401	1	3	8	17	52	63	66
A. NOT OPERATED	9	7.3	85	1	2	4	6	23	31	31
B. OPERATED	8	21.9	516	2	4	12	33	61	66	66
TOTAL 0-27 DYS	1	66.0		66	66	66	66	66	66	66
1-11 MOS										
1-5 YRS										
6-12 YRS	3	17.3	212	2	2	19	28	31	31	31
13-19 YRS	13	9.5	147	1	2	5	10	20	43	48
GRAND TOTAL	**17**	**14.2**	**324**	**1**	**2**	**8**	**14**	**45**	**60**	**66**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS										
GRAND TOTAL	**1**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**<1**	**<1**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.7	9	2	2	4	7	8	8	8
B. *Operated*										
0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.0	61	2	2	3	13	16	16	16
13-19 YRS	7	10.1	44	3	3	12	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.0	12	6	6	6	11	12	12	12
13-19 YRS										
B. *Operated*										
0-27 DYS	5	33.4	46	24	24	32	39	41	41	41
1-11 MOS	7	20.3	53	11	12	20	24	31	33	33
1-5 YRS	5	21.2	19	15	15	22	23	27	27	27
6-12 YRS	5	15.8	60	10	10	11	21	28	28	28
13-19 YRS	17	15.9	70	5	5	15	22	29	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	9	2	2	4	7	8	8	8
B. *Operated*	12	9.6	38	2	2	11	15	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	3	8.0	12	6	6	6	11	12	12	12
B. *Operated*	39	19.6	85	5	8	19	26	32	36	41
1. SINGLE DX	15	8.6	35	2	2	8	14	16	18	18
2. MULTIPLE DX	42	18.8	88	5	6	18	24	31	35	41
A. NOT OPERATED	6	6.3	12	2	2	6	8	12	12	12
B. OPERATED	51	17.3	91	3	4	16	23	31	33	41
TOTAL 0-27 DYS	7	27.1	146	10	11	31	37	41	41	41
1-11 MOS	7	20.3	53	11	12	20	24	31	33	33
1-5 YRS	5	21.2	19	15	15	22	23	27	27	27
6-12 YRS	11	11.3	57	2	3	11	15	23	28	28
13-19 YRS	27	13.2	70	3	3	14	18	27	29	31
GRAND TOTAL	**57**	**16.1**	**94**	**3**	**4**	**15**	**22**	**30**	**33**	**41**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	1	29.0		29	29	29	29	29	29	29
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	13.4	120	2	2	16	20	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-27 DYS	2	19.0	162	10	10	19	28	28	28	28
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	8.0	13	5	5	7	11	12	12	12
6-12 YRS										
13-19 YRS	8	18.5	400	4	4	13	21	52	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	9	13.3	133	1	1	16	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	4	8.8	33	4	4	7	12	17	17	17
B. *Operated*	14	15.6	253	4	4	11	19	32	58	65
1. SINGLE DX	10	12.4	127	1	1	10	21	28	29	29
2. MULTIPLE DX	18	14.1	208	4	4	9	17	26	50	65
A. NOT OPERATED	5	7.8	29	4	4	6	10	17	17	17
B. OPERATED	23	14.7	199	1	2	12	20	28	42	65
TOTAL 0-27 DYS	4	14.3	122	2	2	13	22	28	28	28
1-11 MOS	3	11.3	76	4	4	9	18	21	21	21
1-5 YRS	5	12.2	95	5	5	8	16	29	29	29
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	15	15.0	256	2	3	12	19	28	56	65
GRAND TOTAL	**28**	**13.5**	**174**	**2**	**2**	**9**	**18**	**28**	**33**	**65**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	2.6	2	1	1	3	4	4	4	4
6-12 YRS	5	8.8	63	5	5	5	10	23	23	23
13-19 YRS	13	6.4	60	<1	1	4	7	16	27	30
B. *Operated*										
0-27 DYS										
1-11 MOS	2	22.5	221	12	12	22	33	33	33	33
1-5 YRS	4	10.3	68	2	2	9	17	20	20	20
6-12 YRS	3	6.7	17	2	2	8	9	10	10	10
13-19 YRS	2	10.5	41	6	6	10	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	7	5.0	15	1	1	4	9	11	11	11
6-12 YRS	3	6.0	9	3	3	6	8	9	9	9
13-19 YRS	10	6.0	24	1	1	5	6	14	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.0	162	4	4	13	22	22	22	22
1-5 YRS	11	23.5	338	4	5	18	42	51	54	54
6-12 YRS	3	10.3	41	3	3	13	14	15	15	15
13-19 YRS	4	22.8	253	12	12	16	33	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.5	42	1	1	4	6	11	24	30
B. *Operated*	11	11.5	82	2	2	10	15	25	32	33
2. MULTIPLE DX										
A. *Not Operated*	22	5.8	16	1	2	5	9	12	14	16
B. *Operated*	20	20.4	260	3	4	15	24	48	51	54
1. SINGLE DX	39	7.2	59	1	1	5	8	18	27	33
2. MULTIPLE DX	42	12.7	183	1	2	8	15	32	48	54
A. NOT OPERATED	50	5.6	30	1	1	4	6	11	16	30
B. OPERATED	31	17.2	210	2	3	13	20	47	49	54
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	15.2	151	4	4	12	25	33	33	33
1-5 YRS	32	11.3	206	1	1	4	14	33	49	54
6-12 YRS	14	8.1	33	2	3	6	10	16	21	23
13-19 YRS	29	8.8	96	1	1	6	12	18	31	46
GRAND TOTAL	**81**	**10.0**	**130**	**1**	**1**	**6**	**13**	**22**	**39**	**52**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	2	16.0	98	9	9	16	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	5	5.2	5	2	2	5	6	8	8	8
B. *Operated*	6	17.7	99	6	6	18	23	31	32	32
1. SINGLE DX	3	6.3	26	2	2	5	10	12	12	12
2. MULTIPLE DX	11	12.0	94	2	4	8	20	27	32	32
A. NOT OPERATED	6	5.2	4	2	2	5	6	8	8	8
B. OPERATED	8	15.0	102	2	3	12	23	29	32	32
TOTAL 0-27 DYS	2	18.5	365	5	5	18	32	32	32	32
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS	2	10.5	13	8	8	10	13	13	13	13
6-12 YRS	4	8.8	92	2	2	5	14	23	23	23
13-19 YRS	4	11.5	76	2	2	10	17	23	23	23
GRAND TOTAL	**14**	**10.8**	**82**	**2**	**2**	**7**	**13**	**24**	**30**	**32**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	33.0		33	33	33	33	33	33	33
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	10	10.2	36	<1	3	9	14	19	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	8.3	36	2	2	9	13	14	14	14
1-11 MOS	13	11.0	92	1	2	10	17	28	30	30
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	9	7.8	32	1	1	5	13	15	16	16
13-19 YRS	9	10.8	60	1	1	14	14	21	25	25
B. *Operated*										
0-27 DYS	2	16.0	8	14	14	16	18	18	18	18
1-11 MOS	4	6.5	36	1	1	5	10	15	15	15
1-5 YRS	2	21.0	50	16	16	21	26	26	26	26
6-12 YRS	7	19.3	608	3	3	7	22	62	72	72
13-19 YRS	13	13.9	188	5	6	10	13	28	52	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.3	2	5	5	6	7	8	8	8
B. *Operated*	14	12.0	77	<1	<1	9	15	24	31	33
2. MULTIPLE DX										
A. *Not Operated*	36	9.7	57	1	1	9	14	18	26	30
B. *Operated*	28	14.9	243	3	4	10	18	25	58	72
1. SINGLE DX	18	10.7	65	<1	2	8	14	22	29	33
2. MULTIPLE DX	64	12.0	143	1	2	10	15	23	28	70
A. NOT OPERATED	40	9.4	53	1	1	8	14	17	26	30
B. OPERATED	42	13.9	186	1	4	10	18	24	43	72
TOTAL 0-27 DYS	8	9.8	30	2	3	10	14	17	18	18
1-11 MOS	19	9.4	75	<1	1	6	14	23	29	30
1-5 YRS	5	18.0	132	5	5	16	28	33	33	33
6-12 YRS	18	12.9	266	1	2	7	16	22	52	72
13-19 YRS	32	11.9	102	1	4	9	14	22	25	57
GRAND TOTAL	**82**	**11.7**	**125**	**1**	**2**	**9**	**15**	**22**	**28**	**67**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	4	3.3	11	1	1	2	5	8	8	8
13-19 YRS	4	4.0	6	<1	<1	4	6	7	7	7
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	3.7	8	2	2	2	6	7	7	7
1-5 YRS	5	24.4	1311	2	2	12	35	88	88	88
6-12 YRS	7	3.9	10	1	1	4	5	9	10	10
13-19 YRS	14	8.9	66	1	1	4	15	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	11	4.7	13	<1	<1	4	7	11	11	11
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	15	5.2	10	1	1	5	8	9	11	12
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	4	8.0	114	2	2	3	14	24	24	24
6-12 YRS	3	13.7	160	4	4	9	23	28	28	28
13-19 YRS	11	12.1	83	1	2	11	15	25	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.4	6	<1	<1	3	5	7	8	8
B. *Operated*	30	9.8	263	1	1	4	15	18	24	88
2. MULTIPLE DX										
A. *Not Operated*	28	5.0	11	1	1	5	7	10	11	12
B. *Operated*	20	11.9	99	1	2	10	17	28	32	35
1. SINGLE DX	42	8.0	196	<1	1	4	10	18	21	88
2. MULTIPLE DX	48	7.9	59	1	1	5	11	17	28	35
A. NOT OPERATED	40	4.5	10	<1	1	4	7	9	11	12
B. OPERATED	50	10.6	195	1	1	6	15	24	28	88
TOTAL 0-27 DYS	3	5.0	21	<1	<1	4	8	10	10	10
1-11 MOS	5	9.4	116	2	2	7	13	28	28	28
1-5 YRS	23	9.4	327	<1	1	4	10	19	46	88
6-12 YRS	15	5.5	48	1	1	4	7	10	23	28
13-19 YRS	44	8.0	52	1	1	6	12	18	20	35
GRAND TOTAL	**90**	**7.9**	**121**	**1**	**1**	**5**	**10**	**18**	**24**	**67**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	20	3.5	4	<1	<1	4	5	6	7	7
6-12 YRS	41	4.6	19	<1	1	4	5	7	9	28
13-19 YRS	107	4.3	28	1	1	3	4	7	13	31
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	8.8	105	2	2	4	14	24	24	24
1-5 YRS	36	5.5	22	1	1	4	9	11	13	23
6-12 YRS	62	6.6	31	<1	1	5	9	14	17	27
13-19 YRS	136	9.7	130	1	2	7	12	21	26	94
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	25	4.2	14	<1	<1	2	6	11	12	12
6-12 YRS	77	3.9	6	1	1	4	5	6	9	14
13-19 YRS	224	5.2	30	1	2	4	6	10	17	33
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.0	52	3	3	7	16	20	20	20
1-5 YRS	10	11.8	235	1	1	6	14	35	52	52
6-12 YRS	39	10.9	211	1	2	6	11	26	48	71
13-19 YRS	79	13.5	205	2	2	9	17	27	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	4.3	22	<1	1	3	5	7	9	27
B. *Operated*	239	8.2	89	1	2	5	11	18	24	61
2. MULTIPLE DX										
A. *Not Operated*	328	4.8	23	1	1	4	5	9	12	29
B. *Operated*	133	12.5	201	2	2	8	15	27	46	73
1. SINGLE DX	408	6.6	65	1	1	4	8	15	21	46
2. MULTIPLE DX	461	7.0	87	1	2	4	7	15	24	52
A. NOT OPERATED	497	4.6	23	1	1	4	5	8	12	28
B. OPERATED	372	9.8	133	1	2	7	12	22	28	72
TOTAL 0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	11	7.9	64	1	1	5	13	22	24	24
1-5 YRS	91	5.4	43	<1	1	4	7	11	13	40
6-12 YRS	219	6.0	57	1	1	4	7	11	15	48
13-19 YRS	546	7.3	90	1	2	4	9	17	24	57
GRAND TOTAL	**869**	**6.8**	**77**	**1**	**1**	**4**	**8**	**15**	**22**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.3		11	11	11	12	12	12	12
1-5 YRS	5	1.6		<1	<1	2	2	2	2	2
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	22	6.3	29	1	2	5	7	10	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	3.5	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	11	8.8	25	3	3	7	13	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*	33	5.7	26	<1	1	5	7	11	13	27
2. MULTIPLE DX										
A. *Not Operated*	4	3.5	2	2	2	3	4	5	5	5
B. *Operated*	12	8.2	28	1	2	7	12	16	19	19
1. SINGLE DX	37	5.4	24	<1	1	4	6	11	13	27
2. MULTIPLE DX	16	7.0	25	1	2	6	9	14	18	19
A. NOT OPERATED	8	3.1	2	1	1	3	4	5	5	5
B. OPERATED	45	6.3	27	1	2	5	8	13	15	27
TOTAL 0-27 DYS										
1-11 MOS	4	9.3	18	3	3	11	12	12	12	12
1-5 YRS	5	1.6		<1	<1	2	2	2	2	2
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	39	6.6	26	2	3	5	8	13	17	27
GRAND TOTAL	**53**	**5.8**	**24**	**1**	**2**	**5**	**7**	**12**	**14**	**27**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	5	2.8	3	2	2	2	3	6	6	6
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	13	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	8	3.9	33	<1	<1	2	3	13	18	18
13-19 YRS	26	2.3	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.5	25	9	9	12	16	16	16	16
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	3.5	6	1	1	3	5	6	6	6
13-19 YRS	10	5.3	40	1	1	3	6	15	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.4	3	1	1	2	2	5	6	6
B. *Operated*	50	2.4	7	<1	<1	2	3	4	5	18
2. MULTIPLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*	17	5.5	34	1	1	4	7	15	20	22
1. SINGLE DX	57	2.4	6	<1	<1	2	3	4	6	17
2. MULTIPLE DX	18	5.6	32	1	1	4	8	14	20	22
A. NOT OPERATED	8	3.1	6	1	1	2	4	7	8	8
B. OPERATED	67	3.2	15	<1	1	2	3	6	10	21
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	6.6	35	2	2	3	11	16	16	16
1-5 YRS	15	1.7	2	<1	<1	1	2	4	5	5
6-12 YRS	12	3.8	23	<1	<1	2	4	10	17	18
13-19 YRS	42	3.2	13	1	1	2	3	7	8	22
GRAND TOTAL	**75**	**3.2**	**14**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS	4	8.3	35	1	1	9	13	14	14	14
1-11 MOS	2	3.0	8	<1	<1	2	5	5	5	5
1-5 YRS	3	8.0	16	4	4	8	11	12	12	12
6-12 YRS	3	3.3	5	2	2	2	5	6	6	6
13-19 YRS	27	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	3	23.0	273	12	12	15	35	42	42	42
B. *Operated*										
0-27 DYS	3	14.7	69	8	8	12	21	24	24	24
1-11 MOS	8	11.4	83	<1	1	8	18	25	26	26
1-5 YRS	2	12.0	32	8	8	12	16	16	16	16
6-12 YRS	2	9.5	1	9	9	9	10	10	10	10
13-19 YRS	12	7.3	19	2	2	7	10	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	39	3.4	10	<1	1	2	4	7	12	14
2. MULTIPLE DX										
A. *Not Operated*	6	13.7	223	1	1	11	15	39	42	42
B. *Operated*	27	9.8	44	1	3	8	12	22	25	26
1. SINGLE DX	41	3.3	10	<1	1	2	3	7	12	14
2. MULTIPLE DX	33	10.5	73	1	2	9	12	24	26	42
A. NOT OPERATED	8	10.8	189	1	1	6	13	34	42	42
B. OPERATED	66	6.0	34	<1	1	4	8	13	18	26
TOTAL 0-27 DYS	9	8.8	59	1	1	8	13	20	24	24
1-11 MOS	12	9.1	69	<1	<1	7	11	25	26	26
1-5 YRS	5	9.6	21	4	4	8	13	16	16	16
6-12 YRS	6	5.3	13	2	2	4	9	10	10	10
13-19 YRS	42	5.1	50	<1	1	2	6	11	16	42
GRAND TOTAL	**74**	**6.5**	**50**	**<1**	**1**	**4**	**9**	**14**	**22**	**38**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	1	4	4	5	6	6	6	6
13-19 YRS	16	4.5	15	<1	1	3	6	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	11.5	85	5	5	18	79	99+	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	12.2	222	2	2	6	16	38	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	21	4.6	13	<1	1	3	6	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	6	6.2	35	2	2	5	15	84	99+	99+
B. *Operated*	9	12.2	222	2	2	6	16	38	47	47
1. SINGLE DX	21	4.6	13	<1	1	3	6	10	12	14
2. MULTIPLE DX	15	9.8	149	2	2	5	15	45	84	99+
A. NOT OPERATED	6	6.2	35	2	2	5	15	84	99+	99+
B. OPERATED	30	6.9	82	1	1	4	8	13	24	47
TOTAL 0-27 DYS	4	4.3	8	2	2	4	6	8	8	8
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	4	4.5	2	3	3	4	5	6	6	6
13-19 YRS	27	7.6	95	1	1	4	11	22	52	99+
GRAND TOTAL	**36**	**6.8**	**73**	**1**	**2**	**4**	**8**	**17**	**39**	**99+**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS										
6-12 YRS	3	5.0	48	<1	<1	1	10	13	13	13
13-19 YRS	6	14.3	463	2	2	6	8	53	58	58
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	8.7	2	7	7	9	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.3		7	7	7	8	8	8	8
1-5 YRS										
6-12 YRS	3	7.7	17	3	3	9	10	11	11	11
13-19 YRS	4	9.8	41	5	5	7	14	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	2	3	3	5	6	6	6	6
B. *Operated*	11	9.9	269	<1	<1	5	8	31	56	58
2. MULTIPLE DX										
A. *Not Operated*	6	7.2	11	1	2	8	9	10	10	10
B. *Operated*	10	8.4	19	3	4	8	9	15	19	19
1. SINGLE DX	14	8.8	212	<1	1	5	8	17	49	58
2. MULTIPLE DX	16	7.9	15	2	3	8	9	11	17	19
A. NOT OPERATED	9	6.3	9	1	2	7	9	10	10	10
B. OPERATED	21	9.2	143	<1	1	7	9	15	37	58
TOTAL 0-27 DYS										
1-11 MOS	5	6.0	8	1	1	7	7	8	8	8
1-5 YRS	3	4.3	17	1	1	3	7	9	9	9
6-12 YRS	7	6.4	24	<1	<1	7	10	13	13	13
13-19 YRS	15	10.8	185	3	5	7	9	19	48	58
GRAND TOTAL	**30**	**8.3**	**103**	**1**	**1**	**7**	**9**	**12**	**19**	**58**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	12	4.6	1	2	3	5	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	5	7.6	5	4	4	8	9	10	10	10
13-19 YRS	44	8.5	8	5	5	8	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	4.0	3	2	2	4	5	6	6	6
13-19 YRS	17	6.5	31	1	2	5	8	13	20	24
B. *Operated*										
0-27 DYS	2	9.5	13	7	7	9	12	12	12	12
1-11 MOS	1	46.0		46	46	46	46	46	46	46
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	38	11.4	37	5	6	10	13	18	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.4	2	2	2	5	5	6	7	7
B. *Operated*	50	8.5	8	5	5	8	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	22	5.9	25	1	2	4	7	11	18	24
B. *Operated*	42	12.0	63	5	6	10	13	19	29	46
1. SINGLE DX	63	7.7	10	4	4	7	9	13	14	16
2. MULTIPLE DX	64	9.9	58	3	3	7	13	18	24	44
A. NOT OPERATED	35	5.3	17	2	2	5	5	9	13	24
B. OPERATED	92	10.1	36	5	5	9	12	15	18	41
TOTAL 0-27 DYS	2	9.5	13	7	7	9	12	12	12	12
1-11 MOS	2	24.5	925	3	3	24	46	46	46	46
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	11	5.6	7	2	2	6	8	9	10	10
13-19 YRS	111	8.8	25	4	4	7	11	14	18	29
GRAND TOTAL	**127**	**8.8**	**35**	**3**	**4**	**7**	**11**	**14**	**18**	**37**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	5.1	14	1	1	5	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	5	8.2	37	2	2	10	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS										
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	12	11.3	485	1	2	6	7	29	74	81
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	41.0		41	41	41	41	41	41	41
13-19 YRS	6	13.2	182	2	2	9	22	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.1	14	1	1	5	8	11	11	11
B. *Operated*	7	9.9	49	2	2	10	15	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	17	10.5	363	1	2	5	7	23	62	81
B. *Operated*	8	15.5	247	2	2	9	28	39	41	41
1. SINGLE DX	16	7.2	33	1	1	6	10	16	19	21
2. MULTIPLE DX	25	12.1	319	1	2	5	9	35	51	81
A. NOT OPERATED	26	8.6	243	1	1	5	7	11	38	81
B. OPERATED	15	12.9	153	2	2	10	20	35	39	41
TOTAL 0-27 DYS	2	15.5	265	4	4	15	27	27	27	27
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	4	4.3	5	2	2	4	6	7	7	7
6-12 YRS	2	23.0	648	5	5	23	41	41	41	41
13-19 YRS	32	9.4	220	1	2	6	10	18	34	81
GRAND TOTAL	**41**	**10.2**	**210**	**1**	**2**	**5**	**10**	**24**	**38**	**81**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	9.5	41	5	5	9	14	14	14	14
13-19 YRS	5	6.2	17	2	2	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	11.3	78	4	4	8	17	24	24	24
1-5 YRS	4	10.5	15	6	6	10	13	15	15	15
6-12 YRS	2	9.5	1	9	9	9	10	10	10	10
13-19 YRS	5	7.8	95	2	2	4	11	25	25	25
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	3	18.0	73	10	10	17	24	27	27	27
1-5 YRS	4	20.5	331	5	5	19	36	40	40	40
6-12 YRS	4	11.8	7	8	8	12	13	14	14	14
13-19 YRS	3	14.3	105	3	3	17	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.5	41	3	3	7	12	12	12	12
B. *Operated*	9	6.8	16	2	2	7	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	16	9.4	47	2	2	8	11	23	25	25
B. *Operated*	15	16.3	110	3	5	14	22	32	38	40
1. SINGLE DX	11	6.9	17	2	2	7	10	13	14	14
2. MULTIPLE DX	31	12.7	88	2	3	10	17	26	32	40
A. NOT OPERATED	18	9.2	45	2	2	8	12	21	25	25
B. OPERATED	24	12.7	95	2	3	10	17	27	34	40
TOTAL 0-27 DYS	2	11.5	85	5	5	11	18	18	18	18
1-11 MOS	8	12.9	78	4	4	10	20	26	27	27
1-5 YRS	10	13.4	158	3	4	8	15	36	40	40
6-12 YRS	8	10.6	10	5	6	11	13	14	14	14
13-19 YRS	14	8.9	61	2	2	6	12	23	25	25
GRAND TOTAL	**42**	**11.2**	**75**	**2**	**3**	**9**	**14**	**24**	**29**	**40**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	5.0	8	1	1	5	7	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	9	6.1	55	2	2	3	6	19	25	25
6-12 YRS	4	4.3	7	2	2	4	6	7	7	7
13-19 YRS	62	7.2	38	2	2	5	8	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	47	6.0	12	1	2	5	6	11	15	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	7.4	49	1	1	3	14	16	16	16
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	33	12.1	108	3	5	9	14	21	25	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	5.0	8	1	1	5	7	9	9	9
B. *Operated*	77	6.8	38	2	2	4	8	17	21	29
2. MULTIPLE DX										
A. *Not Operated*	50	6.2	14	1	2	5	6	13	16	16
B. *Operated*	40	11.2	98	2	3	9	14	19	24	61
1. SINGLE DX	101	6.4	31	1	2	5	8	13	19	28
2. MULTIPLE DX	90	8.5	57	1	3	6	11	16	19	47
A. NOT OPERATED	74	5.8	12	1	2	5	7	9	15	16
B. OPERATED	117	8.3	62	2	2	6	11	18	22	41
TOTAL 0-27 DYS										
1-11 MOS	3	7.7	52	3	3	4	13	16	16	16
1-5 YRS	15	6.4	46	1	2	3	8	16	23	25
6-12 YRS	7	5.3	6	2	2	6	7	8	8	8
13-19 YRS	166	7.5	46	1	2	6	9	15	19	30
GRAND TOTAL	**191**	**7.4**	**44**	**1**	**2**	**5**	**9**	**15**	**19**	**29**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	8	6.4	30	1	1	4	9	15	17	17
1-5 YRS	4	7.0	4	4	4	8	8	8	8	8
6-12 YRS	5	5.4	16	1	1	5	9	10	10	10
13-19 YRS	6	3.8	2	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	2	9.5	61	4	4	9	15	15	15	15
1-11 MOS	8	2.8	5	1	1	2	4	6	7	7
1-5 YRS	3	13.0	139	3	3	10	22	26	26	26
6-12 YRS	4	8.5	50	4	4	5	12	19	19	19
13-19 YRS	5	4.8	9	1	1	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	5.8	14	1	2	5	8	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	3	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*	22	6.3	40	1	1	4	7	16	22	26
1. SINGLE DX	25	5.8	14	1	2	5	8	10	13	17
2. MULTIPLE DX	25	6.0	36	<1	1	4	7	15	21	26
A. NOT OPERATED	3	4.0	9	<1	<1	4	6	7	7	7
B. OPERATED	47	6.0	26	1	1	5	8	12	17	26
TOTAL 0-27 DYS	4	8.5	23	4	4	7	12	15	15	15
1-11 MOS	16	4.6	20	1	1	3	6	12	15	17
1-5 YRS	8	8.9	54	3	3	8	9	21	26	26
6-12 YRS	10	6.8	26	1	1	6	9	14	19	19
13-19 YRS	12	4.0	5	<1	1	4	5	7	9	9
GRAND TOTAL	**50**	**5.9**	**25**	**1**	**1**	**5**	**8**	**11**	**17**	**26**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	28	3.9	8	<1	<1	4	5	7	10	13
6-12 YRS	9	3.7	7	1	1	3	4	8	10	10
13-19 YRS	8	3.9	3	1	1	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.0	2	9	9	10	11	11	11	11
1-5 YRS	29	10.7	33	5	7	9	12	15	24	34
6-12 YRS	6	14.8	136	1	1	15	20	32	33	33
13-19 YRS	7	11.3	57	3	3	11	13	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	20	3.5	10	<1	<1	3	5	7	10	13
6-12 YRS	20	5.0	27	1	1	4	5	11	18	23
13-19 YRS	15	11.6	511	1	1	5	9	15	73	92
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.5	61	8	8	13	19	19	19	19
1-5 YRS	28	14.3	81	3	6	12	17	32	32	33
6-12 YRS	6	20.2	352	8	8	13	17	54	58	58
13-19 YRS	11	20.1	310	2	2	16	29	49	55	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.8	7	<1	1	4	5	7	10	13
B. *Operated*	44	11.3	48	3	5	9	13	20	28	34
2. MULTIPLE DX										
A. *Not Operated*	57	6.2	151	<1	1	4	6	12	14	87
B. *Operated*	47	16.3	163	3	4	13	19	32	47	58
1. SINGLE DX	91	7.4	40	1	1	5	10	14	20	34
2. MULTIPLE DX	104	10.8	181	1	1	7	13	23	33	74
A. NOT OPERATED	104	5.1	87	<1	1	4	5	9	13	55
B. OPERATED	91	13.9	112	3	4	11	16	32	33	57
TOTAL 0-27 DYS										
1-11 MOS	8	7.8	30	2	3	6	10	17	19	19
1-5 YRS	105	8.4	55	<1	1	7	11	15	27	33
6-12 YRS	41	8.4	113	1	1	4	12	19	27	58
13-19 YRS	41	12.3	297	1	2	6	13	28	50	92
GRAND TOTAL	**195**	**9.2**	**117**	**1**	**1**	**6**	**12**	**18**	**32**	**57**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	3.1	3	1	1	3	5	5	5	5
1-5 YRS	40	1.7	4	<1	<1	1	2	3	5	12
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.0	2	2	2	3	4	5	5	5
1-5 YRS	24	3.2	3	1	1	3	4	6	8	8
6-12 YRS	7	6.3	12	1	1	7	9	11	11	11
13-19 YRS	6	2.8	1	2	2	3	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	25	2.0	3	<1	<1	1	3	5	5	5
6-12 YRS	3	6.3	25	1	1	7	10	11	11	11
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	5.5	29	1	1	3	10	14	14	14
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.0	4	<1	<1	1	2	5	5	12
B. *Operated*	42	3.6	6	1	2	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	30	2.6	6	<1	<1	1	4	5	7	11
B. *Operated*	9	5.2	26	1	1	3	8	14	14	14
1. SINGLE DX	93	2.7	5	<1	<1	2	3	5	8	12
2. MULTIPLE DX	39	3.2	11	<1	1	1	5	7	12	14
A. NOT OPERATED	81	2.2	5	<1	<1	1	3	5	6	12
B. OPERATED	51	3.9	9	1	1	3	5	8	11	14
TOTAL 0-27 DYS										
1-11 MOS	13	3.0	2	1	1	3	5	5	5	5
1-5 YRS	97	2.5	6	<1	<1	1	3	5	7	14
6-12 YRS	13	5.5	13	1	1	5	8	11	11	11
13-19 YRS	9	3.0	2	1	1	3	4	5	5	5
GRAND TOTAL	**132**	**2.9**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.2	31	1	1	3	7	15	15	15
1-5 YRS	24	5.3	65	<1	1	3	4	12	28	34
6-12 YRS	49	6.7	69	1	1	2	9	15	19	41
13-19 YRS	37	7.3	92	1	1	4	7	20	33	44
B. *Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	3	13.7	12	10	10	14	16	17	17	17
1-5 YRS	34	16.5	90	4	8	14	22	37	83	99+
6-12 YRS	84	13.5	43	4	5	12	18	22	27	32
13-19 YRS	64	19.2	213	7	8	14	21	44	54	72
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	11.5	181	2	2	11	21	21	21	21
1-5 YRS	29	5.9	35	1	1	3	9	17	21	99+
6-12 YRS	54	7.2	94	1	1	4	7	17	30	48
13-19 YRS	46	10.3	153	2	2	5	12	33	48	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	6	20.7	189	4	4	20	36	36	36	36
1-5 YRS	27	24.2	225	6	7	23	29	43	61	69
6-12 YRS	71	22.6	221	5	8	19	29	49	65	99+
13-19 YRS	55	24.4	365	4	6	20	33	61	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	6.5	73	1	1	3	8	15	25	42
B. *Operated*	186	16.1	115	5	7	13	19	28	44	90
2. MULTIPLE DX										
A. *Not Operated*	131	8.1	103	1	1	4	9	21	37	99+
B. *Operated*	159	23.4	267	5	7	20	31	51	67	99+
1. SINGLE DX	301	12.4	120	1	2	11	17	24	36	67
2. MULTIPLE DX	290	16.5	251	1	2	13	24	45	60	99+
A. NOT OPERATED	246	7.3	89	1	1	4	8	19	33	53
B. OPERATED	345	19.5	198	5	7	16	24	44	59	99+
TOTAL 0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	16	13.4	129	1	2	12	19	34	36	36
1-5 YRS	114	13.3	159	1	1	11	21	31	46	99+
6-12 YRS	258	13.4	146	1	1	11	18	29	44	68
13-19 YRS	202	16.4	259	2	3	11	21	44	59	99+
GRAND TOTAL	**591**	**14.4**	**188**	**1**	**2**	**11**	**20**	**33**	**48**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	12	3.6	27	<1	<1	2	3	11	18	19
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	10	9.8	205	3	3	4	9	30	50	50
B. *Operated*										
0-27 DYS										
1-11 MOS	2	51.0	3042	12	12	51	90	90	90	90
1-5 YRS	2	14.5	41	10	10	14	19	19	19	19
6-12 YRS	5	6.2	88	2	2	2	8	23	23	23
13-19 YRS	11	15.6	154	4	6	12	19	33	48	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	5.4	27	1	1	4	6	13	18	19
6-12 YRS	4	2.5	2	<1	<1	2	3	4	4	4
13-19 YRS	6	8.8	69	2	2	4	19	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	4	17.3	244	5	5	12	27	40	40	40
6-12 YRS	10	14.3	144	2	2	10	20	33	39	39
13-19 YRS	8	21.9	265	1	2	22	27	46	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.8	97	<1	<1	3	7	9	25	50
B. *Operated*	20	16.7	416	2	2	11	19	36	69	90
2. MULTIPLE DX										
A. *Not Operated*	22	5.8	35	<1	1	4	5	19	20	20
B. *Operated*	23	17.3	191	1	2	14	24	39	45	53
1. SINGLE DX	46	10.5	259	<1	1	4	12	22	49	90
2. MULTIPLE DX	45	11.7	146	1	2	5	19	28	39	53
A. NOT OPERATED	48	5.8	68	<1	1	4	6	16	19	50
B. OPERATED	43	17.0	288	2	2	12	22	39	50	90
TOTAL 0-27 DYS										
1-11 MOS	4	29.8	1618	7	7	11	51	90	90	90
1-5 YRS	30	6.9	71	<1	1	4	10	19	19	40
6-12 YRS	22	8.5	111	<1	1	3	11	24	32	39
13-19 YRS	35	14.2	190	2	3	9	20	31	50	53
GRAND TOTAL	**91**	**11.1**	**201**	**1**	**1**	**5**	**16**	**24**	**40**	**75**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	4.4	7	1	1	5	5	8	9	9
1-5 YRS	55	3.2	16	<1	<1	2	4	5	7	28
6-12 YRS	8	2.3	2	1	1	2	3	4	5	5
13-19 YRS	15	2.8	4	1	1	3	4	5	7	8
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	10.3	108	2	2	7	18	22	22	22
1-5 YRS	14	5.1	8	1	1	5	7	9	10	10
6-12 YRS	12	6.5	18	1	2	6	9	12	16	17
13-19 YRS	52	5.8	15	3	3	5	6	8	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	3.2	3	<1	<1	3	4	6	6	6
1-5 YRS	47	4.8	18	<1	1	4	6	11	15	17
6-12 YRS	7	3.6	3	1	1	3	5	6	6	6
13-19 YRS	32	6.0	87	1	2	4	5	9	17	54
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	8	17.5	148	4	4	16	25	35	39	39
1-5 YRS	15	13.3	129	1	2	11	15	34	38	40
6-12 YRS	11	7.1	22	2	2	6	10	14	18	18
13-19 YRS	60	9.1	73	2	3	6	10	20	32	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.1	12	<1	<1	2	4	5	8	22
B. *Operated*	82	6.0	17	2	3	5	7	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	95	5.0	39	<1	1	3	5	10	15	37
B. *Operated*	95	10.3	87	2	3	7	12	25	34	40
1. SINGLE DX	168	4.5	17	<1	<1	4	5	8	10	23
2. MULTIPLE DX	190	7.6	69	1	2	5	9	16	26	40
A. NOT OPERATED	181	4.1	27	<1	<1	3	5	8	11	25
B. OPERATED	177	8.3	59	2	3	6	9	18	26	38
TOTAL 0-27 DYS	3	10.0	61	1	1	14	15	15	15	15
1-11 MOS	27	8.6	90	1	1	5	9	24	28	39
1-5 YRS	131	5.1	37	<1	<1	4	6	11	16	35
6-12 YRS	38	5.2	16	1	1	4	7	10	15	18
13-19 YRS	159	6.8	53	2	2	5	7	13	22	37
GRAND TOTAL	**358**	**6.2**	**47**	**<1**	**1**	**4**	**7**	**13**	**19**	**37**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	6.5	68	1	1	5	19	84	99+	99+
1-5 YRS	15	2.3	3	<1	<1	2	3	5	6	6
6-12 YRS	13	2.8	4	<1	1	2	4	6	7	7
13-19 YRS	8	2.9	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	3	6.7	36	1	1	6	11	13	13	13
1-5 YRS	14	11.9	245	<1	<1	8	12	30	53	59
6-12 YRS	14	4.5	16	<1	1	2	8	10	11	12
13-19 YRS	44	5.2	21	1	1	4	7	10	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.8	9	4	4	4	7	11	11	11
1-11 MOS	11	9.9	44	2	3	8	13	18	25	26
1-5 YRS	27	6.2	57	1	1	5	7	9	15	41
6-12 YRS	31	5.3	25	1	1	4	7	11	18	21
13-19 YRS	104	5.2	30	<1	1	4	7	10	14	31
B. *Operated*										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	7	14.1	246	1	1	9	24	40	43	43
1-5 YRS	14	16.9	265	2	3	11	21	39	57	62
6-12 YRS	25	11.6	98	2	2	9	16	33	50	99+
13-19 YRS	76	11.3	73	2	2	9	13	22	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.2	13	<1	<1	2	4	6	14	99+
B. *Operated*	76	6.5	67	<1	1	4	9	13	19	51
2. MULTIPLE DX										
A. *Not Operated*	178	5.7	34	<1	1	4	7	12	15	33
B. *Operated*	123	12.2	109	2	2	9	16	27	37	72
1. SINGLE DX	118	5.3	50	<1	1	3	7	12	19	72
2. MULTIPLE DX	301	8.3	75	1	1	6	10	19	27	45
A. NOT OPERATED	220	5.2	31	<1	1	4	7	11	14	37
B. OPERATED	199	10.0	100	1	1	8	12	22	31	60
TOTAL 0-27 DYS	7	9.7	53	4	4	6	15	21	22	22
1-11 MOS	27	9.9	98	1	1	7	13	27	49	99+
1-5 YRS	70	8.6	145	<1	1	5	10	20	37	61
6-12 YRS	83	6.7	53	1	1	4	9	16	25	79
13-19 YRS	232	7.1	50	1	1	5	9	15	22	35
GRAND TOTAL	**419**	**7.5**	**69**	**1**	**1**	**5**	**9**	**17**	**26**	**50**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	27	3.9	30	<1	<1	2	5	8	20	24
13-19 YRS	97	2.7	6	1	1	2	4	7	8	12
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	9	4.4	50	1	1	2	3	16	23	23
6-12 YRS	37	6.4	28	<1	1	5	10	15	16	17
13-19 YRS	329	8.2	42	1	2	7	11	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0		7	7	7	7	7	7	7
6-12 YRS	13	6.0	33	1	1	4	11	15	17	17
13-19 YRS	74	6.3	43	1	1	5	8	11	14	40
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	15	8.3	51	1	1	6	12	22	22	22
13-19 YRS	90	12.0	182	1	2	9	15	21	27	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.0	11	<1	1	2	4	7	8	20
B. *Operated*	376	7.9	41	1	2	7	11	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	89	6.2	40	1	1	4	8	13	15	39
B. *Operated*	107	11.4	162	1	2	9	15	21	24	80
1. SINGLE DX	502	6.7	38	1	1	5	9	15	18	25
2. MULTIPLE DX	196	9.1	113	1	1	6	12	17	22	67
A. NOT OPERATED	215	4.3	26	<1	1	3	5	9	14	28
B. OPERATED	483	8.7	70	1	2	7	12	17	21	36
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	12	5.7	44	1	1	3	7	17	22	23
6-12 YRS	92	5.9	34	<1	1	3	9	15	17	23
13-19 YRS	590	7.6	65	1	1	5	10	16	20	37
GRAND TOTAL	**698**	**7.3**	**60**	**1**	**1**	**5**	**10**	**16**	**20**	**34**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	16.0	450	1	1	16	31	31	31	31
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	142	3.7	15	<1	<1	2	5	9	11	17
6-12 YRS	187	3.5	16	<1	<1	2	4	9	11	20
13-19 YRS	67	6.0	46	<1	<1	3	7	15	20	33
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	106	8.2	87	<1	<1	4	11	24	30	41
6-12 YRS	80	7.0	86	<1	<1	3	8	20	27	43
13-19 YRS	72	15.0	254	<1	1	10	21	46	49	60
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	6.6	16	1	1	8	10	12	12	12
1-5 YRS	99	4.9	20	<1	<1	3	7	12	13	20
6-12 YRS	114	6.1	87	<1	1	3	6	15	24	56
13-19 YRS	80	6.0	52	<1	1	4	8	12	18	39
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	28.0	1052	1	1	21	54	69	69	69
1-5 YRS	61	13.4	202	1	2	8	16	31	43	72
6-12 YRS	55	14.4	171	2	3	10	22	32	35	65
13-19 YRS	43	19.5	220	3	3	17	25	47	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	4.0	23	<1	<1	2	5	10	14	23
B. *Operated*	262	9.6	142	<1	<1	4	13	26	39	52
2. MULTIPLE DX										
A. *Not Operated*	301	5.7	54	<1	1	3	8	12	18	37
B. *Operated*	164	15.7	217	2	3	12	22	34	47	75
1. SINGLE DX	662	6.2	77	<1	<1	3	8	16	24	47
2. MULTIPLE DX	465	9.2	134	<1	1	5	12	23	32	69
A. NOT OPERATED	701	4.8	37	<1	<1	3	6	11	15	29
B. OPERATED	426	11.9	179	<1	1	7	17	30	41	67
TOTAL 0-27 DYS	4	13.0	163	1	1	10	21	31	31	31
1-11 MOS	17	9.9	316	<1	1	3	9	34	58	69
1-5 YRS	408	6.6	73	<1	<1	4	9	14	24	42
6-12 YRS	436	6.2	78	<1	<1	3	7	16	24	44
13-19 YRS	262	10.7	162	<1	1	6	15	29	43	61
GRAND TOTAL	**1127**	**7.5**	**103**	**<1**	**<1**	**4**	**9**	**19**	**29**	**50**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.5	15	<1	<1	6	9	10	10	10
1-5 YRS	38	4.2	20	<1	<1	2	6	9	15	19
6-12 YRS	68	2.8	9	<1	<1	1	4	5	9	15
13-19 YRS	86	6.6	94	<1	<1	4	6	19	28	52
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	18.0	217	1	1	26	27	27	27	27
1-5 YRS	16	7.4	52	<1	<1	5	12	20	21	21
6-12 YRS	19	6.7	88	<1	<1	3	6	21	31	36
13-19 YRS	55	16.6	288	1	1	9	26	46	55	57
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	8.0	98	1	1	8	15	15	15	15
1-5 YRS	37	5.3	18	<1	1	5	7	11	15	18
6-12 YRS	51	4.9	26	<1	<1	3	7	13	17	22
13-19 YRS	60	6.5	53	1	1	4	7	14	24	36
B. *Operated*										
0-27 DYS										
1-11 MOS	2	18.5	545	2	2	18	35	35	35	35
1-5 YRS	16	11.1	136	<1	1	8	15	23	40	47
6-12 YRS	17	14.4	97	3	3	14	21	28	33	35
13-19 YRS	70	24.3	316	2	4	21	39	49	53	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	4.8	51	<1	<1	2	5	10	18	38
B. *Operated*	94	12.9	220	<1	1	7	17	36	52	57
2. MULTIPLE DX										
A. *Not Operated*	151	5.7	35	<1	1	4	7	13	17	32
B. *Operated*	105	20.6	279	2	3	16	33	47	52	63
1. SINGLE DX	292	7.4	119	<1	<1	4	8	22	30	56
2. MULTIPLE DX	256	11.8	188	<1	1	6	16	35	44	58
A. NOT OPERATED	349	5.2	44	<1	<1	3	6	11	17	34
B. OPERATED	199	17.0	264	1	1	10	27	44	52	59
TOTAL 0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	13	10.8	134	<1	1	7	18	29	34	35
1-5 YRS	107	6.1	45	<1	<1	5	8	15	18	34
6-12 YRS	155	5.2	45	<1	<1	3	6	14	21	35
13-19 YRS	271	13.2	238	1	1	6	19	39	49	58
GRAND TOTAL	**548**	**9.5**	**156**	**<1**	**<1**	**5**	**10**	**27**	**39**	**57**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS										
1-5 YRS	23	5.0	28	1	1	2	6	13	18	21
6-12 YRS	52	2.9	9	<1	<1	2	4	6	8	18
13-19 YRS	50	5.0	45	<1	1	2	6	11	15	39
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	13	6.5	38	<1	1	5	8	16	21	22
6-12 YRS	28	3.4	12	<1	<1	2	4	5	12	17
13-19 YRS	64	7.2	55	1	2	5	10	14	19	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	3	6.7	6	4	4	7	8	9	9	9
1-5 YRS	18	6.3	36	1	1	4	8	16	20	21
6-12 YRS	51	5.0	33	<1	<1	3	7	10	11	35
13-19 YRS	57	10.1	185	1	2	7	11	20	32	89
B. *Operated*										
0-27 DYS	2	36.5	1201	12	12	36	61	61	61	61
1-11 MOS	3	22.7	214	7	7	25	33	36	36	36
1-5 YRS	16	15.9	201	2	3	15	21	30	49	57
6-12 YRS	16	8.6	29	2	3	7	13	17	18	18
13-19 YRS	55	13.0	183	2	2	9	15	33	41	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.1	27	<1	<1	2	5	9	14	27
B. *Operated*	106	6.1	43	1	1	4	9	13	18	37
2. MULTIPLE DX										
A. *Not Operated*	131	7.4	103	<1	1	5	9	14	21	52
B. *Operated*	92	13.5	184	2	3	10	17	32	42	93
1. SINGLE DX	233	5.0	35	<1	1	3	6	11	16	32
2. MULTIPLE DX	223	10.0	145	1	1	7	12	21	34	86
A. NOT OPERATED	258	5.8	68	<1	1	4	7	11	18	39
B. OPERATED	198	9.6	122	1	2	6	12	21	33	73
TOTAL 0-27 DYS	6	14.8	527	2	2	6	12	56	61	61
1-11 MOS	7	13.7	144	4	5	8	21	34	36	36
1-5 YRS	70	8.1	86	1	1	5	11	21	22	52
6-12 YRS	147	4.4	23	<1	<1	3	5	10	14	19
13-19 YRS	226	8.8	124	1	1	6	11	18	31	86
GRAND TOTAL	**456**	**7.4**	**95**	**<1**	**1**	**5**	**9**	**17**	**23**	**56**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	14	1.7	1	<1	1	2	2	3	3	3
1-5 YRS	35	1.9	3	<1	<1	1	2	4	6	8
6-12 YRS	75	2.1	2	<1	1	2	2	4	5	8
13-19 YRS	174	3.8	10	<1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	2.4	3	<1	<1	2	3	5	6	6
6-12 YRS	13	3.7	12	<1	1	2	5	10	12	12
13-19 YRS	27	4.3	12	1	2	3	5	10	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	4	1	1	2	3	6	7	7
B. *Operated*	299	3.0	7	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	50	3.8	10	1	1	2	5	8	11	16
1. SINGLE DX	306	3.0	7	<1	1	2	4	6	8	15
2. MULTIPLE DX	52	3.7	10	<1	1	2	5	8	11	16
A. NOT OPERATED	9	2.2	4	<1	<1	2	2	5	7	7
B. OPERATED	349	3.1	8	<1	1	2	4	6	8	16
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	16	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	43	2.0	3	<1	<1	1	2	4	6	8
6-12 YRS	89	2.3	4	<1	1	2	2	4	6	11
13-19 YRS	208	3.8	10	1	1	3	5	7	10	17
GRAND TOTAL	**358**	**3.1**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	13	2.9	6	1	1	2	3	7	9	9
6-12 YRS	25	2.8	6	<1	1	2	3	7	9	9
13-19 YRS	23	2.8	6	1	1	2	3	7	9	9
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	6.7	47	<1	<1	4	7	19	20	20
1-5 YRS	51	3.3	6	<1	1	2	4	7	8	12
6-12 YRS	82	4.3	9	1	1	3	6	8	10	15
13-19 YRS	74	6.0	25	1	2	4	9	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	11	3.7	5	1	1	3	5	7	8	8
6-12 YRS	20	3.2	3	<1	1	3	4	5	7	9
13-19 YRS	13	3.5	6	1	1	3	5	7	8	8
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	19	9.1	104	<1	1	7	10	19	33	45
6-12 YRS	31	6.3	19	2	2	5	9	11	14	21
13-19 YRS	53	8.7	51	1	2	7	12	17	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.8	6	1	1	2	3	7	9	9
B. *Operated*	215	4.7	16	1	1	3	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	48	3.4	4	1	1	3	4	7	8	9
B. *Operated*	107	7.9	50	1	2	6	10	16	21	37
1. SINGLE DX	277	4.3	14	1	1	3	6	9	12	19
2. MULTIPLE DX	155	6.5	40	1	2	4	8	13	18	30
A. NOT OPERATED	110	3.1	5	1	1	2	4	7	9	9
B. OPERATED	322	5.8	29	1	1	4	8	12	16	28
TOTAL 0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	13	5.2	25	<1	1	4	6	10	18	20
1-5 YRS	94	4.4	30	<1	1	3	6	8	12	34
6-12 YRS	158	4.3	11	1	1	3	6	9	10	17
13-19 YRS	163	6.2	33	1	1	4	9	13	17	30
GRAND TOTAL	**432**	**5.1**	**25**	**1**	**1**	**3**	**7**	**11**	**14**	**25**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	1.5	1	<1	<1	1	2	3	4	4
6-12 YRS	10	2.0	1	<1	<1	2	2	3	4	4
13-19 YRS	5	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	6	2.0	2	<1	<1	2	3	4	4	4
1-5 YRS	146	2.3	6	<1	1	2	2	3	6	12
6-12 YRS	168	2.4	13	<1	<1	2	2	4	9	31
13-19 YRS	92	3.0	14	1	1	2	3	6	8	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.8	4	1	1	2	4	6	6	6
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	4	17.3	346	2	2	11	29	44	44	44
1-5 YRS	40	3.4	17	<1	1	2	3	9	13	19
6-12 YRS	51	2.6	12	<1	<1	2	2	5	9	20
13-19 YRS	35	5.2	56	1	1	2	6	13	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	412	2.5	10	<1	1	2	2	4	8	22
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	2	1	1	2	3	5	6	6
B. *Operated*	130	4.0	39	<1	1	2	3	9	15	40
1. SINGLE DX	445	2.4	10	<1	1	2	2	4	7	22
2. MULTIPLE DX	139	3.9	37	<1	1	2	3	9	15	40
A. NOT OPERATED	42	1.8	1	<1	<1	2	2	3	4	6
B. OPERATED	542	2.8	18	<1	1	2	2	5	10	23
TOTAL 0-27 DYS										
1-11 MOS	10	8.1	178	<1	<1	3	8	29	44	44
1-5 YRS	209	2.4	7	<1	1	2	2	4	7	17
6-12 YRS	233	2.4	12	<1	<1	2	2	4	8	25
13-19 YRS	132	3.6	25	1	1	2	3	8	13	28
GRAND TOTAL	**584**	**2.8**	**16**	**<1**	**1**	**2**	**2**	**5**	**9**	**23**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	9	1.9	3	<1	<1	1	2	5	6	6
6-12 YRS	25	3.7	16	<1	1	2	4	11	13	17
13-19 YRS	38	2.8	2	1	1	3	3	5	6	7
B. *Operated*										
0-27 DYS	9	4.6	14	<1	1	3	8	10	11	11
1-11 MOS	43	3.7	30	<1	1	2	4	7	10	35
1-5 YRS	211	2.5	4	<1	1	2	3	5	6	14
6-12 YRS	862	3.0	5	1	1	3	4	5	7	12
13-19 YRS	2229	3.3	4	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	2.6	3	1	1	2	4	5	5	5
6-12 YRS	15	1.8	1	<1	<1	2	2	3	4	5
13-19 YRS	23	2.0	2	<1	<1	1	3	5	5	5
B. *Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	16	7.4	65	1	1	4	10	15	28	33
1-5 YRS	43	4.5	23	1	1	3	6	9	15	26
6-12 YRS	123	4.1	23	1	1	2	4	9	13	28
13-19 YRS	360	3.9	12	1	2	3	5	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.9	7	<1	1	2	3	5	7	16
B. *Operated*	3354	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	47	2.0	2	<1	<1	2	3	5	5	5
B. *Operated*	544	4.1	17	1	2	3	5	8	11	24
1. SINGLE DX	3431	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	591	4.0	16	1	1	3	5	7	11	24
A. NOT OPERATED	124	2.6	5	<1	1	2	3	5	6	13
B. OPERATED	3898	3.3	7	1	1	3	4	6	8	13
TOTAL 0-27 DYS	13	4.3	11	<1	1	3	7	9	11	11
1-11 MOS	64	4.4	39	<1	1	2	5	10	13	35
1-5 YRS	270	2.8	7	<1	1	2	3	6	7	16
6-12 YRS	1025	3.1	7	1	1	2	4	5	8	15
13-19 YRS	2650	3.4	6	1	1	3	4	6	8	12
GRAND TOTAL	**4022**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	37	4.1	22	<1	1	2	5	11	17	18
1-5 YRS	42	2.0	4	<1	<1	1	2	4	6	11
6-12 YRS	22	1.8	1	<1	<1	1	2	3	4	6
13-19 YRS	26	3.7	10	<1	1	2	6	9	10	11
B. *Operated*										
0-27 DYS	6	3.0	2	1	1	3	4	5	5	5
1-11 MOS	360	2.6	11	<1	<1	2	2	5	7	23
1-5 YRS	991	2.2	13	<1	<1	2	2	4	5	13
6-12 YRS	976	2.3	7	<1	<1	2	2	4	6	12
13-19 YRS	1013	2.6	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	20.5	602	4	4	10	34	57	57	57
1-11 MOS	38	3.4	16	<1	<1	1	5	8	10	20
1-5 YRS	38	1.9	4	<1	<1	1	2	4	7	10
6-12 YRS	26	2.1	4	<1	1	1	3	4	5	10
13-19 YRS	12	2.5	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-27 DYS	3	13.0	75	8	8	8	19	23	23	23
1-11 MOS	59	7.6	130	<1	1	4	8	19	24	72
1-5 YRS	157	3.8	24	<1	1	2	4	8	11	32
6-12 YRS	193	3.9	82	<1	1	2	3	7	11	53
13-19 YRS	225	3.4	14	<1	1	2	4	7	9	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.9	11	<1	<1	2	3	7	9	18
B. *Operated*	3346	2.4	9	<1	<1	2	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	118	3.1	34	<1	<1	1	3	7	10	32
B. *Operated*	637	4.1	49	<1	1	2	4	8	12	34
1. SINGLE DX	3475	2.4	9	<1	<1	2	2	4	6	13
2. MULTIPLE DX	755	3.9	47	<1	1	2	4	8	11	34
A. NOT OPERATED	247	3.0	22	<1	<1	1	3	7	10	18
B. OPERATED	3983	2.7	16	<1	<1	2	3	5	7	18
TOTAL 0-27 DYS	15	9.8	201	1	1	5	10	23	48	57
1-11 MOS	494	3.4	29	<1	<1	2	3	7	11	26
1-5 YRS	1228	2.4	14	<1	<1	2	2	4	6	15
6-12 YRS	1217	2.5	19	<1	<1	2	2	4	6	15
13-19 YRS	1276	2.8	7	<1	1	2	3	5	7	16
GRAND TOTAL	**4230**	**2.7**	**16**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	34	2.0	2	<1	<1	2	2	3	4	8
B. *Operated*										
0-27 DYS	4	5.5	19	3	3	4	8	12	12	12
1-11 MOS	4	1.8		<1	<1	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	43	2.2		1	2	2	2	3	4	99+
13-19 YRS	2350	2.1	4	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	1.9	1	<1	<1	2	2	3	3	3
B. *Operated*										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.8	3	1	1	2	3	6	7	7
13-19 YRS	311	2.5	3	1	1	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.9	2	<1	<1	2	2	3	4	8
B. *Operated*	2402	2.1	4	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	9	1.9	1	<1	<1	2	2	3	3	3
B. *Operated*	324	2.5	3	1	1	2	3	4	5	10
1. SINGLE DX	2439	2.1	4	<1	1	2	2	3	3	5
2. MULTIPLE DX	333	2.5	3	1	1	2	3	4	5	10
A. NOT OPERATED	46	1.9	1	<1	<1	2	2	3	4	8
B. OPERATED	2726	2.2	4	<1	1	2	2	3	4	7
TOTAL 0-27 DYS	6	5.0	16	1	1	4	7	11	12	12
1-11 MOS	6	2.3	2	<1	<1	2	2	5	5	5
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	53	2.2	1	1	1	2	2	3	4	96
13-19 YRS	2704	2.2	4	<1	1	2	2	3	4	6
GRAND TOTAL	**2772**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	16	5.1	8	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.8	4	1	1	4	5	7	7	7
B. *Operated*										
0-27 DYS	8	7.0	21	1	1	9	11	12	12	12
1-11 MOS	12	7.8	7	5	5	7	9	11	14	15
1-5 YRS	4	8.0	7	5	5	8	10	11	11	11
6-12 YRS	4	11.5	70	6	6	8	16	24	24	24
13-19 YRS	27	5.3	7	1	2	5	7	9	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	23	5.3	8	2	2	6	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	7	3.4	5	<1	<1	3	5	7	7	7
B. *Operated*	55	6.7	15	1	2	7	9	11	12	24
1. SINGLE DX	24	5.2	8	1	2	6	8	9	9	10
2. MULTIPLE DX	62	6.4	15	1	2	6	8	10	12	23
A. NOT OPERATED	8	3.1	5	<1	<1	3	4	6	7	7
B. OPERATED	78	6.3	13	2	2	6	8	10	12	21
TOTAL 0-27 DYS	10	6.6	19	1	1	8	10	11	12	12
1-11 MOS	15	7.3	9	1	5	7	8	10	14	15
1-5 YRS	5	6.8	12	2	2	7	9	11	11	11
6-12 YRS	6	10.0	48	6	6	7	8	22	24	24
13-19 YRS	50	5.0	7	1	2	5	7	9	9	12
GRAND TOTAL	**86**	**6.0**	**13**	**1**	**2**	**6**	**8**	**10**	**11**	**21**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	2.1	4	<1	<1	2	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.5		2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	12	2.1	4	<1	<1	2	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	4	2.5		2	2	2	3	3	3	3
1. SINGLE DX	14	2.0	3	<1	<1	2	2	3	7	8
2. MULTIPLE DX	5	2.2	1	1	1	2	3	3	3	3
A. NOT OPERATED	3	1.3		1	1	1	2	2	2	2
B. OPERATED	16	2.2	3	<1	<1	2	2	3	7	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	2.1	2	<1	<1	2	2	3	6	8
GRAND TOTAL	**19**	**2.1**	**2**	**<1**	**<1**	**2**	**2**	**3**	**6**	**8**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	10	2.6	5	<1	<1	2	5	6	6	6
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	6	6.7	8	2	2	7	7	11	11	11
6-12 YRS	31	6.5	4	4	4	6	8	9	10	12
13-19 YRS	544	6.0	3	4	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	4.4	11	<1	1	4	5	10	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	26	6.7	8	4	4	6	8	11	12	16
13-19 YRS	375	6.8	6	4	5	6	8	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	4	<1	<1	2	3	6	6	6
B. *Operated*	583	6.1	3	4	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	11	4.4	11	<1	1	4	5	10	12	12
B. *Operated*	404	6.8	7	4	5	6	8	10	12	15
1. SINGLE DX	596	6.0	4	3	4	6	7	8	9	12
2. MULTIPLE DX	415	6.8	7	4	5	6	8	10	12	15
A. NOT OPERATED	24	3.3	8	<1	1	2	5	6	9	12
B. OPERATED	987	6.4	5	4	4	6	7	9	11	14
TOTAL 0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	2	10.5	5	9	9	10	12	12	12	12
1-5 YRS	8	6.8	6	2	3	7	8	10	11	11
6-12 YRS	59	6.4	6	3	4	6	8	9	11	16
13-19 YRS	940	6.3	5	4	4	6	7	9	10	14
GRAND TOTAL	**1011**	**6.3**	**5**	**4**	**4**	**6**	**7**	**9**	**11**	**14**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	3.5	10	1	1	2	5	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	14	2.6	5	<1	<1	2	3	5	8	9
13-19 YRS	29	2.9	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	3.0	5	2	2	2	4	7	7	7
13-19 YRS	14	4.6	9	<1	<1	5	6	8	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	10	1	1	2	5	8	8	8
B. *Operated*	45	2.7	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	23	4.3	11	<1	1	3	6	8	12	13
1. SINGLE DX	49	2.8	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX	23	4.3	11	<1	1	3	6	8	12	13
A. NOT OPERATED	4	3.5	10	1	1	2	5	8	8	8
B. OPERATED	68	3.3	7	<1	<1	2	5	7	8	13
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	19	2.7	5	<1	<1	2	3	6	8	9
13-19 YRS	47	3.5	6	<1	<1	3	6	7	7	12
GRAND TOTAL	**72**	**3.3**	**7**	**<1**	**1**	**2**	**5**	**7**	**8**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	7	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	7	3.7	6	1	1	3	5	8	8	8
13-19 YRS	26	4.1	20	<1	2	3	4	8	11	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS	8	2.0	1	1	1	2	3	3	3	3
13-19 YRS	4	6.3	6	3	3	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*	43	3.5	14	<1	<1	3	4	8	8	24
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	14	3.1	6	1	1	2	3	7	9	9
1. SINGLE DX	46	3.4	13	<1	<1	3	4	7	8	24
2. MULTIPLE DX	14	3.1	6	1	1	2	3	7	9	9
A. NOT OPERATED	3	2.7	4	1	1	2	4	5	5	5
B. OPERATED	57	3.4	12	<1	1	3	4	7	8	23
TOTAL 0-27 DYS										
1-11 MOS	5	1.4		<1	<1	1	2	2	2	2
1-5 YRS	8	2.0	1	<1	<1	2	3	4	4	4
6-12 YRS	15	2.8	4	1	1	2	3	6	7	8
13-19 YRS	32	4.3	18	<1	1	3	5	8	9	24
GRAND TOTAL	**60**	**3.4**	**12**	**<1**	**1**	**3**	**4**	**7**	**8**	**22**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	12	3.0	4	<1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	10	6.7	39	1	1	4	12	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	16	3.1	5	<1	1	2	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	15	5.1	30	1	1	2	6	14	18	19
1. SINGLE DX	16	3.1	5	<1	1	2	5	6	8	9
2. MULTIPLE DX	15	5.1	30	1	1	2	6	14	18	19
A. NOT OPERATED										
B. OPERATED	31	4.1	18	1	1	2	5	10	14	19
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	3.5	14	1	1	2	6	9	9	9
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	22	4.7	22	<1	1	3	6	13	16	19
GRAND TOTAL	**31**	**4.1**	**18**	**1**	**1**	**2**	**5**	**10**	**14**	**19**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	19	1.4		<1	<1	1	2	2	2	2
1-5 YRS	62	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	57	1.6	1	<1	1	2	2	2	4	92
13-19 YRS	47	1.7		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	13	1.7		1	1	2	2	2	2	2
6-12 YRS	8	2.6	2	2	2	2	3	5	6	6
13-19 YRS	9	2.3	3	<1	<1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	185	1.6		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	4	2.5	9	<1	<1	1	4	7	7	7
B. *Operated*	33	2.1	1	1	1	2	2	3	5	6
1. SINGLE DX	188	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	37	2.1	2	<1	1	2	2	3	6	7
A. NOT OPERATED	7	2.3	6	<1	<1	1	3	6	7	7
B. OPERATED	218	1.7	1	<1	<1	2	2	2	3	6
TOTAL 0-27 DYS										
1-11 MOS	23	1.7	2	<1	<1	1	2	3	4	7
1-5 YRS	76	1.5		<1	<1	1	2	2	2	5
6-12 YRS	67	1.8	1	<1	1	2	2	3	4	83
13-19 YRS	59	1.7	1	<1	<1	2	2	3	3	6
GRAND TOTAL	**225**	**1.7**	**1**	**<1**	**<1**	**2**	**2**	**2**	**3**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	50	2	2	7	12	12	12	12
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	19.0	32	15	15	19	23	23	23	23
13-19 YRS	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	41	3	3	7	12	12	12	12
1-5 YRS	9	10.0	30	3	3	11	14	17	18	18
6-12 YRS	9	9.3	9	3	5	10	11	13	13	13
13-19 YRS	26	14.0	105	2	5	12	18	25	33	51
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	6.8	104	<1	<1	2	12	22	22	22
6-12 YRS	6	6.5	94	1	1	2	6	24	26	26
13-19 YRS	5	8.0	47	4	4	5	10	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	2	19.5	41	15	15	19	24	24	24	24
1-5 YRS	6	22.3	151	2	4	22	34	36	36	36
6-12 YRS	9	16.1	90	6	7	10	24	29	30	30
13-19 YRS	20	17.2	182	3	6	14	20	28	47	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.9	66	<1	<1	5	13	21	23	23
B. *Operated*	46	12.0	72	3	3	10	14	21	26	51
2. MULTIPLE DX										
A. *Not Operated*	16	6.9	65	<1	1	4	6	22	25	26
B. *Operated*	37	17.9	143	3	6	16	23	30	35	66
1. SINGLE DX	54	11.4	72	1	2	10	14	21	25	50
2. MULTIPLE DX	53	14.6	144	1	2	12	22	28	33	65
A. NOT OPERATED	24	7.3	63	<1	1	4	10	22	24	26
B. OPERATED	83	14.7	111	3	4	12	18	28	31	61
TOTAL 0-27 DYS										
1-11 MOS	7	10.4	61	2	2	12	14	22	24	24
1-5 YRS	20	12.6	116	<1	1	12	20	28	35	36
6-12 YRS	26	11.8	72	2	2	9	15	26	28	30
13-19 YRS	54	14.1	132	1	4	12	18	25	29	65
GRAND TOTAL	**107**	**13.0**	**109**	**1**	**2**	**11**	**18**	**25**	**29**	**57**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.5	5	2	2	4	6	8	8	8
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	9	2.8	3	<1	<1	2	4	5	6	6
6-12 YRS	12	3.5	2	2	2	3	4	5	6	6
13-19 YRS	211	4.1	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	44	4.6	5	2	3	4	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.5	5	2	2	4	6	8	8	8
B. *Operated*	233	4.0	2	2	2	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	48	4.4	5	2	2	4	5	8	8	12
1. SINGLE DX	239	4.0	2	2	2	4	5	6	7	9
2. MULTIPLE DX	49	4.4	5	2	2	4	5	7	8	12
A. NOT OPERATED	7	4.6	4	2	2	4	6	8	8	8
B. OPERATED	281	4.1	3	2	2	4	5	6	7	10
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS										
1-5 YRS	11	2.6	2	<1	1	2	4	5	6	6
6-12 YRS	13	3.5	2	2	2	3	4	5	6	6
13-19 YRS	262	4.2	3	2	3	4	5	6	7	10
GRAND TOTAL	**288**	**4.1**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	12.5	13	10	10	12	15	15	15	15
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	31	9.8	43	3	4	9	11	14	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.8	16	2	2	7	10	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	16	10.1	123	2	3	8	10	18	40	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	34	9.9	40	3	4	9	11	14	22	37
2. MULTIPLE DX										
A. *Not Operated*	6	6.8	16	2	2	7	10	11	11	11
B. *Operated*	18	9.4	113	2	2	7	10	16	37	49
1. SINGLE DX	37	9.3	41	2	3	9	11	14	21	37
2. MULTIPLE DX	24	8.8	88	2	2	7	10	12	28	49
A. NOT OPERATED	9	5.4	15	2	2	4	10	11	11	11
B. OPERATED	52	9.7	64	3	4	9	11	14	23	49
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	12.5	13	10	10	12	15	15	15	15
6-12 YRS	3	4.0	12	2	2	2	7	8	8	8
13-19 YRS	55	9.3	62	2	3	8	11	13	23	48
GRAND TOTAL	**61**	**9.1**	**58**	**2**	**3**	**8**	**10**	**14**	**21**	**48**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	89	3.0	5	1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.5	25	3	3	6	10	10	10	10
13-19 YRS	52	3.6	7	1	1	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*	92	3.0	5	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	54	3.7	7	1	1	3	5	7	8	15
1. SINGLE DX	94	3.0	5	1	1	2	3	7	8	12
2. MULTIPLE DX	56	3.6	7	1	1	3	5	7	8	15
A. NOT OPERATED	4	3.0	8	1	1	2	5	7	7	7
B. OPERATED	146	3.3	6	1	1	2	4	7	8	12
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	5.0	19	2	2	3	8	10	10	10
13-19 YRS	145	3.2	6	1	1	2	4	7	8	12
GRAND TOTAL	**150**	**3.3**	**6**	**1**	**1**	**2**	**4**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	37	2.6	1	1	2	2	3	4	5	7
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	16	<1	<1	1	6	8	8	8
6-12 YRS	10	3.9	5	1	1	3	6	7	8	8
13-19 YRS	8	2.9	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	5	3	3	3	6	7	7	7
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.3	44	1	1	10	13	14	14	14
13-19 YRS	5	4.8	15	<1	<1	5	7	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.6	1	1	2	2	3	4	5	7
B. *Operated*	21	3.4	6	<1	<1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	5	5.6	9	3	3	5	8	10	10	10
B. *Operated*	9	5.6	25	<1	<1	5	10	13	14	14
1. SINGLE DX	59	2.9	3	<1	1	2	3	6	7	8
2. MULTIPLE DX	14	5.6	18	<1	<1	5	10	11	13	14
A. NOT OPERATED	43	2.9	3	1	2	2	3	5	7	10
B. OPERATED	30	4.1	12	<1	<1	3	6	9	11	14
TOTAL 0-27 DYS	41	2.7	2	<1	1	2	3	4	6	7
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	3.3	16	<1	<1	1	6	8	8	8
6-12 YRS	13	4.9	15	1	1	4	7	11	13	14
13-19 YRS	15	3.6	8	<1	<1	2	5	7	10	11
GRAND TOTAL	**73**	**3.4**	**7**	**<1**	**1**	**2**	**4**	**7**	**10**	**13**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.8	3	1	1	1	2	5	5	5
1-11 MOS	6	1.5	1	1	1	1	2	3	3	3
1-5 YRS	34	3.4	17	<1	<1	2	5	6	8	24
6-12 YRS	46	2.8	3	<1	1	2	4	5	7	99+
13-19 YRS	102	3.5	8	<1	1	3	5	8	9	13
B. *Operated*										
0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	32	3.3	9	1	1	2	4	7	8	15
1-5 YRS	104	4.1	37	<1	<1	2	4	8	17	34
6-12 YRS	170	4.7	28	<1	1	3	5	11	15	30
13-19 YRS	455	4.8	41	1	2	3	6	9	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	25	3	3	10	77	99+	99+	99+
1-11 MOS	11	3.8	11	1	1	3	6	9	12	12
1-5 YRS	31	3.6	10	<1	1	3	4	8	9	15
6-12 YRS	38	3.8	10	<1	1	3	5	8	11	14
13-19 YRS	65	5.2	89	<1	1	4	5	9	12	67
B. *Operated*										
0-27 DYS	3	8.3	37	3	3	7	13	15	15	15
1-11 MOS	7	9.9	155	<1	<1	3	22	28	28	28
1-5 YRS	34	10.9	207	1	2	4	11	32	35	66
6-12 YRS	71	7.9	55	1	2	5	10	20	23	33
13-19 YRS	172	7.9	82	2	2	4	9	19	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	3.2	8	<1	1	2	4	6	9	20
B. *Operated*	765	4.6	36	1	1	3	5	9	14	28
2. MULTIPLE DX										
A. *Not Operated*	147	4.4	45	1	1	3	5	8	12	76
B. *Operated*	287	8.3	91	1	2	5	10	21	29	51
1. SINGLE DX	958	4.4	31	1	1	3	5	9	12	28
2. MULTIPLE DX	434	7.0	79	1	1	4	8	16	26	54
A. NOT OPERATED	340	3.7	24	<1	1	3	5	7	10	28
B. OPERATED	1052	5.6	54	1	1	3	6	12	20	34
TOTAL 0-27 DYS	14	4.0	17	1	1	3	6	15	79	99+
1-11 MOS	56	4.1	29	<1	1	2	5	8	14	28
1-5 YRS	203	5.1	64	<1	1	3	5	10	24	39
6-12 YRS	325	5.0	31	<1	1	3	6	12	17	31
13-19 YRS	794	5.4	51	1	1	3	6	10	16	32
GRAND TOTAL	**1392**	**5.2**	**47**	**1**	**1**	**3**	**6**	**11**	**17**	**34**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	20	3.6	6	1	2	3	4	7	9	11
13-19 YRS	31	3.0	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	3	4.0	3	2	2	5	5	5	5	5
6-12 YRS	10	4.2	8	3	3	3	4	8	12	12
13-19 YRS	114	4.3	2	2	3	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	8	3.1	5	1	1	3	5	7	7	7
13-19 YRS	33	4.8	7	2	2	4	6	9	11	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	4	4.0	5	1	1	4	5	6	6	6
13-19 YRS	34	5.3	8	3	3	4	7	8	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	4	1	1	3	4	6	8	11
B. *Operated*	128	4.3	2	2	3	4	5	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	43	4.3	7	1	1	4	5	8	10	13
B. *Operated*	40	5.3	9	2	3	4	7	9	13	15
1. SINGLE DX	179	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX	83	4.8	8	1	2	4	6	8	12	15
A. NOT OPERATED	94	3.7	6	1	1	3	5	7	9	12
B. OPERATED	168	4.6	4	2	3	4	5	7	8	14
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.8	23	1	1	3	5	13	14	14
6-12 YRS	42	3.7	6	1	1	3	4	7	9	12
13-19 YRS	212	4.4	4	2	2	4	5	7	8	13
GRAND TOTAL	**262**	**4.3**	**5**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	3.8	8	1	1	3	4	7	11	12
1-11 MOS	14	2.6	3	1	1	2	3	6	6	6
1-5 YRS	16	3.3	7	1	1	3	4	5	10	12
6-12 YRS	49	4.9	13	1	1	4	7	9	11	17
13-19 YRS	189	5.5	17	1	2	4	7	10	14	23
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.3	13	1	1	3	5	10	11	11
6-12 YRS	31	5.1	10	2	2	5	5	10	13	16
13-19 YRS	246	6.0	17	3	3	5	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.4	5	3	3	6	7	8	8	8
1-11 MOS	11	12.0	111	3	3	10	15	31	34	34
1-5 YRS	15	5.5	7	3	3	5	7	8	12	13
6-12 YRS	45	5.1	23	1	2	4	6	9	16	28
13-19 YRS	197	6.5	37	2	2	5	8	13	16	48
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	14	9.4	39	4	5	7	10	18	26	28
13-19 YRS	95	8.2	57	3	4	5	9	17	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	5.0	15	1	1	4	6	10	13	20
B. *Operated*	285	5.8	16	2	3	5	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	273	6.4	37	2	2	5	8	12	16	33
B. *Operated*	112	8.3	53	3	4	6	9	17	22	44
1. SINGLE DX	565	5.4	16	1	2	4	6	10	13	21
2. MULTIPLE DX	385	7.0	42	2	3	5	8	14	18	38
A. NOT OPERATED	553	5.7	26	1	2	4	7	10	15	28
B. OPERATED	397	6.5	28	3	3	5	7	11	17	29
TOTAL 0-27 DYS	19	4.2	7	1	2	3	5	8	10	12
1-11 MOS	27	6.6	66	1	1	3	7	15	30	34
1-5 YRS	38	4.4	9	1	1	4	5	9	12	13
6-12 YRS	139	5.5	20	1	2	4	7	10	16	28
13-19 YRS	727	6.3	28	2	3	5	7	11	16	27
GRAND TOTAL	**950**	**6.1**	**27**	**2**	**2**	**5**	**7**	**11**	**16**	**28**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	5.0	7	3	3	4	7	9	9	9
1-11 MOS	9	8.0	57	1	2	5	10	20	26	26
1-5 YRS	198	6.7	12	1	2	6	9	11	13	18
6-12 YRS	951	7.0	13	2	3	7	9	11	13	19
13-19 YRS	1314	6.3	14	2	2	6	8	11	13	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	32	<1	<1	4	9	9	9	9
1-5 YRS										
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	10	8.1	8	4	5	7	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	6.8	10	3	4	6	8	10	14	17
1-11 MOS	20	8.1	20	2	4	7	10	13	17	22
1-5 YRS	119	6.6	26	1	1	6	8	13	15	27
6-12 YRS	464	5.9	24	1	2	5	8	11	15	27
13-19 YRS	1122	6.2	21	1	2	5	8	11	14	24
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	14.0	60	4	5	14	21	25	25	25
1-5 YRS	4	17.3	60	7	7	18	23	25	25	25
6-12 YRS	8	6.9	44	2	2	5	8	18	22	22
13-19 YRS	66	8.5	41	2	2	7	11	19	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2476	6.6	14	2	2	6	8	11	13	19
B. *Operated*	15	6.8	12	<1	2	7	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	1743	6.2	22	1	2	5	8	12	15	24
B. *Operated*	86	9.2	47	2	2	7	12	21	23	30
1. SINGLE DX	2491	6.6	14	2	2	6	8	11	13	19
2. MULTIPLE DX	1829	6.3	24	1	2	5	8	12	15	24
A. NOT OPERATED	4219	6.4	17	2	2	6	8	11	14	21
B. OPERATED	101	8.8	43	2	2	7	11	21	23	29
TOTAL 0-27 DYS	23	6.6	10	3	4	6	8	10	13	17
1-11 MOS	38	9.0	39	1	3	7	11	20	24	26
1-5 YRS	321	6.8	19	1	2	6	9	12	15	24
6-12 YRS	1426	6.6	17	2	2	6	9	11	14	21
13-19 YRS	2512	6.3	18	2	2	5	8	11	14	22
GRAND TOTAL	**4320**	**6.5**	**18**	**2**	**2**	**6**	**8**	**11**	**14**	**22**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	3	6.7	66	1	1	3	13	16	16	16
1-5 YRS	85	8.0	48	1	2	6	10	13	19	40
6-12 YRS	814	6.1	20	1	2	5	8	11	14	24
13-19 YRS	1806	5.1	15	1	2	4	7	9	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.5	41	6	6	10	15	15	15	15
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	8	14.1	198	6	6	9	13	38	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	9.3	2	8	8	9	10	11	11	11
1-11 MOS	7	14.6	202	3	3	9	24	38	40	40
1-5 YRS	59	7.6	24	2	2	6	11	15	18	21
6-12 YRS	489	5.8	15	2	2	5	8	11	13	19
13-19 YRS	1362	5.8	22	1	2	5	7	11	13	24
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	9.5	13	7	7	9	12	12	12	12
1-5 YRS	6	12.8	13	7	7	13	14	18	18	18
6-12 YRS	10	18.4	728	2	2	11	15	55	94	94
13-19 YRS	58	10.3	57	2	3	8	13	24	25	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2711	5.5	18	1	2	4	7	10	13	22
B. *Operated*	11	12.5	154	3	5	8	14	29	46	48
2. MULTIPLE DX										
A. *Not Operated*	1920	5.9	21	1	2	5	7	11	14	23
B. *Operated*	77	11.5	138	2	3	9	13	24	25	78
1. SINGLE DX	2722	5.5	19	1	2	4	7	10	13	22
2. MULTIPLE DX	1997	6.1	27	1	2	5	8	12	14	25
A. NOT OPERATED	4631	5.6	19	1	2	4	7	10	13	23
B. OPERATED	88	11.6	138	2	3	9	13	24	25	76
TOTAL 0-27 DYS	7	6.0	12	2	2	6	9	11	11	11
1-11 MOS	12	11.8	136	1	2	8	14	32	39	40
1-5 YRS	152	8.1	38	2	2	7	11	15	18	39
6-12 YRS	1314	6.1	24	1	2	5	8	11	14	22
13-19 YRS	3234	5.5	20	1	2	4	7	10	13	24
GRAND TOTAL	**4719**	**5.7**	**22**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	34	6.7	18	2	3	6	8	11	12	25
6-12 YRS	166	6.4	13	2	2	6	8	11	13	18
13-19 YRS	430	6.3	20	1	2	5	8	11	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.7	21	2	2	2	8	10	10	10
6-12 YRS	3	5.0	27	2	2	2	9	11	11	11
13-19 YRS	15	4.9	32	1	1	3	5	7	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.7	16	4	4	7	11	12	12	12
1-11 MOS	10	9.2	48	2	3	7	12	20	26	26
1-5 YRS	29	7.5	26	1	2	7	10	15	16	22
6-12 YRS	105	5.9	19	1	2	5	7	11	16	21
13-19 YRS	458	6.2	23	1	2	5	8	11	14	28
B. *Operated*										
0-27 DYS										
1-11 MOS	5	15.2	219	2	2	7	29	35	35	35
1-5 YRS	2	15.5	221	5	5	15	26	26	26	26
6-12 YRS	3	11.7	21	9	9	9	15	17	17	17
13-19 YRS	45	10.1	51	2	3	9	13	19	26	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	631	6.3	18	1	2	6	8	11	14	20
B. *Operated*	21	4.9	27	1	1	3	6	10	17	24
2. MULTIPLE DX										
A. *Not Operated*	605	6.3	23	1	2	5	8	11	16	27
B. *Operated*	55	10.9	66	2	3	9	14	26	27	35
1. SINGLE DX	652	6.3	18	1	2	5	8	11	14	21
2. MULTIPLE DX	660	6.6	28	1	2	5	8	12	17	28
A. NOT OPERATED	1236	6.3	20	1	2	5	8	11	14	25
B. OPERATED	76	9.2	62	2	2	7	11	23	26	35
TOTAL 0-27 DYS	3	7.7	16	4	4	7	11	12	12	12
1-11 MOS	16	11.0	96	2	2	7	13	27	33	35
1-5 YRS	68	7.2	26	2	2	6	9	13	17	26
6-12 YRS	277	6.2	16	1	2	5	8	11	15	21
13-19 YRS	948	6.4	24	1	2	5	8	11	15	27
GRAND TOTAL	**1312**	**6.5**	**23**	**1**	**2**	**5**	**8**	**11**	**15**	**26**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	33	4.0	11	1	1	3	5	8	11	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.3	17	3	3	5	9	11	11	11
13-19 YRS	219	4.1	7	1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	32	4.7	12	1	2	4	6	9	11	19
B. *Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	201	5.5	14	1	2	5	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.9	11	1	1	3	5	8	10	18
B. *Operated*	222	4.2	7	1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	33	4.7	12	1	2	4	5	9	11	19
B. *Operated*	205	5.6	14	1	2	5	7	10	12	21
1. SINGLE DX	256	4.1	8	1	1	4	5	8	9	17
2. MULTIPLE DX	238	5.4	13	1	2	5	7	10	12	20
A. NOT OPERATED	67	4.3	12	1	1	4	5	8	11	19
B. OPERATED	427	4.8	11	1	2	4	7	9	11	19
TOTAL 0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	6.2	23	1	1	4	11	13	13	13
13-19 YRS	485	4.7	11	1	1	4	6	9	11	19
GRAND TOTAL	**494**	**4.8**	**11**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	9.7	320	<1	1	3	13	21	53	80
1-11 MOS	44	6.0	85	<1	1	3	5	12	30	45
1-5 YRS	167	3.4	19	<1	1	2	4	7	11	28
6-12 YRS	199	3.2	5	1	1	3	4	6	8	12
13-19 YRS	348	4.0	9	1	1	3	5	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	5	9.6	40	4	4	6	16	17	17	17
1-5 YRS	16	4.9	10	<1	1	5	7	8	11	12
6-12 YRS	17	5.5	20	<1	1	4	9	13	15	15
13-19 YRS	44	5.9	24	1	2	4	7	12	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	16	9.6	101	1	2	6	10	25	35	39
1-11 MOS	60	5.9	67	1	1	3	6	14	20	50
1-5 YRS	177	3.4	13	1	1	2	4	6	8	20
6-12 YRS	219	4.0	20	1	1	3	5	8	12	25
13-19 YRS	445	5.0	20	1	1	4	6	9	12	24
B. *Operated*										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	7	20.7	1022	2	2	8	21	77	91	91
1-5 YRS	14	11.9	244	1	1	7	12	36	52	57
6-12 YRS	21	6.6	33	2	2	4	9	15	21	22
13-19 YRS	55	7.1	59	1	1	5	8	14	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	3.9	23	1	1	3	5	7	11	25
B. *Operated*	82	5.8	22	1	1	4	7	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	917	4.6	24	1	1	3	5	9	12	26
B. *Operated*	99	8.7	149	1	2	5	10	17	27	74
1. SINGLE DX	860	4.1	23	1	1	3	5	8	11	24
2. MULTIPLE DX	1016	5.0	37	1	1	3	6	9	14	31
A. NOT OPERATED	1695	4.3	23	1	1	3	5	8	11	26
B. OPERATED	181	7.4	93	1	2	5	9	15	21	54
TOTAL 0-27 DYS	38	9.7	208	1	1	4	13	23	34	80
1-11 MOS	116	7.0	133	1	1	3	7	17	25	66
1-5 YRS	374	3.8	26	1	1	2	4	7	11	28
6-12 YRS	456	3.8	15	1	1	3	4	8	11	20
13-19 YRS	892	4.8	19	1	1	4	6	9	12	23
GRAND TOTAL	**1876**	**4.6**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.9	3	1	1	4	5	6	6	6
1-11 MOS	28	7.3	44	1	2	5	8	19	24	27
1-5 YRS	9	5.8	41	1	1	3	6	17	20	20
6-12 YRS	4	4.0	7	2	2	3	6	8	8	8
13-19 YRS	7	6.1	24	1	1	3	11	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.5	13	13	13	15	18	18	18	18
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	8	7.1	24	1	2	6	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	8.5	42	4	4	6	10	15	26	28
1-11 MOS	114	11.9	165	2	3	7	15	26	37	71
1-5 YRS	40	12.3	114	2	3	8	18	28	31	51
6-12 YRS	17	6.6	31	1	2	5	8	12	20	25
13-19 YRS	28	7.6	60	1	2	5	7	19	25	32
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.5	9	8	8	10	13	14	14	14
1-5 YRS	5	17.6	234	6	6	15	22	44	44	44
6-12 YRS	5	21.4	325	5	5	10	40	42	42	42
13-19 YRS	8	4.0	10	<1	<1	3	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.2	33	1	2	4	7	13	20	27
B. *Operated*	12	8.0	30	1	2	6	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	212	10.8	126	2	3	7	14	24	29	66
B. *Operated*	22	12.2	164	1	2	8	14	41	43	44
1. SINGLE DX	68	6.5	32	1	2	4	8	15	20	26
2. MULTIPLE DX	234	10.9	129	2	3	7	14	25	32	65
A. NOT OPERATED	268	9.8	110	2	2	6	12	22	28	62
B. OPERATED	34	10.7	119	1	2	8	13	20	42	44
TOTAL 0-27 DYS	21	6.7	31	2	3	5	7	11	19	28
1-11 MOS	148	11.1	139	2	3	7	14	24	29	70
1-5 YRS	56	11.4	115	2	3	7	16	27	32	51
6-12 YRS	26	9.1	111	2	2	5	10	24	40	42
13-19 YRS	51	6.8	42	1	1	5	8	17	20	32
GRAND TOTAL	**302**	**9.9**	**111**	**2**	**2**	**6**	**12**	**22**	**28**	**57**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	28	10.9	35	2	3	10	15	20	22	22
1-5 YRS	47	7.3	26	1	1	7	11	14	15	20
6-12 YRS	91	10.8	23	2	4	11	14	16	21	68
13-19 YRS	110	11.8	26	4	6	11	14	18	21	30
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	13.0	43	4	5	12	15	23	24	24
13-19 YRS	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	17.6	163	10	10	12	22	40	40	40
1-11 MOS	79	10.4	82	2	3	8	13	23	29	48
1-5 YRS	110	8.5	33	1	2	8	11	15	18	30
6-12 YRS	143	11.8	51	2	3	10	15	19	24	39
13-19 YRS	200	10.8	39	2	3	10	14	17	22	34
B. *Operated*										
0-27 DYS	2	16.5	25	13	13	20	80	99+	99+	99+
1-11 MOS	8	22.0	192	5	8	22	43	99+	99+	99+
1-5 YRS	12	13.1	103	2	3	12	16	30	35	36
6-12 YRS	10	13.0	39	4	4	15	17	20	23	23
13-19 YRS	23	17.3	89	3	6	16	21	33	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	10.6	28	1	3	10	14	16	21	27
B. *Operated*	10	12.7	46	4	4	12	15	23	24	24
2. MULTIPLE DX										
A. *Not Operated*	537	10.6	50	2	3	10	14	18	23	38
B. *Operated*	55	16.3	98	4	4	15	21	38	77	99+
1. SINGLE DX	287	10.7	29	2	4	10	14	16	21	27
2. MULTIPLE DX	592	11.1	57	2	3	10	15	20	27	43
A. NOT OPERATED	814	10.6	42	2	3	10	14	18	22	34
B. OPERATED	65	15.7	91	4	4	15	21	36	49	99+
TOTAL 0-27 DYS	9	16.7	104	6	8	14	23	70	99+	99+
1-11 MOS	115	11.3	84	2	3	9	15	24	36	99+
1-5 YRS	170	8.5	37	1	2	7	12	15	18	31
6-12 YRS	250	11.5	40	2	4	11	15	19	22	39
13-19 YRS	335	11.6	40	2	4	11	14	19	22	35
GRAND TOTAL	**879**	**11.0**	**48**	**2**	**3**	**10**	**14**	**19**	**24**	**40**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	7	3.0	7	<1	<1	2	4	7	8	8
6-12 YRS	49	5.0	35	1	1	3	6	11	14	34
13-19 YRS	63	9.7	333	1	1	4	8	18	43	98
B. *Operated*										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	78	10.1	38	6	7	9	10	13	17	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	11	7.2	18	1	2	6	10	13	14	14
6-12 YRS	51	6.4	109	1	2	4	5	10	21	59
13-19 YRS	118	6.9	114	2	2	4	7	11	16	73
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	7	7.1	20	3	3	5	10	14	15	15
13-19 YRS	67	10.1	20	4	4	9	13	16	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	7.2	193	1	1	3	7	12	28	97
B. *Operated*	83	9.8	38	6	7	9	10	13	16	46
2. MULTIPLE DX										
A. *Not Operated*	182	6.8	105	1	2	4	7	11	16	64
B. *Operated*	76	9.8	20	3	4	9	12	15	17	23
1. SINGLE DX	204	8.3	131	1	2	7	9	13	22	72
2. MULTIPLE DX	258	7.7	82	2	2	5	9	14	17	58
A. NOT OPERATED	303	7.0	140	1	2	4	7	12	20	76
B. OPERATED	159	9.8	29	4	5	9	11	15	17	36
TOTAL 0-27 DYS	3	7.0	1	6	6	7	8	8	8	8
1-11 MOS	5	4.2	10	1	1	3	7	8	8	8
1-5 YRS	19	5.5	16	<1	1	5	9	12	14	14
6-12 YRS	109	5.7	68	1	1	3	5	11	16	54
13-19 YRS	326	8.9	120	2	2	7	10	15	20	71
GRAND TOTAL	**462**	**7.9**	**103**	**1**	**2**	**6**	**9**	**14**	**18**	**58**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	85	3.5	7	1	1	3	4	6	9	14
1-11 MOS	88	5.0	16	1	1	4	6	10	15	21
1-5 YRS	122	3.7	29	<1	<1	1	4	9	12	29
6-12 YRS	63	3.3	21	<1	<1	2	3	8	11	27
13-19 YRS	159	3.3	9	<1	<1	3	4	6	9	17
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	22	6.0	65	<1	1	3	9	12	23	37
1-5 YRS	28	5.1	15	1	1	4	7	11	14	16
6-12 YRS	43	4.7	17	<1	1	3	6	10	12	23
13-19 YRS	69	4.9	11	1	1	4	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	55	5.0	13	2	2	3	6	11	12	15
1-11 MOS	115	7.1	43	1	3	5	8	14	18	36
1-5 YRS	140	4.8	21	<1	<1	3	6	10	14	24
6-12 YRS	85	5.9	34	1	1	4	8	13	17	79
13-19 YRS	164	5.7	63	<1	1	4	6	11	15	69
B. *Operated*										
0-27 DYS	4	7.8	40	3	3	5	11	17	17	17
1-11 MOS	22	9.6	94	<1	1	7	14	18	29	45
1-5 YRS	49	5.6	68	1	1	3	7	13	37	99+
6-12 YRS	14	5.1	7	2	2	5	7	8	10	10
13-19 YRS	74	8.5	43	2	2	7	11	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	517	3.7	16	<1	<1	3	5	8	11	24
B. *Operated*	164	5.0	20	1	1	4	7	11	12	22
2. MULTIPLE DX										
A. *Not Operated*	559	5.7	39	<1	1	4	7	12	15	41
B. *Operated*	163	7.5	56	1	1	5	10	15	20	45
1. SINGLE DX	681	4.0	17	<1	<1	3	5	9	12	24
2. MULTIPLE DX	722	6.1	43	1	1	4	7	13	17	43
A. NOT OPERATED	1076	4.8	29	<1	<1	3	6	10	14	28
B. OPERATED	327	6.2	39	1	1	4	8	13	16	41
TOTAL 0-27 DYS	146	4.2	10	1	2	3	5	9	12	15
1-11 MOS	247	6.4	41	1	1	5	8	14	17	37
1-5 YRS	339	4.5	30	<1	<1	3	6	10	14	31
6-12 YRS	205	4.8	25	<1	1	3	6	11	14	34
13-19 YRS	466	5.2	36	<1	1	4	6	11	14	28
GRAND TOTAL	**1403**	**5.1**	**32**	**<1**	**1**	**3**	**6**	**11**	**14**	**29**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	4	4.5	32	1	1	2	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	24	3	3	11	12	12	12	12
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	6	3.8	4	2	2	3	5	7	7	7
13-19 YRS	3	3.0	3	1	1	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	4	2.5		2	2	2	3	3	3	3
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*	6	3.7	21	1	1	2	2	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	13	5.2	12	1	2	4	7	11	12	12
B. *Operated*	6	2.7	1	2	2	3	3	4	4	4
1. SINGLE DX	9	3.6	15	1	1	2	3	10	13	13
2. MULTIPLE DX	19	4.4	10	1	2	3	5	10	12	12
A. NOT OPERATED	16	4.8	11	1	2	4	6	11	12	12
B. OPERATED	12	3.2	10	1	1	2	3	7	12	13
TOTAL 0-27 DYS										
1-11 MOS	3	8.7	24	3	3	11	12	12	12	12
1-5 YRS	5	3.8	9	2	2	2	5	9	9	9
6-12 YRS	10	3.3	3	2	2	3	4	6	7	7
13-19 YRS	10	3.7	13	1	1	2	4	9	13	13
GRAND TOTAL	**28**	**4.1**	**11**	**1**	**2**	**3**	**5**	**10**	**12**	**13**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	6.2	18	1	1	5	8	13	14	15
1-11 MOS	87	4.5	9	1	2	4	6	8	9	18
1-5 YRS	156	3.0	5	1	1	3	4	5	6	12
6-12 YRS	65	3.3	24	1	1	2	3	4	9	31
13-19 YRS	69	2.8	4	1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS	3	5.7		5	5	6	6	6	6	6
1-11 MOS	4	6.0	9	3	3	[illegible]	8	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	87	8.4	84	1	2	5	10	19	34	44
1-11 MOS	661	5.8	26	1	2	4	7	11	16	29
1-5 YRS	819	3.9	10	1	1	3	4	7	9	16
6-12 YRS	397	3.6	8	1	1	3	4	6	8	16
13-19 YRS	414	3.9	10	1	1	3	5	8	10	16
B. *Operated*										
0-27 DYS	7	14.9	284	2	3	11	13	44	52	52
1-11 MOS	29	12.6	94	3	4	10	15	28	37	40
1-5 YRS	18	11.6	148	2	3	6	16	29	40	47
6-12 YRS	11	9.9	65	2	3	7	11	24	28	28
13-19 YRS	23	8.7	71	1	2	6	11	17	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	3.5	10	1	1	3	4	7	9	17
B. *Operated*	7	5.9	4	3	3	6	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2378	4.5	18	1	1	3	5	8	12	23
B. *Operated*	88	11.2	108	2	3	8	14	27	37	50
1. SINGLE DX	404	3.5	10	1	1	3	4	7	9	17
2. MULTIPLE DX	2466	4.8	23	1	2	3	5	9	14	27
A. NOT OPERATED	2775	4.4	17	1	1	3	5	8	12	22
B. OPERATED	95	10.8	102	2	3	7	13	26	35	50
TOTAL 0-27 DYS	117	8.4	83	1	2	5	10	18	30	49
1-11 MOS	781	5.9	28	1	2	4	7	12	16	30
1-5 YRS	993	3.9	13	1	1	3	4	7	9	18
6-12 YRS	473	3.7	12	1	1	3	4	6	10	22
13-19 YRS	506	4.0	13	1	1	3	5	8	10	17
GRAND TOTAL	**2870**	**4.6**	**21**	**1**	**1**	**3**	**5**	**8**	**13**	**26**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	80	4.5	10	1	1	4	6	8	11	16
1-5 YRS	104	4.1	14	<1	1	3	5	7	10	24
6-12 YRS	19	4.0	7	1	2	3	4	8	10	12
13-19 YRS	91	4.4	10	1	1	3	5	8	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	13	4.2	8	1	1	3	6	8	10	10
1-5 YRS	18	4.2	7	1	2	3	6	8	9	10
6-12 YRS	3	2.3	1	1	1	3	3	3	3	3
13-19 YRS	33	5.5	10	1	2	5	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.0	9	2	2	4	6	10	10	10
1-11 MOS	112	5.5	15	1	2	5	7	10	13	21
1-5 YRS	165	5.4	14	1	2	4	7	11	14	18
6-12 YRS	48	4.7	17	2	2	3	6	8	9	28
13-19 YRS	190	4.9	9	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	9	7.9	33	3	3	7	9	17	22	22
1-5 YRS	17	7.2	16	1	2	6	10	12	14	15
6-12 YRS	7	13.7	157	7	7	9	10	36	42	42
13-19 YRS	69	6.9	18	2	2	6	9	12	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	4.3	11	1	1	3	5	8	10	18
B. *Operated*	67	4.8	8	1	2	4	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	520	5.1	13	1	2	4	7	10	12	19
B. *Operated*	102	7.5	29	2	3	6	9	12	14	34
1. SINGLE DX	361	4.4	11	1	1	4	6	8	10	16
2. MULTIPLE DX	622	5.5	16	2	2	5	7	10	13	21
A. NOT OPERATED	814	4.8	12	1	2	4	6	9	12	18
B. OPERATED	169	6.4	23	2	2	5	9	11	13	26
TOTAL 0-27 DYS	5	5.0	9	2	2	4	6	10	10	10
1-11 MOS	214	5.1	14	1	2	4	7	9	13	21
1-5 YRS	304	4.9	14	1	1	4	6	10	12	19
6-12 YRS	77	5.3	32	2	2	3	6	9	11	38
13-19 YRS	383	5.2	11	1	2	5	7	9	12	15
GRAND TOTAL	**983**	**5.1**	**14**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	17.7	112	8	8	16	26	29	29	29
1-11 MOS	26	4.7	7	1	2	4	6	8	9	10
1-5 YRS	212	4.6	10	1	1	4	6	8	11	15
6-12 YRS	312	4.4	11	1	1	4	5	8	10	18
13-19 YRS	578	5.3	11	1	2	5	7	10	11	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	145	1	1	9	18	18	18	18
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	14	7.7	28	2	3	5	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	32	6.0	18	2	2	5	8	11	13	21
1-5 YRS	244	6.1	23	1	2	5	8	11	14	23
6-12 YRS	303	6.1	31	1	2	5	8	11	13	24
13-19 YRS	514	7.0	36	1	2	6	9	13	16	31
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	8	25.6	499	5	5	15	49	55	57	57
6-12 YRS	11	13.1	42	6	7	11	15	25	27	27
13-19 YRS	45	11.2	72	1	2	11	16	19	31	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1131	4.9	11	1	1	4	6	9	11	17
B. *Operated*	18	7.3	34	1	1	5	14	16	17	18
2. MULTIPLE DX										
A. *Not Operated*	1094	6.5	32	1	2	5	8	12	15	27
B. *Operated*	66	13.2	132	1	2	11	16	27	39	56
1. SINGLE DX	1149	5.0	12	1	1	4	6	9	11	18
2. MULTIPLE DX	1160	6.9	40	1	2	5	9	13	16	31
A. NOT OPERATED	2225	5.7	22	1	2	5	7	11	13	22
B. OPERATED	84	11.9	116	1	2	10	16	21	35	55
TOTAL 0-27 DYS	4	13.8	136	2	2	12	22	29	29	29
1-11 MOS	60	5.5	13	2	2	5	7	10	12	20
1-5 YRS	466	5.8	32	1	2	5	7	11	13	24
6-12 YRS	628	5.3	23	1	1	4	7	10	12	24
13-19 YRS	1151	6.3	27	1	2	5	8	12	15	26
GRAND TOTAL	**2309**	**5.9**	**27**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	4.0	28	<1	<1	2	5	10	16	24
1-11 MOS	109	3.2	11	<1	<1	2	4	8	10	17
1-5 YRS	269	2.2	7	<1	<1	1	2	5	7	13
6-12 YRS	270	2.0	10	<1	<1	<1	1	4	7	11
13-19 YRS	283	2.4	10	<1	<1	1	3	5	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.7	55	1	1	4	5	17	25	25
1-5 YRS	51	5.0	12	1	1	4	6	10	13	15
6-12 YRS	65	6.7	28	2	3	6	7	8	11	40
13-19 YRS	52	7.8	33	2	3	6	10	15	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	6.0	15	2	2	4	8	12	14	14
1-11 MOS	129	5.7	30	<1	1	4	8	13	15	27
1-5 YRS	182	4.6	16	<1	1	3	6	9	11	23
6-12 YRS	147	4.6	48	<1	<1	3	6	8	10	49
13-19 YRS	278	4.6	23	<1	<1	3	6	9	14	23
B. *Operated*										
0-27 DYS										
1-11 MOS	13	10.0	30	2	4	8	13	19	20	20
1-5 YRS	48	8.4	47	2	2	6	12	18	20	34
6-12 YRS	49	8.2	85	2	2	6	9	17	26	54
13-19 YRS	92	7.8	58	1	2	6	9	14	18	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	955	2.3	10	<1	<1	1	2	5	8	13
B. *Operated*	177	6.5	27	1	2	6	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	747	4.8	27	<1	<1	3	6	10	13	26
B. *Operated*	202	8.2	60	2	2	6	10	15	21	49
1. SINGLE DX	1132	3.0	15	<1	<1	1	4	7	10	20
2. MULTIPLE DX	949	5.5	36	<1	1	4	7	11	15	31
A. NOT OPERATED	1702	3.4	19	<1	<1	2	4	8	10	22
B. OPERATED	379	7.4	45	2	2	6	8	14	20	41
TOTAL 0-27 DYS	35	4.6	24	<1	1	3	6	11	14	24
1-11 MOS	260	4.9	25	<1	<1	3	6	11	15	25
1-5 YRS	550	3.8	17	<1	<1	2	5	9	12	21
6-12 YRS	531	3.9	34	<1	<1	2	5	8	10	38
13-19 YRS	705	4.3	27	<1	<1	3	6	9	13	23
GRAND TOTAL	**2081**	**4.1**	**26**	**<1**	**<1**	**2**	**5**	**9**	**12**	**25**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	23	2.6	2	<1	1	3	3	5	5	5
6-12 YRS	21	2.5	5	<1	<1	2	3	6	8	8
13-19 YRS	38	4.1	6	1	1	4	5	8	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	2	19.0	242	8	8	19	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	8	2.8	4	1	1	2	4	6	6	6
1-5 YRS	75	4.7	42	1	1	3	5	11	15	41
6-12 YRS	64	4.4	13	1	1	3	6	10	12	16
13-19 YRS	75	5.0	19	1	2	4	6	9	11	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	12.7	281	2	2	4	25	32	32	32
6-12 YRS	11	7.6	53	3	3	4	7	21	25	25
13-19 YRS	12	18.0	246	3	3	13	24	40	55	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.3	5	1	1	3	4	7	8	10
B. *Operated*	3	15.7	154	8	8	9	25	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	224	4.6	24	1	1	3	5	9	12	23
B. *Operated*	26	13.0	177	3	3	7	19	31	38	58
1. SINGLE DX	87	3.7	13	1	1	3	5	8	8	23
2. MULTIPLE DX	250	5.5	46	1	1	4	6	11	16	33
A. NOT OPERATED	308	4.2	19	1	1	3	5	8	11	19
B. OPERATED	29	13.3	170	3	3	8	20	31	34	58
TOTAL 0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	9	3.2	6	1	1	3	5	7	7	7
1-5 YRS	102	4.5	40	1	1	3	5	9	14	40
6-12 YRS	96	4.3	17	1	1	3	5	10	13	22
13-19 YRS	127	6.1	54	1	2	4	7	11	19	39
GRAND TOTAL	**337**	**5.0**	**38**	**1**	**1**	**3**	**5**	**10**	**15**	**32**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.3	4	<1	<1	3	4	7	7	7
1-11 MOS	48	3.4	7	1	1	3	4	6	9	14
1-5 YRS	448	4.2	13	1	1	3	5	8	11	17
6-12 YRS	361	4.8	14	1	2	4	6	9	12	19
13-19 YRS	151	5.0	18	1	1	4	6	9	15	24
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	17	4.6	11	<1	1	4	7	9	12	13
1-5 YRS	166	5.7	25	1	2	4	7	9	14	34
6-12 YRS	134	7.3	31	1	2	6	9	14	18	29
13-19 YRS	233	7.2	18	2	3	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	9.1	303	<1	<1	3	5	38	52	52
1-11 MOS	58	5.0	17	1	2	4	6	10	14	22
1-5 YRS	296	4.7	18	1	1	3	5	9	12	27
6-12 YRS	217	4.9	14	1	1	4	6	10	13	18
13-19 YRS	217	5.9	53	1	2	4	7	12	15	40
B. *Operated*										
0-27 DYS	1	70.0		70	70	70	70	70	70	70
1-11 MOS	13	5.8	25	1	2	4	7	14	17	18
1-5 YRS	92	8.7	99	2	2	6	10	18	27	55
6-12 YRS	88	9.3	118	1	2	7	10	17	29	66
13-19 YRS	151	9.5	93	2	3	7	11	16	25	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	4.5	14	1	1	3	5	9	12	18
B. *Operated*	551	6.7	24	1	2	6	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	796	5.1	29	1	1	4	6	10	14	26
B. *Operated*	345	9.3	109	2	2	7	10	17	26	60
1. SINGLE DX	1565	5.2	18	1	2	4	7	10	13	22
2. MULTIPLE DX	1141	6.4	57	1	2	4	8	12	17	41
A. NOT OPERATED	1810	4.8	21	1	1	4	6	9	12	21
B. OPERATED	896	7.7	58	1	2	6	9	14	18	40
TOTAL 0-27 DYS	16	10.9	400	<1	<1	3	6	48	65	70
1-11 MOS	136	4.5	14	1	1	3	6	9	13	19
1-5 YRS	1002	5.0	26	1	1	4	6	9	13	27
6-12 YRS	800	5.7	30	1	2	4	7	11	15	27
13-19 YRS	752	6.8	45	1	2	5	8	12	17	32
GRAND TOTAL	**2706**	**5.7**	**35**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.0	1	1	1	2	3	3	3	3
1-11 MOS	3	3.7		3	3	4	4	4	4	4
1-5 YRS	340	2.3	4	1	1	2	3	4	5	10
6-12 YRS	2364	2.3	6	1	1	2	3	4	5	7
13-19 YRS	1937	2.5	5	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	110	3.6	2	2	2	3	4	5	6	9
6-12 YRS	888	3.9	4	2	2	4	5	6	7	10
13-19 YRS	1077	4.5	13	2	3	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	5	3.6	2	2	2	4	5	5	5	5
1-5 YRS	237	3.1	9	1	1	2	4	6	7	16
6-12 YRS	988	2.9	4	1	1	2	4	5	6	11
13-19 YRS	727	3.3	17	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.3	2	4	4	5	6	7	7	7
1-5 YRS	62	4.6	5	2	2	4	5	7	8	13
6-12 YRS	334	4.8	5	2	3	4	6	8	8	15
13-19 YRS	459	5.6	11	2	3	5	6	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4649	2.4	6	1	1	2	3	4	5	8
B. *Operated*	2078	4.2	9	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1959	3.1	10	1	1	2	4	5	7	11
B. *Operated*	859	5.2	8	2	3	5	6	8	10	16
1. SINGLE DX	6727	3.0	7	1	1	2	4	5	6	10
2. MULTIPLE DX	2818	3.7	10	1	1	3	5	6	8	14
A. NOT OPERATED	6608	2.6	7	1	1	2	3	4	6	9
B. OPERATED	2937	4.5	9	2	2	4	5	7	8	15
TOTAL 0-27 DYS	7	2.3	1	1	1	2	3	4	4	4
1-11 MOS	15	4.5	3	2	2	4	5	7	8	8
1-5 YRS	749	3.0	6	1	1	2	4	5	7	12
6-12 YRS	4574	2.9	6	1	1	2	4	5	6	10
13-19 YRS	4200	3.5	11	1	1	3	4	6	7	13
GRAND TOTAL	**9545**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	73	5.2	13	1	2	4	7	9	12	19
1-5 YRS	282	4.4	6	1	2	4	6	8	9	13
6-12 YRS	195	4.2	22	1	1	4	5	7	8	13
13-19 YRS	98	3.7	5	1	1	3	5	7	9	11
B. *Operated*										
0-27 DYS	2	9.0	32	5	5	9	13	13	13	13
1-11 MOS	42	6.4	19	1	1	6	9	11	15	21
1-5 YRS	139	3.1	7	<1	<1	2	4	7	9	11
6-12 YRS	213	3.2	8	1	1	2	4	8	10	12
13-19 YRS	276	2.9	5	<1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	50	6.1	15	2	3	6	7	10	12	26
1-5 YRS	219	5.2	17	1	2	4	7	10	12	20
6-12 YRS	127	4.8	11	1	2	4	6	9	11	16
13-19 YRS	71	4.7	14	2	2	4	5	8	10	24
B. *Operated*										
0-27 DYS										
1-11 MOS	35	7.8	29	2	3	6	9	17	21	21
1-5 YRS	109	4.9	23	1	1	3	7	10	15	24
6-12 YRS	83	4.3	18	1	1	3	6	9	12	24
13-19 YRS	94	4.1	11	1	1	3	5	8	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	4.3	12	1	2	4	5	7	9	14
B. *Operated*	672	3.3	8	<1	1	2	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	468	5.1	15	1	2	4	7	9	11	19
B. *Operated*	321	4.8	20	1	1	3	6	10	14	21
1. SINGLE DX	1322	3.8	10	1	1	3	5	7	9	13
2. MULTIPLE DX	789	5.0	17	1	2	4	7	9	13	21
A. NOT OPERATED	1118	4.7	13	1	2	4	6	8	10	16
B. OPERATED	993	3.8	12	1	1	2	5	8	10	17
TOTAL 0-27 DYS	5	6.4	17	2	2	5	8	13	13	13
1-11 MOS	200	6.2	18	1	2	5	8	11	14	21
1-5 YRS	749	4.5	12	1	1	4	6	9	10	16
6-12 YRS	618	4.0	15	1	1	3	5	8	10	15
13-19 YRS	539	3.5	8	1	1	2	4	7	9	14
GRAND TOTAL	**2111**	**4.3**	**13**	**1**	**1**	**3**	**6**	**8**	**10**	**17**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	2.0	4	1	1	1	2	6	6	6
13-19 YRS	68	11.1	207	1	1	7	14	23	35	81
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	45.0		45	45	45	45	45	45	45
1-11 MOS										
1-5 YRS										
6-12 YRS	7	4.4	48	<1	<1	2	4	17	20	20
13-19 YRS	84	12.4	168	1	1	8	18	36	44	82
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	21.2	36	15	15	19	27	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	10.1	193	1	1	6	13	22	34	79
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	92	12.1	173	1	1	7	18	37	44	78
B. *Operated*	5	21.2	36	15	15	19	27	29	29	29
1. SINGLE DX	76	10.1	193	1	1	6	13	22	34	79
2. MULTIPLE DX	97	12.6	170	1	1	8	19	35	44	76
A. NOT OPERATED	168	11.2	182	1	1	7	15	32	44	81
B. OPERATED	5	21.2	36	15	15	19	27	29	29	29
TOTAL 0-27 DYS	1	45.0		45	45	45	45	45	45	45
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	13	3.3	27	<1	<1	1	3	9	18	20
13-19 YRS	157	12.1	182	1	1	8	17	32	43	83
GRAND TOTAL	**173**	**11.5**	**180**	**1**	**1**	**7**	**15**	**31**	**43**	**80**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	13	3.9	68	1	1	1	3	10	27	31
1-5 YRS	91	2.7	48	1	1	1	2	4	7	43
6-12 YRS	190	2.6	33	1	1	2	3	4	5	11
13-19 YRS	398	4.5	58	1	1	3	4	8	14	47
B. *Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	4.0	19	1	1	2	7	9	9	9
13-19 YRS	12	7.8	62	<1	1	4	12	20	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	9.6	35	3	3	7	14	18	18	18
1-11 MOS	8	5.0	26	1	1	4	5	14	17	17
1-5 YRS	66	6.4	87	1	1	3	5	15	34	43
6-12 YRS	167	5.4	102	1	1	2	4	10	26	61
13-19 YRS	519	7.6	127	1	1	4	8	19	30	80
B. *Operated*										
0-27 DYS										
1-11 MOS	2	26.5	613	9	9	26	44	44	44	44
1-5 YRS	5	4.6	23	1	1	3	6	13	13	13
6-12 YRS	6	18.3	1341	1	1	4	6	84	93	93
13-19 YRS	30	19.0	752	1	1	7	33	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	694	3.7	51	1	1	2	4	6	9	45
B. *Operated*	18	7.4	65	<1	1	3	10	22	25	26
2. MULTIPLE DX										
A. *Not Operated*	765	7.0	117	1	1	4	7	17	30	73
B. *Operated*	43	17.6	721	1	1	5	30	94	99+	99+
1. SINGLE DX	712	3.8	51	1	1	2	4	7	11	44
2. MULTIPLE DX	808	7.6	154	1	1	4	7	19	32	96
A. NOT OPERATED	1459	5.5	88	1	1	3	5	11	21	64
B. OPERATED	61	14.6	545	1	1	5	18	72	98	99+
TOTAL 0-27 DYS	7	7.7	34	2	2	7	12	17	18	18
1-11 MOS	24	7.0	122	1	1	3	5	25	35	44
1-5 YRS	164	4.2	65	1	1	2	4	9	14	43
6-12 YRS	366	4.2	87	1	1	2	4	6	11	61
13-19 YRS	959	6.7	123	1	1	3	6	16	30	94
GRAND TOTAL	**1520**	**5.8**	**109**	**1**	**1**	**3**	**5**	**13**	**26**	**73**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	32	2.8	6	<1	<1	2	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	13.5	1	13	13	13	14	14	14	14
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	64	6.5	59	<1	1	4	10	17	26	91
B. *Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.7	6	<1	<1	2	4	5	7	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	67	6.7	58	<1	1	4	10	17	25	90
B. *Operated*	3	14.7	126	5	5	12	23	27	27	27
1. SINGLE DX	36	2.7	6	<1	<1	2	4	5	7	12
2. MULTIPLE DX	70	7.0	62	<1	1	4	11	17	27	88
A. NOT OPERATED	103	5.3	43	<1	<1	3	6	14	19	69
B. OPERATED	3	14.7	126	5	5	12	23	27	27	27
TOTAL 0-27 DYS	2	14.0	338	1	1	14	27	27	27	27
1-11 MOS	2	13.5	1	13	13	13	14	14	14	14
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	97	5.3	44	<1	<1	3	6	14	19	72
GRAND TOTAL	**106**	**5.6**	**47**	**<1**	**<1**	**3**	**7**	**14**	**21**	**67**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.8	2	<1	<1	1	3	4	4	4
6-12 YRS	9	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	140	9.4	120	<1	1	5	14	24	31	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	42.0		42	42	42	42	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	4	4.3	5	1	1	5	6	6	6	6
6-12 YRS	6	5.5	42	1	1	3	7	17	18	18
13-19 YRS	254	9.9	115	1	1	6	13	25	39	97
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	6	35.5	843	3	4	26	66	75	76	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	8.8	114	<1	1	4	12	23	29	51
B. *Operated*	1	42.0		42	42	42	42	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	266	9.7	112	1	1	6	13	24	38	92
B. *Operated*	7	31.4	818	3	4	25	56	74	76	76
1. SINGLE DX	154	9.0	121	<1	1	4	13	24	32	51
2. MULTIPLE DX	273	10.3	139	1	1	6	14	25	41	93
A. NOT OPERATED	419	9.4	113	1	1	6	13	24	35	55
B. OPERATED	8	32.8	715	3	4	26	54	73	76	76
TOTAL 0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	9	3.4	6	<1	<1	4	5	7	7	7
6-12 YRS	15	3.4	19	<1	<1	2	3	7	15	18
13-19 YRS	401	10.2	138	1	1	6	14	25	40	71
GRAND TOTAL	**427**	**9.8**	**133**	**1**	**1**	**6**	**14**	**25**	**38**	**68**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	33.8	150	22	22	31	41	51	51	51
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	4	7.5	30	2	2	7	12	14	14	14
13-19 YRS	876	20.3	351	2	3	14	29	51	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	40.6	802	10	10	52	74	97	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	32.0		32	32	32	32	32	32	32
13-19 YRS	276	23.4	398	2	4	18	31	58	71	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	36.2	758	7	13	32	75	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	20.3	349	2	3	14	29	51	69	99+
B. *Operated*	5	40.6	802	10	10	52	74	97	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	281	23.2	395	2	4	18	31	58	70	99+
B. *Operated*	22	36.2	758	7	13	32	75	99+	99+	99+
1. SINGLE DX	890	20.4	353	2	3	14	30	52	69	99+
2. MULTIPLE DX	303	24.1	431	2	4	18	34	61	76	99+
A. NOT OPERATED	1166	21.0	361	2	3	15	30	53	69	99+
B. OPERATED	27	37.0	739	9	12	37	74	99+	99+	99+
TOTAL 0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	5	29.6	199	13	13	31	36	51	51	51
1-5 YRS	2	14.0	200	4	4	14	24	24	24	24
6-12 YRS	5	12.4	143	2	2	10	18	32	32	32
13-19 YRS	1179	21.4	377	2	3	15	30	56	72	99+
GRAND TOTAL	**1193**	**21.4**	**375**	**2**	**3**	**15**	**30**	**56**	**72**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	50.0		50	50	50	50	50	50	50
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	199	19.7	315	3	3	14	28	47	59	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	92.0		92	92	92	92	92	92	92
13-19 YRS	84	22.4	368	3	5	17	27	48	66	94
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	33.0	407	12	12	46	65	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	19.8	318	3	3	14	26	48	59	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	85	23.2	420	3	5	17	28	49	74	95
B. *Operated*	4	33.0	407	12	12	46	65	99+	99+	99+
1. SINGLE DX	200	19.8	318	3	3	14	28	48	59	99+
2. MULTIPLE DX	89	23.7	419	3	6	18	29	54	79	98
A. NOT OPERATED	285	20.8	349	3	4	16	28	49	63	99
B. OPERATED	4	33.0	407	12	12	46	65	99+	99+	99+
TOTAL 0-27 DYS	1	50.0		50	50	50	50	50	50	50
1-11 MOS										
1-5 YRS										
6-12 YRS	1	92.0		92	92	92	92	92	92	92
13-19 YRS	287	20.7	333	3	4	16	28	49	63	99+
GRAND TOTAL	**289**	**21.0**	**351**	**3**	**4**	**16**	**28**	**50**	**63**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	10.3	55	4	4	8	15	21	21	21
1-11 MOS	7	17.1	138	3	4	19	20	35	39	39
1-5 YRS	4	7.3	46	<1	<1	6	12	16	16	16
6-12 YRS	28	34.9	909	5	6	32	62	85	90	99+
13-19 YRS	1822	20.6	348	2	3	15	29	48	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	13	26.8	411	2	4	23	46	73	94	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	11.0	271	1	1	2	23	30	30	30
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	15	34.3	634	1	3	28	54	73	79	81
13-19 YRS	758	22.0	391	2	3	16	32	56	80	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	65.0	288	53	53	77	94	99+	99+	99+
13-19 YRS	42	29.7	477	6	8	29	48	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1865	20.8	358	2	3	15	29	49	71	99+
B. *Operated*	14	26.1	388	2	4	23	43	70	92	99+
2. MULTIPLE DX										
A. *Not Operated*	778	22.2	397	2	3	17	32	57	80	99+
B. *Operated*	44	31.3	517	6	9	31	60	99+	99+	99+
1. SINGLE DX	1879	20.8	358	2	3	15	29	49	71	99+
2. MULTIPLE DX	822	22.7	407	2	4	17	34	60	85	99+
A. NOT OPERATED	2643	21.2	369	2	3	15	30	51	73	99+
B. OPERATED	58	30.0	483	4	8	29	53	99+	99+	99+
TOTAL 0-27 DYS	5	10.8	43	4	4	8	15	21	21	21
1-11 MOS	10	15.3	161	1	1	15	20	34	39	39
1-5 YRS	6	10.3	50	<1	<1	12	16	17	17	17
6-12 YRS	45	36.1	806	3	6	36	61	84	91	99+
13-19 YRS	2635	21.2	364	2	3	16	30	51	74	99+
GRAND TOTAL	**2701**	**21.4**	**373**	**2**	**3**	**16**	**30**	**52**	**75**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	20.7	1102	1	1	30	79	99+	99+	99+
6-12 YRS	82	14.3	330	1	2	7	31	96	99+	99+
13-19 YRS	10	23.9	550	2	3	24	60	99+	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	64.0		64	64	64	64	64	64	64
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7	1	3	3	4	52	99+	99+	99+
6-12 YRS	24	27.9	360	2	6	34	56	99+	99+	99+
13-19 YRS	8	37.1	838	5	6	38	53	81	89	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	97.0		97	97	97	97	97	97	97
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	15.5	370	1	2	8	38	99+	99+	99+
B. *Operated*	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. *Not Operated*	35	27.9	488	2	3	34	55	99+	99+	99+
B. *Operated*	1	97.0		97	97	97	97	97	97	97
1. SINGLE DX	96	16.0	391	1	2	8	39	99+	99+	99+
2. MULTIPLE DX	36	29.8	607	2	3	34	62	99+	99+	99+
A. NOT OPERATED	130	18.8	429	1	2	13	42	99+	99+	99+
B. OPERATED	2	80.5	545	64	64	80	97	97	97	97
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	6	12.2	528	1	1	4	79	99+	99+	99+
6-12 YRS	108	18.5	438	1	2	13	41	99+	99+	99+
13-19 YRS	18	29.8	682	2	4	29	53	94	99+	99+
GRAND TOTAL	**132**	**19.8**	**484**	**1**	**2**	**14**	**42**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	35.3	1030	6	6	27	57	80	80	80
1-11 MOS	3	12.0	133	<1	<1	11	21	24	24	24
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	8	16.9	348	3	3	14	44	80	99+	99+
13-19 YRS	254	16.5	296	1	2	10	24	41	57	94
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	17.8	502	2	2	9	30	51	51	51
1-11 MOS	3	16.0	139	3	3	19	24	26	26	26
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	10	20.9	421	3	4	17	39	81	98	99+
13-19 YRS	309	15.1	265	1	2	9	22	36	50	93
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	26.7	324	3	8	21	38	62	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	16.7	305	1	2	11	25	44	59	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	327	15.3	269	1	2	9	22	38	51	98
B. *Operated*	16	26.7	324	3	8	21	38	62	87	99+
1. SINGLE DX	270	16.7	305	1	2	11	25	44	59	98
2. MULTIPLE DX	343	15.8	276	1	2	10	23	39	54	99+
A. NOT OPERATED	597	15.9	285	1	2	10	23	40	55	98
B. OPERATED	16	26.7	324	3	8	21	38	62	87	99+
TOTAL 0-27 DYS	8	26.5	744	2	3	15	43	71	80	80
1-11 MOS	6	14.0	114	<1	<1	15	24	26	26	26
1-5 YRS	2	15.5	145	7	7	15	24	24	24	24
6-12 YRS	18	19.1	370	3	3	14	43	84	99+	99+
13-19 YRS	579	16.0	283	1	2	10	23	40	55	96
GRAND TOTAL	**613**	**16.2**	**289**	**1**	**2**	**10**	**23**	**41**	**56**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	9.0	72	1	1	7	14	21	21	21
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	2	27.5	313	15	15	27	40	40	40	40
6-12 YRS	6	27.7	1255	2	3	13	32	90	97	97
13-19 YRS	397	19.4	289	2	3	15	26	44	60	91
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	13.3	83	2	3	11	20	27	29	29
13-19 YRS	191	20.2	326	2	3	15	29	46	59	99
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	85.0		85	85	85	85	85	85	85
13-19 YRS	10	30.6	220	7	10	30	42	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	19.4	299	2	3	15	26	44	60	95
B. *Operated*	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*	200	19.9	318	2	3	15	29	45	59	99
B. *Operated*	11	35.5	467	7	11	32	49	65	83	85
1. SINGLE DX	412	19.5	299	2	3	15	26	44	60	95
2. MULTIPLE DX	211	20.7	336	2	3	16	30	47	59	99
A. NOT OPERATED	611	19.6	305	2	3	15	27	44	59	97
B. OPERATED	12	35.9	426	8	12	34	46	61	82	85
TOTAL 0-27 DYS	4	9.0	72	1	1	7	14	21	21	21
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	3	18.7	390	1	1	15	34	40	40	40
6-12 YRS	15	23.8	827	2	2	13	27	85	94	97
13-19 YRS	599	19.9	301	2	3	16	28	45	59	96
GRAND TOTAL	**623**	**19.9**	**312**	**2**	**3**	**15**	**27**	**45**	**59**	**97**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	10.5	27	3	3	12	14	14	14	14
1-11 MOS	4	17.5	171	10	10	12	25	37	37	37
1-5 YRS	4	2.0	2	1	1	2	3	4	4	4
6-12 YRS	19	17.2	844	<1	1	5	19	93	97	99+
13-19 YRS	613	15.0	207	1	2	11	21	36	49	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3	24.3	49	17	17	25	29	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	13.0	139	3	3	10	22	26	26	26
1-5 YRS	5	4.4	3	2	2	5	6	6	6	6
6-12 YRS	14	15.8	252	1	1	12	23	43	49	51
13-19 YRS	399	16.3	266	1	2	11	23	40	50	86
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	27.4	590	<1	2	19	54	68	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	14.9	223	1	2	11	20	37	50	99+
B. *Operated*	4	19.3	133	4	4	21	28	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	422	16.1	262	1	2	11	23	40	50	83
B. *Operated*	21	27.4	590	<1	2	19	54	68	83	99+
1. SINGLE DX	648	15.0	222	1	2	11	21	36	50	99+
2. MULTIPLE DX	443	16.6	282	1	2	11	23	41	54	93
A. NOT OPERATED	1066	15.4	239	1	2	11	21	38	50	98
B. OPERATED	25	26.1	518	<1	3	19	54	66	78	99+
TOTAL 0-27 DYS	5	8.8	35	2	2	11	14	14	14	14
1-11 MOS	7	15.6	138	3	4	10	23	35	37	37
1-5 YRS	9	3.3	4	1	1	3	5	6	6	6
6-12 YRS	34	16.2	565	1	1	6	23	51	94	99+
13-19 YRS	1036	15.8	240	1	2	11	22	39	52	98
GRAND TOTAL	**1091**	**15.6**	**247**	**1**	**2**	**11**	**22**	**39**	**52**	**99**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	9	5.6	29	1	1	4	7	14	18	18
6-12 YRS	64	6.7	84	1	1	4	6	15	34	44
13-19 YRS	496	5.4	77	1	1	3	5	10	21	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	7	11.7	266	2	2	4	18	40	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	6.0	12	2	2	7	8	10	10	10
1-11 MOS	5	3.2	4	<1	<1	3	4	6	6	6
1-5 YRS	11	8.6	195	1	1	3	5	35	42	43
6-12 YRS	91	11.2	306	1	2	4	9	42	60	89
13-19 YRS	718	7.3	137	<1	1	4	7	16	30	68
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	3	5.0	13	1	1	6	7	8	8	8
13-19 YRS	31	10.1	164	1	1	5	12	42	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	5.6	77	1	1	3	5	10	22	46
B. *Operated*	9	9.8	215	2	2	4	9	36	45	45
2. MULTIPLE DX										
A. *Not Operated*	830	7.7	156	1	1	4	7	19	40	73
B. *Operated*	37	8.9	145	1	1	4	9	36	45	99+
1. SINGLE DX	581	5.6	79	1	1	3	5	11	22	46
2. MULTIPLE DX	867	7.7	155	1	1	4	7	19	41	73
A. NOT OPERATED	1402	6.8	125	1	1	3	6	15	30	68
B. OPERATED	46	9.1	154	1	1	4	9	38	45	99+
TOTAL 0-27 DYS	7	4.6	14	<1	<1	3	8	10	10	10
1-11 MOS	6	3.7	4	<1	<1	3	6	6	6	6
1-5 YRS	23	6.4	106	1	1	3	6	20	34	43
6-12 YRS	160	9.2	213	1	2	4	7	34	46	73
13-19 YRS	1252	6.6	116	1	1	3	6	14	27	65
GRAND TOTAL	**1448**	**6.9**	**126**	**1**	**1**	**3**	**6**	**15**	**31**	**71**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	21.2	491	3	3	11	35	57	60	60
1-11 MOS	9	7.7	26	1	1	9	13	14	14	14
1-5 YRS	4	5.8	18	3	3	4	8	12	12	12
6-12 YRS	92	26.7	461	3	4	20	46	60	79	99+
13-19 YRS	1729	16.5	311	1	2	10	22	43	58	94
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	25.4	245	6	6	28	41	59	97	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	12.7	156	4	4	7	22	27	27	27
1-11 MOS	9	12.8	63	4	5	8	21	24	24	24
1-5 YRS	8	8.3	43	1	2	5	15	17	17	17
6-12 YRS	77	25.9	413	4	6	21	43	61	93	99+
13-19 YRS	1855	17.7	322	1	2	11	25	45	61	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	2	24.0	722	5	5	24	43	43	43	43
1-5 YRS	2	55.5	3121	16	16	55	95	95	95	95
6-12 YRS										
13-19 YRS	76	28.2	509	2	4	25	46	91	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1840	17.0	322	1	2	10	23	44	60	95
B. *Operated*	10	25.4	245	6	6	28	41	69	97	99+
2. MULTIPLE DX										
A. *Not Operated*	1952	17.9	326	1	2	12	26	46	61	99+
B. *Operated*	80	28.8	551	2	4	25	46	93	99+	99+
1. SINGLE DX	1850	17.0	322	1	2	10	24	44	60	96
2. MULTIPLE DX	2032	18.4	339	1	2	12	27	47	64	99+
A. NOT OPERATED	3792	17.5	325	1	2	11	25	45	60	99+
B. OPERATED	90	28.4	515	2	5	25	44	92	99+	99+
TOTAL 0-27 DYS	9	18.3	364	3	3	8	29	50	60	60
1-11 MOS	20	11.6	99	1	2	8	14	23	33	43
1-5 YRS	14	14.3	574	1	2	5	16	25	79	95
6-12 YRS	169	26.4	437	3	5	21	44	60	83	99+
13-19 YRS	3670	17.4	323	1	2	11	25	45	61	99+
GRAND TOTAL	**3882**	**17.7**	**331**	**1**	**2**	**11**	**25**	**46**	**62**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	11.0	32	7	7	11	15	15	15	15
1-11 MOS	3	9.0	28	5	5	7	13	15	15	15
1-5 YRS	14	2.5	3	1	1	2	3	7	77	99+
6-12 YRS	154	9.9	355	1	1	3	7	29	70	92
13-19 YRS	1303	11.9	288	1	1	5	14	36	59	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	18	10.2	153	<1	1	6	9	35	42	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	16.5	481	1	1	16	32	32	32	32
1-11 MOS	4	10.0	90	<1	<1	8	17	22	22	22
1-5 YRS	11	4.1	4	1	1	4	5	7	8	8
6-12 YRS	131	16.3	558	1	2	6	20	78	87	99+
13-19 YRS	1459	14.1	313	1	1	7	18	40	60	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	20.0	162	11	11	20	29	29	29	29
13-19 YRS	63	17.8	346	2	3	11	30	50	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1476	11.6	293	1	1	5	13	35	60	99+
B. *Operated*	21	9.0	140	<1	1	6	8	29	41	43
2. MULTIPLE DX										
A. *Not Operated*	1607	14.2	331	1	1	7	18	41	63	99+
B. *Operated*	65	17.9	337	2	3	11	30	49	95	99+
1. SINGLE DX	1497	11.5	291	1	1	5	13	35	59	99+
2. MULTIPLE DX	1672	14.4	331	1	1	7	19	41	63	99+
A. NOT OPERATED	3083	13.0	314	1	1	6	16	39	61	99+
B. OPERATED	86	15.7	302	1	2	9	25	43	78	99+
TOTAL 0-27 DYS	4	13.8	181	1	1	11	23	32	32	32
1-11 MOS	7	9.6	55	<1	1	7	14	21	22	22
1-5 YRS	27	3.1	4	1	1	3	4	7	17	99+
6-12 YRS	288	12.9	454	1	1	4	10	52	84	99+
13-19 YRS	2843	13.2	303	1	1	6	17	39	60	99+
GRAND TOTAL	**3169**	**13.0**	**314**	**1**	**1**	**6**	**16**	**39**	**61**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	21.0	325	1	1	26	33	36	36	36
1-5 YRS	3	5.3	14	1	1	7	8	8	8	8
6-12 YRS	34	1.4	1	<1	<1	1	1	2	3	4
13-19 YRS	697	8.0	132	<1	<1	2	11	28	30	48
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	12.5	64	4	4	10	21	23	23	23
1-11 MOS	25	9.7	70	1	2	7	13	21	29	29
1-5 YRS	9	7.1	112	<1	<1	3	7	25	34	34
6-12 YRS	18	8.2	116	<1	1	2	12	27	33	36
13-19 YRS	1224	15.4	249	<1	1	10	26	35	45	70
B. *Operated*										
0-27 DYS	2	25.5	41	21	21	25	30	30	30	30
1-11 MOS	2	16.5	421	2	2	16	31	31	31	31
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	33	17.1	248	<1	1	10	30	36	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	7.7	128	<1	<1	2	10	27	30	47
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1282	15.2	243	<1	1	9	25	34	45	69
B. *Operated*	38	17.1	238	<1	1	15	30	35	38	60
1. SINGLE DX	739	7.7	128	<1	<1	2	10	27	30	47
2. MULTIPLE DX	1320	15.2	243	<1	1	9	26	34	45	68
A. NOT OPERATED	2020	12.4	214	<1	1	5	22	31	40	62
B. OPERATED	39	16.7	238	<1	1	10	30	35	38	60
TOTAL 0-27 DYS	9	14.1	101	<1	2	13	22	27	30	30
1-11 MOS	30	11.3	109	1	1	7	20	29	31	36
1-5 YRS	12	6.7	84	<1	<1	4	7	18	32	34
6-12 YRS	53	3.7	49	<1	<1	1	2	10	20	36
13-19 YRS	1955	12.8	219	<1	1	5	23	31	41	63
GRAND TOTAL	**2059**	**12.5**	**214**	**<1**	**1**	**5**	**22**	**31**	**39**	**61**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	13.9	188	3	4	11	17	24	44	66
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	14.3	289	1	2	6	18	30	50	81
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.5	41	8	8	12	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	13.9	188	3	4	11	17	24	44	66
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	30	14.3	289	1	2	6	18	30	50	81
B. *Operated*	2	12.5	41	8	8	12	17	17	17	17
1. SINGLE DX	22	13.9	188	3	4	11	17	24	44	66
2. MULTIPLE DX	32	14.2	272	1	2	7	18	29	48	81
A. NOT OPERATED	52	14.1	242	2	3	9	18	29	48	81
B. OPERATED	2	12.5	41	8	8	12	17	17	17	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	54	14.1	233	2	3	9	18	28	46	80
GRAND TOTAL	**54**	**14.1**	**233**	**2**	**3**	**9**	**18**	**28**	**46**	**80**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	162	17.7	285	1	2	12	29	41	48	74
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	17.2	136	3	3	18	28	29	29	29
13-19 YRS	430	23.5	281	2	3	23	32	45	53	81
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	27.8	336	6	11	24	48	69	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	17.7	285	1	2	12	29	41	48	74
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	436	23.4	280	2	3	23	32	45	53	80
B. *Operated*	12	27.8	336	6	11	24	48	69	94	99+
1. SINGLE DX	162	17.7	285	1	2	12	29	41	48	74
2. MULTIPLE DX	448	23.5	281	2	3	23	32	45	55	88
A. NOT OPERATED	598	21.8	287	2	3	21	31	44	53	76
B. OPERATED	12	27.8	336	6	11	24	48	69	94	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	17.2	136	3	3	18	28	29	29	29
13-19 YRS	604	22.0	290	2	3	21	31	44	54	77
GRAND TOTAL	**610**	**21.9**	**288**	**2**	**3**	**21**	**31**	**44**	**53**	**77**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS										
1-5 YRS	12	1.8	1	1	1	2	2	3	4	4
6-12 YRS	93	1.6	2	<1	<1	1	2	3	4	7
13-19 YRS	948	1.6	13	<1	<1	1	1	2	3	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	14	3	3	4	8	10	10	10
1-11 MOS										
1-5 YRS	11	2.5	8	<1	<1	1	2	8	8	8
6-12 YRS	37	1.5	1	<1	<1	1	2	2	4	7
13-19 YRS	675	3.2	42	<1	<1	1	3	6	12	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	33	2.9	14	<1	<1	2	4	5	19	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1055	1.6	12	<1	<1	1	1	2	3	10
B. *Operated*	3	5.3	34	1	1	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	726	3.1	39	<1	<1	1	2	6	11	35
B. *Operated*	34	2.9	14	<1	<1	1	4	5	18	99+
1. SINGLE DX	1058	1.6	12	<1	<1	1	1	2	3	12
2. MULTIPLE DX	760	3.1	38	<1	<1	1	3	6	11	37
A. NOT OPERATED	1781	2.2	24	<1	<1	1	2	3	6	25
B. OPERATED	37	3.1	15	<1	<1	2	4	5	18	99+
TOTAL 0-27 DYS	5	4.4	11	<1	<1	4	6	10	10	10
1-11 MOS										
1-5 YRS	23	2.1	4	<1	1	1	2	5	8	8
6-12 YRS	132	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	1658	2.3	26	<1	<1	1	2	4	6	26
GRAND TOTAL	**1818**	**2.2**	**24**	**<1**	**<1**	**1**	**2**	**4**	**6**	**26**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	195	6.5	99	<1	1	2	8	17	28	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	7	16.0	400	1	1	5	23	50	56	56
13-19 YRS	310	10.2	154	1	1	5	15	28	38	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	25.3	723	3	3	18	30	71	76	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	6.5	100	<1	1	2	8	17	29	52
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	318	10.3	159	1	1	5	15	29	38	53
B. *Operated*	6	25.3	723	3	3	18	30	71	76	76
1. SINGLE DX	199	6.5	100	<1	1	2	8	17	29	52
2. MULTIPLE DX	324	10.5	171	1	1	5	15	29	39	60
A. NOT OPERATED	517	8.8	139	1	1	4	11	25	34	53
B. OPERATED	6	25.3	723	3	3	18	30	71	76	76
TOTAL 0-27 DYS										
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	9	13.4	326	1	1	5	22	43	56	56
13-19 YRS	511	8.9	145	1	1	4	11	25	34	55
GRAND TOTAL	**523**	**9.0**	**148**	**1**	**1**	**4**	**11**	**26**	**35**	**57**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	7	3.6	6	1	1	3	6	7	7	7
1-5 YRS	48	3.9	5	1	2	3	4	7	10	12
6-12 YRS	177	3.7	8	1	1	3	4	6	8	13
13-19 YRS	400	4.1	11	1	1	3	5	7	10	21
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	7	4.4	16	1	1	3	5	11	13	13
6-12 YRS	11	3.7	8	1	1	3	5	9	9	9
13-19 YRS	23	6.5	31	1	2	5	8	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	4.2	25	1	1	2	5	13	13	13
1-5 YRS	25	4.0	12	1	1	3	4	10	12	14
6-12 YRS	147	4.6	26	1	1	3	6	8	10	32
13-19 YRS	440	4.9	38	1	1	4	5	9	12	39
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	4.7		4	4	5	5	5	5	5
6-12 YRS	15	4.1	5	1	1	4	5	7	8	8
13-19 YRS	33	9.8	60	1	2	7	14	22	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	634	3.9	10	1	1	3	5	7	10	21
B. *Operated*	44	5.2	22	1	2	4	6	13	14	24
2. MULTIPLE DX										
A. *Not Operated*	618	4.8	34	1	1	4	5	9	12	35
B. *Operated*	52	7.8	47	1	2	5	8	21	23	28
1. SINGLE DX	678	4.0	11	1	1	3	5	7	10	21
2. MULTIPLE DX	670	5.0	35	1	1	4	6	9	13	33
A. NOT OPERATED	1252	4.4	22	1	1	3	5	8	10	24
B. OPERATED	96	6.6	37	1	2	4	8	15	22	28
TOTAL 0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	15	3.7	10	1	1	3	5	7	11	13
1-5 YRS	83	4.0	8	1	2	3	5	8	11	14
6-12 YRS	350	4.1	16	1	1	3	5	7	9	28
13-19 YRS	896	4.8	28	1	1	4	5	9	13	26
GRAND TOTAL	**1348**	**4.5**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	8	6.5	85	<1	<1	3	8	22	28	28
1-5 YRS	29	8.2	106	1	1	4	9	21	39	41
6-12 YRS	302	12.2	246	1	2	7	15	36	60	99+
13-19 YRS	2752	12.8	210	1	1	7	17	34	46	80
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	35.7	2386	5	5	51	96	99+	99+	99+
13-19 YRS	9	8.8	45	1	1	7	14	61	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	34	9.7	134	1	2	5	12	22	43	45
6-12 YRS	200	13.4	273	1	2	7	16	44	62	99+
13-19 YRS	2098	12.6	225	1	1	7	17	33	49	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.8	4	1	1	3	4	5	5	5
6-12 YRS	6	7.8	43	2	2	5	12	18	19	19
13-19 YRS	85	19.7	366	1	2	13	34	50	66	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3093	12.7	212	1	1	7	17	34	46	88
B. *Operated*	14	13.5	546	1	1	7	18	99	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2334	12.6	228	1	1	7	17	34	51	99+
B. *Operated*	95	18.2	349	1	1	12	29	46	64	88
1. SINGLE DX	3107	12.7	213	1	1	7	17	34	47	94
2. MULTIPLE DX	2429	12.8	233	1	1	7	17	35	52	99+
A. NOT OPERATED	5427	12.6	219	1	1	7	17	34	48	99+
B. OPERATED	109	17.6	372	1	1	11	29	51	72	99+
TOTAL 0-27 DYS	3	12.7	142	3	3	9	22	26	26	26
1-11 MOS	9	6.3	75	<1	<1	4	7	20	28	28
1-5 YRS	69	8.4	113	1	1	5	8	20	39	45
6-12 YRS	511	12.8	265	1	2	7	16	42	63	99+
13-19 YRS	4944	12.8	219	1	1	7	17	34	48	97
GRAND TOTAL	**5536**	**12.7**	**222**	**1**	**1**	**7**	**17**	**35**	**49**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	33	6.1	259	1	1	3	5	7	9	95
1-5 YRS	180	5.7	125	1	1	3	5	9	22	64
6-12 YRS	578	13.3	411	1	2	5	16	41	85	99+
13-19 YRS	1740	14.4	358	1	2	6	19	44	65	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	2.3	1	1	1	2	3	4	4	4
6-12 YRS	28	2.6	2	1	1	2	4	5	6	6
13-19 YRS	37	12.7	433	2	2	4	8	43	69	85
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	9.0	37	3	3	8	14	16	16	16
1-11 MOS	38	7.7	110	1	2	5	7	18	25	59
1-5 YRS	190	7.4	131	1	1	4	7	17	45	99+
6-12 YRS	546	14.9	416	1	2	6	20	57	85	99+
13-19 YRS	1749	14.6	341	1	2	7	19	41	68	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	17	8.1	349	<1	1	3	5	10	56	80
6-12 YRS	39	15.5	637	1	1	4	13	78	92	99+
13-19 YRS	89	22.7	511	2	3	15	42	66	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2534	13.4	357	1	2	5	17	41	66	99+
B. *Operated*	78	7.3	230	1	1	3	5	12	39	81
2. MULTIPLE DX										
A. *Not Operated*	2527	14.0	342	1	2	6	18	45	68	99+
B. *Operated*	146	19.0	543	1	2	8	30	67	86	99+
1. SINGLE DX	2612	13.2	354	1	2	5	16	41	65	99+
2. MULTIPLE DX	2673	14.3	354	1	2	6	18	46	70	99+
A. NOT OPERATED	5061	13.7	349	1	2	6	17	43	68	99+
B. OPERATED	224	14.9	463	1	2	5	18	58	74	99+
TOTAL 0-27 DYS	7	6.1	31	2	2	3	10	15	16	16
1-11 MOS	73	6.8	173	1	1	3	6	13	21	87
1-5 YRS	399	6.5	134	1	1	3	5	12	28	89
6-12 YRS	1191	13.8	414	1	2	5	17	53	85	99+
13-19 YRS	3615	14.7	355	1	2	7	19	44	67	99+
GRAND TOTAL	**5285**	**13.8**	**354**	**1**	**2**	**6**	**17**	**44**	**68**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	10	9.2	179	<1	<1	4	7	33	42	42
6-12 YRS	21	4.0	22	<1	1	3	4	9	17	20
13-19 YRS	42	10.9	156	1	1	6	11	32	41	49
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	3.5	6	<1	<1	3	5	6	6	6
13-19 YRS	6	3.8	5	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	16.5	313	4	4	16	29	29	29	29
1-11 MOS	5	6.4	53	1	1	4	9	19	19	19
1-5 YRS	51	6.2	93	2	2	3	6	12	17	67
6-12 YRS	76	13.3	434	1	2	6	15	61	91	99+
13-19 YRS	242	13.1	191	1	2	9	18	30	38	67
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	9.3	93	1	1	5	19	24	27	27
6-12 YRS	25	7.6	59	1	2	6	8	13	21	41
13-19 YRS	34	9.5	340	1	2	6	8	12	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	8.6	124	<1	1	4	10	24	35	49
B. *Operated*	12	3.3	5	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	376	12.2	230	1	2	7	15	28	50	91
B. *Operated*	69	8.8	199	1	2	6	8	16	41	99
1. SINGLE DX	87	7.8	110	<1	1	4	9	22	35	49
2. MULTIPLE DX	445	11.6	226	1	2	6	14	26	49	93
A. NOT OPERATED	451	11.6	214	1	2	6	14	27	45	91
B. OPERATED	81	8.0	174	<1	1	5	7	13	33	98
TOTAL 0-27 DYS	2	16.5	313	4	4	16	29	29	29	29
1-11 MOS	7	5.9	36	1	1	4	6	16	19	19
1-5 YRS	73	6.9	102	1	1	3	6	17	24	62
6-12 YRS	126	10.3	290	1	2	5	9	24	75	99+
13-19 YRS	324	12.3	200	1	2	8	15	30	40	84
GRAND TOTAL	**532**	**11.0**	**209**	**1**	**2**	**6**	**13**	**25**	**43**	**91**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	112	11.8	37	1	3	12	15	21	23	27
1-11 MOS	754	11.9	27	3	5	12	14	17	20	28
1-5 YRS	645	11.1	28	2	4	11	13	16	18	27
6-12 YRS	213	7.2	22	1	2	7	11	13	16	20
13-19 YRS	189	7.7	33	2	2	7	11	14	16	40
B. *Operated*										
0-27 DYS	11	15.5	34	8	8	16	20	24	24	24
1-11 MOS	141	14.6	35	9	10	13	16	21	24	39
1-5 YRS	94	12.6	13	6	9	12	15	17	18	24
6-12 YRS	11	12.5	176	1	2	12	15	29	47	49
13-19 YRS	46	19.4	425	2	2	14	22	53	68	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	73	13.5	54	2	5	13	18	24	27	85
1-11 MOS	628	12.8	33	3	6	12	15	19	22	33
1-5 YRS	445	12.1	31	2	4	12	15	17	21	29
6-12 YRS	118	9.2	57	1	2	8	12	17	21	41
13-19 YRS	145	10.0	43	2	3	9	14	18	23	99+
B. *Operated*										
0-27 DYS	15	20.7	140	2	10	20	23	43	46	47
1-11 MOS	232	19.3	160	7	10	15	24	36	41	81
1-5 YRS	121	16.1	60	9	10	14	19	25	30	51
6-12 YRS	26	19.9	331	2	4	15	24	56	61	63
13-19 YRS	51	21.3	366	2	3	16	34	56	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1913	10.7	31	2	3	11	13	16	19	27
B. *Operated*	303	14.7	96	3	7	13	16	21	31	59
2. MULTIPLE DX										
A. *Not Operated*	1409	12.0	38	2	3	12	15	18	22	35
B. *Operated*	445	18.8	166	4	8	15	22	36	45	76
1. SINGLE DX	2216	11.2	42	2	3	11	14	17	20	36
2. MULTIPLE DX	1854	13.6	77	2	4	12	16	22	29	56
A. NOT OPERATED	3322	11.3	34	2	3	11	14	17	20	31
B. OPERATED	748	17.1	142	4	8	14	20	30	43	74
TOTAL 0-27 DYS	211	13.2	54	1	4	12	17	23	25	45
1-11 MOS	1755	13.4	53	3	6	12	16	20	25	41
1-5 YRS	1305	12.0	33	2	5	12	14	17	20	31
6-12 YRS	368	8.9	69	1	2	8	12	16	20	51
13-19 YRS	431	11.3	141	2	2	8	14	22	40	99+
GRAND TOTAL	**4070**	**12.3**	**59**	**2**	**3**	**12**	**15**	**19**	**24**	**47**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.3	8	2	2	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	2	18.0	512	2	2	18	34	34	34	34
6-12 YRS										
13-19 YRS	7	6.4	50	1	1	2	13	17	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	88.0		88	88	88	88	88	88	88
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.3	20	2	2	7	10	13	13	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11	8.5	103	1	1	6	14	24	33	34
B. *Operated*	2	44.5	3785	1	1	44	88	88	88	88
1. SINGLE DX	4	7.3	20	2	2	7	10	13	13	13
2. MULTIPLE DX	13	14.1	584	1	1	6	16	45	80	88
A. NOT OPERATED	15	8.2	78	1	1	6	12	17	30	34
B. OPERATED	2	44.5	3785	1	1	44	88	88	88	88
TOTAL 0-27 DYS										
1-11 MOS	3	8.7	14	6	6	7	11	13	13	13
1-5 YRS	3	41.3	1889	2	2	34	74	88	88	88
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	10	6.1	36	1	1	4	7	16	17	17
GRAND TOTAL	**17**	**12.5**	**451**	**1**	**1**	**6**	**14**	**31**	**69**	**88**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7	4	2	2	3	5	6	6	6
6-12 YRS	7	6.1	36	1	1	4	7	17	19	19
13-19 YRS	50	9.0	77	2	2	6	12	21	30	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	11	11.3	66	2	3	10	17	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	8	8.4	94	2	2	4	10	25	30	30
13-19 YRS	28	8.5	40	2	2	7	12	18	21	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	8.0		8	8	54	99+	99+	99+	99+
13-19 YRS	4	17.3	206	5	5	13	26	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	8.4	69	2	2	5	10	20	27	42
B. *Operated*	14	9.7	65	1	1	9	14	24	25	25
2. MULTIPLE DX										
A. *Not Operated*	39	8.1	47	2	2	5	11	18	23	30
B. *Operated*	6	13.7	155	5	5	12	32	88	99+	99+
1. SINGLE DX	74	8.6	68	1	2	6	11	21	25	40
2. MULTIPLE DX	45	8.9	62	2	2	6	14	21	32	99+
A. NOT OPERATED	99	8.3	60	2	2	5	11	19	25	37
B. OPERATED	20	10.9	89	1	2	10	15	30	66	99+
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	3.5	4	1	1	3	5	6	6	6
6-12 YRS	18	7.2	55	1	1	4	10	26	68	99+
13-19 YRS	93	9.5	70	2	2	7	13	21	25	41
GRAND TOTAL	**119**	**8.7**	**65**	**2**	**2**	**6**	**12**	**21**	**27**	**60**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	4.1	4	2	2	4	6	7	7	7
1-11 MOS	132	4.8	21	1	1	3	6	10	14	24
1-5 YRS	612	3.6	15	1	1	3	4	7	9	18
6-12 YRS	773	3.4	8	1	1	3	4	6	8	15
13-19 YRS	1038	3.6	9	1	1	3	4	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	5	8	8	9	11	11	11	11
6-12 YRS	12	10.3	259	1	1	3	13	32	53	57
13-19 YRS	28	4.9	25	1	2	4	6	8	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	10.4	173	2	2	6	10	33	42	42
1-11 MOS	144	6.1	22	1	2	5	8	12	16	23
1-5 YRS	666	4.7	43	1	1	3	5	9	12	31
6-12 YRS	605	4.2	18	1	1	3	5	8	10	21
13-19 YRS	832	5.3	38	1	1	4	6	10	14	34
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	16	15.2	371	2	3	7	19	44	62	70
1-5 YRS	24	7.9	44	1	2	6	11	16	23	28
6-12 YRS	28	11.2	281	2	2	6	9	22	57	78
13-19 YRS	51	12.7	351	2	2	4	15	41	64	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2562	3.6	11	1	1	3	4	7	9	17
B. *Operated*	42	6.7	92	1	2	4	8	13	24	57
2. MULTIPLE DX										
A. *Not Operated*	2255	4.9	34	1	1	3	6	9	13	31
B. *Operated*	120	11.7	272	2	2	5	12	27	55	80
1. SINGLE DX	2604	3.7	12	1	1	3	4	7	9	17
2. MULTIPLE DX	2375	5.2	48	1	1	3	6	10	14	38
A. NOT OPERATED	4817	4.2	22	1	1	3	5	8	11	21
B. OPERATED	162	10.4	229	1	2	4	10	24	49	77
TOTAL 0-27 DYS	16	7.3	92	2	2	5	7	12	33	42
1-11 MOS	292	6.0	44	1	2	4	7	12	17	33
1-5 YRS	1304	4.2	30	1	1	3	5	8	11	27
6-12 YRS	1418	4.0	21	1	1	3	5	7	10	22
13-19 YRS	1949	4.6	33	1	1	3	5	8	12	27
GRAND TOTAL	**4979**	**4.4**	**30**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	3.3	6	1	1	3	4	7	10	10
1-11 MOS	124	4.4	42	<1	1	2	5	9	13	41
1-5 YRS	276	3.9	14	<1	1	3	5	8	11	22
6-12 YRS	331	4.4	18	1	1	3	5	9	12	27
13-19 YRS	461	5.5	44	1	1	4	6	11	16	27
B. *Operated*										
0-27 DYS	2	14.0	18	11	11	14	17	17	17	17
1-11 MOS	94	8.4	32	2	2	7	11	16	21	25
1-5 YRS	212	5.0	33	1	1	3	6	10	14	26
6-12 YRS	351	5.6	37	1	2	4	6	11	19	30
13-19 YRS	371	7.8	57	1	2	6	10	16	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	10.7	305	2	3	5	7	37	57	57
1-11 MOS	197	7.0	56	1	1	4	9	17	22	45
1-5 YRS	497	5.6	33	1	1	4	7	12	19	32
6-12 YRS	420	5.5	39	1	1	4	7	11	16	58
13-19 YRS	670	7.9	110	1	2	5	8	18	31	99+
B. *Operated*										
0-27 DYS	7	10.4	112	4	4	8	50	99+	99+	99+
1-11 MOS	119	13.5	135	2	3	10	19	28	37	55
1-5 YRS	345	6.8	75	1	1	4	8	16	21	65
6-12 YRS	514	6.7	45	1	2	5	8	15	21	45
13-19 YRS	495	12.1	215	2	2	7	15	34	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1204	4.7	30	1	1	3	6	9	13	27
B. *Operated*	1030	6.5	44	1	2	4	8	14	20	33
2. MULTIPLE DX										
A. *Not Operated*	1793	6.6	68	1	1	4	8	14	22	69
B. *Operated*	1480	9.1	124	1	2	5	11	22	34	99+
1. SINGLE DX	2234	5.5	37	1	1	4	7	11	16	31
2. MULTIPLE DX	3273	7.7	95	1	2	5	9	18	28	99+
A. NOT OPERATED	2997	5.8	54	1	1	4	7	12	19	57
B. OPERATED	2510	8.1	93	1	2	5	10	18	27	82
TOTAL 0-27 DYS	30	7.9	126	1	2	5	9	41	95	99+
1-11 MOS	534	8.1	76	1	1	5	10	19	26	51
1-5 YRS	1330	5.5	41	1	1	3	7	12	17	34
6-12 YRS	1616	5.7	37	1	1	4	7	12	17	39
13-19 YRS	1997	8.4	116	1	2	5	10	19	31	99+
GRAND TOTAL	**5507**	**6.9**	**73**	**1**	**1**	**4**	**8**	**15**	**23**	**67**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	47	2.9	3	1	1	3	4	5	6	10
6-12 YRS	406	2.9	5	1	1	2	4	5	6	10
13-19 YRS	761	3.3	7	1	1	3	4	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	14	3.8	4	1	2	3	5	6	8	9
13-19 YRS	38	4.0	7	1	2	3	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS										
1-5 YRS	21	3.0	5	1	1	3	4	6	8	9
6-12 YRS	195	3.6	7	1	1	3	5	6	8	13
13-19 YRS	441	4.0	8	1	1	3	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	5	7.2	10	2	2	8	9	10	10	10
13-19 YRS	31	5.8	17	2	2	5	7	9	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1216	3.2	6	1	1	3	4	5	7	12
B. *Operated*	53	3.9	6	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	660	3.9	8	1	1	3	5	7	9	16
B. *Operated*	37	6.1	16	2	2	6	8	9	13	22
1. SINGLE DX	1269	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	697	4.0	8	1	1	3	5	7	9	16
A. NOT OPERATED	1876	3.4	7	1	1	3	4	6	8	14
B. OPERATED	90	4.8	11	2	2	4	7	9	10	19
TOTAL 0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	70	3.0	4	1	1	3	4	5	7	10
6-12 YRS	620	3.2	6	1	1	3	4	5	7	10
13-19 YRS	1271	3.7	8	1	1	3	5	7	8	15
GRAND TOTAL	**1966**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS										
13-19 YRS	9	2.7	1	<1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	4	2.5		2	2	2	3	3	3	3
1-5 YRS	5	1.6		<1	<1	2	2	2	2	2
6-12 YRS	13	2.6		2	2	3	3	4	4	4
13-19 YRS	175	2.8	10	1	1	2	3	4	6	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	9	4.3	7	<1	1	4	6	8	8	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	4.0	12	1	1	3	5	10	10	10
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	12	4.0	4	2	2	3	5	7	9	9
13-19 YRS	75	3.0	13	1	1	2	3	5	7	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.6	14	<1	1	3	4	8	14	15
B. *Operated*	200	2.7	9	1	1	2	3	4	5	22
2. MULTIPLE DX										
A. *Not Operated*	12	4.1	6	<1	1	4	6	8	8	8
B. *Operated*	95	3.2	11	1	1	2	3	5	7	22
1. SINGLE DX	212	2.8	9	1		2	3	4	5	22
2. MULTIPLE DX	107	3.3	11	1	1	2	4	6	8	19
A. NOT OPERATED	24	3.8	9	<1	1	3	5	8	10	15
B. OPERATED	295	2.9	10	1	1	2	3	4	6	22
TOTAL 0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	11	3.1	6	1	1	3	3	6	10	10
1-5 YRS	9	3.7	20	<1	<1	2	3	11	15	15
6-12 YRS	27	3.2	2	2	2	3	3	5	6	9
13-19 YRS	268	2.9	10	1	1	2	3	4	6	22
GRAND TOTAL	**319**	**2.9**	**10**	**1**	**1**	**2**	**3**	**4**	**6**	**22**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	2	2	3	4	6	6	6
1-5 YRS	51	7.7	64	1	2	5	9	19	23	44
6-12 YRS	97	6.8	43	1	1	4	10	16	22	30
13-19 YRS	279	7.0	68	1	2	4	9	14	19	52
B. *Operated*										
0-27 DYS	4	4.8	14	2	2	4	7	10	10	10
1-11 MOS	4	2.5	1	2	2	2	3	4	4	4
1-5 YRS	19	2.9	4	1	1	2	4	6	8	9
6-12 YRS	76	3.9	33	1	1	3	4	6	8	40
13-19 YRS	551	4.3	23	1	2	3	5	8	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	4	18.3	364	2	2	15	34	41	41	41
1-5 YRS	40	6.6	31	1	2	5	8	16	19	27
6-12 YRS	49	5.5	26	2	2	4	7	10	12	33
13-19 YRS	177	7.2	59	1	2	5	8	16	25	47
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.0	98	4	4	11	18	18	18	18
1-5 YRS	14	7.1	67	<1	1	3	9	24	26	26
6-12 YRS	58	8.2	198	1	1	4	8	19	71	99+
13-19 YRS	260	7.4	173	1	2	4	6	13	37	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	431	7.0	61	1	2	4	9	15	22	46
B. *Operated*	654	4.2	24	1	2	3	5	8	11	28
2. MULTIPLE DX										
A. *Not Operated*	272	6.9	54	1	2	5	8	16	25	41
B. *Operated*	334	7.6	172	1	2	4	6	16	40	91
1. SINGLE DX	1085	5.3	40	1	2	3	6	11	16	36
2. MULTIPLE DX	606	7.3	119	1	2	4	7	16	27	88
A. NOT OPERATED	703	7.0	58	1	2	4	8	15	22	44
B. OPERATED	988	5.3	76	1	2	3	5	9	17	59
TOTAL 0-27 DYS	6	4.5	9	2	2	4	5	10	10	10
1-11 MOS	14	8.4	142	2	2	3	6	28	38	41
1-5 YRS	124	6.5	46	1	2	4	8	17	22	31
6-12 YRS	280	6.1	71	1	1	4	7	13	19	77
13-19 YRS	1267	5.9	71	1	2	4	6	12	19	56
GRAND TOTAL	**1691**	**6.0**	**69**	**1**	**2**	**4**	**6**	**12**	**20**	**56**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	5	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	8	3.8	2	2	2	4	5	6	6	6
6-12 YRS	107	5.3	7	2	2	5	6	9	10	14
13-19 YRS	252	5.5	13	1	2	5	6	9	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	3.5	27	<1	<1	1	2	13	14	14
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	6	8.0	21	1	2	8	10	14	15	15
1-5 YRS	14	4.3	4	1	2	4	6	7	7	7
6-12 YRS	45	5.4	13	2	2	5	7	9	13	18
13-19 YRS	121	6.0	15	2	3	5	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	3	<1	<1	1	2	3	7	8
B. *Operated*	369	5.4	11	2	2	5	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	13	2.5	12	<1	<1	1	2	5	12	14
B. *Operated*	188	5.8	14	2	2	5	7	10	14	20
1. SINGLE DX	384	5.3	11	1	2	5	6	9	11	16
2. MULTIPLE DX	201	5.6	15	1	2	5	7	10	14	20
A. NOT OPERATED	28	2.1	7	<1	<1	1	2	3	9	14
B. OPERATED	557	5.5	12	2	2	5	7	9	12	18
TOTAL 0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	11	6.1	18	1	1	7	8	12	15	15
1-5 YRS	33	3.5	8	<1	1	3	5	7	7	14
6-12 YRS	157	5.2	9	1	2	5	6	9	11	16
13-19 YRS	382	5.6	14	2	2	5	7	9	12	24
GRAND TOTAL	**585**	**5.4**	**12**	**1**	**2**	**5**	**6**	**9**	**12**	**18**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	1.1		<1	<1	1	1	2	2	2
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	11	2.9	8	<1	<1	2	3	7	11	11
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	4.3		4	4	4	5	5	5	5
13-19 YRS	23	3.7	4	2	2	3	5	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	5	3.4	3	2	2	3	4	6	6	6
13-19 YRS	8	6.4	17	2	2	6	8	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.6	2	<1	<1	1	1	4	5	5
B. *Operated*	39	3.6	5	1	2	3	4	6	9	11
2. MULTIPLE DX										
A. *Not Operated*	5	1.6	2	1	1	1	2	4	4	4
B. *Operated*	19	4.5	10	2	2	4	6	8	12	15
1. SINGLE DX	57	3.0	5	<1	1	2	4	5	7	11
2. MULTIPLE DX	24	3.9	10	1	1	3	5	8	10	15
A. NOT OPERATED	23	1.6	2	<1	<1	1	1	4	5	5
B. OPERATED	58	3.9	7	1	2	3	5	7	10	15
TOTAL 0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	23	2.0	4	<1	<1	1	2	3	6	11
1-5 YRS	12	1.8	1	<1	<1	1	2	4	4	4
6-12 YRS	8	3.8	2	2	2	4	5	6	6	6
13-19 YRS	36	4.3	8	2	2	4	5	8	10	15
GRAND TOTAL	**81**	**3.2**	**6**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	6	1.2		<1	<1	1	1	2	2	2
6-12 YRS	5	4.0	7	<1	<1	4	5	8	8	8
13-19 YRS	8	1.9	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	4	2.8	1	2	2	3	3	4	4	4
6-12 YRS	16	2.4	2	1	1	2	3	4	6	7
13-19 YRS	39	3.5	8	2	2	3	4	5	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	12	1.6	3	<1	<1	1	1	3	6	7
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	9	4.2	15	1	1	2	6	11	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	15	3.7	7	<1	1	2	6	8	9	9
13-19 YRS	31	3.8	5	1	1	4	4	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.2	3	<1	<1	1	3	4	6	8
B. *Operated*	62	3.1	6	1	2	3	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	26	2.7	8	<1	<1	2	3	7	8	13
B. *Operated*	49	4.1	12	1	1	3	5	8	10	21
1. SINGLE DX	82	2.9	5	<1	1	2	3	5	7	15
2. MULTIPLE DX	75	3.6	11	<1	1	3	4	7	10	19
A. NOT OPERATED	46	2.5	6	<1	<1	2	3	6	7	13
B. OPERATED	111	3.6	9	1	2	3	4	6	8	19
TOTAL 0-27 DYS										
1-11 MOS	6	5.3	59	<1	<1	2	3	19	21	21
1-5 YRS	24	1.8	3	<1	<1	1	2	4	6	7
6-12 YRS	40	3.1	5	<1	1	2	4	7	8	9
13-19 YRS	87	3.5	7	1	1	3	4	6	9	16
GRAND TOTAL	**157**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	4	2.5	6	1	1	2	4	6	6	6
6-12 YRS	5	3.0	4	<1	<1	3	5	5	5	5
13-19 YRS	3	5.3	10	3	3	4	8	9	9	9
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	2.3	1	1	1	2	3	3	3	3
1-5 YRS	75	2.2	1	1	1	2	3	4	5	6
6-12 YRS	191	2.7	2	1	1	2	3	4	5	12
13-19 YRS	236	3.0	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.3		<1	<1	1	2	2	2	2
6-12 YRS	5	2.6	3	<1	<1	2	4	5	5	5
13-19 YRS	7	2.7	8	<1	<1	2	3	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	8	4.3	5	2	2	4	6	7	8	8
1-5 YRS	35	4.2	25	1	2	2	5	7	12	29
6-12 YRS	93	3.2	4	1	2	3	4	5	7	13
13-19 YRS	124	3.5	6	1	2	3	4	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	6	<1	<1	3	5	7	9	9
B. *Operated*	511	2.7	4	1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	16	2.3	5	<1	<1	2	3	5	8	9
B. *Operated*	260	3.5	8	1	2	3	4	6	8	14
1. SINGLE DX	524	2.8	4	1	1	2	3	4	6	12
2. MULTIPLE DX	276	3.4	8	1	2	3	4	6	8	14
A. NOT OPERATED	29	2.7	5	<1	<1	2	4	6	9	9
B. OPERATED	771	3.0	5	1	1	2	3	5	7	13
TOTAL 0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	16	3.3	4	1	2	3	4	6	7	8
1-5 YRS	118	2.8	9	1	1	2	3	5	6	18
6-12 YRS	294	2.9	3	1	1	2	3	5	6	12
13-19 YRS	370	3.2	6	1	2	3	3	5	7	13
GRAND TOTAL	**800**	**3.0**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	17	2.1	9	<1	<1	1	2	4	10	13
1-5 YRS	133	1.4	1	<1	<1	1	2	2	3	5
6-12 YRS	66	1.7	1	<1	<1	1	2	4	4	7
13-19 YRS	32	2.5	3	<1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	514	1.6		<1	1	2	2	2	2	3
1-5 YRS	5567	1.8	5	<1	1	2	2	2	2	3
6-12 YRS	3430	1.9	6	1	1	2	2	2	2	7
13-19 YRS	1637	2.0	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	42	2.1	9	<1	<1	1	1	6	9	16
1-5 YRS	213	1.5	3	<1	<1	1	1	2	4	8
6-12 YRS	78	1.9	6	<1	<1	1	2	3	6	15
13-19 YRS	36	3.6	10	<1	<1	3	5	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	65	1.8	2	1	1	2	2	2	3	12
1-5 YRS	1001	1.9	3	1	1	2	2	2	3	7
6-12 YRS	723	2.1	4	1	1	2	2	2	3	12
13-19 YRS	432	2.1	2	1	1	2	2	3	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	11150	1.8	4	<1	1	2	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	369	1.8	5	<1	<1	1	1	3	6	15
B. *Operated*	2221	2.0	3	1	1	2	2	2	3	8
1. SINGLE DX	11398	1.8	4	<1	1	2	2	2	2	4
2. MULTIPLE DX	2590	2.0	4	<1	1	2	2	2	3	9
A. NOT OPERATED	617	1.8	4	<1	<1	1	2	3	5	11
B. OPERATED	13371	1.9	4	<1	1	2	2	2	2	4
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	638	1.7	1	<1	<1	2	2	2	2	7
1-5 YRS	6914	1.8	4	<1	1	2	2	2	2	4
6-12 YRS	4297	1.9	5	1	1	2	2	2	3	7
13-19 YRS	2137	2.0	2	1	1	2	2	2	3	7
GRAND TOTAL	**13988**	**1.9**	**4**	**<1**	**1**	**2**	**2**	**2**	**3**	**6**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	106	4.5	7	1	2	4	6	8	9	15
1-11 MOS	383	1.4	1	<1	<1	1	1	2	4	7
1-5 YRS	415	1.8	4	<1	<1	1	2	3	5	14
6-12 YRS	105	3.3	7	<1	1	2	4	7	9	12
13-19 YRS	75	3.6	7	<1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	5	3.6	6	<1	<1	4	6	6	6	6
1-11 MOS	43	1.9	4	<1	<1	1	2	3	6	11
1-5 YRS	510	1.9	19	<1	<1	1	2	3	3	11
6-12 YRS	494	1.7	1	<1	<1	1	2	3	3	8
13-19 YRS	463	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	74	4.4	10	1	2	4	5	7	9	19
1-11 MOS	209	3.6	8	<1	1	3	5	7	9	14
1-5 YRS	285	3.4	13	<1	1	2	4	6	8	19
6-12 YRS	79	3.8	16	<1	<1	3	5	7	11	79
13-19 YRS	72	4.0	7	1	1	3	5	8	10	13
B. *Operated*										
0-27 DYS	3	6.3	12	3	3	6	9	10	10	10
1-11 MOS	25	3.4	33	<1	<1	2	2	6	20	25
1-5 YRS	106	3.1	41	<1	1	2	3	5	11	78
6-12 YRS	144	3.0	6	<1	1	2	3	5	9	14
13-19 YRS	210	3.6	9	1	1	3	4	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1084	2.2	5	<1	<1	1	3	5	7	12
B. *Operated*	1515	2.0	8	<1	<1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	719	3.6	11	<1	1	3	5	7	9	16
B. *Operated*	488	3.3	16	1	1	2	3	7	9	19
1. SINGLE DX	2599	2.1	7	<1	<1	1	2	4	5	11
2. MULTIPLE DX	1207	3.5	13	<1	1	3	4	7	9	18
A. NOT OPERATED	1803	2.8	8	<1	<1	2	4	6	8	14
B. OPERATED	2003	2.3	10	<1	<1	2	2	4	6	12
TOTAL 0-27 DYS	188	4.5	8	1	2	4	6	8	9	15
1-11 MOS	660	2.2	6	<1	<1	1	3	5	7	11
1-5 YRS	1316	2.3	15	<1	<1	1	2	4	6	15
6-12 YRS	822	2.3	5	<1	<1	2	3	5	7	12
13-19 YRS	820	3.0	6	<1	1	2	4	6	8	12
GRAND TOTAL	**3806**	**2.5**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	18	5.9	21	2	2	5	7	12	17	20
1-11 MOS	197	3.8	6	1	1	3	5	6	8	14
1-5 YRS	447	3.8	5	1	1	3	5	7	8	11
6-12 YRS	290	4.3	10	1	1	4	5	7	9	17
13-19 YRS	263	4.1	6	1	1	4	5	7	9	13
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	25	2.6	4	<1	<1	2	3	6	7	9
1-5 YRS	67	3.0	5	1	1	2	4	6	8	10
6-12 YRS	118	3.8	13	<1	1	2	5	8	11	18
13-19 YRS	158	3.6	8	1	2	3	4	6	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	4.4	10	2	2	4	5	9	13	13
1-11 MOS	158	4.5	7	1	2	4	6	8	9	14
1-5 YRS	379	4.8	19	1	2	4	6	8	10	18
6-12 YRS	226	5.3	16	1	2	5	7	10	12	21
13-19 YRS	201	4.9	13	1	2	4	6	10	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS	22	5.5	38	1	1	4	6	10	19	30
1-5 YRS	66	5.1	16	2	2	3	6	11	15	18
6-12 YRS	114	4.5	16	1	1	3	5	10	14	20
13-19 YRS	176	5.8	42	2	2	4	6	11	16	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1215	4.0	7	1	1	3	5	7	9	14
B. *Operated*	369	3.5	9	1	1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	974	4.9	15	1	2	4	6	8	11	19
B. *Operated*	378	5.2	30	1	2	4	6	11	15	34
1. SINGLE DX	1584	3.9	7	1	1	3	5	7	9	14
2. MULTIPLE DX	1352	5.0	19	1	2	4	6	9	12	22
A. NOT OPERATED	2189	4.4	11	1	1	4	5	8	10	16
B. OPERATED	747	4.4	20	1	1	3	5	9	13	22
TOTAL 0-27 DYS	29	5.3	16	2	2	4	6	11	14	20
1-11 MOS	402	4.1	8	1	1	4	5	7	9	14
1-5 YRS	959	4.2	12	1	1	4	5	7	10	16
6-12 YRS	748	4.5	13	1	1	4	6	8	11	18
13-19 YRS	798	4.6	17	1	2	3	5	9	12	23
GRAND TOTAL	**2936**	**4.4**	**13**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	1.6	1	<1	<1	1	2	3	5	5
1-5 YRS	21	1.9	2	<1	<1	1	3	4	5	5
6-12 YRS	26	2.2	1	<1	1	2	3	4	4	4
13-19 YRS	43	3.3	10	1	1	2	4	6	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	23	1.5		<1	<1	1	2	2	3	3
6-12 YRS	35	1.9	1	<1	1	2	2	3	3	4
13-19 YRS	33	2.6	3	1	1	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	3.5	10	<1	<1	2	4	9	11	11
1-5 YRS	27	3.0	20	<1	<1	2	3	6	11	23
6-12 YRS	39	4.2	33	1	1	3	4	8	16	33
13-19 YRS	48	3.9	13	<1	1	3	5	8	10	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	14	2.4	1	1	1	2	3	4	5	5
6-12 YRS	36	2.5	1	1	1	2	3	4	5	5
13-19 YRS	50	3.8	14	1	2	3	4	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.5	5	<1	1	2	3	5	6	14
B. *Operated*	95	2.1	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	125	3.8	20	<1	1	3	4	7	11	25
B. *Operated*	102	3.1	8	1	1	2	3	5	8	18
1. SINGLE DX	197	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	227	3.5	15	1	1	2	4	6	9	22
A. NOT OPERATED	227	3.2	14	<1	1	2	4	6	9	21
B. OPERATED	197	2.6	5	1	1	2	3	4	6	13
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	28	2.3	5	<1	<1	2	2	5	7	11
1-5 YRS	85	2.2	7	<1	<1	2	2	4	5	18
6-12 YRS	136	2.8	11	1	1	2	3	4	5	21
13-19 YRS	174	3.5	10	1	1	2	4	6	9	20
GRAND TOTAL	**424**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**5**	**8**	**20**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	148	3.9	15	1	1	3	4	6	9	31
1-11 MOS	1504	3.0	4	1	1	3	4	5	6	10
1-5 YRS	1381	2.7	4	<1	<1	2	3	5	6	11
6-12 YRS	343	2.4	4	<1	<1	2	3	5	6	9
13-19 YRS	88	3.6	14	<1	<1	3	4	7	10	23
B. *Operated*										
0-27 DYS	26	2.8	11	<1	<1	1	4	5	11	15
1-11 MOS	1660	1.3	1	<1	<1	1	1	1	3	7
1-5 YRS	11496	1.2	3	<1	<1	1	1	2	2	4
6-12 YRS	7214	1.3	2	<1	<1	1	1	2	2	4
13-19 YRS	1475	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	175	4.6	6	1	2	4	6	8	9	12
1-11 MOS	3930	4.1	11	1	2	3	5	7	9	14
1-5 YRS	4800	3.5	9	1	1	3	4	6	8	12
6-12 YRS	816	3.2	6	<1	1	3	4	6	8	14
13-19 YRS	262	3.8	5	1	1	4	5	7	8	12
B. *Operated*										
0-27 DYS	19	4.7	18	<1	<1	4	7	8	14	18
1-11 MOS	508	3.2	27	<1	<1	1	4	7	10	17
1-5 YRS	9184	1.6	2	<1	<1	1	2	2	2	7
6-12 YRS	5950	1.7	2	<1	<1	2	2	2	3	6
13-19 YRS	1436	2.5	8	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3464	2.9	5	<1	1	2	4	5	6	11
B. *Operated*	21871	1.3	2	<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	9983	3.7	9	1	1	3	5	7	8	13
B. *Operated*	17097	1.8	4	<1	<1	2	2	2	3	8
1. SINGLE DX	25335	1.5	3	<1	<1	1	2	2	4	7
2. MULTIPLE DX	27080	2.5	7	<1	<1	2	3	5	6	11
A. NOT OPERATED	13447	3.5	8	1	1	3	4	6	8	13
B. OPERATED	38968	1.5	3	<1	<1	1	2	2	3	7
TOTAL 0-27 DYS	368	4.2	11	1	1	3	5	7	9	15
1-11 MOS	7602	3.2	10	<1	<1	3	4	6	8	13
1-5 YRS	26861	1.8	4	<1	<1	1	2	3	5	9
6-12 YRS	14323	1.6	3	<1	<1	1	2	2	3	7
13-19 YRS	3261	2.4	6	<1	1	2	3	4	5	10
GRAND TOTAL	**52415**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	3.9	13	1	1	3	4	10	13	13
1-11 MOS	117	3.5	7	1	1	3	4	6	9	15
1-5 YRS	193	3.5	9	<1	1	3	4	7	9	14
6-12 YRS	131	3.5	7	<1	1	3	4	7	8	13
13-19 YRS	122	4.3	15	1	2	4	5	7	9	52
B. *Operated*										
0-27 DYS	5	1.4		<1	<1	1	2	2	2	2
1-11 MOS	201	1.6	3	<1	<1	1	1	3	5	11
1-5 YRS	1635	1.3	7	<1	<1	1	1	2	2	7
6-12 YRS	1229	1.6	9	<1	<1	1	2	2	3	8
13-19 YRS	271	2.3	5	<1	<1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	3.5	5	1	1	3	5	9	59	99+
1-11 MOS	293	4.3	11	1	1	4	5	8	10	15
1-5 YRS	428	3.7	10	<1	1	3	5	7	9	15
6-12 YRS	231	3.8	8	<1	1	3	5	7	10	14
13-19 YRS	153	5.2	29	1	1	4	6	8	13	48
B. *Operated*										
0-27 DYS	4	4.0	13	<1	<1	3	6	9	9	9
1-11 MOS	79	4.0	10	<1	<1	3	6	8	11	14
1-5 YRS	1360	2.0	11	<1	1	2	2	2	4	12
6-12 YRS	1110	2.1	7	<1	1	2	2	3	4	12
13-19 YRS	342	3.4	13	1	1	3	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	3.7	10	<1	1	3	4	7	9	18
B. *Operated*	3341	1.5	7	<1	<1	1	1	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	1123	4.1	13	<1	1	3	5	7	10	17
B. *Operated*	2895	2.3	10	<1	1	2	2	4	6	12
1. SINGLE DX	3913	1.8	8	<1	<1	1	2	3	5	10
2. MULTIPLE DX	4018	2.8	11	<1	1	2	3	5	7	13
A. NOT OPERATED	1695	3.9	12	<1	1	3	5	7	10	18
B. OPERATED	6236	1.9	9	<1	<1	1	2	3	4	11
TOTAL 0-27 DYS	36	3.4	7	<1	1	3	4	9	12	99+
1-11 MOS	690	3.3	9	<1	1	3	4	7	9	13
1-5 YRS	3616	2.0	10	<1	<1	1	2	3	5	11
6-12 YRS	2701	2.1	8	<1	<1	1	2	4	6	11
13-19 YRS	888	3.5	15	<1	1	3	4	7	8	22
GRAND TOTAL	**7931**	**2.3**	**10**	**<1**	**<1**	**1**	**2**	**5**	**7**	**12**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	5.3	12	2	2	5	8	9	9	9
1-5 YRS	12	3.8	9	1	1	3	5	8	11	12
6-12 YRS	39	3.6	4	1	2	3	4	6	8	11
13-19 YRS	153	4.0	6	1	2	4	5	7	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7		2	2	3	3	3	3	3
6-12 YRS	6	3.0	3	1	1	3	5	5	5	5
13-19 YRS	31	3.9	5	2	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.8	9	1	1	5	7	8	8	8
1-11 MOS	5	7.8	93	3	3	3	10	25	25	25
1-5 YRS	5	2.8	1	1	1	3	3	4	4	4
6-12 YRS	24	3.4	4	1	1	3	4	6	8	9
13-19 YRS	124	5.2	10	1	2	4	7	10	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	7	1	1	2	5	6	6	6
13-19 YRS	15	4.0	7	1	1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.0	6	1	2	3	5	7	8	14
B. *Operated*	40	3.7	4	1	2	3	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	162	4.9	11	1	2	4	6	9	11	15
B. *Operated*	18	3.8	7	1	1	3	6	8	9	9
1. SINGLE DX	248	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	180	4.8	11	1	2	4	6	9	11	15
A. NOT OPERATED	370	4.4	9	1	2	4	5	8	10	15
B. OPERATED	58	3.7	5	1	2	3	5	7	8	11
TOTAL 0-27 DYS	5	4.2	8	1	1	4	6	8	8	8
1-11 MOS	8	6.9	58	2	2	4	7	20	25	25
1-5 YRS	20	3.4	6	1	1	3	4	5	9	12
6-12 YRS	72	3.4	4	1	1	3	5	6	8	11
13-19 YRS	323	4.5	8	1	2	4	6	8	10	14
GRAND TOTAL	**428**	**4.3**	**8**	**1**	**2**	**4**	**5**	**8**	**10**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	8	2.6	5	1	1	2	2	6	8	8
6-12 YRS	28	4.8	131	1	1	3	3	4	11	63
13-19 YRS	105	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.3	152	<1	<1	8	21	25	25	25
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.8	2	1	1	3	4	5	5	5
6-12 YRS	11	2.5		2	2	2	3	3	3	3
13-19 YRS	23	3.0	2	1	2	3	4	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	145	2.9	26	1	1	2	3	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	6	6.5	89	<1	<1	2	8	23	25	25
B. *Operated*	39	2.8	2	1	2	3	3	4	5	8
1. SINGLE DX	146	2.9	26	1	1	2	3	3	4	10
2. MULTIPLE DX	45	3.3	13	<1	2	3	3	5	8	25
A. NOT OPERATED	7	5.9	77	<1	<1	2	7	22	25	25
B. OPERATED	184	2.9	21	1	2	3	3	4	4	8
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	7.0	84	<1	<1	3	8	23	25	25
1-5 YRS	14	2.6	3	1	1	2	3	5	7	8
6-12 YRS	40	4.1	92	1	2	3	3	3	5	63
13-19 YRS	130	2.6	1	1	1	3	3	4	4	6
GRAND TOTAL	**191**	**3.0**	**23**	**1**	**1**	**2**	**3**	**4**	**5**	**18**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.5	4	1	1	3	5	6	6	6
1-5 YRS	45	1.8	2	<1	<1	1	2	4	5	7
6-12 YRS	52	2.1	3	<1	<1	2	2	4	5	12
13-19 YRS	64	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*										
0-27 DYS	7	3.1	2	2	2	3	4	5	5	5
1-11 MOS	16	1.9	2	<1	<1	2	2	5	5	5
1-5 YRS	432	1.7	1	<1	<1	2	2	3	3	5
6-12 YRS	1560	2.0	2	<1	1	2	2	3	3	5
13-19 YRS	1378	2.3	3	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	22	5.5	21	1	2	4	6	13	17	18
1-5 YRS	62	3.0	6	<1	<1	2	4	8	8	12
6-12 YRS	53	4.2	49	1	1	2	4	6	21	42
13-19 YRS	48	4.3	50	<1	<1	2	4	8	20	40
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	12	1.4		<1	<1	1	2	2	2	2
1-5 YRS	416	1.8	5	<1	<1	2	2	2	3	8
6-12 YRS	1125	2.1	3	<1	1	2	2	3	4	9
13-19 YRS	1018	2.6	6	1	1	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	2.2	3	<1	<1	1	3	5	6	10
B. *Operated*	3393	2.1	2	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	187	4.0	31	<1	<1	2	4	8	13	34
B. *Operated*	2573	2.3	5	1	1	2	2	3	4	9
1. SINGLE DX	3558	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	2760	2.4	7	<1	1	2	3	3	4	12
A. NOT OPERATED	352	3.1	19	<1	<1	2	4	6	8	24
B. OPERATED	5966	2.2	3	<1	1	2	2	3	4	7
TOTAL 0-27 DYS	11	3.5	3	2	2	3	5	6	7	7
1-11 MOS	54	3.4	13	<1	<1	2	4	6	11	18
1-5 YRS	955	1.8	3	<1	<1	2	2	3	3	8
6-12 YRS	2790	2.1	3	<1	1	2	2	3	3	7
13-19 YRS	2508	2.4	5	1	1	2	3	3	4	10
GRAND TOTAL	**6318**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	38	7.5	39	2	2	7	9	12	16	37
6-12 YRS	300	8.3	48	2	3	7	10	15	20	32
13-19 YRS	157	8.4	57	2	2	6	10	16	22	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	8.5	113	1	1	8	16	16	16	16
13-19 YRS	3	10.7	100	3	3	7	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	29	7.7	23	2	2	7	10	14	18	22
6-12 YRS	141	8.6	49	2	3	6	12	18	23	33
13-19 YRS	100	9.8	78	2	3	8	12	20	25	53
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	12.8	271	1	1	6	21	41	45	45
13-19 YRS	9	8.4	28	1	2	8	13	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	8.3	50	2	3	7	10	15	20	32
B. *Operated*	6	8.3	77	1	1	5	16	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	272	8.9	57	2	3	7	11	18	24	36
B. *Operated*	17	10.5	138	1	1	8	13	28	40	45
1. SINGLE DX	502	8.3	50	2	3	7	10	15	20	32
2. MULTIPLE DX	289	9.0	61	2	2	7	11	18	24	42
A. NOT OPERATED	768	8.5	53	2	3	7	10	16	22	33
B. OPERATED	23	9.9	118	1	1	7	14	24	36	45
TOTAL 0-27 DYS										
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	68	7.5	32	2	2	7	10	12	17	34
6-12 YRS	451	8.5	52	2	3	7	10	16	22	33
13-19 YRS	269	9.0	64	2	3	7	11	18	24	47
GRAND TOTAL	**791**	**8.5**	**54**	**2**	**3**	**7**	**10**	**16**	**22**	**35**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	6.3	24	1	1	4	11	13	14	14
13-19 YRS	20	4.6	13	1	1	4	5	8	13	17
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	6	1.7		<1	<1	2	2	2	2	2
6-12 YRS	8	1.6	1	1	1	2	2	3	3	3
13-19 YRS	24	7.8	46	1	2	3	13	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	16	8.4	94	2	2	5	11	16	33	40
13-19 YRS	59	7.0	100	1	2	4	8	11	14	67
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	9.7	51	2	2	9	15	19	20	20
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	18	6.5	41	1	2	3	11	16	20	22
13-19 YRS	47	7.9	39	2	2	7	13	17	23	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.1	17	1	1	4	6	11	14	17
B. *Operated*	39	5.5	37	<1	1	2	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	80	7.2	92	1	2	5	8	12	16	61
B. *Operated*	75	7.4	40	2	2	4	12	16	21	81
1. SINGLE DX	68	5.3	28	1	1	3	8	14	16	24
2. MULTIPLE DX	155	7.3	66	2	2	5	10	15	20	68
A. NOT OPERATED	109	6.6	73	1	2	4	8	12	16	52
B. OPERATED	114	6.7	39	1	2	3	12	15	20	53
TOTAL 0-27 DYS	5	4.8	17	2	2	4	6	12	12	12
1-11 MOS	8	8.6	40	2	2	7	12	18	20	20
1-5 YRS	9	1.7		<1	<1	2	2	2	2	2
6-12 YRS	51	6.3	51	1	1	3	10	15	16	40
13-19 YRS	150	7.1	61	1	2	4	10	14	18	70
GRAND TOTAL	**223**	**6.7**	**55**	**1**	**2**	**4**	**10**	**14**	**17**	**48**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	7.0	10	3	3	7	9	10	10	10
1-11 MOS	5	4.4	18	1	1	2	9	9	9	9
1-5 YRS	12	4.9	34	1	1	3	6	11	20	22
6-12 YRS	48	4.9	16	1	2	4	6	8	10	26
13-19 YRS	254	3.7	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.5	1	9	9	9	10	10	10	10
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	5.3	17	2	2	3	10	11	11	11
13-19 YRS	65	4.3	10	1	1	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	17.5	694	3	3	13	14	50	91	95
1-11 MOS	19	5.7	12	1	2	6	6	8	14	18
1-5 YRS	15	7.1	31	1	2	5	11	17	18	18
6-12 YRS	52	5.3	8	2	2	5	7	9	12	13
13-19 YRS	302	5.2	13	2	2	4	7	10	13	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.5	365	4	4	17	31	31	31	31
6-12 YRS	14	6.4	21	2	2	5	9	12	17	18
13-19 YRS	61	8.0	35	2	2	7	10	16	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	4.0	8	1	1	3	5	7	9	12
B. *Operated*	74	4.5	11	1	2	3	6	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	399	5.6	34	2	2	4	7	11	14	21
B. *Operated*	77	8.0	39	2	2	7	10	16	20	32
1. SINGLE DX	397	4.1	9	1	1	3	5	8	9	13
2. MULTIPLE DX	476	6.0	36	2	2	5	7	12	15	23
A. NOT OPERATED	722	4.9	23	1	2	4	6	9	12	20
B. OPERATED	151	6.3	28	1	2	5	8	12	16	31
TOTAL 0-27 DYS	15	14.7	521	3	3	9	14	20	76	95
1-11 MOS	26	5.7	13	1	1	6	8	9	12	18
1-5 YRS	30	6.8	50	1	1	4	7	17	22	31
6-12 YRS	120	5.3	13	1	2	4	7	10	11	20
13-19 YRS	682	4.8	13	1	2	4	6	9	12	20
GRAND TOTAL	**873**	**5.1**	**24**	**1**	**2**	**4**	**6**	**10**	**13**	**21**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS										
13-19 YRS	9	4.2	7	2	2	4	5	8	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	9.7	14	4	4	10	13	14	14	14
1-11 MOS	10	11.2	109	1	2	6	19	28	32	32
1-5 YRS	5	10.6	4	8	8	11	12	13	13	13
6-12 YRS	8	6.5	16	3	3	5	9	13	14	14
13-19 YRS	13	6.2	16	1	1	7	9	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	17.5	365	4	4	17	31	31	31	31
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	5	9.0	102	1	1	2	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.0	9	2	2	4	7	10	10	10
B. *Operated*	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	42	8.5	38	1	2	8	11	14	21	32
B. *Operated*	9	10.3	119	1	1	4	19	27	31	31
1. SINGLE DX	14	4.8	7	2	2	4	6	10	10	10
2. MULTIPLE DX	51	8.8	51	1	2	8	12	19	24	32
A. NOT OPERATED	53	7.8	34	1	2	7	10	14	15	32
B. OPERATED	12	8.8	95	1	1	4	15	24	30	31
TOTAL 0-27 DYS	6	9.7	14	4	4	10	13	14	14	14
1-11 MOS	12	12.3	128	1	2	6	21	31	32	32
1-5 YRS	9	8.6	12	2	3	9	11	13	13	13
6-12 YRS	10	6.6	16	3	3	5	10	12	14	14
13-19 YRS	28	6.0	27	1	1	4	8	13	19	21
GRAND TOTAL	**65**	**7.9**	**44**	**1**	**2**	**7**	**10**	**14**	**22**	**32**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.8	4	2	2	3	5	7	7	7
6-12 YRS	6	5.7	12	1	1	5	7	11	11	11
13-19 YRS	8	4.0	17	1	1	2	7	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	7	8.9	110	1	1	6	14	27	29	29
13-19 YRS	17	5.8	33	1	1	3	8	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	10.3	27	5	5	9	13	19	20	20
1-5 YRS	4	4.3	2	3	3	4	5	6	6	6
6-12 YRS	19	5.5	22	1	1	4	9	13	15	16
13-19 YRS	31	6.1	38	2	2	4	7	10	16	34
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	23.7	422	4	4	22	39	45	45	45
6-12 YRS	16	9.3	41	3	3	7	17	77	99+	99+
13-19 YRS	51	8.1	86	1	1	6	10	16	22	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.5	11	1	1	3	7	10	11	11
B. *Operated*	25	6.8	52	1	1	4	10	17	22	29
2. MULTIPLE DX										
A. *Not Operated*	61	6.3	31	1	2	5	9	13	16	32
B. *Operated*	71	8.9	92	1	2	6	12	22	43	99+
1. SINGLE DX	44	5.8	35	1	1	4	7	13	18	29
2. MULTIPLE DX	132	7.7	65	1	2	6	9	17	24	99+
A. NOT OPERATED	80	5.8	26	1	1	4	8	11	15	30
B. OPERATED	96	8.4	82	1	1	6	12	19	31	99+
TOTAL 0-27 DYS										
1-11 MOS	8	9.5	28	4	4	9	12	18	20	20
1-5 YRS	13	8.9	145	2	3	4	7	27	42	45
6-12 YRS	48	7.3	40	1	1	6	12	17	29	99+
13-19 YRS	107	6.8	59	1	1	4	9	15	18	44
GRAND TOTAL	**176**	**7.2**	**58**	**1**	**1**	**5**	**9**	**16**	**22**	**88**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	12.1	28	5	6	12	13	20	23	23
1-11 MOS	5	15.4	26	7	7	16	19	20	20	20
1-5 YRS	5	8.4	20	1	1	9	11	13	13	13
6-12 YRS	6	12.8	83	4	4	11	14	28	30	30
13-19 YRS	18	9.4	24	2	2	10	12	14	19	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS										
13-19 YRS	4	4.8	10	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	11.0	8	7	7	11	13	14	15	15
1-11 MOS	30	14.5	55	3	5	14	19	25	30	31
1-5 YRS	12	13.5	70	1	1	13	19	24	29	30
6-12 YRS	17	13.7	20	5	6	15	17	19	20	20
13-19 YRS	29	11.8	31	1	5	12	16	19	22	22
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	21.0	8	19	19	21	23	23	23	23
1-5 YRS	4	15.0	132	2	2	14	22	30	30	30
6-12 YRS	2	27.5	13	25	25	27	30	30	30	30
13-19 YRS	5	17.2	110	3	3	15	25	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	11.0	35	2	4	10	14	19	22	30
B. *Operated*	5	6.8	28	2	2	5	10	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	98	13.1	39	2	5	13	17	20	22	31
B. *Operated*	14	18.4	85	2	3	17	25	30	31	31
1. SINGLE DX	47	10.6	35	2	3	10	14	18	22	30
2. MULTIPLE DX	112	13.7	47	2	5	14	17	22	30	31
A. NOT OPERATED	140	12.5	38	2	5	12	16	20	22	30
B. OPERATED	19	15.3	95	2	2	14	23	30	31	31
TOTAL 0-27 DYS	19	11.6	16	6	7	12	14	15	19	23
1-11 MOS	37	14.9	50	3	6	14	19	23	30	31
1-5 YRS	22	12.7	66	1	1	12	17	24	30	30
6-12 YRS	25	14.6	47	5	6	15	17	25	30	30
13-19 YRS	56	11.0	40	2	3	10	14	19	22	31
GRAND TOTAL	**159**	**12.8**	**46**	**2**	**4**	**12**	**17**	**21**	**27**	**31**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	9	4.1	7	1	1	3	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	7	2	2	6	7	7	7	7
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	5.9	26	<1	<1	5	8	15	17	17
1-11 MOS	17	5.6	13	1	2	5	8	11	13	14
1-5 YRS	12	6.7	22	2	2	6	7	13	18	19
6-12 YRS	8	5.5	6	2	3	5	7	9	9	9
13-19 YRS	28	5.7	18	1	2	5	8	10	14	21
B. *Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	2	9.5	61	4	4	9	15	15	15	15
1-5 YRS										
6-12 YRS	4	3.0	2	2	2	3	4	5	5	5
13-19 YRS	5	5.6	3	3	3	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.4	7	1	2	3	5	9	10	10
B. *Operated*	4	4.5	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	77	5.8	17	1	2	5	8	11	14	20
B. *Operated*	13	5.5	12	2	2	5	7	10	14	15
1. SINGLE DX	18	4.4	6	1	2	3	6	8	10	10
2. MULTIPLE DX	90	5.8	16	1	2	5	8	10	14	20
A. NOT OPERATED	91	5.6	15	1	2	5	8	10	14	20
B. OPERATED	17	5.3	11	2	2	5	7	9	13	15
TOTAL 0-27 DYS	15	5.8	22	<1	<1	4	8	14	16	17
1-11 MOS	21	6.0	16	1	2	5	8	12	14	15
1-5 YRS	16	6.1	18	2	2	6	7	11	17	19
6-12 YRS	13	4.7	5	2	2	5	6	9	9	9
13-19 YRS	43	5.3	14	1	2	5	7	9	11	21
GRAND TOTAL	**108**	**5.6**	**15**	**1**	**2**	**5**	**7**	**10**	**14**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	9.3	4	7	7	10	11	11	11	11
1-11 MOS	3	7.0	16	3	3	7	10	11	11	11
1-5 YRS										
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	3	5.0	9	2	2	5	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.7	47	2	2	4	6	19	22	22
1-11 MOS	7	8.3	18	4	4	6	12	15	15	15
1-5 YRS	9	6.1	8	2	2	7	8	9	9	9
6-12 YRS	4	5.3	5	3	3	5	7	8	8	8
13-19 YRS	15	8.6	33	2	3	7	11	17	20	21
B. *Operated*										
0-27 DYS										
1-11 MOS	1	23.0		23	23	23	23	23	23	23
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.0	3	3	3	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.6	10	2	2	7	9	11	11	11
B. *Operated*	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	42	7.4	24	2	3	6	9	16	19	22
B. *Operated*	4	9.5	83	3	3	6	15	23	23	23
1. SINGLE DX	13	7.2	13	2	3	7	10	12	14	14
2. MULTIPLE DX	46	7.6	28	2	3	6	9	17	21	23
A. NOT OPERATED	53	7.2	21	2	3	6	9	13	17	22
B. OPERATED	6	9.8	55	3	3	7	14	22	23	23
TOTAL 0-27 DYS	10	7.5	34	2	3	5	10	16	22	22
1-11 MOS	12	9.1	32	3	4	7	12	17	22	23
1-5 YRS	9	6.1	8	2	2	7	8	9	9	9
6-12 YRS	7	6.3	15	3	3	6	8	13	14	14
13-19 YRS	21	7.6	27	2	3	6	9	17	19	21
GRAND TOTAL	**59**	**7.5**	**24**	**2**	**3**	**6**	**9**	**16**	**19**	**23**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.0	17	1	1	2	6	10	10	10
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	3	5.0	3	4	4	4	6	7	7	7
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-27 DYS	6	5.0	23	2	2	2	9	13	13	13
1-11 MOS	6	7.3	35	1	1	7	13	14	14	14
1-5 YRS	12	3.1	16	<1	<1	2	5	30	87	99+
6-12 YRS	26	1.9	2	<1	1	2	2	2	4	9
13-19 YRS	25	2.7	6	1	1	2	3	4	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	9.2	19	2	3	9	13	15	16	18
1-11 MOS	29	8.8	44	1	2	7	12	16	25	29
1-5 YRS	25	6.8	16	2	3	6	8	12	16	18
6-12 YRS	25	8.1	24	2	2	7	10	15	17	21
13-19 YRS	26	8.7	33	1	2	8	13	17	19	22
B. *Operated*										
0-27 DYS	7	11.6	155	2	2	7	14	33	38	38
1-11 MOS	6	10.2	189	1	1	3	18	33	35	35
1-5 YRS	17	9.4	95	1	1	6	17	27	29	30
6-12 YRS	18	4.9	33	<1	1	2	7	11	20	24
13-19 YRS	11	14.0	86	2	2	11	22	27	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.2	6	1	2	4	6	7	9	10
B. *Operated*	75	3.1	11	1	1	2	2	11	13	78
2. MULTIPLE DX										
A. *Not Operated*	131	8.3	27	2	3	7	11	15	18	26
B. *Operated*	59	9.2	94	1	1	6	14	25	30	38
1. SINGLE DX	89	3.2	11	1	1	2	3	10	12	66
2. MULTIPLE DX	190	8.6	48	1	2	7	11	17	23	33
A. NOT OPERATED	145	7.9	27	2	2	7	11	15	17	25
B. OPERATED	134	5.8	57	1	1	2	8	17	25	47
TOTAL 0-27 DYS	43	8.5	43	2	2	7	12	15	16	38
1-11 MOS	44	8.5	57	1	2	6	12	16	26	35
1-5 YRS	57	6.7	42	1	1	5	9	17	25	94
6-12 YRS	71	4.9	24	1	1	2	7	11	15	23
13-19 YRS	64	7.1	46	1	1	4	11	17	22	29
GRAND TOTAL	**279**	**6.9**	**42**	**1**	**1**	**5**	**10**	**15**	**20**	**34**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	8.0	50	3	3	8	13	13	13	13
1-5 YRS	2	14.0	72	8	8	14	20	20	20	20
6-12 YRS										
13-19 YRS	50	9.0	18	1	4	9	12	14	17	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	11	11.4	10	7	8	11	12	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	15.0	33	8	8	15	19	22	22	22
1-11 MOS	9	13.1	80	1	2	12	21	26	28	28
1-5 YRS										
6-12 YRS	4	37.3	822	14	14	28	57	78	78	78
13-19 YRS	73	9.5	19	4	5	9	11	16	19	21
B. *Operated*										
0-27 DYS	3	22.7	90	13	13	23	30	32	32	32
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS										
13-19 YRS	19	16.1	47	8	9	16	19	24	30	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	9.2	20	2	4	9	12	14	18	20
B. *Operated*	12	12.0	14	7	8	11	14	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	90	11.3	86	4	4	9	13	19	22	61
B. *Operated*	23	16.9	52	8	9	16	21	26	33	35
1. SINGLE DX	67	9.7	20	3	4	9	12	15	19	20
2. MULTIPLE DX	113	12.5	83	4	5	10	16	22	25	51
A. NOT OPERATED	145	10.5	61	3	4	9	13	18	21	38
B. OPERATED	35	15.2	43	8	9	13	18	23	30	35
TOTAL 0-27 DYS	8	17.8	57	8	9	15	22	29	32	32
1-11 MOS	12	12.5	68	1	2	12	18	24	27	28
1-5 YRS	2	14.0	72	8	8	14	20	20	20	20
6-12 YRS	5	33.6	683	14	14	21	46	78	78	78
13-19 YRS	153	10.3	26	4	5	9	12	17	19	25
GRAND TOTAL	**180**	**11.4**	**61**	**3**	**4**	**10**	**14**	**19**	**22**	**36**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.0	27	2	2	4	7	15	15	15
6-12 YRS	5	23.8	182	2	2	28	32	37	37	37
13-19 YRS	12	21.9	170	1	2	23	29	40	41	41
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	35.0	1094	7	7	20	60	85	85	85
1-5 YRS	7	15.3	112	3	4	13	25	29	30	30
6-12 YRS	12	21.8	155	2	2	23	30	36	41	42
13-19 YRS	22	29.2	129	7	13	29	39	44	45	46
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	10	40.7	192	18	23	39	50	59	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	18.7	179	1	2	21	29	38	40	41
B. *Operated*	2	12.0	32	8	8	12	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	46	25.8	247	3	6	26	34	44	47	85
B. *Operated*	11	37.7	270	8	14	39	48	58	67	68
1. SINGLE DX	24	18.2	169	2	2	21	28	37	40	41
2. MULTIPLE DX	57	28.1	269	4	7	28	39	46	52	84
A. NOT OPERATED	68	23.5	233	2	3	24	30	42	45	79
B. OPERATED	13	33.8	321	8	8	38	45	54	65	68
TOTAL 0-27 DYS										
1-11 MOS	5	35.0	1094	7	7	20	60	85	85	85
1-5 YRS	13	11.2	87	2	3	8	16	28	30	30
6-12 YRS	19	21.3	148	2	2	21	30	36	40	42
13-19 YRS	44	29.8	192	4	9	29	40	45	50	68
GRAND TOTAL	**81**	**25.1**	**258**	**2**	**4**	**25**	**35**	**44**	**50**	**80**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	2.8	2	1	1	3	4	5	6	6
1-11 MOS	17	2.6	2	1	1	2	3	5	5	5
1-5 YRS	24	2.4	4	<1	<1	2	3	4	6	10
6-12 YRS	47	2.6	4	<1	1	2	3	5	6	11
13-19 YRS	69	2.5	5	<1	<1	2	3	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	11.4	212	3	3	6	11	35	49	49
1-11 MOS	27	3.7	7	1	1	3	4	8	9	11
1-5 YRS	25	4.5	18	1	1	3	6	7	13	21
6-12 YRS	17	3.0	3	1	1	3	4	6	6	6
13-19 YRS	59	3.5	8	<1	1	3	5	6	10	15
B. *Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	5.3	21	2	2	3	8	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	5	3.6	4	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	137	4.2	24	1	1	3	5	7	11	25
B. *Operated*	10	5.2	11	2	2	4	7	10	12	12
1. SINGLE DX	175	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	147	4.3	24	1	1	3	5	8	11	22
A. NOT OPERATED	307	3.3	14	<1	1	2	4	6	8	15
B. OPERATED	15	4.7	9	2	2	4	7	9	11	12
TOTAL 0-27 DYS	24	6.4	93	1	2	4	6	10	25	49
1-11 MOS	46	3.3	5	1	1	3	4	6	8	11
1-5 YRS	51	3.5	12	<1	1	2	5	7	10	21
6-12 YRS	67	2.7	3	1	1	2	4	5	6	10
13-19 YRS	134	3.1	7	<1	1	2	4	6	9	12
GRAND TOTAL	**322**	**3.3**	**13**	**<1**	**1**	**2**	**4**	**6**	**9**	**15**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	32	<1	<1	4	9	9	9	9
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	2	7.0	72	1	1	7	13	13	13	13
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	40	3.2	5	<1	1	3	4	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	7.6	3	5	5	8	9	10	10	10
1-11 MOS	13	6.9	35	1	2	5	10	18	20	20
1-5 YRS	5	5.6	5	2	2	6	7	8	8	8
6-12 YRS	7	6.4	23	1	1	6	8	14	16	16
13-19 YRS	51	4.0	9	1	1	3	5	8	11	14
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS	2	13.5	85	7	7	13	20	20	20	20
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.4	8	<1	1	3	4	8	9	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	83	5.0	15	1	1	4	7	10	13	19
B. *Operated*	5	8.4	47	2	2	7	11	20	20	20
1. SINGLE DX	49	3.4	8	<1	1	3	4	8	9	13
2. MULTIPLE DX	88	5.2	17	1	1	4	7	10	14	20
A. NOT OPERATED	132	4.4	13	1	1	3	6	9	11	18
B. OPERATED	5	8.4	47	2	2	7	11	20	20	20
TOTAL 0-27 DYS	10	7.1	7	<1	2	8	9	10	10	10
1-11 MOS	16	6.4	31	1	1	5	9	16	19	20
1-5 YRS	7	6.0	16	1	1	6	8	12	13	13
6-12 YRS	11	7.1	34	1	2	6	8	18	20	20
13-19 YRS	93	3.6	7	<1	1	3	4	7	10	13
GRAND TOTAL	**137**	**4.6**	**14**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.6	4	1	2	3	5	7	8	8
1-11 MOS	21	2.9	4	1	1	2	4	6	7	9
1-5 YRS	20	2.6	4	1	1	2	3	5	7	9
6-12 YRS	46	2.7	2	1	1	3	4	4	5	8
13-19 YRS	143	4.1	15	1	1	3	5	7	10	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.3	9	1	1	4	6	8	8	8
6-12 YRS	20	4.5	22	1	2	3	5	7	15	23
13-19 YRS	22	4.3	11	1	1	2	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	7.0	17	2	3	6	8	13	17	17
1-11 MOS	43	7.9	79	1	2	5	10	16	22	52
1-5 YRS	45	4.6	33	1	1	3	5	9	16	34
6-12 YRS	82	4.3	22	1	1	4	5	7	12	30
13-19 YRS	280	4.6	16	1	1	4	6	8	11	22
B. *Operated*										
0-27 DYS	3	6.7	10	3	3	8	9	9	9	9
1-11 MOS	11	16.9	298	3	4	11	21	45	60	61
1-5 YRS	10	5.8	19	1	1	4	10	12	13	13
6-12 YRS	16	6.6	32	1	2	4	8	17	18	18
13-19 YRS	48	6.7	40	1	2	5	8	15	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	3.6	10	1	1	3	4	6	8	18
B. *Operated*	46	4.3	15	1	1	3	6	8	9	23
2. MULTIPLE DX										
A. *Not Operated*	461	4.9	25	1	1	4	6	9	13	26
B. *Operated*	88	7.9	76	1	2	6	9	17	23	51
1. SINGLE DX	292	3.7	11	1	1	3	4	7	8	19
2. MULTIPLE DX	549	5.4	34	1	1	4	6	11	16	34
A. NOT OPERATED	707	4.5	20	1	1	3	5	8	12	22
B. OPERATED	134	6.7	58	1	2	4	8	14	20	39
TOTAL 0-27 DYS	30	5.2	12	2	2	4	7	9	11	17
1-11 MOS	75	7.8	105	1	1	5	9	16	25	59
1-5 YRS	79	4.2	23	1	1	3	5	9	13	29
6-12 YRS	164	4.1	18	1	1	3	4	7	12	23
13-19 YRS	493	4.7	18	1	1	4	6	8	12	23
GRAND TOTAL	**841**	**4.8**	**27**	**1**	**1**	**3**	**6**	**9**	**13**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	6.0	45	2	2	3	10	16	16	16
1-11 MOS	21	5.8	34	1	1	3	7	16	19	21
1-5 YRS	7	10.0	256	2	2	3	7	38	46	46
6-12 YRS	5	12.4	171	3	3	7	18	35	35	35
13-19 YRS	8	9.0	184	2	2	4	7	32	42	42
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	39	7.4	31	1	1	7	11	16	19	22
1-11 MOS	190	8.1	53	2	2	6	10	15	20	46
1-5 YRS	113	9.2	75	2	2	6	12	19	25	76
6-12 YRS	58	9.8	73	1	2	8	12	21	26	43
13-19 YRS	72	9.3	53	2	2	8	12	19	24	38
B. *Operated*										
0-27 DYS	5	6.6	2	5	5	6	7	9	9	9
1-11 MOS	29	11.1	74	3	3	8	12	23	31	40
1-5 YRS	11	8.6	58	2	2	8	11	19	28	29
6-12 YRS	9	7.7	23	2	2	9	12	14	14	14
13-19 YRS	10	5.6	17	<1	<1	5	9	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.8	104	1	2	4	8	18	37	46
B. *Operated*	4	5.3	16	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	472	8.7	59	2	2	7	11	18	22	45
B. *Operated*	64	9.0	52	1	2	8	11	15	26	39
1. SINGLE DX	49	7.6	97	2	2	4	8	17	35	46
2. MULTIPLE DX	536	8.7	58	2	2	7	11	18	23	43
A. NOT OPERATED	517	8.6	63	2	2	6	11	18	23	46
B. OPERATED	68	8.8	50	1	2	8	11	15	25	38
TOTAL 0-27 DYS	49	7.2	28	1	1	6	10	15	18	22
1-11 MOS	240	8.3	55	2	2	6	11	16	20	42
1-5 YRS	132	9.1	80	2	2	6	12	19	26	69
6-12 YRS	73	9.7	71	2	2	8	12	20	27	42
13-19 YRS	91	8.8	60	1	2	7	11	18	25	41
GRAND TOTAL	**585**	**8.6**	**61**	**2**	**2**	**7**	**11**	**18**	**23**	**45**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	8	7.3	41	1	1	5	11	17	19	19
1-5 YRS	22	4.0	8	<1	1	3	6	9	10	10
6-12 YRS	55	4.3	14	1	1	3	5	7	11	21
13-19 YRS	230	5.3	17	1	2	4	7	10	13	19
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	11	4.6	24	1	1	3	4	14	15	15
1-5 YRS	53	3.0	7	1	1	2	3	8	9	13
6-12 YRS	83	4.0	27	1	2	2	3	10	12	33
13-19 YRS	143	4.7	28	1	1	2	5	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	9.4	72	1	1	7	11	20	31	33
1-11 MOS	46	7.5	41	<1	1	4	12	17	20	25
1-5 YRS	46	7.2	52	1	1	5	10	15	18	41
6-12 YRS	82	7.3	39	1	2	5	10	18	21	27
13-19 YRS	264	6.7	49	1	2	5	8	12	19	39
B. *Operated*										
0-27 DYS	3	19.3	325	2	2	18	33	38	38	38
1-11 MOS	19	8.9	53	1	2	7	12	16	26	33
1-5 YRS	47	3.4	17	1	2	2	2	7	16	21
6-12 YRS	54	5.8	136	1	2	2	4	10	18	74
13-19 YRS	120	8.2	84	1	1	4	12	19	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	5.1	17	1	1	4	7	10	13	20
B. *Operated*	291	4.2	24	1	1	2	3	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	451	7.0	47	1	2	5	8	15	21	39
B. *Operated*	243	6.9	87	1	2	2	9	16	23	46
1. SINGLE DX	608	4.6	20	1	1	3	6	10	13	22
2. MULTIPLE DX	694	7.0	61	1	2	4	8	16	22	40
A. NOT OPERATED	768	6.2	35	1	2	5	7	13	17	33
B. OPERATED	534	5.4	54	1	2	2	7	13	17	38
TOTAL 0-27 DYS	19	10.0	108	<1	1	7	14	27	36	38
1-11 MOS	84	7.4	42	1	1	5	12	17	19	30
1-5 YRS	168	4.4	25	1	1	2	5	10	14	24
6-12 YRS	274	5.4	51	1	2	3	6	12	19	36
13-19 YRS	757	6.2	42	1	2	4	8	13	17	36
GRAND TOTAL	**1302**	**5.9**	**43**	**1**	**2**	**3**	**7**	**13**	**17**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	12	2	2	5	8	9	9	9
1-11 MOS	4	16.8	116	7	7	14	25	31	31	31
1-5 YRS	5	5.6	8	2	2	5	8	9	9	9
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	18.5	113	11	11	18	26	26	26	26
1-5 YRS	2	10.5	25	7	7	10	14	14	14	14
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	14	8.7	59	2	2	7	9	20	29	31
B. *Operated*	6	11.3	66	3	3	9	14	25	26	26
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX	20	9.5	60	2	3	7	10	22	28	31
A. NOT OPERATED	14	8.7	59	2	2	7	9	20	29	31
B. OPERATED	7	9.9	70	<1	1	7	13	24	26	26
TOTAL 0-27 DYS	4	5.8	9	2	2	6	8	9	9	9
1-11 MOS	6	17.3	93	7	7	15	26	30	31	31
1-5 YRS	7	7.0	15	2	2	7	9	13	14	14
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
GRAND TOTAL	**21**	**9.1**	**60**	**1**	**2**	**7**	**10**	**22**	**28**	**31**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	3.9	2	2	2	4	5	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	7.0	26	1	1	10	11	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS	3	17.0	73	8	8	18	23	25	25	25
13-19 YRS	14	21.7	203	3	7	21	28	40	52	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	5.0	2	4	4	5	6	7	7	7
1-11 MOS	5	6.6	28	1	1	8	10	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.3	56	<1	<1	1	11	14	14	14
B. *Operated*										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	5	14.4	5	12	12	14	16	18	18	18
1-5 YRS										
6-12 YRS	4	39.8	1067	12	12	30	59	87	87	87
13-19 YRS	15	15.7	169	<1	1	12	19	35	46	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.2	13	1	2	4	8	11	12	12
B. *Operated*	18	20.3	172	4	8	19	25	37	48	55
2. MULTIPLE DX										
A. *Not Operated*	12	5.8	21	<1	1	5	8	14	14	14
B. *Operated*	25	19.9	320	1	4	15	24	35	59	87
1. SINGLE DX	30	14.3	163	2	2	10	23	31	38	55
2. MULTIPLE DX	37	15.3	265	<1	1	12	18	32	45	87
A. NOT OPERATED	24	5.5	17	<1	1	4	8	12	14	14
B. OPERATED	43	20.1	253	2	6	16	25	36	52	87
TOTAL 0-27 DYS	12	6.4	57	2	3	4	6	14	28	30
1-11 MOS	11	10.5	28	1	2	12	14	16	18	18
1-5 YRS										
6-12 YRS	7	30.0	706	8	9	25	31	76	87	87
13-19 YRS	37	16.0	179	<1	1	12	23	35	46	55
GRAND TOTAL	**67**	**14.8**	**216**	**1**	**2**	**12**	**19**	**32**	**40**	**82**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	23.0		23	23	23	23	23	23	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	1	51.0		51	51	51	51	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	23.0		23	23	23	23	23	23	23
B. *Operated*	2	30.0	882	9	9	30	51	51	51	51
1. SINGLE DX										
2. MULTIPLE DX	3	27.7	457	9	9	23	44	51	51	51
A. NOT OPERATED	1	23.0		23	23	23	23	23	23	23
B. OPERATED	2	30.0	882	9	9	30	51	51	51	51
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	2	37.0	392	23	23	37	51	51	51	51
GRAND TOTAL	**3**	**27.7**	**457**	**9**	**9**	**23**	**44**	**51**	**51**	**51**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	13.4	289	<1	<1	5	22	42	42	42
1-11 MOS	6	5.2	15	<1	<1	5	7	11	11	11
1-5 YRS	5	7.0	40	<1	<1	4	12	16	16	16
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	10	15.6	190	2	2	11	22	37	46	46
1-5 YRS	6	8.0	20	3	3	7	9	15	16	16
6-12 YRS	6	11.8	59	<1	1	12	21	84	99+	99+
13-19 YRS	19	16.1	260	2	4	11	21	29	56	74
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	8	9.8	91	1	1	5	17	25	27	27
1-5 YRS	3	11.3	58	3	3	13	17	18	18	18
6-12 YRS	5	21.6	1279	2	2	4	32	85	85	85
13-19 YRS	12	5.0	5	3	3	4	6	9	10	10
B. *Operated*										
0-27 DYS	3	20.3	161	13	13	13	30	35	35	35
1-11 MOS	12	30.8	541	2	6	35	61	99+	99+	99+
1-5 YRS	6	14.3	169	5	5	9	18	37	39	39
6-12 YRS	6	10.7	51	2	2	11	16	20	20	20
13-19 YRS	19	22.5	250	8	9	19	30	59	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	7.0	89	<1	<1	4	11	16	28	42
B. *Operated*	41	14.2	179	2	3	10	20	30	57	99+
2. MULTIPLE DX										
A. *Not Operated*	30	9.7	240	2	2	4	10	18	27	85
B. *Operated*	46	21.9	310	4	6	18	36	66	99+	99+
1. SINGLE DX	62	11.8	158	<1	1	8	16	24	43	97
2. MULTIPLE DX	76	17.1	315	2	3	13	24	50	80	99+
A. NOT OPERATED	51	8.6	176	<1	1	4	10	17	27	85
B. OPERATED	87	18.3	260	2	4	14	24	50	74	99+
TOTAL 0-27 DYS	10	13.8	196	<1	1	9	16	38	42	42
1-11 MOS	36	17.6	341	<1	1	11	27	58	89	99+
1-5 YRS	20	10.2	74	1	3	8	14	18	29	39
6-12 YRS	20	12.3	342	<1	1	8	17	47	92	99+
13-19 YRS	52	15.5	230	3	3	11	21	35	66	99
GRAND TOTAL	**138**	**14.7**	**250**	**1**	**2**	**10**	**20**	**42**	**71**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	1	11.0		11	11	11	11	11	11	11
1. SINGLE DX										
2. MULTIPLE DX	2	9.0	8	7	7	9	11	11	11	11
A. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
B. OPERATED	1	11.0		11	11	11	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	9.0	8	7	7	9	11	11	11	11
GRAND TOTAL	**2**	**9.0**	**8**	**7**	**7**	**9**	**11**	**11**	**11**	**11**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	3	4.7	14	2	2	3	7	9	9	9
13-19 YRS	7	8.7	51	1	1	6	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	2	13.0	8	11	11	13	15	15	15	15
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	12.5	41	8	8	12	17	17	17	17
1-5 YRS	2	12.5	113	5	5	12	20	20	20	20
6-12 YRS	5	3.8	5	2	2	3	5	7	7	7
13-19 YRS	3	12.0	76	6	6	8	18	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	7.1	35	1	2	5	11	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	5	10.2	22	4	4	11	14	15	15	15
B. *Operated*	13	8.2	48	2	2	6	10	20	22	22
1. SINGLE DX	12	7.1	35	1	2	5	11	17	18	18
2. MULTIPLE DX	18	8.8	40	2	2	7	14	19	21	22
A. NOT OPERATED	5	10.2	22	4	4	11	14	15	15	15
B. OPERATED	25	7.7	40	1	2	6	10	18	20	22
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	4	11.3	26	6	6	11	15	17	17	17
1-5 YRS	2	12.5	113	5	5	12	20	20	20	20
6-12 YRS	10	4.4	6	2	2	4	7	8	9	9
13-19 YRS	12	10.3	46	1	2	9	16	19	22	22
GRAND TOTAL	**30**	**8.1**	**37**	**2**	**2**	**6**	**13**	**18**	**20**	**22**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	33.0		33	33	33	33	33	33	33
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	21.5	265	10	10	21	33	33	33	33
1. SINGLE DX										
2. MULTIPLE DX	2	21.5	265	10	10	21	33	33	33	33
A. NOT OPERATED										
B. OPERATED	2	21.5	265	10	10	21	33	33	33	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	33.0		33	33	33	33	33	33	33
13-19 YRS	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**2**	**21.5**	**265**	**10**	**10**	**21**	**33**	**33**	**33**	**33**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	6	7.8	52	2	2	6	7	21	22	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	5	11.6	9	9	9	11	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	8.0	11	4	4	7	11	13	13	13
1-11 MOS	5	12.0	76	2	2	14	19	22	22	22
1-5 YRS	12	7.5	35	1	2	6	11	15	20	21
6-12 YRS	6	10.0	74	1	1	8	11	24	26	26
13-19 YRS	10	11.9	290	1	1	7	11	35	59	59
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.7	33	5	5	15	15	15	15	15
1-5 YRS										
6-12 YRS	2	12.0	8	10	10	12	14	14	14	14
13-19 YRS	2	12.5	13	10	10	12	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	8.1	48	<1	1	7	7	20	22	22
B. *Operated*	6	11.7	7	9	9	11	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	40	9.6	100	1	2	7	11	19	24	59
B. *Operated*	7	12.0	15	5	6	14	15	15	15	15
1. SINGLE DX	16	9.4	34	1	2	8	12	19	21	22
2. MULTIPLE DX	47	10.0	87	1	2	10	13	17	23	59
A. NOT OPERATED	50	9.3	88	1	2	7	11	20	22	59
B. OPERATED	13	11.8	10	6	8	12	15	15	16	16
TOTAL 0-27 DYS	7	8.0	11	4	4	7	11	13	13	13
1-11 MOS	9	12.7	52	2	3	15	18	21	22	22
1-5 YRS	13	7.0	35	<1	1	4	11	15	20	21
6-12 YRS	11	10.0	41	1	3	10	12	19	25	26
13-19 YRS	23	10.8	136	1	2	9	12	17	35	59
GRAND TOTAL	**63**	**9.8**	**73**	**1**	**2**	**9**	**13**	**18**	**22**	**55**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	15.0	237	2	2	11	27	32	32	32
1-5 YRS	3	15.0	79	5	5	18	21	22	22	22
6-12 YRS	3	23.0	367	<1	<1	32	35	36	36	36
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	27.0		27	27	63	99+	99+	99+	99+
13-19 YRS	3	34.0	709	6	6	37	53	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	16.6	177	<1	1	14	32	34	36	36
B. *Operated*	4	32.3	485	6	6	37	69	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	14	21.1	289	<1	2	22	35	59	90	99+
A. NOT OPERATED	10	16.6	177	<1	1	14	32	34	36	36
B. OPERATED	4	32.3	485	6	6	37	69	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	3	15.0	237	2	2	11	27	32	32	32
1-5 YRS	3	15.0	79	5	5	18	21	22	22	22
6-12 YRS	4	24.0	249	<1	<1	32	52	99+	99+	99+
13-19 YRS	4	27.3	655	6	6	22	48	59	59	59
GRAND TOTAL	**14**	**21.1**	**289**	**<1**	**2**	**22**	**35**	**59**	**90**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	9	2.7	1	1	1	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.0	22	<1	<1	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	10.6	116	3	3	6	11	30	34	34
1-11 MOS	15	5.6	14	1	1	5	8	13	13	13
1-5 YRS	10	13.2	468	3	3	7	10	43	74	74
6-12 YRS	11	5.7	11	2	2	6	8	11	12	12
13-19 YRS	29	3.7	7	1	1	3	4	7	11	[illegible]
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	1	21.0		21	21	21	21	21	21	21
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	3	7.0	36	1	1	7	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.2	4	1	2	3	3	5	8	10
B. *Operated*	4	4.0	22	<1	<1	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	72	6.4	88	1	2	4	7	12	13	65
B. *Operated*	7	8.6	48	1	1	7	12	19	21	21
1. SINGLE DX	22	3.3	7	1	1	3	3	7	10	11
2. MULTIPLE DX	79	6.6	84	1	2	4	8	12	13	62
A. NOT OPERATED	90	5.7	72	1	2	3	6	11	12	58
B. OPERATED	11	6.9	40	<1	1	6	11	16	21	21
TOTAL 0-27 DYS	8	9.6	106	3	3	6	10	27	34	34
1-11 MOS	20	5.0	12	1	1	4	6	11	13	13
1-5 YRS	14	11.4	353	2	2	5	10	26	63	74
6-12 YRS	14	6.4	11	2	2	6	10	10	12	12
13-19 YRS	45	3.7	9	1	1	3	4	7	11	13
GRAND TOTAL	**101**	**5.9**	**69**	**1**	**2**	**3**	**6**	**11**	**13**	**54**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	30.5	1	30	30	30	31	31	31	31
1-11 MOS	4	6.8	25	3	3	5	10	14	14	14
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	15	3.1	2	1	2	3	4	5	6	6
13-19 YRS	13	3.5	3	1	2	3	5	6	7	7
B. *Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	6	6.8	43	2	2	4	9	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	10.5	68	<1	<1	10	17	20	20	20
1-11 MOS	16	16.3	104	5	5	14	20	34	36	37
1-5 YRS	14	14.0	129	2	4	8	23	34	38	39
6-12 YRS	14	7.2	26	2	2	5	9	16	18	19
13-19 YRS	15	7.3	19	2	2	7	10	12	16	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	6	1.5		<1	<1	1	2	2	2	2
6-12 YRS	3	16.3	210	2	2	16	27	31	31	31
13-19 YRS	5	17.2	172	6	6	14	25	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.1	44	1	2	3	5	7	25	31
B. *Operated*	10	7.4	82	1	1	3	9	23	28	28
2. MULTIPLE DX										
A. *Not Operated*	63	11.3	81	2	3	8	15	23	34	39
B. *Operated*	15	10.5	138	<1	1	6	16	31	36	38
1. SINGLE DX	46	5.6	52	1	2	3	5	13	28	31
2. MULTIPLE DX	78	11.1	90	1	2	8	15	24	34	39
A. NOT OPERATED	99	9.0	76	2	2	6	11	21	31	38
B. OPERATED	25	9.3	114	<1	1	3	15	28	33	38
TOTAL 0-27 DYS	7	18.7	140	<1	1	20	29	31	31	31
1-11 MOS	21	14.4	96	4	4	14	13	32	36	37
1-5 YRS	22	9.5	116	<1	1	7	10	27	35	39
6-12 YRS	35	5.7	38	1	2	4	6	16	18	31
13-19 YRS	39	7.3	49	2	2	5	9	16	20	38
GRAND TOTAL	**124**	**9.1**	**83**	**1**	**2**	**6**	**12**	**22**	**31**	**38**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99 (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	18.3	142	11	11	13	25	36	36	36
1-11 MOS	5	16.2	55	7	7	15	21	27	27	27
1-5 YRS	4	18.8	174	5	5	18	29	34	34	34
6-12 YRS	7	14.7	406	4	4	8	11	50	60	60
13-19 YRS	7	8.4	41	2	2	8	10	19	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	20.5	85	14	14	20	27	27	27	27
6-12 YRS	3	13.0	84	5	5	11	20	23	23	23
13-19 YRS	4	20.8	309	10	10	13	30	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	14.5	163	2	4	11	18	33	40	60
B. *Operated*	9	18.1	162	5	7	14	24	39	47	47
1. SINGLE DX										
2. MULTIPLE DX	36	15.4	161	3	4	11	20	33	44	60
A. NOT OPERATED	27	14.5	163	2	4	11	18	33	40	60
B. OPERATED	9	18.1	162	5	7	14	24	39	47	47
TOTAL 0-27 DYS	4	18.3	142	11	11	13	25	36	36	36
1-11 MOS	5	16.2	55	7	7	15	21	27	27	27
1-5 YRS	6	19.3	122	5	6	19	27	33	34	34
6-12 YRS	10	14.2	290	4	4	8	12	41	60	60
13-19 YRS	11	12.9	156	2	2	10	13	31	46	47
GRAND TOTAL	**36**	**15.4**	**161**	**3**	**4**	**11**	**20**	**33**	**44**	**60**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	5	6.2	14	2	2	6	10	10	10	10
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	9	3.3	12	<1	<1	3	4	9	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS	6	6.0	43	1	1	3	11	16	17	17
13-19 YRS	10	5.4	36	1	1	4	5	15	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	9.4	59	2	2	6	13	22	25	25
1-11 MOS	6	7.5	9	3	3	8	9	11	11	11
1-5 YRS	16	8.3	34	1	1	7	14	16	17	18
6-12 YRS	18	11.1	110	2	3	6	15	27	34	38
13-19 YRS	29	12.1	433	1	1	5	9	36	72	88
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	10.3	6	8	8	10	12	13	13	13
1-5 YRS	9	11.6	97	2	4	9	13	28	36	36
6-12 YRS	4	7.5	72	1	1	4	12	20	20	20
13-19 YRS	19	12.3	317	2	2	5	13	42	60	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.0	11	<1	<1	3	5	10	11	12
B. *Operated*	17	5.8	34	1	1	3	8	16	20	21
2. MULTIPLE DX										
A. *Not Operated*	77	10.4	200	1	2	6	12	23	35	83
B. *Operated*	36	11.3	195	2	2	7	12	23	49	65
1. SINGLE DX	37	4.8	22	<1	1	3	6	11	15	21
2. MULTIPLE DX	113	10.7	197	1	2	6	12	23	38	77
A. NOT OPERATED	97	9.1	167	1	1	5	10	18	28	80
B. OPERATED	53	9.5	148	1	2	6	11	20	34	65
TOTAL 0-27 DYS	9	9.0	53	2	2	6	13	21	25	25
1-11 MOS	13	7.2	13	1	2	8	9	11	13	13
1-5 YRS	30	8.9	50	1	2	7	12	16	18	36
6-12 YRS	31	8.9	85	1	2	5	11	23	29	38
13-19 YRS	67	10.0	290	1	1	4	9	22	56	85
GRAND TOTAL	**150**	**9.2**	**160**	**1**	**1**	**5**	**11**	**19**	**29**	**71**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	3	32.0	61	23	23	36	37	37	37	37
1-5 YRS	4	13.5	50	5	5	13	18	22	22	22
6-12 YRS	5	14.0	87	4	4	10	22	27	27	27
13-19 YRS	6	10.0	82	2	2	6	17	24	25	25
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	4	27.8	1021	3	3	19	52	70	70	70
1-5 YRS	2	11.0	128	3	3	11	19	19	19	19
6-12 YRS	5	14.2	86	4	4	14	21	27	23	27
13-19 YRS	5	6.2	7	2	2	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	6	4.2	13	2	2	3	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	19	15.5	114	3	4	15	23	32	37	37
B. *Operated*	17	14.5	290	2	3	7	19	33	58	70
1. SINGLE DX	7	3.9	11	2	2	2	4	10	11	11
2. MULTIPLE DX	36	15.1	191	2	3	11	21	34	37	70
A. NOT OPERATED	20	14.9	117	2	3	13	22	31	36	37
B. OPERATED	23	11.8	235	2	2	7	13	29	47	70
TOTAL 0-27 DYS	2	13.5	5	12	12	13	15	15	15	15
1-11 MOS	7	29.6	536	3	3	35	37	63	70	70
1-5 YRS	8	10.4	59	2	2	9	17	21	22	22
6-12 YRS	11	13.8	70	4	4	11	20	27	27	27
13-19 YRS	15	6.7	42	2	2	5	7	17	23	25
GRAND TOTAL	**43**	**13.2**	**179**	**2**	**2**	**9**	**19**	**29**	**36**	**70**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS										
6-12 YRS	3	22.0	364	10	10	12	36	44	44	44
13-19 YRS	4	30.3	245	19	19	24	40	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	4	9.0	76	2	2	7	16	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	4	4.0	7	2	2	3	6	8	8	8
B. *Operated*	8	26.6	226	10	11	23	36	50	53	53
1. SINGLE DX	5	7.4	70	<1	<1	2	14	20	20	20
2. MULTIPLE DX	12	19.1	270	2	3	15	27	47	52	53
A. NOT OPERATED	5	3.4	7	<1	<1	3	4	8	8	8
B. OPERATED	12	20.8	240	2	2	19	27	47	52	53
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	3	15.3	89	8	8	12	22	26	26	26
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	3	22.0	364	10	10	12	36	44	44	44
13-19 YRS	7	20.7	300	<1	1	20	26	48	53	53
GRAND TOTAL	**17**	**15.6**	**233**	**1**	**2**	**12**	**22**	**41**	**50**	**53**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	11.8	155	2	2	6	24	30	31	31
6-12 YRS	7	4.6	11	2	2	3	7	10	10	10
13-19 YRS	25	7.5	43	1	1	6	11	19	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.0	8	6	6	8	10	10	10	10
6-12 YRS	4	6.0	38	1	1	4	10	15	15	15
13-19 YRS	10	15.1	265	2	2	10	20	40	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	39	7.5	55	1	2	5	9	20	23	31
2. MULTIPLE DX										
A. *Not Operated*	1	33.0		33	33	33	33	33	33	33
B. *Operated*	16	11.9	186	1	2	7	16	25	46	55
1. SINGLE DX	40	7.4	54	1	2	5	9	19	23	31
2. MULTIPLE DX	17	13.2	200	1	2	9	18	32	47	55
A. NOT OPERATED	2	18.0	450	3	3	18	33	33	33	33
B. OPERATED	55	8.8	94	1	2	6	11	20	25	54
TOTAL 0-27 DYS										
1-11 MOS	2	17.5	481	2	2	17	33	33	33	33
1-5 YRS	8	10.9	115	2	2	6	17	29	31	31
6-12 YRS	11	5.1	18	1	1	4	7	12	15	15
13-19 YRS	36	9.5	111	1	2	6	14	20	25	55
GRAND TOTAL	**57**	**9.1**	**102**	**1**	**2**	**6**	**12**	**22**	**29**	**53**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	10	8.1	25	1	1	8	11	15	17	17
B. *Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	6	12.5	312	1	1	6	14	44	47	47
13-19 YRS	15	8.3	48	<1	1	8	12	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	9.0	50	2	2	8	14	18	18	18
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	4	9.0	15	5	5	8	12	14	14	14
6-12 YRS	4	10.3	211	2	2	3	18	32	32	32
13-19 YRS	17	15.4	180	4	8	11	15	36	51	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.0	23	1	2	7	11	15	17	17
B. *Operated*	24	8.9	104	<1	1	7	11	19	31	47
2. MULTIPLE DX										
A. *Not Operated*	5	7.4	50	1	1	5	13	18	18	18
B. *Operated*	27	13.2	146	2	3	9	14	29	43	57
1. SINGLE DX	35	8.6	77	1	1	7	11	17	23	47
2. MULTIPLE DX	32	12.3	134	2	2	9	14	23	39	57
A. NOT OPERATED	16	7.8	29	1	1	7	11	17	18	18
B. OPERATED	51	11.2	129	1	2	9	14	21	40	57
TOTAL 0-27 DYS	3	6.0	1	5	5	6	7	7	7	7
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	4	9.0	15	5	5	8	12	14	14	14
6-12 YRS	12	10.3	211	1	1	3	11	36	45	47
13-19 YRS	46	10.9	99	1	2	9	13	19	27	57
GRAND TOTAL	**67**	**10.4**	**106**	**1**	**2**	**9**	**13**	**19**	**33**	**55**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	5.4	14	2	2	4	6	12	14	15
1-5 YRS	118	8.0	26	2	2	7	11	15	19	22
6-12 YRS	49	5.0	9	1	1	4	7	9	10	12
13-19 YRS	59	4.8	30	<1	1	3	6	10	15	32
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	22	7.1	47	<1	<1	5	10	17	21	25
6-12 YRS	20	3.7	8	<1	<1	3	5	8	9	11
13-19 YRS	62	6.1	23	1	1	5	9	12	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	21	5.9	9	2	3	5	8	10	12	13
1-5 YRS	46	7.9	43	2	2	6	11	15	18	37
6-12 YRS	35	6.5	30	2	2	4	9	14	18	24
13-19 YRS	41	5.9	97	1	1	3	6	10	14	64
B. *Operated*										
0-27 DYS	4	14.0	54	4	4	16	19	20	20	20
1-11 MOS	5	15.4	217	2	2	11	30	32	32	32
1-5 YRS	11	11.5	54	4	4	9	19	22	22	22
6-12 YRS	17	10.2	289	1	1	3	8	40	55	61
13-19 YRS	50	12.7	209	1	2	8	16	29	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	6.4	25	1	2	5	8	14	16	22
B. *Operated*	105	5.8	26	<1	1	4	8	12	17	23
2. MULTIPLE DX										
A. *Not Operated*	144	6.7	50	2	2	5	8	13	16	39
B. *Operated*	87	12.3	193	1	2	8	16	29	41	68
1. SINGLE DX	351	6.2	25	1	1	5	8	13	16	22
2. MULTIPLE DX	231	8.8	111	1	2	5	11	19	29	64
A. NOT OPERATED	390	6.5	34	1	2	5	8	14	16	24
B. OPERATED	192	8.8	111	1	1	6	10	20	29	63
TOTAL 0-27 DYS	6	10.0	71	2	2	8	19	20	20	20
1-11 MOS	46	6.7	38	2	2	5	8	13	18	32
1-5 YRS	197	8.1	34	1	2	6	11	16	20	24
6-12 YRS	121	6.0	56	1	1	4	7	12	14	49
13-19 YRS	212	7.3	91	1	1	5	8	15	23	64
GRAND TOTAL	**582**	**7.2**	**60**	**1**	**2**	**5**	**9**	**15**	**20**	**39**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	8.7	12	5	5	9	11	12	12	12
1-11 MOS	8	7.9	35	2	2	6	10	18	20	20
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	18	6.6	13	2	2	6	9	9	14	17
13-19 YRS	352	7.3	12	2	3	7	9	12	14	18
B. *Operated*										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	130	8.8	28	2	3	8	12	15	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	14.5	80	6	6	13	21	26	26	26
1-11 MOS	7	11.1	29	3	4	10	16	18	18	18
1-5 YRS	3	5.0		5	5	5	5	5	5	5
6-12 YRS	11	9.3	69	3	3	5	16	22	27	27
13-19 YRS	233	8.9	34	3	4	7	11	15	20	37
B. *Operated*										
0-27 DYS	3	9.0	28	5	5	7	13	15	15	15
1-11 MOS	2	30.0	392	16	16	30	44	44	44	44
1-5 YRS	2	22.0	800	2	2	22	42	42	42	42
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS	75	11.6	68	2	3	10	15	22	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	7.2	13	2	3	7	9	12	14	19
B. *Operated*	132	8.8	27	2	3	8	11	15	20	26
2. MULTIPLE DX										
A. *Not Operated*	258	9.0	36	3	4	7	11	17	21	36
B. *Operated*	83	12.4	91	2	3	10	16	25	31	47
1. SINGLE DX	515	7.6	17	2	3	7	10	13	15	23
2. MULTIPLE DX	341	9.8	51	3	4	8	12	19	24	42
A. NOT OPERATED	641	7.9	23	2	3	7	10	13	17	28
B. OPERATED	215	10.2	55	2	3	8	13	19	25	43
TOTAL 0-27 DYS	12	10.3	40	5	5	8	13	20	25	26
1-11 MOS	17	11.8	100	2	3	10	16	20	36	44
1-5 YRS	7	10.4	200	2	2	5	9	36	42	42
6-12 YRS	30	8.3	48	2	3	6	9	18	27	29
13-19 YRS	790	8.4	28	2	3	7	10	14	19	30
GRAND TOTAL	**856**	**8.5**	**32**	**2**	**3**	**7**	**10**	**15**	**19**	**35**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	5	4.2	6	2	2	3	6	8	8	8
B. *Operated*										
0-27 DYS	6	5.5	10	1	1	5	8	10	10	10
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	4	4.5	7	1	1	5	6	7	7	7
6-12 YRS	8	5.0	20	2	2	4	4	13	16	16
13-19 YRS	173	3.8	4	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	10.0	18	7	7	10	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	13	8.2	58	1	1	7	9	21	26	27
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	27	5.7	19	2	2	4	7	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	6	1	1	3	5	7	8	8
B. *Operated*	194	3.9	5	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	15	8.4	52	1	1	7	11	20	25	27
B. *Operated*	30	5.8	20	2	2	4	7	12	13	22
1. SINGLE DX	201	3.9	5	2	2	4	5	6	8	12
2. MULTIPLE DX	45	6.7	31	1	2	5	8	13	20	27
A. NOT OPERATED	22	6.8	42	1	1	5	8	15	23	27
B. OPERATED	224	4.2	7	2	2	4	5	7	9	15
TOTAL 0-27 DYS	7	5.7	9	1	2	5	8	10	10	10
1-11 MOS	5	7.0	13	4	4	6	8	13	13	13
1-5 YRS	6	3.5	7	1	1	3	6	7	7	7
6-12 YRS	10	5.4	24	1	1	4	4	14	16	16
13-19 YRS	218	4.3	10	2	2	4	5	7	9	21
GRAND TOTAL	**246**	**4.4**	**10**	**2**	**2**	**4**	**5**	**7**	**10**	**20**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	7	2.3	2	1	1	2	4	4	4	4
13-19 YRS	66	2.8	2	1	1	3	4	5	5	7
B. *Operated*										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	5	2.0	3	<1	<1	1	3	5	5	5
1-5 YRS	11	2.7	8	1	1	2	4	7	10	10
6-12 YRS	8	3.6	7	1	1	3	5	7	8	8
13-19 YRS	140	4.9	4	2	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	4	2.5	1	<1	<1	3	3	3	3	3
13-19 YRS	78	3.8	6	1	1	3	5	7	9	12
B. *Operated*										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	9	5.7	10	1	2	5	8	10	11	11
1-5 YRS	6	2.5	1	1	1	2	3	4	4	4
6-12 YRS	13	5.8	60	<1	1	5	5	11	27	31
13-19 YRS	385	5.1	4	2	3	5	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.8	2	1	1	2	4	5	5	7
B. *Operated*	166	4.6	5	1	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	86	3.8	6	1	1	3	5	7	8	12
B. *Operated*	415	5.1	6	2	3	5	6	8	9	15
1. SINGLE DX	243	4.0	5	1	1	4	5	7	8	11
2. MULTIPLE DX	501	4.9	7	2	2	5	6	7	9	14
A. NOT OPERATED	163	3.3	4	1	1	3	4	6	7	11
B. OPERATED	581	5.0	6	2	2	5	6	7	9	14
TOTAL 0-27 DYS	7	6.9	30	1	1	5	10	16	17	17
1-11 MOS	14	4.4	11	<1	1	4	6	9	11	11
1-5 YRS	22	2.6	5	<1	1	2	4	5	7	10
6-12 YRS	32	4.1	28	<1	1	3	5	6	8	31
13-19 YRS	669	4.7	5	2	2	5	6	7	8	11
GRAND TOTAL	**744**	**4.6**	**6**	**1**	**2**	**4**	**6**	**7**	**8**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	8.3	60	2	2	6	14	17	17	17
1-11 MOS	8	4.4	9	1	1	3	6	9	10	10
1-5 YRS	21	3.3	7	<1	1	2	4	7	9	12
6-12 YRS	27	4.6	9	1	2	3	6	8	11	15
13-19 YRS	135	4.7	10	1	1	4	7	9	11	14
B. *Operated*										
0-27 DYS	3	4.7	16	1	1	4	8	9	9	9
1-11 MOS	6	8.5	184	1	1	3	5	33	36	36
1-5 YRS	7	2.0	2	<1	<1	2	2	4	5	5
6-12 YRS	83	3.3	6	1	1	3	4	6	8	13
13-19 YRS	451	3.5	6	1	2	3	4	5	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	16	5.4	33	<1	1	4	6	13	20	23
1-5 YRS	33	4.0	11	1	1	3	5	10	12	13
6-12 YRS	43	5.0	10	1	2	4	5	10	11	16
13-19 YRS	178	4.3	10	1	1	3	6	9	12	16
B. *Operated*										
0-27 DYS	4	4.3	27	<1	<1	2	7	12	12	12
1-11 MOS	4	5.8	22	1	1	5	9	12	12	12
1-5 YRS	13	4.6	31	1	1	2	7	29	84	99+
6-12 YRS	44	6.4	30	1	2	4	9	15	19	20
13-19 YRS	204	6.6	87	1	2	4	7	13	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	4.6	10	1	1	4	6	9	11	15
B. *Operated*	550	3.5	8	1	2	3	4	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	273	4.5	11	1	1	4	5	9	12	16
B. *Operated*	269	6.5	73	1	2	4	7	14	20	44
1. SINGLE DX	744	3.8	9	1	2	3	4	7	10	15
2. MULTIPLE DX	542	5.5	43	1	1	4	6	12	15	36
A. NOT OPERATED	467	4.5	11	1	1	4	6	9	12	16
B. OPERATED	819	4.5	31	1	2	3	5	9	13	25
TOTAL 0-27 DYS	13	5.2	23	<1	1	4	7	13	16	17
1-11 MOS	34	5.8	49	1	1	4	6	12	21	36
1-5 YRS	74	3.7	12	1	1	3	4	9	12	80
6-12 YRS	197	4.5	14	1	1	3	5	10	13	19
13-19 YRS	968	4.5	26	1	2	3	5	9	12	21
GRAND TOTAL	**1286**	**4.5**	**24**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	319	3.5	19	1	1	3	4	6	7	10
1-11 MOS	5263	3.3	5	1	1	3	4	6	7	11
1-5 YRS	12463	2.8	5	1	1	2	3	5	6	9
6-12 YRS	2594	2.8	3	1	1	2	3	5	6	8
13-19 YRS	1829	3.4	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS	14	3.7	21	1	1	2	3	7	16	19
1-11 MOS	39	5.3	13	2	2	4	7	9	13	20
1-5 YRS	804	2.5	6	<1	1	2	2	5	7	12
6-12 YRS	1615	2.0	4	<1	1	2	2	2	3	9
13-19 YRS	1899	2.2	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	361	4.2	7	1	2	4	5	7	9	14
1-11 MOS	7227	4.2	9	1	2	4	5	7	9	14
1-5 YRS	13771	3.6	7	1	1	3	4	6	8	12
6-12 YRS	4216	3.6	10	1	1	3	4	6	7	12
13-19 YRS	3435	3.9	5	1	2	3	5	7	8	12
B. *Operated*										
0-27 DYS	5	7.6	41	1	1	7	10	18	18	18
1-11 MOS	89	7.7	39	2	2	6	9	15	23	30
1-5 YRS	976	3.1	12	1	1	2	3	7	10	19
6-12 YRS	1073	2.3	5	1	1	2	2	4	5	11
13-19 YRS	600	3.4	15	1	2	2	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22468	3.0	5	1	1	3	4	5	6	10
B. *Operated*	4371	2.2	4	1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	29010	3.8	8	1	1	3	5	7	8	13
B. *Operated*	2743	3.1	12	1	1	2	3	6	9	18
1. SINGLE DX	26839	2.9	5	1	1	2	3	5	6	10
2. MULTIPLE DX	31753	3.7	8	1	1	3	5	7	8	13
A. NOT OPERATED	51478	3.4	7	1	1	3	4	6	7	12
B. OPERATED	7114	2.5	7	1	1	2	2	4	7	14
TOTAL 0-27 DYS	699	3.9	13	1	1	3	5	7	8	14
1-11 MOS	12518	3.9	8	1	1	3	5	7	9	14
1-5 YRS	28014	3.2	6	1	1	3	4	6	7	11
6-12 YRS	9498	2.9	7	1	1	2	4	5	6	11
13-19 YRS	7763	3.3	5	1	1	3	4	6	7	11
GRAND TOTAL	**58592**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	214	4.9	36	2	2	4	6	7	9	46
1-11 MOS	9683	4.5	8	2	2	4	6	8	9	13
1-5 YRS	8681	3.5	5	1	1	3	4	6	7	11
6-12 YRS	1294	3.5	9	1	1	3	4	6	7	10
13-19 YRS	724	4.3	7	2	2	4	5	7	8	20
B. *Operated*										
0-27 DYS	3	5.0	3	3	3	6	6	6	6	6
1-11 MOS	33	7.9	43	2	3	6	9	15	17	36
1-5 YRS	16	7.4	12	3	4	7	9	11	14	16
6-12 YRS	8	5.0	10	2	2	4	7	10	10	10
13-19 YRS	15	5.9	12	1	2	6	7	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	187	6.1	27	2	2	5	7	10	14	32
1-11 MOS	8467	5.4	12	2	2	5	7	9	11	17
1-5 YRS	6063	4.3	7	1	2	4	5	7	9	14
6-12 YRS	1172	4.1	5	2	2	4	5	7	8	13
13-19 YRS	1048	4.7	8	2	2	4	6	8	9	15
B. *Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	101	9.6	60	3	4	7	11	17	22	44
1-5 YRS	60	7.7	29	2	3	6	9	14	16	30
6-12 YRS	20	6.5	30	<1	1	6	9	11	18	25
13-19 YRS	45	8.2	30	2	3	7	10	14	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20596	4.0	7	1	2	4	5	7	8	12
B. *Operated*	75	7.0	25	2	2	6	9	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	16937	4.9	10	2	2	4	6	8	10	16
B. *Operated*	228	8.5	44	2	3	7	11	15	18	40
1. SINGLE DX	20671	4.0	7	1	2	4	5	7	8	12
2. MULTIPLE DX	17165	4.9	11	2	2	4	6	8	10	16
A. NOT OPERATED	37533	4.4	9	1	2	4	5	8	9	14
B. OPERATED	303	8.1	40	2	3	7	10	15	18	38
TOTAL 0-27 DYS	406	5.5	32	2	2	4	6	9	12	32
1-11 MOS	18284	5.0	11	2	2	4	6	8	10	16
1-5 YRS	14820	3.9	6	1	2	3	5	7	8	12
6-12 YRS	2494	3.8	7	1	2	3	5	6	8	11
13-19 YRS	1832	4.6	9	2	2	4	6	8	9	16
GRAND TOTAL	**37836**	**4.4**	**9**	**1**	**2**	**4**	**5**	**8**	**9**	**14**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	7	2.3	3	<1	<1	2	2	5	6	6
13-19 YRS	45	2.1	3	<1	<1	1	3	4	4	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	16	1.8		<1	1	2	2	2	3	3
6-12 YRS	166	2.1	1	1	1	2	2	3	4	5
13-19 YRS	3473	2.7	6	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	6	2.2	4	<1	<1	1	3	6	6	6
13-19 YRS	67	1.7	2	<1	<1	1	2	4	4	6
B. *Operated*										
0-27 DYS	7	2.4	1	1	1	2	3	4	4	4
1-11 MOS	6	2.2	1	1	1	2	3	4	4	4
1-5 YRS	19	1.9	1	<1	1	2	3	3	4	4
6-12 YRS	237	2.6	2	1	1	2	3	4	5	7
13-19 YRS	3974	2.9	6	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.2	3	<1	<1	2	3	4	4	12
B. *Operated*	3657	2.7	6	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	76	1.7	2	<1	<1	1	2	4	4	6
B. *Operated*	4243	2.9	5	1	2	3	3	4	5	8
1. SINGLE DX	3715	2.7	5	1	1	2	3	4	5	6
2. MULTIPLE DX	4319	2.9	5	1	2	3	3	4	5	8
A. NOT OPERATED	134	1.9	2	<1	<1	1	2	4	4	7
B. OPERATED	7900	2.8	5	1	1	3	3	4	5	7
TOTAL 0-27 DYS	8	2.6	1	1	1	3	3	4	4	4
1-11 MOS	11	2.1	1	1	1	2	3	4	4	4
1-5 YRS	40	1.9	1	<1	1	2	2	3	3	4
6-12 YRS	416	2.4	2	1	1	2	3	4	5	7
13-19 YRS	7559	2.8	6	1	1	3	3	4	5	7
GRAND TOTAL	**8034**	**2.8**	**5**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7	21	2	2	2	8	10	10	10
13-19 YRS	4	4.0	3	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	1.9	1	1	1	2	2	3	4	4
6-12 YRS	57	1.8	1	<1	1	2	2	3	4	6
13-19 YRS	132	2.3	2	<1	1	2	3	4	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	13	3.0	10	1	1	1	4	7	11	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	14	1.7		<1	<1	2	2	2	3	3
6-12 YRS	92	2.6	4	<1	1	2	3	4	7	12
13-19 YRS	247	3.1	18	1	1	2	4	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.3	9	2	2	4	6	9	10	10
B. *Operated*	201	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	17	2.6	8	<1	<1	1	3	5	10	12
B. *Operated*	357	2.9	13	1	1	2	3	5	6	12
1. SINGLE DX	208	2.2	2	1	1	2	3	4	4	9
2. MULTIPLE DX	374	2.9	13	1	1	2	3	5	6	12
A. NOT OPERATED	24	3.1	8	<1	1	2	4	6	11	12
B. OPERATED	558	2.6	9	1	1	2	3	4	5	11
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	25	1.8	1	<1	<1	2	2	2	3	4
6-12 YRS	155	2.3	3	<1	1	2	3	4	5	11
13-19 YRS	396	2.9	12	1	1	2	3	5	6	12
GRAND TOTAL	**582**	**2.7**	**9**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.4	1	1	1	2	3	4	4	4
1-5 YRS	454	1.9	13	<1	<1	1	2	2	4	12
6-12 YRS	588	1.9	5	<1	<1	2	2	2	3	11
13-19 YRS	418	2.4	14	<1	<1	2	2	4	5	11
B. *Operated*										
0-27 DYS	38	1.9	1	<1	1	2	2	3	4	4
1-11 MOS	85	2.0	8	<1	1	2	2	2	3	19
1-5 YRS	22695	1.8	2	<1	1	2	2	2	2	4
6-12 YRS	42812	1.8	2	1	1	2	2	2	2	4
13-19 YRS	30750	2.1	4	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	25	2.9	8	<1	1	1	4	6	11	11
1-5 YRS	1130	1.6	3	<1	<1	1	2	3	4	10
6-12 YRS	859	1.8	5	<1	<1	1	2	3	5	11
13-19 YRS	332	2.1	4	<1	<1	1	3	4	6	11
B. *Operated*										
0-27 DYS	25	1.7		<1	<1	2	2	2	3	4
1-11 MOS	272	1.6	3	<1	<1	1	2	2	2	11
1-5 YRS	25748	1.8	4	<1	1	2	2	2	2	5
6-12 YRS	22267	1.8	3	<1	1	2	2	2	3	5
13-19 YRS	5466	2.3	5	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1470	2.0	10	<1	<1	2	2	3	4	11
B. *Operated*	96380	1.9	3	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	2347	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*	53778	1.8	4	<1	1	2	2	2	3	5
1. SINGLE DX	97850	1.9	3	1	1	2	2	2	3	4
2. MULTIPLE DX	56125	1.8	4	<1	1	2	2	2	3	6
A. NOT OPERATED	3817	1.9	6	<1	<1	1	2	3	4	11
B. OPERATED	150158	1.9	3	<1	1	2	2	2	3	5
TOTAL 0-27 DYS	65	1.8	1	<1	<1	2	2	2	3	4
1-11 MOS	391	1.8	4	<1	<1	1	2	2	4	12
1-5 YRS	50027	1.8	3	<1	1	2	2	2	2	5
6-12 YRS	66526	1.8	2	<1	1	2	2	2	2	4
13-19 YRS	36966	2.1	4	1	1	2	2	3	3	6
GRAND TOTAL	**153975**	**1.9**	**3**	**<1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	21	3.6	8	1	1	3	5	7	10	13
1-11 MOS	163	3.3	5	<1	1	3	4	6	8	12
1-5 YRS	612	2.6	6	<1	1	2	3	5	6	10
6-12 YRS	528	3.1	8	<1	1	3	4	5	7	13
13-19 YRS	905	3.5	13	1	2	3	4	6	7	11
B. *Operated*										
0-27 DYS	3	5.7	22	2	2	4	9	11	11	11
1-11 MOS	37	3.9	18	<1	1	2	4	11	12	18
1-5 YRS	214	3.2	39	<1	<1	2	2	6	9	31
6-12 YRS	703	2.3	7	<1	1	2	2	4	6	10
13-19 YRS	1667	2.8	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	5.3	17	1	2	5	6	10	14	20
1-11 MOS	220	4.4	10	1	1	4	5	8	11	15
1-5 YRS	490	3.8	14	1	1	3	5	7	8	13
6-12 YRS	533	3.8	7	1	1	3	5	7	9	13
13-19 YRS	720	4.5	10	1	2	4	5	8	9	15
B. *Operated*										
0-27 DYS	3	3.0	4	1	1	4	52	99+	99+	99+
1-11 MOS	37	8.5	121	<1	1	6	9	21	30	57
1-5 YRS	294	3.1	37	<1	1	2	3	6	8	22
6-12 YRS	608	2.5	6	<1	1	2	3	4	6	15
13-19 YRS	1241	3.2	5	1	1	3	4	5	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2229	3.2	9	1	1	3	4	5	7	11
B. *Operated*	2624	2.7	8	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1990	4.1	10	1	1	3	5	7	9	15
B. *Operated*	2183	3.1	12	1	1	2	3	5	8	15
1. SINGLE DX	4853	2.9	9	<1	1	2	3	5	6	11
2. MULTIPLE DX	4173	3.6	11	1	1	3	4	7	8	15
A. NOT OPERATED	4219	3.6	10	1	1	3	4	6	8	13
B. OPERATED	4807	2.9	10	1	1	2	3	5	7	14
TOTAL 0-27 DYS	54	4.5	13	1	1	4	6	10	13	96
1-11 MOS	457	4.3	19	1	1	3	5	8	11	23
1-5 YRS	1610	3.1	18	<1	1	2	4	6	7	17
6-12 YRS	2372	2.9	7	<1	1	2	3	5	7	13
13-19 YRS	4533	3.3	7	1	1	3	4	6	7	12
GRAND TOTAL	**9026**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	617	6.1	17	2	3	5	7	10	12	18
1-11 MOS	10933	5.3	11	2	2	5	7	9	11	16
1-5 YRS	18858	4.7	9	2	2	4	6	8	10	15
6-12 YRS	7511	4.9	9	2	2	4	6	8	10	15
13-19 YRS	4198	5.4	10	2	2	5	7	9	11	16
B. *Operated*										
0-27 DYS	6	9.8	4	7	7	10	12	12	12	12
1-11 MOS	54	8.3	34	2	2	7	11	18	19	27
1-5 YRS	107	7.0	52	1	1	5	9	14	17	42
6-12 YRS	56	7.4	42	1	2	5	11	19	21	25
13-19 YRS	45	9.5	52	2	3	8	14	18	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	400	7.4	23	2	3	7	9	13	16	25
1-11 MOS	9527	6.2	17	2	3	5	8	11	13	21
1-5 YRS	15550	5.3	14	2	2	4	6	9	11	18
6-12 YRS	4623	5.6	14	2	2	5	7	10	12	19
13-19 YRS	2716	6.3	21	2	3	5	8	11	14	22
B. *Operated*										
0-27 DYS	22	9.8	36	2	3	8	13	19	22	26
1-11 MOS	251	12.6	78	3	4	11	16	24	32	40
1-5 YRS	302	11.5	73	3	4	9	14	23	29	44
6-12 YRS	132	11.9	109	2	3	10	16	22	27	59
13-19 YRS	166	14.5	118	4	4	11	18	27	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42117	5.0	10	2	2	4	6	8	10	15
B. *Operated*	268	7.8	46	1	2	6	10	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	32816	5.7	16	2	2	5	7	10	12	20
B. *Operated*	873	12.4	88	3	4	10	16	23	31	47
1. SINGLE DX	42385	5.0	10	2	2	4	6	8	10	16
2. MULTIPLE DX	33689	5.9	19	2	2	5	7	10	13	22
A. NOT OPERATED	74933	5.3	12	2	2	5	7	9	11	17
B. OPERATED	1141	11.3	82	2	3	9	15	22	28	45
TOTAL 0-27 DYS	1045	6.7	20	2	3	6	8	11	14	23
1-11 MOS	20765	5.8	15	2	2	5	7	10	12	20
1-5 YRS	34817	5.0	12	2	2	4	6	9	11	17
6-12 YRS	12322	5.2	12	2	2	4	6	9	11	18
13-19 YRS	7125	6.0	19	2	3	5	7	10	13	22
GRAND TOTAL	**76074**	**5.4**	**14**	**2**	**2**	**5**	**7**	**9**	**11**	**19**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	4.0	3	2	2	4	5	6	7	7
1-11 MOS	165	4.3	24	1	1	3	5	8	10	21
1-5 YRS	323	3.4	7	1	1	3	4	6	7	13
6-12 YRS	425	2.8	4	1	1	2	3	5	5	8
13-19 YRS	528	3.0	3	1	1	3	4	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	2.7	5	1	1	2	2	7	7	7
13-19 YRS	10	3.8	4	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	4.5	4	1	2	4	7	7	7	7
1-11 MOS	213	4.9	14	2	2	4	6	8	10	22
1-5 YRS	466	3.6	6	1	1	3	4	6	8	14
6-12 YRS	452	3.3	5	1	1	3	4	5	7	10
13-19 YRS	606	3.7	5	1	2	3	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	6	21.2	353	2	2	15	43	46	46	46
1-5 YRS	5	4.4	4	2	2	4	6	7	7	7
6-12 YRS	8	7.4	60	2	2	5	7	20	26	26
13-19 YRS	13	6.5	37	1	1	5	8	17	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	3.2	7	1	1	3	4	5	7	11
B. *Operated*	18	3.5	4	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1747	3.7	7	1	1	3	5	6	8	13
B. *Operated*	32	9.1	121	1	2	6	9	22	41	46
1. SINGLE DX	1473	3.2	7	1	1	3	4	6	7	11
2. MULTIPLE DX	1779	3.8	9	1	1	3	5	7	8	15
A. NOT OPERATED	3202	3.5	7	1	1	3	4	6	7	13
B. OPERATED	50	7.1	85	1	2	4	7	16	26	46
TOTAL 0-27 DYS	24	4.2	3	1	2	4	6	7	7	7
1-11 MOS	385	4.9	27	1	2	4	5	9	11	31
1-5 YRS	795	3.5	6	1	1	3	4	6	8	14
6-12 YRS	891	3.1	6	1	1	3	4	5	6	10
13-19 YRS	1157	3.4	5	1	1	3	4	6	7	10
GRAND TOTAL	**3252**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	54	3.8	4	2	2	3	5	6	7	14
1-11 MOS	2416	4.4	18	1	2	4	5	7	9	14
1-5 YRS	3958	3.5	7	1	1	3	4	6	7	11
6-12 YRS	789	3.8	15	1	2	3	5	6	8	13
13-19 YRS	406	4.2	4	2	2	4	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	12	10.5	51	1	2	11	16	19	22	22
1-5 YRS	28	3.6	23	<1	1	2	3	10	12	23
6-12 YRS	31	2.7	5	<1	<1	2	3	5	7	11
13-19 YRS	43	4.0	16	<1	1	3	5	8	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	61	5.0	11	2	2	4	7	8	10	22
1-11 MOS	2041	5.2	15	2	2	4	6	9	11	18
1-5 YRS	2792	4.2	8	1	2	4	5	7	9	14
6-12 YRS	618	4.1	7	1	2	4	5	7	8	12
13-19 YRS	581	4.8	17	2	2	4	6	8	10	18
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	43	8.2	23	2	3	7	12	15	17	20
1-5 YRS	51	8.4	62	2	2	7	9	19	23	45
6-12 YRS	24	5.9	26	2	2	4	7	12	16	24
13-19 YRS	42	9.2	163	1	2	5	10	15	32	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7623	3.9	11	1	2	3	5	7	8	12
B. *Operated*	114	4.2	22	<1	1	2	5	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	6093	4.6	12	1	2	4	6	8	10	16
B. *Operated*	161	8.2	72	2	2	6	10	14	22	45
1. SINGLE DX	7737	3.9	11	1	2	3	5	7	8	13
2. MULTIPLE DX	6254	4.7	13	1	2	4	6	8	10	18
A. NOT OPERATED	13716	4.2	11	1	2	4	5	7	9	14
B. OPERATED	275	6.5	55	1	1	5	8	13	19	38
TOTAL 0-27 DYS	116	4.5	8	2	2	4	6	7	9	17
1-11 MOS	4512	4.8	17	2	2	4	6	8	10	16
1-5 YRS	6829	3.8	8	1	1	3	5	7	8	13
6-12 YRS	1462	4.0	12	1	2	3	5	7	8	13
13-19 YRS	1072	4.7	19	1	2	4	5	8	10	18
GRAND TOTAL	**13991**	**4.2**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	3	4.0	3	3	3	3	5	6	6	6
6-12 YRS	4	8.8	69	2	2	7	15	19	19	19
13-19 YRS	5	3.8	6	2	2	2	6	7	7	7
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	8.5	113	1	1	8	16	16	16	16
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	6	10.3	26	4	4	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	9	5.2	6	1	1	6	7	8	8	8
1-5 YRS	5	6.4	31	2	2	3	12	13	13	13
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	11	6.7	68	1	1	3	7	21	27	28
B. *Operated*										
0-27 DYS										
1-11 MOS	1	29.0		29	29	29	29	29	29	29
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	14	11.6	66	5	5	9	13	27	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.9	26	<1	1	3	6	13	18	19
B. *Operated*	12	8.8	39	1	2	7	15	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	29	6.0	33	1	1	4	7	13	17	28
B. *Operated*	17	11.4	86	1	2	9	13	28	31	32
1. SINGLE DX	26	6.7	35	1	1	4	12	16	17	19
2. MULTIPLE DX	46	8.0	58	1	1	6	11	16	28	32
A. NOT OPERATED	43	5.6	31	1	1	3	7	12	17	28
B. OPERATED	29	10.3	66	1	1	9	14	22	29	32
TOTAL 0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	14	6.8	58	<1	1	5	8	17	26	29
1-5 YRS	11	4.5	17	1	1	3	5	12	13	13
6-12 YRS	9	6.8	52	1	1	2	13	18	19	19
13-19 YRS	36	8.8	57	1	2	6	13	16	27	32
GRAND TOTAL	**72**	**7.5**	**50**	**1**	**1**	**5**	**11**	**16**	**25**	**31**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	34	4.3	12	1	1	4	4	8	8	21
1-11 MOS	1832	4.9	12	2	2	4	6	8	10	15
1-5 YRS	8798	3.6	5	1	2	3	5	6	7	11
6-12 YRS	7315	3.6	7	1	2	3	4	6	7	11
13-19 YRS	5511	3.9	6	1	2	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.6	7	3	3	5	7	10	10	10
1-5 YRS	16	4.6	7	2	2	4	6	9	10	11
6-12 YRS	19	5.4	20	1	2	3	6	12	16	19
13-19 YRS	29	5.1	10	2	2	5	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	7.0	20	3	3	6	9	12	16	22
1-11 MOS	1715	5.8	13	2	2	5	7	10	12	18
1-5 YRS	5928	4.4	9	1	2	4	5	7	9	14
6-12 YRS	3108	4.2	7	1	2	4	5	7	8	12
13-19 YRS	2443	4.8	10	2	2	4	6	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	36	10.1	51	3	4	9	12	14	30	35
1-5 YRS	46	8.3	28	2	3	7	11	16	24	99+
6-12 YRS	49	9.4	100	2	3	7	10	13	26	65
13-19 YRS	71	9.0	114	2	2	6	9	21	30	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23490	3.8	6	1	2	3	5	6	8	11
B. *Operated*	69	5.1	11	2	2	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	13217	4.6	9	2	2	4	6	8	10	15
B. *Operated*	202	9.2	79	2	3	7	11	17	26	65
1. SINGLE DX	23559	3.8	6	1	2	3	5	6	8	11
2. MULTIPLE DX	13419	4.7	11	2	2	4	6	8	10	16
A. NOT OPERATED	36707	4.1	8	1	2	4	5	7	8	13
B. OPERATED	271	8.1	65	2	3	6	10	14	25	61
TOTAL 0-27 DYS	57	5.4	17	1	3	4	7	11	13	22
1-11 MOS	3588	5.4	13	2	2	5	7	9	11	17
1-5 YRS	14788	3.9	7	1	2	3	5	7	8	13
6-12 YRS	10491	3.8	8	1	2	3	5	6	8	11
13-19 YRS	8054	4.2	8	1	2	4	5	7	9	14
GRAND TOTAL	**36978**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	31	4.4	9	2	2	3	5	9	12	13
1-5 YRS	36	4.7	27	1	2	4	5	7	9	33
6-12 YRS	22	6.3	32	<1	1	4	8	13	18	26
13-19 YRS	39	4.7	22	1	1	3	6	10	15	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.6	19	1	1	2	3	11	15	15
6-12 YRS	26	4.0	17	<1	1	2	4	12	13	14
13-19 YRS	21	7.3	38	1	1	5	12	15	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	6.5	15	1	1	6	9	11	14	15
1-11 MOS	45	6.9	28	1	2	6	8	15	19	24
1-5 YRS	47	5.6	17	1	2	4	8	11	13	22
6-12 YRS	51	6.3	12	3	3	5	9	12	16	93
13-19 YRS	69	8.0	69	2	2	5	10	14	26	[illegible]
B. *Operated*										
0-27 DYS	3	5.0	9	2	2	5	7	8	8	8
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	14	6.9	71	1	1	3	11	24	26	26
6-12 YRS	14	5.1	25	<1	<1	3	8	13	15	16
13-19 YRS	19	8.7	24	2	3	8	12	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.9	22	1	1	4	6	9	13	27
B. *Operated*	56	5.2	27	1	1	2	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	225	6.8	34	2	2	5	9	12	16	42
B. *Operated*	51	7.0	37	1	1	5	11	14	21	26
1. SINGLE DX	186	5.0	23	1	1	3	6	12	13	25
2. MULTIPLE DX	276	6.8	35	1	2	5	9	13	16	36
A. NOT OPERATED	355	6.1	30	1	2	4	8	12	15	33
B. OPERATED	107	6.0	32	1	1	3	10	13	16	25
TOTAL 0-27 DYS	18	6.0	12	1	1	6	8	10	13	15
1-11 MOS	77	5.9	21	2	2	5	7	13	16	23
1-5 YRS	106	5.3	28	1	1	4	6	11	14	29
6-12 YRS	113	5.6	19	<1	2	4	8	12	14	53
13-19 YRS	148	7.1	48	1	2	5	10	13	17	39
GRAND TOTAL	**462**	**6.1**	**31**	**1**	**2**	**4**	**8**	**12**	**15**	**29**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.2	10	1	1	2	4	8	9	9
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	4	4.3	15	2	2	3	6	10	10	10
13-19 YRS	302	3.6	8	1	1	3	5	6	7	13
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	12.5	5	11	11	12	14	14	14	14
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	7.4	21	3	3	6	10	15	15	15
13-19 YRS	619	6.9	26	2	3	6	8	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0		7	7	7	7	7	7	7
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	6	4.0	7	2	2	3	4	9	9	9
13-19 YRS	72	4.7	10	1	2	4	6	8	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	3	24.0	387	3	3	27	38	42	42	42
6-12 YRS	5	11.0	39	4	4	10	15	20	20	20
13-19 YRS	184	10.7	58	2	3	9	14	21	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.6	8	1	1	3	5	6	8	13
B. *Operated*	628	7.0	26	2	3	6	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	84	4.7	9	1	2	4	6	8	10	16
B. *Operated*	194	10.8	62	3	3	9	14	21	27	38
1. SINGLE DX	941	5.8	22	1	2	5	7	11	14	22
2. MULTIPLE DX	278	9.0	54	2	2	7	11	18	25	35
A. NOT OPERATED	397	3.8	9	1	1	3	5	7	8	15
B. OPERATED	822	7.9	37	2	3	6	10	15	18	30
TOTAL 0-27 DYS	9	4.2	9	1	1	4	7	8	9	9
1-11 MOS	7	7.3	18	2	2	6	10	13	14	14
1-5 YRS	6	13.8	280	2	2	4	27	40	42	42
6-12 YRS	20	6.7	25	2	2	5	9	14	17	20
13-19 YRS	1177	6.5	30	1	2	5	8	13	17	26
GRAND TOTAL	**1219**	**6.5**	**31**	**1**	**2**	**5**	**8**	**13**	**17**	**27**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	66	4.6	30	1	1	3	5	10	12	33
1-11 MOS	464	4.3	13	1	1	3	6	8	10	15
1-5 YRS	538	3.8	9	1	1	3	5	7	9	16
6-12 YRS	227	4.3	15	1	1	3	5	8	10	22
13-19 YRS	430	4.1	12	1	1	3	5	8	10	18
B. *Operated*										
0-27 DYS	5	6.4	26	<1	<1	6	11	13	13	13
1-11 MOS	20	8.6	194	1	2	4	7	19	44	63
1-5 YRS	83	5.0	27	<1	1	2	8	12	15	23
6-12 YRS	69	4.6	22	1	1	2	6	10	16	85
13-19 YRS	130	9.4	58	2	2	7	13	19	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	62	6.5	110	1	1	4	7	13	16	73
1-11 MOS	646	6.2	24	2	2	5	7	12	15	29
1-5 YRS	840	4.8	21	1	1	4	6	9	12	23
6-12 YRS	337	5.1	22	1	1	4	6	10	14	22
13-19 YRS	565	5.3	38	1	2	4	6	10	14	28
B. *Operated*										
0-27 DYS	5	13.4	127	2	2	7	25	27	27	27
1-11 MOS	66	13.2	154	2	3	10	17	29	42	95
1-5 YRS	130	8.1	77	1	1	4	12	21	28	36
6-12 YRS	68	9.7	111	1	1	7	15	26	36	90
13-19 YRS	225	11.8	189	1	2	8	14	25	33	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1725	4.1	12	1	1	3	5	8	10	19
B. *Operated*	307	7.0	54	1	1	5	9	16	22	40
2. MULTIPLE DX										
A. *Not Operated*	2450	5.4	28	1	2	4	7	10	14	28
B. *Operated*	494	10.8	146	1	1	8	14	24	31	82
1. SINGLE DX	2032	4.6	20	1	1	3	6	9	12	24
2. MULTIPLE DX	2944	6.3	52	1	2	4	7	13	19	37
A. NOT OPERATED	4175	4.8	22	1	1	4	6	9	12	24
B. OPERATED	801	9.3	114	1	1	6	12	22	28	73
TOTAL 0-27 DYS	138	5.9	71	1	1	4	7	11	17	40
1-11 MOS	1196	5.9	34	1	2	4	7	11	15	31
1-5 YRS	1591	4.7	23	1	1	3	6	9	14	27
6-12 YRS	701	5.3	30	1	1	4	6	10	16	33
13-19 YRS	1350	6.4	64	1	1	4	8	13	20	37
GRAND TOTAL	**4976**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	8	4.3	43	<1	<1	2	4	16	20	20
1-5 YRS	117	2.6	4	<1	<1	2	4	5	6	10
6-12 YRS	60	2.6	3	<1	<1	2	4	5	6	9
13-19 YRS	193	2.4	8	<1	1	2	2	4	6	17
B. *Operated*										
0-27 DYS	6	2.2	1	1	1	2	3	3	3	3
1-11 MOS	27	1.8	1	<1	<1	2	2	3	4	5
1-5 YRS	2119	1.2	1	<1	<1	1	1	2	2	3
6-12 YRS	1443	1.7	2	<1	<1	1	2	2	3	7
13-19 YRS	15494	2.0	3	1	1	2	2	2	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	17	8.3	222	1	2	3	8	15	47	64
1-5 YRS	189	3.3	10	<1	<1	2	4	7	8	15
6-12 YRS	119	2.9	4	<1	<1	2	4	6	7	9
13-19 YRS	226	2.8	12	<1	<1	2	3	5	7	11
B. *Operated*										
0-27 DYS	8	2.1		1	1	2	3	3	3	3
1-11 MOS	8	1.8	1	1	1	1	2	4	4	4
1-5 YRS	847	1.7	8	<1	1	1	2	2	4	11
6-12 YRS	1048	2.0	10	<1	1	2	2	3	4	10
13-19 YRS	4063	2.6	7	1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	2.6	7	<1	<1	2	3	5	6	11
B. *Operated*	19089	1.9	2	<1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	553	3.2	16	<1	<1	2	4	6	8	14
B. *Operated*	5974	2.4	8	1	1	2	2	4	5	11
1. SINGLE DX	19469	1.9	3	<1	1	2	2	2	3	7
2. MULTIPLE DX	6527	2.4	8	<1	1	2	2	4	6	11
A. NOT OPERATED	933	2.9	13	<1	<1	2	4	6	7	13
B. OPERATED	25063	2.0	4	<1	1	2	2	3	4	8
TOTAL 0-27 DYS	18	3.1	5	1	1	2	3	7	8	9
1-11 MOS	60	4.0	74	<1	1	2	3	7	14	60
1-5 YRS	3272	1.5	4	<1	<1	1	1	2	4	8
6-12 YRS	2670	1.9	5	<1	<1	2	2	3	4	9
13-19 YRS	19976	2.1	4	1	1	2	2	3	4	8
GRAND TOTAL	**25996**	**2.0**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.3	5	2	2	4	6	7	7	7
1-11 MOS	45	3.8	3	1	2	4	5	6	7	8
1-5 YRS	223	3.5	4	1	1	3	4	6	7	10
6-12 YRS	90	3.6	7	<1	1	3	5	6	7	17
13-19 YRS	99	4.0	5	1	2	4	5	7	8	14
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	30	2.7	13	<1	<1	2	3	5	6	20
1-5 YRS	148	2.4	5	<1	<1	2	3	5	7	11
6-12 YRS	346	2.4	3	<1	1	2	3	5	7	9
13-19 YRS	356	2.9	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	5.1	5	2	2	6	6	8	9	9
1-11 MOS	76	4.4	8	1	2	4	6	8	9	15
1-5 YRS	352	4.4	9	1	2	4	6	7	8	20
6-12 YRS	100	4.3	4	2	2	4	6	7	8	10
13-19 YRS	126	4.8	8	1	2	4	6	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	14	3.9	13	1	1	2	5	10	11	12
1-5 YRS	89	4.1	14	<1	1	3	6	9	11	18
6-12 YRS	133	2.8	5	1	1	2	3	5	8	12
13-19 YRS	176	3.7	8	1	2	3	4	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	3.7	5	1	1	3	5	6	7	12
B. *Operated*	881	2.6	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	661	4.4	8	1	2	4	6	7	9	15
B. *Operated*	412	3.5	8	1	1	3	4	7	9	15
1. SINGLE DX	1342	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	1073	4.1	8	1	1	3	5	7	9	15
A. NOT OPERATED	1122	4.1	7	1	2	4	5	7	8	14
B. OPERATED	1293	2.9	7	<1	1	2	3	6	8	13
TOTAL 0-27 DYS	12	4.6	5	2	2	4	6	8	9	9
1-11 MOS	165	3.9	8	1	1	3	5	7	9	16
1-5 YRS	812	3.7	8	<1	1	3	5	7	8	14
6-12 YRS	669	2.9	5	<1	1	2	4	6	7	10
13-19 YRS	757	3.5	8	1	1	3	4	6	8	15
GRAND TOTAL	**2415**	**3.5**	**7**	**1**	**1**	**3**	**4**	**7**	**8**	**14**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	112	4.1	16	1	1	3	5	8	10	23
1-11 MOS	354	4.1	10	1	1	3	5	8	10	17
1-5 YRS	45	3.0	7	<1	1	2	3	8	9	12
6-12 YRS	40	2.8	2	1	1	3	3	5	6	8
13-19 YRS	178	3.6	10	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	4	4.0	9	1	1	4	6	7	7	7
1-11 MOS	27	6.8	26	2	2	6	9	12	16	25
1-5 YRS	46	3.9	19	<1	<1	2	5	9	12	24
6-12 YRS	50	4.6	27	1	1	3	6	12	15	99
13-19 YRS	86	5.6	19	1	1	4	8	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	93	5.4	28	1	2	4	6	10	15	32
1-11 MOS	372	6.1	43	2	2	4	8	12	15	23
1-5 YRS	53	4.7	13	1	1	4	6	11	13	18
6-12 YRS	47	4.3	13	1	1	3	5	10	12	15
13-19 YRS	286	5.1	39	1	2	4	6	9	11	20
B. *Operated*										
0-27 DYS	4	25.8	655	8	8	16	42	63	63	63
1-11 MOS	57	17.8	241	2	3	15	23	41	57	98
1-5 YRS	76	8.3	145	1	1	4	11	18	44	92
6-12 YRS	42	7.8	46	1	2	6	11	17	21	33
13-19 YRS	119	8.7	119	1	2	6	11	17	26	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	3.8	10	1	1	3	5	8	9	16
B. *Operated*	213	5.1	22	<1	1	3	8	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	851	5.5	37	1	2	4	7	10	14	22
B. *Operated*	298	10.5	159	1	2	7	13	22	40	89
1. SINGLE DX	942	4.1	13	1	1	3	5	9	11	18
2. MULTIPLE DX	1149	6.8	73	1	2	4	8	14	19	57
A. NOT OPERATED	1580	4.7	25	1	1	4	6	9	12	21
B. OPERATED	511	8.2	109	1	1	5	10	18	29	75
TOTAL 0-27 DYS	213	5.1	39	1	2	3	6	9	15	35
1-11 MOS	810	6.1	53	1	2	4	7	12	18	38
1-5 YRS	220	5.4	63	<1	1	3	6	12	17	57
6-12 YRS	179	4.9	25	1	1	3	6	11	15	32
13-19 YRS	669	5.4	46	1	1	4	6	10	14	30
GRAND TOTAL	**2091**	**5.6**	**48**	**1**	**1**	**4**	**6**	**11**	**16**	**37**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	3	4.3	10	2	2	3	7	8	8	8
1-5 YRS	5	7.2	79	2	2	3	9	23	23	23
6-12 YRS	18	3.5	4	1	1	3	5	6	7	7
13-19 YRS	97	4.6	9	2	2	4	6	8	9	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	19	7.1	22	2	2	7	10	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	10.3	77	4	4	7	16	23	23	23
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	19	4.5	10	2	2	4	5	10	13	14
13-19 YRS	82	5.3	20	1	2	4	6	9	12	29
B. *Operated*										
0-27 DYS	4	9.5	6	6	6	10	11	12	12	12
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	24	9.3	55	3	4	7	11	22	26	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	4.5	11	1	2	4	5	8	9	21
B. *Operated*	20	6.8	23	1	2	6	10	14	17	17
2. MULTIPLE DX										
A. *Not Operated*	107	5.3	20	1	2	4	6	9	13	28
B. *Operated*	31	9.5	43	3	4	9	12	17	23	34
1. SINGLE DX	145	4.8	13	1	2	4	6	8	11	21
2. MULTIPLE DX	138	6.2	28	1	2	5	7	12	14	31
A. NOT OPERATED	232	4.9	15	1	2	4	6	8	11	24
B. OPERATED	51	8.5	36	2	3	7	11	14	22	34
TOTAL 0-27 DYS	10	8.4	38	2	2	7	10	17	23	23
1-11 MOS	5	5.2	22	<1	<1	3	9	12	12	12
1-5 YRS	8	5.9	55	1	1	3	7	19	23	23
6-12 YRS	38	4.2	9	1	1	4	5	7	13	14
13-19 YRS	222	5.6	21	2	2	4	7	10	13	27
GRAND TOTAL	**283**	**5.5**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	9	6.0	7	3	3	5	7	10	11	11
6-12 YRS	5	4.8	3	3	3	5	6	7	7	7
13-19 YRS	53	5.6	10	2	3	5	7	9	12	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.7	10	<1	<1	6	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	21	8.5	17	3	3	9	10	12	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	7.7	32	3	3	6	12	14	14	14
6-12 YRS	4	5.5		5	5	5	6	6	6	6
13-19 YRS	44	5.1	6	2	2	5	6	9	11	12
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS										
1-5 YRS										
6-12 YRS	5	7.4	5	4	4	7	9	10	10	10
13-19 YRS	16	9.8	25	2	3	10	14	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	5.7	9	2	3	5	7	9	11	17
B. *Operated*	25	7.9	16	2	3	8	10	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	52	5.2	7	2	2	5	6	9	11	14
B. *Operated*	22	9.6	23	3	4	9	14	16	17	18
1. SINGLE DX	93	6.3	12	2	3	6	8	10	12	19
2. MULTIPLE DX	74	6.5	16	2	2	5	8	13	15	18
A. NOT OPERATED	120	5.5	8	2	2	5	7	9	11	16
B. OPERATED	47	8.7	20	3	3	8	11	15	17	21
TOTAL 0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	2	6.5	41	2	2	6	11	11	11	11
1-5 YRS	15	6.1	11	1	3	5	7	11	13	14
6-12 YRS	15	5.9	4	3	3	6	7	9	10	10
13-19 YRS	134	6.4	14	2	3	5	8	11	15	18
GRAND TOTAL	**167**	**6.4**	**14**	**2**	**3**	**5**	**8**	**11**	**14**	**18**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7	1	2	2	2	4	4	4	4
1-11 MOS	7	5.4	21	1	1	4	9	12	12	12
1-5 YRS	35	4.9	17	1	2	4	6	8	9	25
6-12 YRS	205	4.4	15	1	1	4	5	8	9	19
13-19 YRS	798	4.1	6	1	2	4	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	6	5.2	10	2	2	4	8	10	10	10
13-19 YRS	39	9.6	24	2	4	9	12	17	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	8.2	31	3	3	8	11	17	17	17
1-11 MOS	9	8.8	87	3	3	6	9	23	33	33
1-5 YRS	17	6.8	27	2	3	6	7	17	20	21
6-12 YRS	121	4.8	11	1	2	4	6	8	12	18
13-19 YRS	607	5.7	32	2	2	5	7	10	12	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	3	6.3	5	5	5	5	8	9	9	9
13-19 YRS	62	9.9	93	2	3	8	12	15	23	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1048	4.2	8	1	2	4	5	8	9	13
B. *Operated*	46	9.1	24	2	3	8	11	16	19	24
2. MULTIPLE DX										
A. *Not Operated*	759	5.7	30	2	2	5	7	10	12	25
B. *Operated*	67	9.9	87	3	3	8	12	15	20	61
1. SINGLE DX	1094	4.4	10	1	2	4	6	8	9	16
2. MULTIPLE DX	826	6.0	35	2	2	5	7	10	13	27
A. NOT OPERATED	1807	4.8	17	1	2	4	6	8	10	20
B. OPERATED	113	9.5	61	2	3	8	12	15	19	51
TOTAL 0-27 DYS	8	6.1	26	2	2	4	8	15	17	17
1-11 MOS	17	7.8	58	1	1	6	9	14	27	33
1-5 YRS	54	5.8	22	1	2	5	6	9	18	25
6-12 YRS	335	4.6	13	1	2	4	6	8	10	18
13-19 YRS	1506	5.1	23	1	2	4	6	9	11	20
GRAND TOTAL	**1920**	**5.1**	**21**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	6.0	9	3	3	6	8	9	9	9
1-5 YRS	4	5.3	7	3	3	5	7	8	8	8
6-12 YRS	26	4.9	4	2	3	5	6	7	9	9
13-19 YRS	189	5.1	10	2	2	4	7	9	11	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.8	12	1	1	1	4	9	9	9
6-12 YRS	8	5.8	20	2	2	5	9	12	13	13
13-19 YRS	49	8.2	15	2	3	8	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	[illegible]	25	4	4	7	11	11	11	11
1-5 YRS	7	8.4	49	4	4	6	8	21	24	24
6-12 YRS	20	6.5	15	2	2	5	9	12	14	16
13-19 YRS	147	6.0	21	2	3	5	7	10	12	27
B. *Operated*										
0-27 DYS										
1-11 MOS	4	15.3	85	8	8	12	22	28	28	28
1-5 YRS	3	6.7	30	3	3	4	11	13	13	13
6-12 YRS	5	6.2	39	2	2	5	8	17	17	17
13-19 YRS	32	14.1	256	4	5	8	15	31	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	5.1	9	2	2	5	7	9	11	19
B. *Operated*	63	7.4	17	1	2	8	10	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	176	6.2	22	2	3	5	8	10	13	26
B. *Operated*	44	12.8	205	2	4	8	15	28	40	81
1. SINGLE DX	287	5.6	11	2	2	5	7	10	11	19
2. MULTIPLE DX	220	7.5	64	2	3	5	8	13	18	45
A. NOT OPERATED	400	5.6	15	2	2	5	7	9	11	21
B. OPERATED	107	9.6	100	2	2	8	11	16	23	64
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	11	9.4	54	3	3	8	11	21	27	28
1-5 YRS	19	6.0	29	1	1	4	8	11	19	24
6-12 YRS	59	5.6	12	2	2	5	7	11	13	17
13-19 YRS	417	6.5	38	2	2	5	8	11	14	31
GRAND TOTAL	**507**	**6.4**	**35**	**2**	**2**	**5**	**8**	**11**	**14**	**28**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.0		6	6	6	6	6	6	6
13-19 YRS	14	4.4	3	1	2	5	6	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	12	13.3	132	1	2	11	15	31	41	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	8	8.5	24	2	2	8	13	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	11.0	2	10	10	11	12	12	12	12
13-19 YRS	8	9.6	18	4	5	8	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.5	3	1	2	5	6	6	7	7
B. *Operated*	14	12.5	116	1	2	10	14	28	40	43
2. MULTIPLE DX										
A. *Not Operated*	11	7.5	22	1	2	8	12	14	15	15
B. *Operated*	11	9.1	20	<1	2	9	12	15	16	16
1. SINGLE DX	31	8.1	68	1	2	6	9	15	26	43
2. MULTIPLE DX	22	8.3	21	1	2	8	12	15	16	16
A. NOT OPERATED	28	5.7	12	1	2	5	7	12	13	15
B. OPERATED	25	11.0	74	1	2	9	13	17	30	43
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	5.0	13	<1	<1	6	7	8	8	8
6-12 YRS	5	8.2	7	6	6	7	10	12	12	12
13-19 YRS	42	8.7	56	2	2	7	12	15	21	43
GRAND TOTAL	**53**	**8.2**	**48**	**1**	**2**	**7**	**11**	**15**	**17**	**42**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	47	3.4	3	1	2	3	4	6	7	9
1-11 MOS	232	3.3	3	1	1	3	4	6	7	8
1-5 YRS	499	2.7	4	1	1	2	3	5	6	10
6-12 YRS	1035	2.8	3	1	1	2	3	5	6	8
13-19 YRS	2188	3.3	6	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	6.7	59	1	1	3	8	20	25	25
6-12 YRS	6	4.2	7	<1	<1	4	6	8	8	8
13-19 YRS	71	6.8	60	2	2	6	8	10	17	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	49	4.4	21	1	2	3	5	7	8	33
1-11 MOS	337	4.7	11	1	2	4	6	9	11	17
1-5 YRS	930	3.2	11	1	1	3	4	5	6	11
6-12 YRS	1214	3.3	11	1	1	3	4	6	7	10
13-19 YRS	2473	4.3	14	1	2	4	5	8	10	15
B. *Operated*										
0-27 DYS	3	8.7	58	2	2	7	14	17	17	17
1-11 MOS	7	9.4	29	4	5	9	16	76	99+	99+
1-5 YRS	6	5.0	12	2	2	4	7	11	11	11
6-12 YRS	27	6.6	20	3	4	5	7	13	19	22
13-19 YRS	174	7.7	34	2	3	6	9	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4001	3.1	5	1	1	3	4	5	7	10
B. *Operated*	87	6.5	55	2	2	5	8	10	17	49
2. MULTIPLE DX										
A. *Not Operated*	5003	3.9	13	1	2	3	5	7	8	14
B. *Operated*	217	7.5	32	2	3	6	9	14	20	37
1. SINGLE DX	4088	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	5220	4.0	14	1	2	3	5	7	9	16
A. NOT OPERATED	9004	3.5	9	1	1	3	4	6	8	13
B. OPERATED	304	7.3	39	2	2	6	8	14	20	38
TOTAL 0-27 DYS	99	4.1	14	1	2	3	5	7	9	25
1-11 MOS	577	4.2	9	1	2	3	5	7	10	17
1-5 YRS	1444	3.0	9	1	1	3	4	5	6	11
6-12 YRS	2282	3.1	7	1	1	3	4	5	6	9
13-19 YRS	4906	4.0	13	1	1	3	5	7	9	16
GRAND TOTAL	**9308**	**3.7**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	2.6	3	1	1	2	3	5	6	8
1-11 MOS	107	3.8	6	1	1	3	5	7	8	11
1-5 YRS	74	3.4	16	1	1	3	4	6	8	27
6-12 YRS	303	3.1	5	1	1	3	4	5	7	11
13-19 YRS	673	3.4	5	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	96	4.7	6	2	2	4	6	8	10	14
1-11 MOS	278	4.2	5	2	2	4	5	7	8	12
1-5 YRS	4	7.3	18	<1	<1	9	10	10	10	10
6-12 YRS	3	7.0	7	4	4	8	9	9	9	9
13-19 YRS	20	5.9	8	2	2	5	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	29	3.6	13	1	1	3	4	6	9	20
1-11 MOS	127	4.5	18	1	1	3	5	8	13	25
1-5 YRS	116	3.4	6	1	1	3	4	6	8	14
6-12 YRS	300	3.9	7	1	2	3	5	7	9	16
13-19 YRS	699	4.2	8	1	2	3	5	7	9	16
B. *Operated*										
0-27 DYS	17	7.4	14	3	3	7	8	12	16	18
1-11 MOS	65	6.7	34	2	3	5	8	10	14	41
1-5 YRS	13	7.8	78	2	2	4	7	25	30	31
6-12 YRS	17	7.3	49	2	2	6	9	10	24	32
13-19 YRS	50	9.0	53	2	3	8	11	16	25	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1189	3.3	6	1	1	3	4	6	7	12
B. *Operated*	401	4.4	6	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1271	4.1	9	1	2	3	5	7	9	17
B. *Operated*	162	7.6	43	2	3	6	9	13	21	45
1. SINGLE DX	1590	3.6	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1433	4.5	14	1	2	4	5	8	10	20
A. NOT OPERATED	2460	3.7	7	1	1	3	4	7	8	15
B. OPERATED	563	5.3	18	2	2	4	6	9	12	25
TOTAL 0-27 DYS	174	4.4	9	1	2	4	6	8	10	17
1-11 MOS	577	4.4	12	1	2	4	5	7	9	18
1-5 YRS	207	3.8	15	1	1	3	4	6	9	26
6-12 YRS	623	3.7	7	1	1	3	4	6	8	16
13-19 YRS	1442	4.0	9	1	2	3	5	7	9	16
GRAND TOTAL	**3023**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	3.4	2	2	2	3	4	6	6	6
6-12 YRS	113	3.3	7	1	1	3	4	5	6	15
13-19 YRS	259	3.5	3	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	7	3.7	1	2	2	4	4	5	5	5
1-11 MOS	14	3.9	2	2	3	3	5	6	7	7
1-5 YRS	494	4.4	15	2	2	4	5	7	9	12
6-12 YRS	8478	3.8	4	2	2	4	4	6	7	11
13-19 YRS	14725	4.0	5	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	45	3.6	6	1	1	3	4	7	8	12
13-19 YRS	80	3.9	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS	3	6.7	14	4	4	5	9	11	11	11
1-11 MOS	6	8.5	7	6	6	8	11	12	12	12
1-5 YRS	140	6.9	24	2	3	5	9	13	16	27
6-12 YRS	1214	5.7	16	2	3	5	7	10	14	23
13-19 YRS	2240	5.7	17	2	3	5	6	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	3.4	4	1	1	3	4	5	7	11
B. *Operated*	23718	4.0	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	126	3.8	5	1	1	3	5	7	8	10
B. *Operated*	3603	5.8	17	2	3	5	7	10	13	22
1. SINGLE DX	24097	4.0	4	2	2	4	5	6	7	11
2. MULTIPLE DX	3729	5.7	17	2	3	5	7	10	13	21
A. NOT OPERATED	505	3.5	5	1	1	3	4	6	7	11
B. OPERATED	27321	4.2	7	2	2	4	5	6	8	14
TOTAL 0-27 DYS	10	4.6	6	2	2	4	5	8	11	11
1-11 MOS	20	5.3	8	2	3	4	7	10	11	12
1-5 YRS	642	4.9	18	2	2	4	6	9	11	17
6-12 YRS	9850	4.1	5	2	2	4	5	6	8	14
13-19 YRS	17304	4.2	7	2	2	4	5	6	8	14
GRAND TOTAL	**27826**	**4.2**	**6**	**2**	**2**	**4**	**5**	**6**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	7	6.3	45	<1	<1	5	6	18	21	21
6-12 YRS	41	6.6	16	1	2	6	8	12	14	21
13-19 YRS	62	5.9	8	1	2	5	8	10	11	13
B. *Operated*										
0-27 DYS	3	6.3	2	5	5	6	7	8	8	8
1-11 MOS	7	9.4	18	3	4	10	11	16	17	17
1-5 YRS	404	8.4	15	3	4	8	10	14	16	20
6-12 YRS	2132	7.5	19	3	3	7	9	12	15	23
13-19 YRS	2654	7.1	18	3	3	6	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	9.2	15	7	7	8	10	16	16	16
6-12 YRS	8	8.3	16	2	2	9	10	13	14	14
13-19 YRS	18	7.8	21	3	3	7	10	13	18	21
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	225	12.1	38	5	6	11	15	20	24	33
6-12 YRS	794	11.7	47	4	5	10	15	20	24	37
13-19 YRS	1066	12.0	65	4	5	10	15	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	6.2	13	1	2	6	8	10	12	21
B. *Operated*	5200	7.3	18	3	3	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	31	8.2	18	3	3	8	10	13	16	21
B. *Operated*	2086	11.9	55	4	5	10	15	21	25	38
1. SINGLE DX	5312	7.3	18	3	3	7	9	12	15	22
2. MULTIPLE DX	2117	11.9	55	4	5	10	15	21	25	38
A. NOT OPERATED	143	6.6	15	1	2	6	9	11	13	21
B. OPERATED	7286	8.6	33	3	3	7	10	15	19	30
TOTAL 0-27 DYS	4	7.3	5	5	5	7	9	10	10	10
1-11 MOS	9	8.6	17	3	3	8	10	15	17	17
1-5 YRS	641	9.7	27	4	5	8	12	16	19	29
6-12 YRS	2975	8.6	30	3	4	7	10	15	19	28
13-19 YRS	3800	8.4	36	3	3	7	10	15	19	31
GRAND TOTAL	**7429**	**8.6**	**33**	**3**	**3**	**7**	**10**	**15**	**19**	**30**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	1.7	1	<1	<1	1	2	3	4	4
6-12 YRS	199	2.3	2	1	1	2	3	4	5	8
13-19 YRS	394	2.8	9	1	1	2	3	5	6	14
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	66	4.4	4	2	2	4	5	6	11	85
6-12 YRS	963	4.1	4	2	2	4	5	6	7	13
13-19 YRS	1885	4.6	10	2	3	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	2.3	1	1	1	2	3	4	5	5
6-12 YRS	88	3.1	8	1	1	2	4	5	7	18
13-19 YRS	191	3.4	6	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	56	5.1	10	2	3	4	6	8	10	20
6-12 YRS	401	5.5	15	2	3	5	6	9	11	22
13-19 YRS	941	5.9	15	3	3	5	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	2.6	6	1	1	2	3	5	6	12
B. *Operated*	2918	4.4	8	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	297	3.2	6	1	1	3	4	6	7	13
B. *Operated*	1400	5.8	15	3	3	5	7	9	12	21
1. SINGLE DX	3524	4.1	8	1	2	4	5	6	8	12
2. MULTIPLE DX	1697	5.3	14	2	2	4	6	9	11	20
A. NOT OPERATED	903	2.8	7	1	1	2	3	5	6	12
B. OPERATED	4318	4.8	10	2	3	4	5	8	10	16
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.0	1	2	2	3	4	4	4	4
1-5 YRS	152	4.2	7	1	2	4	5	7	10	20
6-12 YRS	1651	4.2	8	1	2	4	5	7	9	15
13-19 YRS	3411	4.7	12	1	2	4	5	8	10	16
GRAND TOTAL	**5221**	**4.5**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.6	11	<1	<1	1	2	8	10	10
1-11 MOS	89	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	59	1.5	2	<1	<1	1	2	2	3	11
6-12 YRS	24	1.5	1	<1	<1	1	2	3	4	5
13-19 YRS	40	2.5	3	<1	<1	2	4	5	6	7
B. *Operated*										
0-27 DYS	114	3.5	53	<1	<1	2	3	5	7	46
1-11 MOS	4169	1.9	5	<1	<1	2	2	3	4	8
1-5 YRS	5941	1.8	3	<1	<1	2	2	3	3	6
6-12 YRS	4383	2.2	4	<1	1	2	3	3	4	6
13-19 YRS	5707	3.5	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	1.2		<1	<1	1	1	2	2	2
1-11 MOS	373	1.9	5	<1	<1	1	2	4	6	11
1-5 YRS	327	1.3	1	<1	<1	1	1	2	3	7
6-12 YRS	74	2.0	6	<1	<1	1	2	5	6	16
13-19 YRS	51	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-27 DYS	84	3.9	22	<1	1	2	4	8	13	27
1-11 MOS	2839	2.5	10	<1	1	2	2	4	6	12
1-5 YRS	4099	2.1	2	<1	<1	2	2	3	4	8
6-12 YRS	1929	2.6	4	1	1	2	3	4	5	10
13-19 YRS	1650	4.0	5	2	2	4	5	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	1.7	2	<1	<1	1	2	3	5	8
B. *Operated*	20314	2.4	4	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	830	1.7	4	<1	<1	1	1	3	5	10
B. *Operated*	10601	2.6	6	<1	1	2	3	5	6	11
1. SINGLE DX	20533	2.4	4	<1	1	2	3	4	5	7
2. MULTIPLE DX	11431	2.5	5	<1	1	2	3	4	6	11
A. NOT OPERATED	1049	1.7	3	<1	<1	1	2	3	5	10
B. OPERATED	30915	2.5	5	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	210	3.6	38	<1	<1	2	4	7	9	30
1-11 MOS	7470	2.1	7	<1	<1	2	2	3	5	10
1-5 YRS	10426	1.9	3	<1	<1	2	2	3	4	7
6-12 YRS	6410	2.3	4	<1	1	2	3	4	4	8
13-19 YRS	7448	3.6	4	2	2	3	4	5	6	10
GRAND TOTAL	**31964**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	19	1.3		<1	<1	1	2	2	2	2
1-5 YRS	12	1.4		<1	<1	1	2	3	3	3
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	56	3.3	11	1	1	2	4	7	9	20
1-11 MOS	594	2.1	2	<1	1	2	3	4	5	8
1-5 YRS	354	1.9	1	<1	1	2	2	3	5	6
6-12 YRS	108	2.3	1	1	1	2	3	4	4	5
13-19 YRS	195	3.9	23	2	2	3	4	6	7	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	2.7	3	1	1	2	4	5	6	7
1-5 YRS	19	1.6	1	<1	<1	1	2	4	5	5
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3	2.7	8	<1	<1	1	5	6	6	6
B. *Operated*										
0-27 DYS	48	4.0	14	1	1	3	5	10	12	17
1-11 MOS	416	3.1	7	<1	1	2	4	6	9	12
1-5 YRS	189	2.4	3	1	1	2	3	5	6	8
6-12 YRS	53	2.7	2	1	1	2	3	4	6	10
13-19 YRS	63	4.7	7	1	2	4	6	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.4		<1	<1	1	2	2	3	3
B. *Operated*	1307	2.4	6	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	43	2.2	3	<1	<1	1	3	5	6	7
B. *Operated*	769	3.1	6	1	1	2	4	6	8	12
1. SINGLE DX	1346	2.4	6	<1	1	2	3	4	5	8
2. MULTIPLE DX	812	3.0	6	1	1	2	4	6	8	12
A. NOT OPERATED	82	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	2076	2.7	6	<1	1	2	3	5	6	11
TOTAL 0-27 DYS	108	3.6	12	1	1	2	4	8	11	18
1-11 MOS	1047	2.5	4	<1	1	2	3	5	7	11
1-5 YRS	574	2.1	2	<1	1	2	2	4	5	7
6-12 YRS	166	2.4	2	1	1	2	3	4	5	6
13-19 YRS	263	4.1	19	2	2	3	5	6	7	15
GRAND TOTAL	**2158**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.3		<1	<1	1	2	2	2	2
1-5 YRS	29	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	8	1.4	1	<1	<1	1	2	3	3	3
13-19 YRS	5	2.4		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS	10	6.1	57	<1	<1	2	9	19	22	22
1-11 MOS	502	2.3	3	<1	1	2	3	4	4	8
1-5 YRS	1972	2.2	6	<1	1	2	2	3	4	6
6-12 YRS	936	2.3	5	1	1	2	3	3	4	6
13-19 YRS	402	3.1	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	57	2.1	9	<1	<1	1	2	4	5	21
1-5 YRS	105	2.1	6	<1	<1	1	2	5	7	14
6-12 YRS	8	2.5	7	<1	<1	2	2	7	9	9
13-19 YRS	8	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	155	3.8	12	1	1	3	5	8	10	16
1-5 YRS	376	3.0	5	1	1	2	3	6	7	12
6-12 YRS	205	3.0	3	1	2	2	4	5	6	8
13-19 YRS	102	3.5	3	2	2	3	4	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	3822	2.3	5	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	179	2.1	7	<1	<1	1	2	5	6	16
B. *Operated*	838	3.2	6	1	1	2	4	6	8	12
1. SINGLE DX	3871	2.3	5	<1	1	2	3	4	4	7
2. MULTIPLE DX	1017	3.0	6	<1	1	2	4	6	8	13
A. NOT OPERATED	228	2.0	6	<1	<1	1	2	4	5	13
B. OPERATED	4660	2.5	5	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	11	5.6	54	<1	<1	2	8	19	22	22
1-11 MOS	721	2.6	6	<1	1	2	3	4	6	13
1-5 YRS	2482	2.3	6	<1	1	2	2	4	5	9
6-12 YRS	1157	2.4	5	<1	1	2	3	4	4	7
13-19 YRS	517	3.2	3	1	2	3	4	5	6	10
GRAND TOTAL	**4888**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	10	1.7	1	<1	<1	1	3	3	3	3
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	34	2.6	4	<1	1	2	3	6	8	9
1-5 YRS	155	2.2	7	<1	<1	2	2	4	5	11
6-12 YRS	211	2.6	18	<1	1	2	3	4	5	12
13-19 YRS	321	3.2	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	5	1.8	3	1	1	1	2	5	5	5
6-12 YRS	5	3.4	8	<1	<1	2	6	7	7	7
13-19 YRS	5	2.2	5	1	1	1	3	6	6	6
B. *Operated*										
0-27 DYS	2	9.5	5	8	8	9	11	11	11	11
1-11 MOS	11	6.6	52	<1	<1	3	11	18	22	22
1-5 YRS	68	3.0	4	1	1	2	4	6	8	9
6-12 YRS	37	3.3	6	1	2	2	4	6	9	11
13-19 YRS	81	4.9	27	1	2	4	6	8	11	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.4	6	<1	1	2	3	3	9	11
B. *Operated*	723	2.8	8	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	16	2.4	5	<1	<1	1	4	6	7	7
B. *Operated*	199	4.1	17	1	1	3	5	8	10	19
1. SINGLE DX	738	2.8	8	<1	1	2	3	5	6	11
2. MULTIPLE DX	215	4.0	17	1	1	3	5	8	10	18
A. NOT OPERATED	31	2.4	5	<1	<1	1	3	6	7	11
B. OPERATED	922	3.1	11	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	4	6.5	15	2	2	6	9	11	11	11
1-11 MOS	46	3.6	18	<1	<1	2	4	9	12	22
1-5 YRS	230	2.5	6	<1	<1	2	3	5	6	11
6-12 YRS	256	2.7	16	<1	1	2	3	4	6	11
13-19 YRS	417	3.5	8	1	2	3	4	6	7	12
GRAND TOTAL	**953**	**3.0**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	10	6.0	92	1	1	3	4	19	33	33
13-19 YRS	20	5.2	5	1	2	5	6	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.9	12	2	2	5	9	11	11	11
1-5 YRS	8	4.0	11	1	1	2	7	9	9	9
6-12 YRS	7	3.9	6	1	1	3	6	7	7	7
13-19 YRS	12	5.4	18	<1	1	4	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.8	8	1	1	5	6	9	9	9
1-11 MOS	20	4.8	20	<1	<1	3	6	11	15	18
1-5 YRS	12	5.7	31	<1	<1	4	8	13	19	20
6-12 YRS	10	4.5	9	<1	1	4	7	9	9	9
13-19 YRS	85	4.7	10	1	2	4	6	8	11	17
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	21.3	361	6	6	15	32	49	49	49
1-5 YRS	7	14.1	129	<1	<1	14	23	30	31	31
6-12 YRS	6	8.5	3	6	6	9	10	10	10	10
13-19 YRS	37	10.3	243	2	2	7	10	16	21	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.9	28	1	1	4	6	8	9	33
B. *Operated*	34	4.9	13	1	1	4	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	132	4.8	13	<1	1	4	6	9	11	18
B. *Operated*	55	11.3	207	2	2	8	13	19	29	96
1. SINGLE DX	71	4.9	20	1	1	4	6	9	11	29
2. MULTIPLE DX	187	6.7	78	1	2	4	8	12	17	42
A. NOT OPERATED	169	4.8	16	1	1	4	6	9	11	20
B. OPERATED	89	8.8	142	1	2	7	10	16	22	79
TOTAL 0-27 DYS	6	4.7	7	1	1	4	5	9	9	9
1-11 MOS	32	7.0	80	<1	1	4	9	15	18	49
1-5 YRS	33	6.4	56	<1	<1	3	9	19	23	31
6-12 YRS	33	5.5	33	1	2	4	7	10	10	33
13-19 YRS	154	6.2	70	1	2	5	7	11	15	22
GRAND TOTAL	**258**	**6.2**	**62**	**1**	**1**	**4**	**7**	**11**	**16**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	8	4.1	21	1	1	3	4	12	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	10	4.3	19	1	1	3	5	11	15	15
1-5 YRS	21	1.9	1	<1	<1	2	2	3	4	4
6-12 YRS	37	2.5	2	1	1	2	3	4	6	9
13-19 YRS	83	3.9	5	1	2	3	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	5.3	2	4	4	5	6	7	7	7
1-5 YRS	6	2.2	4	<1	<1	1	3	6	6	6
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	8	3.9	6	<1	1	3	4	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	8	2.6	1	1	1	3	3	4	4	4
1-5 YRS	24	2.5	4	<1	1	2	3	3	6	11
6-12 YRS	17	4.4	15	<1	1	3	6	10	14	16
13-19 YRS	29	6.7	31	3	3	5	7	10	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.1	14	1	1	2	3	6	13	15
B. *Operated*	151	3.3	5	1	1	3	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	20	3.8	7	<1	<1	3	5	8	9	10
B. *Operated*	78	4.5	19	1	1	3	5	8	11	28
1. SINGLE DX	164	3.3	6	1	1	3	4	5	7	15
2. MULTIPLE DX	98	4.3	17	<1	1	3	5	8	11	24
A. NOT OPERATED	33	3.5	9	<1	1	3	4	7	10	15
B. OPERATED	229	3.7	10	1	1	3	4	6	9	16
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	22	3.7	10	1	1	3	4	7	11	15
1-5 YRS	54	2.1	2	<1	1	2	2	3	4	11
6-12 YRS	56	3.2	7	1	1	2	3	6	10	16
13-19 YRS	128	4.5	13	1	2	4	5	7	11	20
GRAND TOTAL	**262**	**3.7**	**10**	**1**	**1**	**3**	**4**	**6**	**9**	**16**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	4	4.0	12	1	1	3	6	9	9	9
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	41	2.7	5	1	1	2	3	5	8	11
1-5 YRS	84	2.6	2	<1	1	2	4	5	5	6
6-12 YRS	47	3.0	5	1	1	2	4	6	7	12
13-19 YRS	87	4.0	8	1	2	3	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	6.3	60	1	1	5	7	13	27	31
1-5 YRS	4	2.8	8	<1	<1	1	4	7	7	7
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	3	6.0	16	2	2	6	9	10	10	10
B. *Operated*										
0-27 DYS	4	7.8	133	1	1	2	14	25	25	25
1-11 MOS	12	13.0	372	1	1	5	15	41	64	68
1-5 YRS	32	4.5	15	1	1	3	6	10	14	17
6-12 YRS	21	4.7	7	1	1	4	7	9	9	9
13-19 YRS	33	6.3	19	2	2	5	8	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.5	18	<1	<1	2	4	11	14	15
B. *Operated*	261	3.1	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	22	5.8	43	<1	1	5	7	10	19	31
B. *Operated*	102	6.3	63	1	1	4	7	14	17	48
1. SINGLE DX	273	3.2	6	1	1	2	4	6	8	14
2. MULTIPLE DX	124	6.2	59	1	1	4	7	11	16	41
A. NOT OPERATED	34	5.0	35	<1	1	3	7	10	14	31
B. OPERATED	363	4.0	23	1	1	3	4	7	11	19
TOTAL 0-27 DYS	7	7.1	86	1	1	3	12	23	25	25
1-11 MOS	71	5.2	87	1	1	2	5	10	16	60
1-5 YRS	125	3.0	6	<1	1	2	4	6	7	15
6-12 YRS	70	3.6	6	1	1	3	5	7	9	12
13-19 YRS	124	4.6	12	2	2	4	5	10	13	17
GRAND TOTAL	**397**	**4.1**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	2.5	4	<1	<1	2	3	5	7	8
1-11 MOS	113	2.2	3	<1	1	2	3	4	5	9
1-5 YRS	185	3.1	20	1	1	2	3	6	9	28
6-12 YRS	103	4.0	12	<1	1	3	6	8	10	18
13-19 YRS	237	3.9	6	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS	5	7.0	18	2	2	9	10	11	11	11
1-11 MOS	165	6.3	25	2	2	5	7	10	12	36
1-5 YRS	118	5.7	9	2	2	5	7	9	11	16
6-12 YRS	100	8.3	29	3	4	7	10	13	17	33
13-19 YRS	225	8.6	18	4	5	8	10	13	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	4.5	13	<1	<1	4	7	9	10	10
1-11 MOS	57	3.7	8	1	1	3	5	8	10	13
1-5 YRS	86	4.3	12	1	1	3	6	9	12	17
6-12 YRS	69	4.4	17	1	1	4	5	8	10	28
13-19 YRS	159	4.8	8	1	1	4	6	9	11	14
B. *Operated*										
0-27 DYS	6	15.0	46	8	9	14	64	99+	99+	99+
1-11 MOS	155	8.1	42	2	3	7	10	13	20	96
1-5 YRS	121	8.8	35	3	4	8	10	14	17	35
6-12 YRS	114	9.9	43	4	4	8	12	19	26	59
13-19 YRS	258	11.6	75	4	5	10	13	19	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	652	3.4	11	1	1	2	4	6	8	17
B. *Operated*	613	7.3	21	2	3	7	9	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	379	4.4	11	1	1	4	6	9	10	15
B. *Operated*	654	10.0	56	3	4	8	12	17	25	55
1. SINGLE DX	1265	5.3	20	1	1	4	7	10	12	22
2. MULTIPLE DX	1033	7.9	46	1	2	7	10	15	19	52
A. NOT OPERATED	1031	3.8	11	1	1	3	5	7	9	15
B. OPERATED	1267	8.7	41	3	4	7	10	15	19	43
TOTAL 0-27 DYS	33	5.9	35	<1	<1	4	10	15	82	99+
1-11 MOS	490	5.6	28	1	1	5	7	10	13	40
1-5 YRS	510	5.2	24	1	1	4	7	10	13	20
6-12 YRS	386	6.9	33	1	2	6	9	14	19	32
13-19 YRS	879	7.5	40	1	2	6	10	14	17	33
GRAND TOTAL	**2298**	**6.5**	**34**	**1**	**1**	**5**	**8**	**12**	**16**	**32**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	828	4.3	11	1	2	4	5	7	10	17
1-11 MOS	7904	4.1	7	1	2	4	5	7	8	13
1-5 YRS	7058	3.3	6	1	1	3	4	5	7	11
6-12 YRS	5326	2.6	6	1	1	2	3	4	5	9
13-19 YRS	6460	2.8	5	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	12	4.9	6	2	2	5	7	8	9	9
1-11 MOS	140	5.3	33	1	2	4	6	9	16	40
1-5 YRS	142	3.5	4	1	1	3	5	6	8	10
6-12 YRS	167	4.0	9	1	2	3	5	7	9	18
13-19 YRS	337	4.7	10	2	2	4	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	786	5.7	19	2	2	5	7	10	14	25
1-11 MOS	11917	5.1	15	2	2	4	6	9	11	19
1-5 YRS	10801	3.9	7	1	2	3	5	6	8	13
6-12 YRS	3824	3.3	5	1	1	3	4	6	7	12
13-19 YRS	4049	3.5	8	1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS	31	11.9	185	3	3	7	10	28	51	57
1-11 MOS	429	8.2	74	2	3	6	9	14	23	54
1-5 YRS	272	6.3	72	1	2	4	7	10	22	84
6-12 YRS	152	5.2	15	2	2	4	6	9	12	23
13-19 YRS	260	6.8	51	2	2	5	8	12	16	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27576	3.3	7	1	1	3	4	6	7	12
B. *Operated*	798	4.5	13	1	2	4	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	31377	4.3	11	1	2	4	5	7	9	17
B. *Operated*	1144	7.1	65	2	2	5	8	12	20	52
1. SINGLE DX	28374	3.3	7	1	1	3	4	6	7	12
2. MULTIPLE DX	32521	4.4	13	1	2	4	5	7	10	18
A. NOT OPERATED	58953	3.8	9	1	1	3	5	7	8	14
B. OPERATED	1942	6.0	45	1	2	4	7	11	15	40
TOTAL 0-27 DYS	1657	5.1	19	1	2	4	6	9	12	24
1-11 MOS	20390	4.8	14	2	2	4	6	8	10	18
1-5 YRS	18273	3.7	8	1	2	3	4	6	7	13
6-12 YRS	9469	2.9	6	1	1	2	4	5	6	11
13-19 YRS	11106	3.2	8	1	1	3	4	6	7	12
GRAND TOTAL	**60895**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7	8	5	5	5	9	10	10	10
1-11 MOS	9	5.6	10	2	2	5	7	11	11	11
1-5 YRS	2	10.5	145	2	2	10	19	19	19	19
6-12 YRS	3	4.3	8	1	1	6	6	6	6	6
13-19 YRS	13	3.7	4	1	1	4	5	6	7	7
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	5	12.8	61	6	6	8	19	24	24	24
13-19 YRS	10	4.4	3	<1	1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	8.3	20	5	5	7	8	16	18	18
1-11 MOS	14	5.6	12	<1	1	5	8	10	11	11
1-5 YRS	10	8.6	38	3	3	7	9	19	23	23
6-12 YRS	15	8.3	29	1	1	7	12	16	18	19
13-19 YRS	20	5.7	48	1	2	4	6	7	21	34
B. *Operated*										
0-27 DYS	2	16.5	61	11	11	16	22	22	22	22
1-11 MOS	5	8.2	21	3	3	7	11	15	15	15
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	11.0	127	<1	<1	5	21	28	29	29
13-19 YRS	9	19.3	583	7	7	12	16	57	83	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	5.1	14	1	2	5	6	10	11	19
B. *Operated*	19	7.5	38	1	2	6	8	18	21	24
2. MULTIPLE DX										
A. *Not Operated*	66	7.0	32	1	2	6	8	14	18	32
B. *Operated*	23	13.8	274	2	4	10	15	23	48	83
1. SINGLE DX	49	6.0	24	1	2	5	6	12	18	24
2. MULTIPLE DX	89	8.7	101	1	2	7	10	17	22	64
A. NOT OPERATED	96	6.4	27	1	2	5	8	11	17	29
B. OPERATED	42	11.0	174	1	3	7	13	21	26	83
TOTAL 0-27 DYS	14	8.3	31	2	3	7	10	18	21	22
1-11 MOS	29	6.2	13	1	2	6	9	11	12	15
1-5 YRS	14	9.2	46	2	3	7	15	19	22	23
6-12 YRS	29	9.2	53	1	1	7	13	20	24	29
13-19 YRS	52	7.3	142	1	2	5	7	12	18	82
GRAND TOTAL	**138**	**7.8**	**75**	**1**	**2**	**6**	**9**	**16**	**20**	**40**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	3.4	3	<1	1	3	5	6	7	7
1-11 MOS	34	3.5	4	1	1	3	4	6	8	8
1-5 YRS	36	2.7	3	1	1	2	4	5	7	7
6-12 YRS	36	2.8	4	1	1	2	3	6	8	8
13-19 YRS	70	3.4	5	1	1	3	5	6	6	14
B. *Operated*										
0-27 DYS	9	3.8	3	2	2	4	5	7	7	7
1-11 MOS	138	2.3	2	<1	<1	2	3	4	5	7
1-5 YRS	84	2.4	4	<1	<1	2	3	5	7	11
6-12 YRS	67	3.7	16	1	1	3	4	6	9	28
13-19 YRS	674	4.0	7	1	2	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.0	4	1	2	4	5	7	8	8
1-11 MOS	27	3.6	4	1	1	3	4	7	8	9
1-5 YRS	37	2.7	4	<1	1	2	4	5	6	9
6-12 YRS	30	3.7	8	1	1	3	5	7	10	13
13-19 YRS	61	3.8	5	1	1	3	5	6	10	12
B. *Operated*										
0-27 DYS	7	5.4	12	2	2	4	7	11	12	12
1-11 MOS	36	4.3	15	1	1	3	5	10	13	17
1-5 YRS	25	2.5	3	<1	1	2	3	5	6	7
6-12 YRS	40	7.2	171	1	2	4	7	12	14	85
13-19 YRS	323	5.1	14	2	2	4	6	9	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.2	4	1	1	3	4	6	7	9
B. *Operated*	972	3.6	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	169	3.5	5	1	1	3	5	6	8	12
B. *Operated*	431	5.1	28	1	2	4	6	9	12	23
1. SINGLE DX	1161	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX	600	4.6	22	1	2	4	5	8	11	16
A. NOT OPERATED	358	3.3	5	1	1	3	4	6	7	10
B. OPERATED	1403	4.0	14	1	1	3	5	7	9	15
TOTAL 0-27 DYS	43	4.0	5	1	2	4	5	7	8	12
1-11 MOS	235	2.9	5	<1	1	2	4	6	7	11
1-5 YRS	182	2.5	4	<1	1	2	3	5	6	9
6-12 YRS	173	4.3	50	1	1	3	5	7	10	28
13-19 YRS	1128	4.2	9	1	2	4	5	7	10	15
GRAND TOTAL	**1761**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	62	4.5	30	<1	1	3	5	8	13	92
1-11 MOS	218	3.6	16	1	1	3	4	6	9	16
1-5 YRS	629	2.8	4	1	1	2	4	5	7	11
6-12 YRS	1238	3.4	8	1	1	3	4	6	9	13
13-19 YRS	2472	4.6	18	1	1	4	5	8	11	22
B. *Operated*										
0-27 DYS	6	9.5	51	1	1	10	13	19	20	20
1-11 MOS	45	3.7	8	1	1	3	5	6	10	14
1-5 YRS	240	3.8	13	<1	1	2	5	8	11	21
6-12 YRS	366	5.1	21	1	1	4	6	11	14	25
13-19 YRS	765	8.1	59	1	2	6	10	16	22	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	58	4.8	18	1	1	4	6	9	13	27
1-11 MOS	193	5.1	34	1	1	4	6	9	12	28
1-5 YRS	509	4.0	12	1	1	3	5	7	9	19
6-12 YRS	908	3.9	9	1	1	3	5	7	10	18
13-19 YRS	2058	5.3	27	1	2	4	6	10	13	31
B. *Operated*										
0-27 DYS	9	14.2	100	4	5	11	28	65	99+	99+
1-11 MOS	46	13.8	278	2	2	7	18	37	63	99+
1-5 YRS	154	5.9	42	1	1	3	7	13	21	31
6-12 YRS	275	8.3	87	1	2	6	10	18	27	59
13-19 YRS	928	10.9	121	2	3	8	13	23	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4619	4.0	14	1	1	3	5	7	10	18
B. *Operated*	1422	6.5	43	1	1	5	8	13	18	34
2. MULTIPLE DX										
A. *Not Operated*	3726	4.8	21	1	1	4	6	9	12	24
B. *Operated*	1412	10.0	114	2	2	7	12	22	32	67
1. SINGLE DX	6041	4.6	22	1	1	3	5	9	12	24
2. MULTIPLE DX	5138	6.2	52	1	2	4	7	12	18	41
A. NOT OPERATED	8345	4.3	17	1	1	3	5	8	11	21
B. OPERATED	2834	8.2	81	1	2	6	10	17	26	52
TOTAL 0-27 DYS	135	5.5	36	1	1	4	7	12	21	99+
1-11 MOS	502	5.1	54	1	1	3	5	9	14	48
1-5 YRS	1532	3.7	13	1	1	3	4	7	10	21
6-12 YRS	2787	4.3	20	1	1	3	5	8	11	23
13-19 YRS	6223	6.2	46	1	2	4	7	12	17	39
GRAND TOTAL	**11179**	**5.3**	**36**	**1**	**1**	**4**	**6**	**10**	**15**	**33**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.0	9	3	3	5	8	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	10.7	69	4	4	8	17	20	20	20
1-5 YRS	2	6.0	18	3	3	6	9	9	9	9
6-12 YRS	3	15.3	120	9	9	9	23	28	28	28
13-19 YRS	9	16.9	108	4	5	15	23	33	36	36
B. *Operated*										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	3	27.7	1104	7	7	10	52	66	66	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.6	8	3	3	6	9	10	10	10
B. *Operated*	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	18	13.9	90	3	4	9	20	29	33	36
B. *Operated*	5	23.8	652	6	6	10	39	66	66	66
1. SINGLE DX	7	6.4	14	1	1	6	10	11	11	11
2. MULTIPLE DX	23	16.1	205	3	4	9	21	31	46	66
A. NOT OPERATED	23	12.3	81	3	4	9	16	28	31	36
B. OPERATED	7	18.7	519	1	2	10	25	59	66	66
TOTAL 0-27 DYS	2	19.5	221	9	9	19	30	30	30	30
1-11 MOS	4	10.3	47	4	4	8	14	20	20	20
1-5 YRS	3	6.0	9	3	3	6	8	9	9	9
6-12 YRS	4	11.8	132	1	1	9	19	28	28	28
13-19 YRS	17	15.9	246	3	4	10	18	35	55	66
GRAND TOTAL	**30**	**13.8**	**176**	**3**	**3**	**9**	**17**	**29**	**36**	**66**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	4.3	18	<1	<1	2	7	11	11	11
1-5 YRS	9	7.1	32	2	2	4	9	16	20	20
6-12 YRS	8	7.3	17	2	3	6	10	13	14	14
13-19 YRS	26	5.4	17	1	2	5	6	10	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	10	4.0	20	1	1	3	4	10	16	16
6-12 YRS	10	3.2	6	1	1	3	3	7	8	8
13-19 YRS	57	4.4	23	1	1	2	6	9	11	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	13.5	85	7	7	13	20	20	20	20
1-11 MOS	10	4.1	5	1	1	4	5	7	9	9
1-5 YRS	16	5.1	28	<1	1	3	6	16	17	17
6-12 YRS	6	6.5	16	1	1	6	9	12	12	12
13-19 YRS	43	7.9	88	1	2	6	9	16	22	57
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.5	25	10	10	13	17	17	17	17
1-5 YRS	15	8.3	240	1	1	3	6	17	51	62
6-12 YRS	9	7.9	43	1	1	8	11	19	19	19
13-19 YRS	68	8.7	110	1	1	4	13	22	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	5.8	19	1	2	5	8	11	14	21
B. *Operated*	79	4.2	20	1	1	2	5	9	11	27
2. MULTIPLE DX										
A. *Not Operated*	77	6.9	60	1	1	5	8	14	21	48
B. *Operated*	94	8.6	120	1	1	4	12	22	29	61
1. SINGLE DX	130	4.8	20	1	1	3	6	10	12	23
2. MULTIPLE DX	171	7.9	93	1	1	4	10	18	22	59
A. NOT OPERATED	128	6.5	44	1	1	5	8	12	20	30
B. OPERATED	173	6.6	79	1	1	3	8	17	22	54
TOTAL 0-27 DYS	2	13.5	85	7	7	13	20	20	20	20
1-11 MOS	22	4.9	17	<1	1	4	5	11	14	17
1-5 YRS	50	6.2	89	1	1	4	6	16	17	62
6-12 YRS	33	6.1	22	1	1	5	8	13	17	19
13-19 YRS	194	6.8	70	1	1	4	9	16	22	47
GRAND TOTAL	**301**	**6.5**	**64**	**1**	**1**	**4**	**8**	**15**	**21**	**45**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	37	4.2	9	1	2	3	6	8	10	15
6-12 YRS	118	5.3	21	1	2	4	6	10	11	28
13-19 YRS	271	6.0	13	2	2	5	8	11	13	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS	6	5.0	19	2	2	3	9	12	12	12
6-12 YRS	3	2.0	3	<1	<1	1	3	4	4	4
13-19 YRS	37	8.3	76	1	1	5	10	20	32	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.0	12	5	5	5	10	11	11	11
1-11 MOS	14	9.6	53	1	3	6	12	21	25	26
1-5 YRS	30	5.9	45	1	1	4	6	12	17	36
6-12 YRS	72	6.3	17	2	2	5	8	11	17	19
13-19 YRS	178	7.1	26	2	3	6	8	13	16	28
B. *Operated*										
0-27 DYS	1	78.0		78	78	78	78	78	78	78
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	4	10.8	32	5	5	10	15	18	18	18
6-12 YRS	6	16.2	261	2	2	8	32	40	41	41
13-19 YRS	49	12.1	76	2	3	10	14	24	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	5.7	15	1	2	5	7	11	13	18
B. *Operated*	50	7.2	62	1	1	4	9	15	29	36
2. MULTIPLE DX										
A. *Not Operated*	297	6.9	27	2	2	6	8	13	17	28
B. *Operated*	61	13.5	156	2	3	10	17	27	36	74
1. SINGLE DX	478	5.8	20	1	2	5	7	11	13	22
2. MULTIPLE DX	358	8.1	55	2	2	6	10	16	22	37
A. NOT OPERATED	725	6.2	20	2	2	5	8	11	14	23
B. OPERATED	111	10.7	123	1	2	8	13	24	33	55
TOTAL 0-27 DYS	4	24.8	1268	5	5	8	44	78	78	78
1-11 MOS	21	8.2	46	2	3	5	11	19	23	26
1-5 YRS	77	5.3	26	1	2	4	6	11	14	31
6-12 YRS	199	6.0	29	1	2	5	7	10	15	36
13-19 YRS	535	7.1	30	2	2	6	9	13	16	32
GRAND TOTAL	**836**	**6.8**	**36**	**2**	**2**	**5**	**8**	**12**	**17**	**33**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS										
1-5 YRS	4	9.0	53	1	1	9	15	17	17	17
6-12 YRS	10	3.3	4	1	1	3	4	6	8	8
13-19 YRS	216	3.7	7	1	1	3	4	7	8	13
B. *Operated*										
0-27 DYS	13	6.7	2	5	5	6	7	9	10	10
1-11 MOS	13	7.7	10	2	4	8	9	12	14	14
1-5 YRS	16	4.1	9	1	1	2	7	9	10	10
6-12 YRS	37	5.4	46	<1	1	5	7	9	14	40
13-19 YRS	1340	7.7	12	4	5	7	9	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	5	4.2	3	2	2	5	5	6	6	6
1-5 YRS	3	4.0	7	1	1	5	6	6	6	6
6-12 YRS	7	4.7	15	1	1	3	5	11	13	13
13-19 YRS	128	4.2	8	1	1	3	6	8	10	14
B. *Operated*										
0-27 DYS	12	10.3	12	5	6	10	12	16	16	16
1-11 MOS	10	18.4	457	5	5	11	21	51	76	76
1-5 YRS	17	8.8	70	<1	1	6	13	22	26	27
6-12 YRS	24	10.4	55	1	2	9	14	21	25	32
13-19 YRS	639	9.6	20	5	5	9	11	15	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.7	8	1	1	3	4	7	8	14
B. *Operated*	1419	7.6	13	4	5	7	9	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	145	4.2	8	1	1	3	5	8	10	14
B. *Operated*	702	9.7	29	4	5	9	11	15	19	29
1. SINGLE DX	1652	7.1	14	2	3	7	8	11	13	18
2. MULTIPLE DX	847	8.8	30	2	3	8	11	14	17	28
A. NOT OPERATED	378	3.9	8	1	1	3	5	7	9	14
B. OPERATED	2121	8.3	19	4	5	7	10	13	15	24
TOTAL 0-27 DYS	30	7.6	12	3	4	7	10	12	16	16
1-11 MOS	28	10.9	192	2	3	7	10	19	31	76
1-5 YRS	40	6.6	42	1	1	5	9	16	21	27
6-12 YRS	78	6.6	46	1	1	5	8	14	19	38
13-19 YRS	2323	7.6	17	2	4	7	9	12	14	22
GRAND TOTAL	**2499**	**7.6**	**20**	**2**	**3**	**7**	**9**	**12**	**14**	**23**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	9	4.7	15	1	1	4	5	11	14	14
13-19 YRS	304	4.0	7	1	2	4	5	7	9	13
B. *Operated*										
0-27 DYS	3	9.0	67	2	2	7	15	18	18	18
1-11 MOS										
1-5 YRS	4	5.8	7	2	2	6	7	8	8	8
6-12 YRS	3	7.7	1	7	7	7	9	9	9	9
13-19 YRS	158	8.2	15	4	4	7	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	15.3	292	4	4	7	28	35	35	35
1-11 MOS	4	3.8	8	1	1	3	6	7	7	7
1-5 YRS	4	4.0	6	1	1	4	6	6	6	6
6-12 YRS	3	4.0	7	1	1	5	6	6	6	6
13-19 YRS	224	4.7	9	1	2	4	6	8	9	17
B. *Operated*										
0-27 DYS	4	9.0	34	3	3	8	13	17	17	17
1-11 MOS	2	14.5	13	12	12	14	17	17	17	17
1-5 YRS	4	12.8	28	5	5	15	16	16	16	16
6-12 YRS	6	10.2	39	2	2	10	15	19	19	19
13-19 YRS	170	9.9	55	5	5	8	11	15	20	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.1	7	1	2	4	5	7	9	14
B. *Operated*	168	8.1	15	4	4	7	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	238	4.8	13	1	2	4	6	8	9	24
B. *Operated*	186	10.0	53	5	5	8	12	16	19	51
1. SINGLE DX	486	5.5	13	1	2	5	7	10	13	19
2. MULTIPLE DX	424	7.1	37	2	2	6	8	12	16	25
A. NOT OPERATED	556	4.4	9	1	2	4	5	7	9	14
B. OPERATED	354	9.1	36	4	5	8	11	15	18	23
TOTAL 0-27 DYS	12	9.8	89	2	3	7	13	23	33	35
1-11 MOS	8	5.9	34	1	1	4	9	15	17	17
1-5 YRS	13	7.3	25	1	2	6	9	16	16	16
6-12 YRS	21	6.6	23	1	2	5	9	14	17	19
13-19 YRS	856	6.1	24	1	2	5	8	11	14	23
GRAND TOTAL	**910**	**6.2**	**25**	**1**	**2**	**5**	**8**	**11**	**14**	**23**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	4.2	12	1	1	3	6	8	13	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	4	4.0	9	1	1	4	6	7	7	7
13-19 YRS	45	8.3	17	4	5	7	10	12	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	9	5.8	13	2	2	4	9	11	12	12
B. *Operated*										
0-27 DYS	2	20.5	85	14	14	20	27	27	27	27
1-11 MOS	2	16.5	61	11	11	16	22	22	22	22
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	41	10.4	19	5	6	10	14	15	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.2	12	1	1	3	6	8	13	16
B. *Operated*	51	8.5	29	2	4	7	10	12	22	33
2. MULTIPLE DX										
A. *Not Operated*	13	5.6	11	1	2	6	8	10	12	12
B. *Operated*	46	11.2	27	5	6	10	14	17	23	27
1. SINGLE DX	74	7.2	28	1	2	6	9	12	16	31
2. MULTIPLE DX	59	10.0	28	3	4	9	13	16	20	27
A. NOT OPERATED	36	4.7	12	1	1	4	6	9	12	16
B. OPERATED	97	9.8	30	4	5	9	11	15	22	30
TOTAL 0-27 DYS	3	15.7	112	6	6	14	24	27	27	27
1-11 MOS	5	15.0	159	1	1	11	25	33	33	33
1-5 YRS	2	14.0	8	12	12	14	16	16	16	16
6-12 YRS	5	4.4	7	1	1	6	6	7	7	7
13-19 YRS	118	8.0	22	2	2	7	10	14	16	25
GRAND TOTAL	**133**	**8.4**	**30**	**2**	**2**	**7**	**10**	**15**	**18**	**28**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	8.2	22	3	3	8	11	15	15	15
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	3	6.0	16	2	2	6	9	10	10	10
13-19 YRS	21	6.1	18	2	2	5	9	13	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	14.8	82	3	3	15	20	25	25	25
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	4	8.5	44	1	1	8	13	17	17	17
13-19 YRS	4	9.3	34	2	2	9	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	9.7	32	3	5	8	10	18	24	25
1-5 YRS	3	11.3	32	5	5	13	15	16	16	16
6-12 YRS	2	8.5	25	5	5	8	12	12	12	12
13-19 YRS	20	5.4	26	1	2	4	6	12	18	22
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	10	13.9	172	2	2	8	20	35	42	42
6-12 YRS	4	14.0	75	6	6	12	20	26	26	26
13-19 YRS	15	17.6	127	1	2	18	25	32	40	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	6.2	18	2	2	5	9	13	15	17
B. *Operated*	13	11.5	54	1	2	11	16	21	24	25
2. MULTIPLE DX										
A. *Not Operated*	37	7.4	31	2	2	6	10	15	20	25
B. *Operated*	31	15.8	122	2	2	14	22	30	41	43
1. SINGLE DX	46	7.7	33	1	2	6	11	16	18	25
2. MULTIPLE DX	68	11.3	89	2	2	8	16	25	28	43
A. NOT OPERATED	70	6.9	25	2	2	6	9	14	16	24
B. OPERATED	44	14.6	104	2	2	13	20	26	35	43
TOTAL 0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	23	10.5	39	3	3	9	15	19	25	25
1-5 YRS	16	12.6	122	2	2	8	19	27	38	42
6-12 YRS	13	9.6	45	1	2	9	12	19	25	26
13-19 YRS	60	9.0	73	2	2	6	12	21	26	42
GRAND TOTAL	**114**	**9.8**	**69**	**2**	**2**	**7**	**14**	**21**	**26**	**42**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	11.0	133	2	2	7	20	24	24	24
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	10	6.2	22	2	2	4	10	13	16	16
6-12 YRS	44	6.6	23	2	3	6	7	11	17	27
13-19 YRS	334	6.2	18	2	2	5	7	11	14	26
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.0	162	1	1	10	19	19	19	19
1-5 YRS	4	11.5	130	2	2	8	18	28	28	28
6-12 YRS	6	10.0	15	3	4	10	13	14	14	14
13-19 YRS	31	9.7	36	2	3	9	12	16	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.8	5	4	4	7	8	9	9	9
1-11 MOS	7	7.3	15	3	3	9	10	12	12	12
1-5 YRS	10	7.7	20	2	2	6	13	13	13	13
6-12 YRS	29	7.2	45	1	1	6	9	15	22	31
13-19 YRS	270	7.1	19	2	3	6	9	12	15	23
B. *Operated*										
0-27 DYS	2	10.5	5	9	9	10	12	12	12	12
1-11 MOS										
1-5 YRS	2	14.5	181	5	5	14	24	24	24	24
6-12 YRS	6	13.0	30	7	7	11	18	21	21	21
13-19 YRS	53	17.5	145	5	6	14	20	39	46	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	6.3	19	2	2	5	7	11	15	26
B. *Operated*	43	9.9	41	2	3	9	12	17	22	32
2. MULTIPLE DX										
A. *Not Operated*	320	7.1	21	2	3	6	9	13	15	25
B. *Operated*	63	16.7	131	5	6	13	20	37	42	57
1. SINGLE DX	436	6.6	22	2	2	6	8	12	16	27
2. MULTIPLE DX	383	8.7	52	2	3	7	11	16	21	40
A. NOT OPERATED	713	6.6	20	2	3	6	8	12	15	26
B. OPERATED	106	14.0	105	3	5	11	17	27	39	52
TOTAL 0-27 DYS	9	9.0	40	2	3	8	10	19	24	24
1-11 MOS	11	7.4	28	1	2	7	10	15	19	19
1-5 YRS	26	8.2	45	2	2	6	12	16	25	28
6-12 YRS	85	7.5	32	2	2	6	10	14	19	30
13-19 YRS	688	7.6	38	2	3	6	9	14	18	38
GRAND TOTAL	**819**	**7.6**	**37**	**2**	**3**	**6**	**9**	**14**	**18**	**34**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	4.0	14	1	1	3	5	8	14	17
1-11 MOS	95	3.3	5	1	1	3	4	7	8	11
1-5 YRS	106	3.2	4	1	1	3	4	7	7	10
6-12 YRS	109	4.2	9	1	1	3	5	7	10	17
13-19 YRS	253	3.7	6	1	1	3	5	6	8	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	4.0	10	1	1	3	6	8	8	8
1-5 YRS	6	3.7	8	2	2	2	5	9	9	9
6-12 YRS	16	6.3	22	1	1	6	9	12	15	17
13-19 YRS	30	5.6	23	1	1	5	8	10	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	25	5.2	22	1	1	4	7	11	16	22
1-11 MOS	77	4.5	22	1	1	3	5	8	13	29
1-5 YRS	149	4.4	13	1	1	4	6	8	11	19
6-12 YRS	134	4.5	10	1	2	4	6	8	11	15
13-19 YRS	375	4.9	17	1	2	4	6	9	11	25
B. *Operated*										
0-27 DYS										
1-11 MOS	10	6.3	41	<1	1	4	6	18	19	19
1-5 YRS	14	5.7	19	1	1	4	10	13	13	13
6-12 YRS	12	9.4	78	1	1	6	14	25	27	27
13-19 YRS	58	7.9	26	2	2	7	11	15	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	3.7	6	1	1	3	5	7	8	13
B. *Operated*	57	5.5	20	1	1	5	8	11	12	24
2. MULTIPLE DX										
A. *Not Operated*	760	4.7	16	1	2	4	6	8	11	22
B. *Operated*	94	7.6	33	1	2	5	11	16	19	26
1. SINGLE DX	652	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX	854	5.0	18	1	2	4	6	10	12	25
A. NOT OPERATED	1355	4.2	12	1	1	3	5	8	10	18
B. OPERATED	151	6.8	29	1	2	5	9	14	18	25
TOTAL 0-27 DYS	58	4.6	18	1	1	3	6	10	14	22
1-11 MOS	186	4.0	14	1	1	3	5	7	10	18
1-5 YRS	275	4.0	10	1	1	3	5	8	10	16
6-12 YRS	271	4.7	14	1	2	4	6	8	12	22
13-19 YRS	716	4.7	15	1	2	4	6	9	11	23
GRAND TOTAL	**1506**	**4.5**	**14**	**1**	**1**	**4**	**6**	**8**	**11**	**20**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	78	3.7	5	1	1	3	4	7	9	12
1-11 MOS	205	4.4	8	1	2	4	6	8	10	14
1-5 YRS	56	5.7	19	1	1	5	7	12	15	22
6-12 YRS	12	3.4	3	1	1	3	5	6	7	7
13-19 YRS	13	5.2	15	2	2	4	6	9	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS	5	14.6	490	1	1	6	54	95	99+	99+
1-5 YRS	8	4.8	22	<1	<1	3	8	12	12	12
6-12 YRS	3	13.7	342	2	2	4	27	35	35	35
13-19 YRS	7	5.0	7	<1	<1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	72	5.5	19	2	2	4	7	11	14	26
1-11 MOS	283	6.4	37	2	2	5	7	11	15	39
1-5 YRS	57	8.9	106	2	2	6	10	20	27	65
6-12 YRS	14	5.5	44	2	2	4	5	8	24	28
13-19 YRS	22	8.3	93	2	2	5	9	16	30	46
B. *Operated*										
0-27 DYS										
1-11 MOS	17	13.0	132	1	2	10	22	77	99+	99+
1-5 YRS	10	5.7	46	1	1	4	6	16	24	24
6-12 YRS	3	5.0	7	3	3	4	7	8	8	8
13-19 YRS	10	21.1	894	2	2	11	15	71	99	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	4.5	9	1	2	4	6	8	10	16
B. *Operated*	23	8.1	150	<1	1	5	8	37	68	99+
2. MULTIPLE DX										
A. *Not Operated*	448	6.6	46	2	2	5	7	12	16	41
B. *Operated*	40	12.6	307	1	2	7	15	43	99	99+
1. SINGLE DX	387	4.7	18	1	1	4	6	9	11	20
2. MULTIPLE DX	488	7.1	70	2	2	5	8	13	21	47
A. NOT OPERATED	812	5.7	31	1	2	4	7	10	14	31
B. OPERATED	63	11.0	251	1	1	6	12	41	99	99+
TOTAL 0-27 DYS	150	4.6	13	1	2	4	6	9	11	15
1-11 MOS	510	5.9	35	1	2	4	7	11	15	47
1-5 YRS	131	7.0	61	1	1	5	8	14	21	37
6-12 YRS	32	5.4	50	2	2	4	5	7	26	35
13-19 YRS	52	9.5	235	2	2	5	9	16	42	98
GRAND TOTAL	**875**	**6.0**	**48**	**1**	**2**	**4**	**7**	**11**	**15**	**45**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	4	9.3	10	7	7	8	11	14	14	14
1-5 YRS	181	7.4	28	2	2	6	10	15	20	24
6-12 YRS	226	6.8	21	2	2	6	9	14	17	21
13-19 YRS	134	6.2	21	1	2	5	8	12	15	24
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	32	6.3	143	1	1	3	6	9	11	70
6-12 YRS	59	5.2	22	<1	1	3	6	13	17	19
13-19 YRS	133	5.4	28	1	2	4	6	10	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	13	9	9	11	14	14	14	14
1-11 MOS	12	7.6	51	2	2	4	12	18	23	24
1-5 YRS	118	8.9	72	2	2	6	10	21	32	39
6-12 YRS	129	7.5	68	2	2	6	9	15	17	37
13-19 YRS	142	6.7	31	2	2	5	9	13	16	33
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	4	5.8	38	1	1	4	10	14	14	14
1-5 YRS	25	13.3	249	1	2	6	15	40	51	56
6-12 YRS	60	8.2	67	1	1	5	12	20	25	35
13-19 YRS	117	9.9	135	2	2	6	13	21	30	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	6.8	23	2	2	6	9	14	17	23
B. *Operated*	226	5.4	42	1	2	3	6	10	16	29
2. MULTIPLE DX										
A. *Not Operated*	403	7.6	56	2	2	6	9	15	21	36
B. *Operated*	207	9.8	128	1	2	6	13	23	32	60
1. SINGLE DX	773	6.4	29	2	2	5	8	13	17	24
2. MULTIPLE DX	610	8.4	81	2	2	6	10	17	25	41
A. NOT OPERATED	950	7.2	37	2	2	6	9	14	18	28
B. OPERATED	433	7.5	88	1	2	4	9	17	25	50
TOTAL 0-27 DYS	6	9.0	68	2	2	6	14	22	23	23
1-11 MOS	21	7.2	39	<1	1	7	12	15	20	24
1-5 YRS	356	8.2	70	2	2	6	10	16	24	43
6-12 YRS	474	7.0	40	2	2	5	9	15	18	25
13-19 YRS	526	7.0	53	2	2	5	8	14	20	35
GRAND TOTAL	**1383**	**7.3**	**53**	**2**	**2**	**5**	**9**	**15**	**20**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	75	5.8	14	2	2	5	8	12	13	15
6-12 YRS	182	6.2	16	2	2	5	8	11	14	20
13-19 YRS	98	4.9	10	1	2	4	6	9	12	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	5.8	9	1	2	6	8	9	10	10
6-12 YRS	18	6.0	32	1	2	4	8	13	20	24
13-19 YRS	18	6.7	39	1	2	4	9	15	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	58	7.3	10	3	3	7	10	11	13	14
6-12 YRS	143	7.2	23	2	2	6	9	12	16	25
13-19 YRS	61	7.1	66	2	2	5	8	14	15	57
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.7	11	1	1	3	4	9	10	10
6-12 YRS	19	8.9	83	1	2	6	11	23	32	36
13-19 YRS	31	8.4	112	1	1	5	9	16	39	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	5.8	14	1	2	5	7	11	13	18
B. *Operated*	45	6.2	29	1	2	4	8	13	18	25
2. MULTIPLE DX										
A. *Not Operated*	264	7.1	30	2	2	6	9	12	15	25
B. *Operated*	56	8.1	92	1	2	5	9	17	33	48
1. SINGLE DX	401	5.8	16	1	2	5	8	11	13	20
2. MULTIPLE DX	320	7.3	40	2	2	6	9	12	16	37
A. NOT OPERATED	620	6.4	21	2	2	5	8	12	14	21
B. OPERATED	101	7.2	64	1	2	5	9	14	24	44
TOTAL 0-27 DYS										
1-11 MOS	4	4.3	8	2	2	4	6	8	8	8
1-5 YRS	147	6.3	12	2	2	6	9	12	13	15
6-12 YRS	362	6.7	23	2	2	6	8	12	16	27
13-19 YRS	208	6.2	45	1	2	4	8	12	15	44
GRAND TOTAL	**721**	**6.5**	**27**	**2**	**2**	**5**	**8**	**12**	**14**	**26**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	6.8	28	1	1	6	11	13	13	13
1-5 YRS	7	2.4	6	1	1	1	4	7	7	7
6-12 YRS	10	1.4		<1	<1	1	2	3	3	3
13-19 YRS	7	3.6	6	<1	<1	3	5	7	8	8
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	12	11.2	98	2	2	6	22	26	26	26
13-19 YRS	41	7.8	51	<1	<1	6	11	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	11.3	161	4	4	4	21	26	26	26
1-11 MOS	5	3.6	6	1	1	3	5	7	7	7
1-5 YRS	55	4.0	29	<1	1	2	5	8	15	31
6-12 YRS	45	2.5	7	1	1	1	3	4	8	13
13-19 YRS	56	3.6	10	1	1	3	4	7	9	18
B. *Operated*										
0-27 DYS	2	39.0	1458	12	12	39	66	66	66	66
1-11 MOS	2	17.5	1	17	17	17	18	18	18	18
1-5 YRS	5	17.8	761	3	3	7	23	67	67	67
6-12 YRS	48	14.0	270	2	2	7	19	31	52	71
13-19 YRS	189	14.7	229	1	2	9	21	34	49	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.9	9	<1	<1	1	4	8	9	13
B. *Operated*	56	8.2	60	<1	1	6	12	20	25	34
2. MULTIPLE DX										
A. *Not Operated*	164	3.6	18	1	1	2	4	7	12	25
B. *Operated*	246	14.9	251	1	2	9	21	34	51	69
1. SINGLE DX	85	6.4	49	<1	1	4	9	16	23	31
2. MULTIPLE DX	410	10.3	188	1	1	5	13	26	39	66
A. NOT OPERATED	193	3.5	17	<1	1	2	4	7	12	23
B. OPERATED	302	13.6	222	1	2	8	18	31	48	68
TOTAL 0-27 DYS	7	16.7	545	<1	1	4	22	58	66	66
1-11 MOS	11	7.3	39	1	1	5	12	17	18	18
1-5 YRS	69	4.8	82	<1	1	2	5	8	15	60
6-12 YRS	115	8.1	155	1	1	3	9	23	31	70
13-19 YRS	293	11.4	179	1	1	6	15	28	39	64
GRAND TOTAL	**495**	**9.7**	**166**	**1**	**1**	**4**	**12**	**25**	**34**	**66**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	28	2	2	4	10	12	12	12
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	4	5.0	2	4	4	5	6	7	7	7
6-12 YRS	9	3.0	7	1	1	2	4	7	9	9
13-19 YRS	13	6.2	10	2	3	6	7	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	53.0		53	53	53	53	53	53	53
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	9	15.6	450	<1	1	8	18	53	65	65
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	13.7	289	<1	<1	7	26	33	33	33
1-11 MOS	12	5.8	40	<1	<1	4	7	13	22	24
1-5 YRS	19	8.7	94	1	1	4	13	27	30	32
6-12 YRS	6	8.5	24	1	1	8	12	15	15	15
13-19 YRS	37	7.1	40	1	2	5	8	16	19	32
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	6	15.8	597	2	2	6	13	60	65	65
13-19 YRS	27	12.8	101	2	3	11	18	25	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.6	10	1	1	4	6	9	12	14
B. *Operated*	12	17.8	455	<1	1	9	23	57	64	65
2. MULTIPLE DX										
A. *Not Operated*	77	7.6	59	1	1	5	9	18	27	33
B. *Operated*	36	12.9	164	2	3	9	16	26	41	65
1. SINGLE DX	46	8.0	153	1	1	5	8	12	39	65
2. MULTIPLE DX	113	9.3	97	1	2	6	12	22	28	54
A. NOT OPERATED	111	6.7	46	1	1	5	8	14	24	33
B. OPERATED	48	14.1	233	2	2	9	16	33	54	65
TOTAL 0-27 DYS	7	9.0	125	<1	<1	4	11	29	33	33
1-11 MOS	19	7.5	150	<1	<1	3	7	18	40	53
1-5 YRS	25	8.3	74	1	1	4	11	26	28	32
6-12 YRS	22	8.3	178	1	1	4	9	14	35	65
13-19 YRS	86	9.6	103	2	2	6	11	21	29	59
GRAND TOTAL	**159**	**8.9**	**113**	**1**	**1**	**6**	**11**	**20**	**30**	**64**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	5.4	3	3	3	5	6	8	9	10
1-5 YRS	174	4.3	9	2	2	4	5	6	7	12
6-12 YRS	273	4.1	4	2	2	4	5	7	8	10
13-19 YRS	952	4.3	4	2	2	4	5	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.3	12	3	3	6	9	10	10	10
1-5 YRS	23	6.2	15	1	2	5	8	9	13	20
6-12 YRS	32	4.8	4	1	2	5	6	8	8	8
13-19 YRS	54	5.7	6	2	3	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.0	7	4	4	5	8	10	10	10
1-11 MOS	25	5.4	6	2	2	5	8	9	9	10
1-5 YRS	169	4.7	6	2	2	4	5	7	8	16
6-12 YRS	208	5.0	15	2	2	4	5	8	11	25
13-19 YRS	854	4.9	7	2	2	4	6	8	9	14
B. *Operated*										
0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	2	16.0	288	4	4	16	28	28	28	28
1-5 YRS	39	6.8	26	1	2	6	8	13	17	26
6-12 YRS	64	6.2	12	1	2	6	8	10	11	21
13-19 YRS	106	7.1	16	3	3	6	9	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1419	4.3	5	2	2	4	5	7	8	10
B. *Operated*	112	5.6	8	1	2	5	7	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	1260	4.9	8	2	2	4	6	8	9	14
B. *Operated*	213	6.9	19	2	3	6	8	12	15	25
1. SINGLE DX	1531	4.4	5	2	2	4	5	7	8	11
2. MULTIPLE DX	1473	5.2	10	2	2	5	6	8	10	17
A. NOT OPERATED	2679	4.6	6	2	2	4	6	7	8	13
B. OPERATED	325	6.4	15	2	3	6	8	10	13	22
TOTAL 0-27 DYS	7	6.4	11	3	3	5	9	12	12	12
1-11 MOS	49	5.9	15	2	3	5	7	9	10	28
1-5 YRS	405	4.8	10	2	2	4	6	8	9	18
6-12 YRS	577	4.7	9	2	2	4	6	8	10	13
13-19 YRS	1966	4.7	6	2	2	4	6	7	9	14
GRAND TOTAL	**3004**	**4.8**	**8**	**2**	**2**	**4**	**6**	**7**	**9**	**14**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	4	3	3	4	6	7	7	7
1-11 MOS	28	5.1	7	2	3	5	6	9	11	12
1-5 YRS	175	4.4	5	2	2	4	5	7	8	12
6-12 YRS	324	4.0	5	1	2	4	5	6	8	11
13-19 YRS	904	4.1	6	1	2	4	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.2	12	1	1	7	8	9	9	9
1-5 YRS	27	5.8	31	<1	1	5	7	15	20	20
6-12 YRS	69	5.1	65	1	1	4	6	8	9	56
13-19 YRS	145	5.2	20	1	1	4	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	5.7	11	2	2	5	8	11	11	11
1-11 MOS	37	7.5	29	2	3	6	9	14	19	28
1-5 YRS	131	4.8	6	2	2	4	6	8	10	30
6-12 YRS	194	4.5	6	2	2	4	5	8	9	13
13-19 YRS	873	4.7	16	2	2	4	6	8	9	14
B. *Operated*										
0-27 DYS	4	5.8	5	4	4	5	7	9	9	9
1-11 MOS	9	9.4	85	2	2	6	13	25	28	28
1-5 YRS	80	6.0	19	1	1	6	8	11	15	19
6-12 YRS	143	5.8	21	1	1	5	8	11	15	23
13-19 YRS	230	6.6	24	1	2	6	9	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1434	4.1	6	1	2	4	5	7	8	12
B. *Operated*	246	5.3	33	1	1	4	7	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	1241	4.8	14	2	2	4	6	8	10	14
B. *Operated*	466	6.3	24	1	1	5	8	12	16	24
1. SINGLE DX	1680	4.3	10	1	2	4	5	7	8	15
2. MULTIPLE DX	1707	5.2	17	2	2	4	6	9	12	20
A. NOT OPERATED	2675	4.4	9	2	2	4	5	7	9	14
B. OPERATED	712	6.0	27	1	1	5	8	11	15	24
TOTAL 0-27 DYS	13	5.5	7	2	3	5	7	9	11	11
1-11 MOS	79	6.7	27	2	2	5	8	12	18	28
1-5 YRS	413	4.9	10	1	2	4	6	8	11	19
6-12 YRS	730	4.6	14	1	2	4	6	8	10	16
13-19 YRS	2152	4.7	13	1	2	4	6	8	10	16
GRAND TOTAL	**3387**	**4.7**	**14**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	6	3.5	6	1	1	3	6	7	7	7
1-5 YRS	4	3.3	1	2	2	3	4	4	4	4
6-12 YRS	34	3.3	12	1	1	2	3	6	8	20
13-19 YRS	242	2.6	3	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	2	9.5	1	9	9	9	10	10	10	10
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	6.8	5	3	3	7	8	10	10	10
6-12 YRS	22	7.3	13	1	2	8	10	12	13	13
13-19 YRS	97	7.5	13	2	3	8	9	12	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	1.8	3	1	1	1	2	5	5	5
6-12 YRS	22	4.2	17	<1	1	3	5	7	12	20
13-19 YRS	142	3.6	9	1	1	3	5	6	7	21
B. *Operated*										
0-27 DYS	2	12.5	13	10	10	12	15	15	15	15
1-11 MOS	3	10.0	81	1	1	10	17	19	19	19
1-5 YRS	10	9.5	81	2	2	6	13	23	31	31
6-12 YRS	23	8.0	39	1	2	7	9	13	24	29
13-19 YRS	104	9.6	55	2	4	8	12	18	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	2.7	4	1	1	2	3	5	7	11
B. *Operated*	128	7.4	13	2	3	8	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	171	3.6	10	1	1	3	5	6	7	21
B. *Operated*	142	9.4	54	2	3	7	11	18	22	43
1. SINGLE DX	417	4.2	12	1	1	3	6	9	11	15
2. MULTIPLE DX	313	6.2	38	1	1	5	7	13	19	31
A. NOT OPERATED	460	3.1	7	1	1	2	4	6	7	12
B. OPERATED	270	8.4	35	2	3	8	10	14	19	32
TOTAL 0-27 DYS	7	7.0	29	1	1	9	10	14	15	15
1-11 MOS	11	5.3	28	1	1	3	7	14	19	19
1-5 YRS	26	6.2	41	1	1	4	7	13	19	31
6-12 YRS	101	5.4	23	1	1	4	8	10	13	25
13-19 YRS	585	4.9	23	1	1	3	7	10	13	22
GRAND TOTAL	**730**	**5.1**	**24**	**1**	**1**	**4**	**7**	**10**	**13**	**23**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.9	1	<1	<1	2	3	3	3	3
1-11 MOS	8	2.4	2	<1	<1	2	3	4	5	5
1-5 YRS										
6-12 YRS	84	2.7	3	1	1	2	3	5	6	9
13-19 YRS	840	2.6	8	1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS	6	5.5	45	1	1	3	4	18	19	19
1-11 MOS	6	6.7	20	2	2	7	8	13	14	14
1-5 YRS	8	5.5	11	1	2	5	7	11	12	12
6-12 YRS	50	6.5	19	1	1	6	9	12	13	21
13-19 YRS	446	6.1	15	2	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	26	3.2	4	1	1	3	4	6	7	9
13-19 YRS	228	3.2	39	1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	13.5	5	12	12	13	15	15	15	15
1-5 YRS	3	15.7	254	5	5	8	27	34	34	34
6-12 YRS	26	7.6	23	2	2	7	11	15	16	18
13-19 YRS	184	6.3	14	2	2	5	8	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	2.6	8	1	1	2	3	4	6	9
B. *Operated*	516	6.2	16	2	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	261	3.2	35	1	1	2	4	5	6	9
B. *Operated*	216	6.6	19	2	2	6	8	12	14	22
1. SINGLE DX	1457	3.9	14	1	1	3	5	8	10	18
2. MULTIPLE DX	477	4.8	30	1	1	4	6	9	12	18
A. NOT OPERATED	1202	2.7	14	1	1	2	3	5	6	9
B. OPERATED	732	6.3	17	2	2	5	8	11	14	20
TOTAL 0-27 DYS	18	3.2	17	<1	<1	2	3	5	13	19
1-11 MOS	18	5.0	21	<1	1	3	8	13	15	15
1-5 YRS	14	7.2	67	1	2	5	8	14	30	34
6-12 YRS	186	4.5	14	1	1	3	6	10	12	17
13-19 YRS	1698	4.0	18	1	1	3	5	8	10	17
GRAND TOTAL	**1934**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	6.8	10	4	4	7	9	10	10	10
1-11 MOS	34	4.8	51	1	1	3	6	9	13	41
1-5 YRS	86	3.1	8	<1	1	2	4	6	10	12
6-12 YRS	97	2.9	8	<1	<1	2	4	7	7	18
13-19 YRS	93	2.8	5	<1	1	2	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	54	5.6	28	<1	1	3	9	14	16	16
1-5 YRS	686	5.4	21	<1	1	4	9	11	13	19
6-12 YRS	708	6.3	24	<1	1	7	9	12	14	20
13-19 YRS	405	7.7	30	1	1	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	64	6.8	64	2	2	5	8	12	15	56
1-5 YRS	127	4.1	20	1	1	3	5	7	10	29
6-12 YRS	113	3.7	10	1	1	3	5	7	9	17
13-19 YRS	144	4.3	11	1	1	3	6	9	11	15
B. *Operated*										
0-27 DYS	8	14.4	351	2	2	7	17	46	58	58
1-11 MOS	72	9.2	54	<1	1	8	15	20	22	26
1-5 YRS	871	5.8	37	<1	1	3	9	12	15	27
6-12 YRS	823	6.9	34	1	1	7	10	14	17	27
13-19 YRS	514	8.5	37	1	2	8	11	16	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	3.2	12	<1	1	2	4	7	9	16
B. *Operated*	1853	6.3	25	<1	1	7	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	449	4.5	22	1	1	3	6	9	11	21
B. *Operated*	2288	6.9	39	1	1	6	10	14	18	28
1. SINGLE DX	2167	5.8	24	<1	1	5	9	12	14	20
2. MULTIPLE DX	2737	6.5	37	1	1	5	10	14	17	27
A. NOT OPERATED	763	3.9	18	1	1	3	5	8	10	18
B. OPERATED	4141	6.6	33	1	1	6	10	13	16	25
TOTAL 0-27 DYS	13	12.1	221	2	2	8	15	26	52	58
1-11 MOS	224	7.0	52	<1	1	5	10	16	19	30
1-5 YRS	1770	5.4	29	<1	1	3	9	11	14	23
6-12 YRS	1741	6.2	28	<1	1	5	9	12	16	23
13-19 YRS	1156	7.2	32	1	1	6	10	14	18	27
GRAND TOTAL	**4904**	**6.2**	**31**	**1**	**1**	**5**	**9**	**13**	**16**	**25**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	11	2.3	2	1	1	2	4	4	4	4
13-19 YRS	86	2.7	3	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	9	3.2	8	1	1	2	4	8	10	10
6-12 YRS	10	4.4	18	<1	<1	3	7	11	13	13
13-19 YRS	49	4.7	10	1	1	4	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	3.5	4	1	1	3	5	7	7	7
13-19 YRS	40	3.6	6	1	1	3	5	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	10	6.0	20	1	1	5	8	13	14	14
13-19 YRS	51	6.6	53	1	2	5	8	14	28	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.7	3	1	1	2	4	5	5	9
B. *Operated*	69	4.4	11	1	1	4	7	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	49	3.6	6	1	1	3	5	6	7	14
B. *Operated*	64	6.3	45	1	2	5	8	13	19	92
1. SINGLE DX	169	3.4	7	1	1	2	4	8	10	11
2. MULTIPLE DX	113	5.1	30	1	1	4	6	10	14	64
A. NOT OPERATED	149	2.9	4	1	1	2	4	5	6	10
B. OPERATED	133	5.3	28	1	1	4	7	11	13	53
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	16	2.8	5	1	1	2	3	5	8	10
6-12 YRS	39	4.0	12	1	1	3	5	9	13	14
13-19 YRS	226	4.2	18	1	1	3	5	8	11	32
GRAND TOTAL	**282**	**4.1**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.8	13	1	1	3	5	10	10	10
1-11 MOS	13	5.5	33	1	1	3	8	12	20	22
1-5 YRS	158	2.8	3	1	1	2	3	4	6	13
6-12 YRS	248	3.2	3	1	1	3	4	6	6	9
13-19 YRS	383	3.4	28	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	4	1.3		<1	<1	1	1	2	2	2
1-11 MOS	3	2.0	1	1	1	2	51	99+	99+	99+
1-5 YRS	291	2.4	5	<1	1	2	3	4	6	17
6-12 YRS	462	2.4	5	<1	1	2	3	5	6	11
13-19 YRS	613	3.0	7	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.0	18	3	3	6	10	12	12	12
1-11 MOS	23	4.6	5	1	2	4	6	7	9	11
1-5 YRS	177	3.5	5	1	1	3	4	6	7	15
6-12 YRS	208	3.5	4	1	2	3	4	6	7	11
13-19 YRS	568	4.0	8	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	4	2.8	2	1	1	3	4	4	4	4
1-11 MOS	7	5.4	38	1	1	4	7	16	18	18
1-5 YRS	506	2.3	4	<1	1	2	3	5	6	9
6-12 YRS	776	3.0	17	<1	1	2	4	6	7	15
13-19 YRS	1012	3.7	7	1	1	3	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	807	3.3	16	1	1	3	4	5	7	11
B. *Operated*	1373	2.7	6	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	980	3.9	7	1	1	3	5	7	9	12
B. *Operated*	2305	3.1	10	1	1	2	4	6	8	14
1. SINGLE DX	2180	2.9	10	1	1	2	4	5	7	11
2. MULTIPLE DX	3285	3.4	9	1	1	3	4	6	8	13
A. NOT OPERATED	1787	3.6	11	1	1	3	4	6	8	12
B. OPERATED	3678	3.0	9	1	1	2	4	6	7	13
TOTAL 0-27 DYS	17	3.7	11	<1	<1	3	4	10	11	12
1-11 MOS	46	4.8	17	1	1	4	7	9	19	99+
1-5 YRS	1132	2.6	4	1	1	2	3	5	6	12
6-12 YRS	1694	2.9	10	<1	1	2	4	6	7	12
13-19 YRS	2576	3.5	11	1	1	3	4	7	8	13
GRAND TOTAL	**5465**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	<1	<1	<1	4	5	5	5
1-5 YRS	46	1.7	1	<1	<1	1	2	3	3	4
6-12 YRS	45	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	24	2.5	6	<1	<1	2	2	6	8	10
B. *Operated*										
0-27 DYS	5	2.2		2	2	2	3	3	3	3
1-11 MOS	74	1.5	2	<1	<1	1	2	2	4	8
1-5 YRS	2546	1.7	5	<1	<1	1	2	2	3	7
6-12 YRS	2210	1.8	4	<1	<1	1	2	3	4	8
13-19 YRS	781	2.8	6	<1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.5	22	1	1	4	7	13	14	14
1-5 YRS	68	2.3	15	<1	<1	1	2	3	5	28
6-12 YRS	48	2.4	10	<1	<1	2	3	4	12	99+
13-19 YRS	25	4.2	11	1	2	3	4	9	12	14
B. *Operated*										
0-27 DYS	7	3.7	13	<1	<1	2	5	10	11	11
1-11 MOS	48	3.3	45	<1	<1	1	2	7	12	44
1-5 YRS	1865	2.0	5	<1	1	1	2	3	5	9
6-12 YRS	2018	2.1	8	<1	1	2	2	3	5	10
13-19 YRS	996	3.2	9	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	1.9	2	<1	<1	2	2	3	5	8
B. *Operated*	5616	1.9	5	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	147	2.8	13	<1	<1	2	3	5	9	33
B. *Operated*	4934	2.3	8	<1	1	2	2	4	6	12
1. SINGLE DX	5734	1.9	5	<1	<1	1	2	3	4	9
2. MULTIPLE DX	5081	2.3	8	<1	1	2	2	4	6	12
A. NOT OPERATED	265	2.4	8	<1	<1	2	3	4	7	19
B. OPERATED	10550	2.1	6	<1	1	2	2	4	5	11
TOTAL 0-27 DYS	12	3.1	8	<1	1	2	3	7	10	11
1-11 MOS	131	2.4	19	<1	<1	1	2	5	7	22
1-5 YRS	4525	1.8	5	<1	<1	1	2	3	4	8
6-12 YRS	4321	2.0	6	<1	<1	2	2	3	4	9
13-19 YRS	1826	3.1	8	<1	1	2	4	6	8	15
GRAND TOTAL	**10815**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	91	6.0	13	2	2	5	7	11	14	18
1-11 MOS	378	4.2	8	1	2	4	5	7	9	14
1-5 YRS	1085	3.3	5	1	1	3	4	6	7	11
6-12 YRS	1090	3.2	5	1	1	3	4	6	7	11
13-19 YRS	1308	3.5	8	1	1	3	5	6	7	11
B. *Operated*										
0-27 DYS	11	5.2	19	<1	1	3	8	12	14	14
1-11 MOS	60	3.8	22	<1	1	2	5	9	12	28
1-5 YRS	1107	2.2	6	<1	1	1	2	4	7	13
6-12 YRS	1485	2.4	7	<1	1	2	3	5	7	14
13-19 YRS	1158	2.9	9	<1	1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	110	6.7	19	2	2	6	8	12	15	23
1-11 MOS	662	5.3	11	2	2	4	7	9	11	18
1-5 YRS	1389	4.3	9	1	2	4	5	7	9	15
6-12 YRS	1126	4.1	10	1	1	3	5	7	9	15
13-19 YRS	1974	4.2	9	1	2	4	5	8	9	15
B. *Operated*										
0-27 DYS	24	7.5	16	2	3	6	10	13	15	16
1-11 MOS	135	6.8	66	1	1	5	10	13	22	40
1-5 YRS	1821	2.9	16	<1	1	2	3	7	9	16
6-12 YRS	1929	3.0	11	<1	1	2	3	6	9	16
13-19 YRS	1654	4.1	21	1	1	3	5	9	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3952	3.5	7	1	1	3	4	6	7	12
B. *Operated*	3821	2.5	8	<1	1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	5261	4.4	10	1	2	4	5	8	10	16
B. *Operated*	5563	3.4	17	<1	1	2	4	8	10	20
1. SINGLE DX	7773	3.0	7	1	1	2	4	6	7	13
2. MULTIPLE DX	10824	3.9	14	1	1	3	5	8	10	17
A. NOT OPERATED	9213	4.0	9	1	1	3	5	7	9	15
B. OPERATED	9384	3.0	14	<1	1	2	3	7	9	17
TOTAL 0-27 DYS	236	6.4	16	2	2	6	8	12	15	18
1-11 MOS	1235	5.0	17	1	2	4	6	9	12	20
1-5 YRS	5402	3.2	10	1	1	2	4	7	8	14
6-12 YRS	5630	3.1	9	<1	1	2	4	6	8	14
13-19 YRS	6094	3.8	12	1	1	3	5	7	9	17
GRAND TOTAL	**18597**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	51	99+	99+	99+	99+
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	6	6.7	25	1	1	6	7	15	16	16
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	7	3.3	4	1	1	3	5	7	7	7
6-12 YRS	6	6.7	17	2	2	9	11	82	99+	99+
13-19 YRS	16	4.5	18	<1	<1	2	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7	44	<1	<1	5	12	14	14	14
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	7.5	85	<1	<1	7	14	14	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	13	7.9	15	2	3	8	11	12	15	16
1-11 MOS	17	7.3	11	<1	2	7	10	12	12	12
1-5 YRS	8	12.4	48	2	4	11	18	22	22	22
6-12 YRS	18	8.4	114	1	1	7	10	12	34	48
13-19 YRS	22	6.9	37	1	1	6	9	15	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	18	1	1	2	8	74	99+	99+
B: *Operated*	36	5.1	16	<1	1	5	8	12	15	99+
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	26	<1	<1	6	11	14	14	14
B. *Operated*	78	8.1	47	1	1	7	10	13	22	41
1. SINGLE DX	43	4.8	17	<1	1	3	8	13	37	99+
2. MULTIPLE DX	86	8.0	45	1	1	7	10	14	22	39
A. NOT OPERATED	15	5.3	24	<1	<1	4	11	14	74	99+
B. OPERATED	114	7.1	39	1	1	7	9	13	20	66
TOTAL 0-27 DYS	22	7.4	19	1	2	6	11	15	16	16
1-11 MOS	19	7.4	10	<1	2	7	9	12	12	12
1-5 YRS	18	7.7	47	<1	1	7	14	22	65	99+
6-12 YRS	27	7.9	81	1	1	7	10	13	53	99+
13-19 YRS	43	5.5	28	<1	1	3	9	12	16	23
GRAND TOTAL	**129**	**6.9**	**37**	**1**	**1**	**6**	**9**	**13**	**21**	**99+**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	61	3.2	4	1	1	3	4	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	14	2.1	3	<1	1	2	2	4	6	7
13-19 YRS	130	2.4	3	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	4.3	5	2	2	4	6	7	7	7
13-19 YRS	62	3.8	4	1	2	3	5	7	8	10
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	3.3	5	<1	<1	3	5	6	6	6
6-12 YRS	20	2.5	5	1	1	2	2	5	8	10
13-19 YRS	137	3.4	9	1	1	2	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.3	4	1	1	3	4	5	6	12
B. *Operated*	148	2.4	3	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	69	3.8	4	1	2	3	5	7	8	10
B. *Operated*	163	3.3	8	1	1	2	4	7	9	14
1. SINGLE DX	211	2.6	3	<1	1	2	3	5	6	11
2. MULTIPLE DX	232	3.4	7	1	1	3	4	7	8	14
A. NOT OPERATED	132	3.5	4	1	2	3	5	6	7	11
B. OPERATED	311	2.8	6	<1	1	2	3	6	8	13
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	3	3.0	3	2	2	2	4	5	5	5
1-5 YRS	9	3.0	3	<1	1	2	4	5	6	6
6-12 YRS	39	2.6	4	1	1	2	3	6	7	10
13-19 YRS	390	3.1	5	1	1	2	4	6	8	13
GRAND TOTAL	**443**	**3.1**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	22	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	14	1.3		<1	<1	1	1	2	3	3
6-12 YRS	10	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	10	2.6	3	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	235	1.8	1	<1	<1	2	2	3	3	5
1-5 YRS	673	2.2	3	<1	1	2	2	3	4	9
6-12 YRS	257	2.4	2	<1	1	2	3	4	5	6
13-19 YRS	496	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	30	2.3	7	<1	<1	1	2	6	8	12
1-5 YRS	52	1.8	5	<1	<1	1	2	4	5	16
6-12 YRS	9	3.6	23	<1	<1	2	3	11	16	16
13-19 YRS	9	2.7	5	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	208	2.3	2	<1	1	2	3	4	5	7
1-5 YRS	703	2.5	8	<1	1	2	3	4	5	8
6-12 YRS	327	3.0	4	1	1	3	4	5	5	10
13-19 YRS	268	4.3	36	1	2	4	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	1663	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	100	2.2	7	<1	<1	1	2	5	7	16
B. *Operated*	1507	2.9	12	<1	1	2	3	5	6	10
1. SINGLE DX	1720	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1607	2.8	11	<1	1	2	3	5	6	10
A. NOT OPERATED	157	2.0	5	<1	<1	1	2	4	6	15
B. OPERATED	3170	2.7	7	<1	1	2	3	4	6	9
TOTAL 0-27 DYS	4	2.0	2	1	1	2	3	4	4	4
1-11 MOS	495	2.1	2	<1	<1	2	2	3	4	7
1-5 YRS	1442	2.3	5	<1	1	2	3	4	5	9
6-12 YRS	603	2.7	3	1	1	2	3	4	5	9
13-19 YRS	783	3.7	14	1	2	3	4	6	7	10
GRAND TOTAL	**3327**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	9	3.1	6	1	1	2	5	7	8	8
6-12 YRS	111	3.5	4	1	1	3	5	6	8	10
13-19 YRS	643	4.6	9	1	2	4	6	8	10	14
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	4	3.0	2	2	2	3	4	5	5	5
1-5 YRS	13	3.7	5	1	1	3	5	7	9	9
6-12 YRS	48	3.3	5	1	1	2	5	7	8	9
13-19 YRS	186	4.5	9	1	2	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	8.5	18	4	4	8	12	13	13	13
1-5 YRS	7	4.6	5	2	2	5	7	7	7	7
6-12 YRS	27	4.5	5	2	2	4	6	8	10	10
13-19 YRS	176	5.3	14	2	2	4	7	9	10	21
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	3.3	7	1	1	3	4	8	8	8
1-5 YRS	15	2.7	3	<1	1	2	3	4	7	8
6-12 YRS	23	4.3	10	1	1	4	6	8	11	15
13-19 YRS	140	5.7	14	1	2	4	8	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	4.5	8	1	2	4	6	8	9	13
B. *Operated*	252	4.3	9	1	1	4	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	215	5.2	13	2	2	4	7	9	10	19
B. *Operated*	185	5.2	13	1	2	4	7	10	13	20
1. SINGLE DX	1017	4.4	8	1	2	4	6	8	10	13
2. MULTIPLE DX	400	5.2	13	1	2	4	7	10	12	19
A. NOT OPERATED	980	4.6	9	1	2	4	6	8	10	15
B. OPERATED	437	4.6	11	1	2	4	6	9	11	16
TOTAL 0-27 DYS	3	6.3	33	3	3	3	11	13	13	13
1-11 MOS	16	5.0	12	1	1	4	7	11	12	13
1-5 YRS	44	3.4	5	1	1	3	5	7	8	9
6-12 YRS	209	3.7	5	1	1	3	5	7	8	10
13-19 YRS	1145	4.8	10	1	2	4	6	9	11	17
GRAND TOTAL	**1417**	**4.6**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	1.5		<1	<1	1	2	2	3	3
1-11 MOS	264	1.5	1	<1	<1	1	2	2	2	4
1-5 YRS	1019	1.8	1	<1	<1	2	2	2	3	5
6-12 YRS	788	1.9	1	<1	1	2	2	2	3	4
13-19 YRS	544	2.2	1	1	1	2	2	3	4	9
B. *Operated*										
0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	514	1.6	2	<1	<1	1	2	2	2	3
1-5 YRS	1845	1.7	1	<1	<1	2	2	2	3	5
6-12 YRS	1296	1.9	2	<1	1	2	2	2	3	5
13-19 YRS	1000	2.2	5	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.8	3	1	1	2	4	5	5	5
1-11 MOS	78	1.8	3	<1	<1	1	2	3	5	10
1-5 YRS	270	1.8	2	<1	<1	1	2	3	4	7
6-12 YRS	126	2.1	2	<1	<1	2	2	4	4	8
13-19 YRS	119	2.4	2	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	126	2.2	5	<1	<1	2	2	3	5	35
1-5 YRS	531	2.1	2	<1	1	2	2	3	4	8
6-12 YRS	421	2.3	2	<1	1	2	2	4	5	9
13-19 YRS	322	2.7	3	1	2	2	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2639	1.9	1	<1	1	2	2	3	3	5
B. *Operated*	4658	1.8	2	<1	1	2	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	598	2.0	2	<1	<1	2	2	3	5	8
B. *Operated*	1400	2.3	3	<1	1	2	2	4	5	9
1. SINGLE DX	7297	1.9	2	<1	1	2	2	2	3	5
2. MULTIPLE DX	1998	2.2	2	<1	1	2	2	4	5	9
A. NOT OPERATED	3237	1.9	1	<1	1	2	2	3	3	6
B. OPERATED	6058	1.9	3	<1	1	2	2	3	3	7
TOTAL 0-27 DYS	32	1.8	1	<1	<1	2	2	3	4	5
1-11 MOS	982	1.6	2	<1	<1	1	2	2	3	6
1-5 YRS	3665	1.8	1	<1	<1	2	2	2	3	6
6-12 YRS	2631	2.0	2	<1	1	2	2	3	3	6
13-19 YRS	1985	2.3	4	1	1	2	2	3	4	8
GRAND TOTAL	**9295**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**7**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.5	4	<1	<1	4	5	6	7	7
1-11 MOS	9	2.8	9	1	1	1	3	8	9	9
1-5 YRS	61	2.3	5	<1	<1	2	3	4	5	16
6-12 YRS	117	2.1	4	1	1	2	2	3	4	12
13-19 YRS	156	2.2	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	8	2.1	3	1	1	1	3	5	5	5
1-11 MOS	38	2.4	8	<1	1	2	2	4	5	18
1-5 YRS	251	2.2	3	<1	1	2	2	4	5	10
6-12 YRS	788	2.3	3	1	1	2	3	4	5	9
13-19 YRS	1698	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.0	15	1	1	4	9	9	9	9
1-11 MOS	10	4.8	11	2	2	4	5	10	12	12
1-5 YRS	79	2.8	4	<1	1	2	4	5	6	11
6-12 YRS	42	2.8	7	<1	1	2	3	5	7	16
13-19 YRS	83	3.4	6	<1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	28	2.9	5	<1	1	2	4	6	7	11
1-5 YRS	162	2.4	3	<1	1	2	3	5	6	8
6-12 YRS	299	2.8	4	1	1	2	3	5	7	10
13-19 YRS	599	3.7	8	1	1	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.3	4	<1	1	2	3	4	5	9
B. *Operated*	2783	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	219	3.1	6	<1	1	2	4	6	8	12
B. *Operated*	1090	3.2	6	1	1	3	4	6	7	12
1. SINGLE DX	3134	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1309	3.2	6	1	1	3	4	6	8	12
A. NOT OPERATED	570	2.6	5	<1	1	2	3	5	7	12
B. OPERATED	3873	2.8	4	1	1	2	3	5	6	10
TOTAL 0-27 DYS	23	3.3	6	<1	1	3	4	7	9	9
1-11 MOS	85	2.9	8	1	1	2	3	5	9	16
1-5 YRS	553	2.3	3	<1	1	2	3	4	5	11
6-12 YRS	1246	2.4	4	1	1	2	3	4	6	9
13-19 YRS	2536	3.1	5	1	1	3	4	5	7	10
GRAND TOTAL	**4443**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	27	2.7	4	<1	<1	2	3	6	8	9
B. *Operated*										
0-27 DYS	4	1.8		1	1	2	2	2	2	2
1-11 MOS	12	2.7	2	<1	1	2	4	5	5	5
1-5 YRS	7	3.4	14	<1	<1	2	5	10	11	11
6-12 YRS	20	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	1025	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	3.2	7	<1	<1	2	4	8	8	8
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	7	2.4	1	2	2	2	3	4	4	4
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	7	2.7	3	<1	<1	2	4	6	6	6
13-19 YRS	231	3.0	8	1	1	2	4	5	6	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.6	4	<1	<1	2	3	5	8	9
B. *Operated*	1068	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	17	3.2	7	<1	<1	2	4	8	8	8
B. *Operated*	251	3.0	8	1	1	2	3	5	6	12
1. SINGLE DX	1098	2.1	1	<1	1	2	2	3	[illegible]	8
2. MULTIPLE DX	268	3.0	8	<1	1	2	4	5	6	11
A. NOT OPERATED	47	2.9	5	<1	<1	2	3	7	8	9
B. OPERATED	1319	2.3	3	<1	1	2	2	3	4	8
TOTAL 0-27 DYS	7	2.3	2	<1	<1	2	3	5	5	5
1-11 MOS	20	2.6	1	<1	1	2	3	4	5	5
1-5 YRS	11	2.7	10	<1	<1	2	2	8	11	11
6-12 YRS	28	2.1	2	<1	<1	2	2	4	6	6
13-19 YRS	1300	2.3	3	<1	1	2	2	3	4	8
GRAND TOTAL	**1366**	**2.3**	**3**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	4.1	6	1	2	3	5	9	10	10
1-11 MOS	10	3.2	1	1	1	3	4	4	4	4
1-5 YRS	4	4.3	7	2	2	4	6	7	7	7
6-12 YRS	13	3.8	4	1	1	4	5	7	8	8
13-19 YRS	112	3.0	3	<1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS	13	4.3	10	1	2	4	5	8	13	14
1-11 MOS	15	3.4	4	1	1	3	4	6	7	8
1-5 YRS	10	2.0	1	1	1	2	3	4	4	4
6-12 YRS	122	3.2	67	1	1	2	3	4	5	32
13-19 YRS	1910	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	4.7	5	1	2	4	6	8	10	10
1-11 MOS	6	4.3	2	2	2	4	6	6	6	6
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	9	5.9	16	<1	1	4	8	12	14	14
13-19 YRS	71	3.4	7	<1	1	3	4	6	7	17
B. *Operated*										
0-27 DYS	6	3.7	5	<1	<1	3	5	7	7	7
1-11 MOS	5	3.2	2	2	2	3	4	5	5	5
1-5 YRS	3	4.3	24	1	1	2	8	10	10	10
6-12 YRS	21	3.2	4	1	1	3	4	6	7	8
13-19 YRS	406	3.7	11	1	2	3	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	3.3	4	<1	1	3	4	6	8	10
B. *Operated*	2070	3.0	8	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	107	3.9	8	<1	1	4	5	7	8	17
B. *Operated*	441	3.7	10	1	2	3	4	6	8	13
1. SINGLE DX	2231	3.0	7	1	1	3	4	5	6	10
2. MULTIPLE DX	548	3.7	10	1	1	3	5	6	8	14
A. NOT OPERATED	268	3.5	5	<1	1	3	4	6	8	10
B. OPERATED	2511	3.1	8	1	1	3	4	5	6	10
TOTAL 0-27 DYS	61	4.3	6	1	2	4	5	8	10	14
1-11 MOS	36	3.5	2	1	2	3	4	6	6	8
1-5 YRS	18	3.1	6	1	1	2	4	7	9	10
6-12 YRS	165	3.4	52	1	1	2	3	5	7	13
13-19 YRS	2499	3.1	5	1	1	3	4	5	6	10
GRAND TOTAL	**2779**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	37	3.1	10	1	1	2	3	5	10	18
13-19 YRS	1102	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	4	6.0	18	2	2	5	9	11	11	11
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	64	5.0	9	2	3	4	6	7	9	21
13-19 YRS	2098	4.9	8	1	2	5	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	19	4.3	19	<1	1	3	5	7	15	21
13-19 YRS	555	3.6	7	1	1	3	5	7	8	14
B. *Operated*										
0-27 DYS	8	4.8	14	1	1	4	8	10	10	10
1-11 MOS	12	6.4	9	2	3	6	8	11	12	12
1-5 YRS	5	5.0	3	3	3	5	6	7	7	7
6-12 YRS	61	5.1	5	2	2	5	7	8	9	10
13-19 YRS	1825	5.7	12	2	2	5	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1142	2.7	3	1	1	2	3	5	6	9
B. *Operated*	2170	4.9	8	1	2	5	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	577	3.6	8	1	1	3	5	7	8	15
B. *Operated*	1911	5.7	12	2	2	5	7	9	11	17
1. SINGLE DX	3312	4.2	8	1	1	4	6	7	9	13
2. MULTIPLE DX	2488	5.2	11	1	2	5	7	9	10	16
A. NOT OPERATED	1719	3.0	5	1	1	2	4	6	7	11
B. OPERATED	4081	5.3	10	1	2	5	7	8	10	16
TOTAL 0-27 DYS	12	5.2	14	1	1	4	8	10	11	11
1-11 MOS	18	5.2	10	1	2	5	6	11	12	12
1-5 YRS	9	4.9	7	<1	1	5	6	9	10	10
6-12 YRS	181	4.6	9	1	2	4	6	8	9	20
13-19 YRS	5580	4.6	9	1	1	4	6	8	9	15
GRAND TOTAL	**5800**	**4.6**	**9**	**1**	**1**	**4**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	7	2	2	3	6	7	7	7
1-11 MOS	6	4.0	3	1	1	4	5	6	6	6
1-5 YRS	2	6.0	32	2	2	6	10	10	10	10
6-12 YRS	43	4.4	4	1	2	4	6	7	8	9
13-19 YRS	4784	4.6	14	2	2	4	6	7	9	14
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	19	7.9	21	3	4	7	9	12	19	24
13-19 YRS	1337	5.4	13	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.8	7	4	4	7	9	9	9	9
1-11 MOS	3	8.0	7	5	5	9	10	10	10	10
1-5 YRS	4	3.8	1	3	3	4	4	5	5	5
6-12 YRS	24	4.3	7	1	2	4	5	7	9	13
13-19 YRS	2512	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	3	4.7	6	2	2	5	6	7	7	7
1-11 MOS	8	8.0	130	2	2	4	6	27	36	36
1-5 YRS	6	7.0	30	<1	<1	6	11	15	15	15
6-12 YRS	19	7.6	21	2	2	7	10	16	17	17
13-19 YRS	2232	6.6	17	2	2	6	8	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4838	4.6	14	2	2	4	6	7	9	14
B. *Operated*	1359	5.5	13	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2547	5.1	8	2	2	5	6	8	10	15
B. *Operated*	2268	6.7	18	2	2	6	8	12	15	22
1. SINGLE DX	6197	4.8	14	2	2	4	6	8	10	15
2. MULTIPLE DX	4815	5.8	13	2	2	5	7	10	13	19
A. NOT OPERATED	7385	4.7	12	2	2	4	6	8	9	14
B. OPERATED	3627	6.2	16	1	2	6	8	11	14	21
TOTAL 0-27 DYS	11	5.5	7	2	2	5	8	9	9	9
1-11 MOS	18	6.3	61	<1	1	5	6	10	26	36
1-5 YRS	13	5.6	18	<1	2	4	9	12	14	15
6-12 YRS	105	5.6	13	2	2	5	7	9	13	20
13-19 YRS	10865	5.2	14	2	2	5	6	9	11	17
GRAND TOTAL	**11012**	**5.2**	**14**	**2**	**2**	**5**	**6**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	44	3.0	2	1	1	3	4	5	6	6
B. *Operated*										
0-27 DYS	3	6.0	13	2	2	7	8	9	9	9
1-11 MOS	4	6.8	20	2	2	7	10	11	11	11
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	5.0	4	2	2	6	6	6	6	6
13-19 YRS	284	3.4	6	1	1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	41	4.1	6	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS	5	7.0	1	6	6	7	7	8	8	8
1-11 MOS	5	7.2	5	6	6	6	8	11	11	11
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	4	4.5	6	2	2	4	6	7	7	7
13-19 YRS	323	4.5	8	1	1	4	5	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.0	2	1	1	3	4	5	6	6
B. *Operated*	296	3.5	6	1	1	2	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	43	4.1	6	1	2	3	6	7	9	13
B. *Operated*	339	4.6	8	1	1	4	6	8	10	14
1. SINGLE DX	340	3.4	6	1	1	3	5	6	7	10
2. MULTIPLE DX	382	4.5	8	1	1	4	6	8	9	14
A. NOT OPERATED	87	3.6	5	1	1	3	5	6	7	12
B. OPERATED	635	4.1	8	1	1	3	6	7	8	13
TOTAL 0-27 DYS	8	6.6	4	2	3	7	8	9	9	9
1-11 MOS	10	7.2	9	2	3	7	10	11	11	11
1-5 YRS	3	6.7	1	6	6	6	8	8	8	8
6-12 YRS	9	4.3	5	1	1	6	6	7	7	7
13-19 YRS	692	3.9	7	1	1	3	6	7	8	13
GRAND TOTAL	**722**	**4.0**	**7**	**1**	**1**	**3**	**6**	**7**	**8**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	5	1.0		<1	<1	1	1	1	1	1
13-19 YRS	13	3.5	4	<1	<1	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	133	2.6	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	2	9.5	85	3	3	9	16	16	16	16
13-19 YRS	37	3.0	6	<1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	3	4.7	9	2	2	4	7	8	8	8
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	245	3.0	6	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.8	4	<1	<1	2	5	6	7	7
B. *Operated*	138	2.7	6	1	1	2	3	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	40	3.4	10	<1	1	2	5	7	10	16
B. *Operated*	254	3.0	6	1	1	2	3	6	8	12
1. SINGLE DX	157	2.7	6	<1	1	2	3	5	6	14
2. MULTIPLE DX	294	3.1	6	1	1	2	3	6	8	14
A. NOT OPERATED	59	3.2	8	<1	<1	2	5	7	7	16
B. OPERATED	392	2.9	6	1	1	2	3	5	7	13
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	6	6.5	18	2	2	6	8	13	14	14
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	12	3.3	18	<1	<1	2	3	9	15	16
13-19 YRS	428	2.9	5	1	1	2	3	5	7	12
GRAND TOTAL	**451**	**3.0**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	36	2.5	4	<1	<1	2	3	5	7	10
6-12 YRS	52	2.2	2	<1	<1	2	3	4	5	6
13-19 YRS	337	3.9	5	1	2	3	5	7	9	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	2.4	4	1	1	2	3	6	6	6
1-5 YRS	14	2.1	2	<1	<1	2	3	4	4	4
6-12 YRS	19	2.8	4	1	1	2	3	5	8	10
13-19 YRS	744	2.5	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	5	5.6	7	1	1	6	7	8	8	8
1-5 YRS	24	4.7	10	<1	1	4	6	9	12	13
6-12 YRS	39	3.1	5	<1	1	2	5	6	7	12
13-19 YRS	369	4.6	9	1	2	4	6	8	9	15
B. *Operated*										
0-27 DYS	3	7.3	21	2	2	10	10	10	10	10
1-11 MOS										
1-5 YRS	19	3.8	5	1	1	3	6	7	8	8
6-12 YRS	28	2.6	5	1	1	2	3	5	9	9
13-19 YRS	416	3.8	11	1	1	3	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	3.6	5	1	1	3	5	6	8	12
B. *Operated*	783	2.5	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	439	4.4	9	1	2	4	6	8	9	14
B. *Operated*	466	3.8	11	1	1	3	5	8	10	18
1. SINGLE DX	1211	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX	905	4.1	10	1	1	3	5	8	10	17
A. NOT OPERATED	867	4.0	7	1	1	3	5	7	9	13
B. OPERATED	1249	3.0	7	1	1	2	4	5	8	14
TOTAL 0-27 DYS	7	5.3	15	1	1	5	9	10	10	10
1-11 MOS	12	4.3	7	1	1	5	6	7	8	8
1-5 YRS	93	3.3	6	<1	<1	3	5	6	8	13
6-12 YRS	138	2.6	4	<1	1	2	3	5	6	10
13-19 YRS	1866	3.5	7	1	1	3	4	6	8	14
GRAND TOTAL	**2116**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	4	7.8	6	5	5	7	9	11	11	11
1-11 MOS	7	6.7	15	2	3	6	8	13	14	14
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	3	4.7	10	1	1	6	7	7	7	7
13-19 YRS	17	4.4	6	1	2	4	6	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	5	9.4	12	6	6	8	11	15	15	15
1-11 MOS	8	8.3	11	5	5	7	11	13	14	14
1-5 YRS	10	8.9	22	<1	2	9	12	15	15	15
6-12 YRS	8	7.8	21	2	2	7	11	14	15	15
13-19 YRS	42	5.6	15	1	2	5	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*	33	5.3	9	1	2	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	3	7.3	72	<1	<1	4	14	17	17	17
B. *Operated*	73	6.8	17	1	2	6	9	13	15	20
1. SINGLE DX	36	5.1	9	1	2	5	7	9	11	14
2. MULTIPLE DX	76	6.8	18	1	2	6	9	13	15	20
A. NOT OPERATED	6	4.8	37	<1	<1	3	4	16	17	17
B. OPERATED	106	6.3	15	1	2	6	8	12	14	18
TOTAL 0-27 DYS	10	9.5	15	5	5	8	11	16	17	17
1-11 MOS	15	7.5	13	3	5	6	10	14	14	14
1-5 YRS	13	7.6	24	<1	<1	7	12	15	15	15
6-12 YRS	12	6.4	20	1	1	6	8	14	15	15
13-19 YRS	62	5.1	12	1	2	5	7	9	12	20
GRAND TOTAL	**112**	**6.3**	**16**	**1**	**2**	**6**	**8**	**12**	**15**	**19**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	26	2.0	2	<1	1	2	2	3	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	107	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	25	2.5	4	<1	1	2	3	6	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	94	3.6	63	1	1	2	3	5	8	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.0	2	<1	1	2	2	3	5	7
B. *Operated*	109	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	25	2.6	4	<1	1	2	4	6	6	7
B. *Operated*	96	3.6	61	1	1	2	3	5	8	47
1. SINGLE DX	136	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	122	3.4	49	1	1	2	3	6	7	30
A. NOT OPERATED	53	2.3	3	1	1	2	3	5	6	7
B. OPERATED	205	2.7	30	<1	1	2	2	4	5	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.2	3	1	1	3	5	5	5	5
13-19 YRS	252	2.6	25	1	1	2	2	4	6	10
GRAND TOTAL	**258**	**2.6**	**24**	**1**	**1**	**2**	**2**	**4**	**6**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	33	2.8	2	1	1	2	3	5	6	7
13-19 YRS	613	2.4	4	<1	1	2	3	4	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	41	2.4	3	1	1	2	3	5	6	9
13-19 YRS	2458	2.1	5	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	25	3.4	5	1	1	3	4	6	9	11
13-19 YRS	598	3.2	5	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	37	3.3	7	<1	1	2	5	7	9	12
13-19 YRS	2022	3.2	15	1	1	2	3	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	646	2.4	4	<1	1	2	3	4	5	11
B. *Operated*	2499	2.1	5	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	623	3.2	5	1	1	3	4	6	8	12
B. *Operated*	2059	3.2	15	1	1	2	3	6	8	13
1. SINGLE DX	3145	2.2	5	<1	1	2	2	3	4	7
2. MULTIPLE DX	2682	3.2	13	1	1	2	4	6	8	13
A. NOT OPERATED	1269	2.8	5	<1	1	2	3	5	6	11
B. OPERATED	4558	2.6	10	<1	1	2	3	5	6	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	136	2.9	4	1	1	2	3	6	7	11
13-19 YRS	5691	2.6	9	<1	1	2	3	5	6	12
GRAND TOTAL	**5827**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.7	4	1	1	2	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	1.9	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.4	10	<1	<1	2	4	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	4	1	1	2	5	5	5	5
B. *Operated*	8	1.9	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	3.4	10	<1	<1	2	4	9	9	9
1. SINGLE DX	14	2.2	2	1	1	2	3	5	5	5
2. MULTIPLE DX	5	3.4	10	<1	<1	2	4	9	9	9
A. NOT OPERATED	6	2.7	4	1	1	2	5	5	5	5
B. OPERATED	13	2.5	5	<1	<1	2	3	5	8	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	2.5	4	<1	1	2	3	5	7	9
GRAND TOTAL	**19**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**5**	**7**	**9**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	26	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	41	2.5	4	<1	1	2	3	6	7	8
13-19 YRS	230	2.7	4	<1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	6	3.0	1	2	2	3	3	5	5	5
1-11 MOS	13	3.2	6	<1	<1	2	4	7	9	10
1-5 YRS	24	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	62	3.0	6	<1	1	2	4	6	8	14
13-19 YRS	1005	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS	16	4.4	13	<1	<1	3	5	11	13	14
6-12 YRS	30	2.8	4	<1	1	2	4	5	6	9
13-19 YRS	191	3.4	11	<1	1	3	4	7	9	20
B. *Operated*										
0-27 DYS	10	5.6	15	1	1	6	9	10	11	11
1-11 MOS	20	5.3	8	2	2	5	7	9	10	10
1-5 YRS	26	4.1	15	1	1	3	5	8	14	17
6-12 YRS	52	4.4	10	1	2	4	5	7	9	22
13-19 YRS	872	3.8	9	1	1	3	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	2.6	4	<1	1	2	3	5	6	11
B. *Operated*	1110	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	242	3.4	11	<1	1	3	4	7	9	18
B. *Operated*	980	3.9	9	1	1	3	5	7	9	13
1. SINGLE DX	1410	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	1222	3.8	9	1	1	3	5	7	9	14
A. NOT OPERATED	542	3.0	7	<1	1	2	4	6	8	14
B. OPERATED	2090	3.3	7	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	20	4.1	10	1	1	3	6	9	10	11
1-11 MOS	37	4.6	10	<1	1	3	7	10	10	11
1-5 YRS	92	2.8	8	<1	1	2	3	6	8	16
6-12 YRS	185	3.3	7	<1	1	3	4	6	8	13
13-19 YRS	2298	3.2	7	<1	1	2	4	6	8	12
GRAND TOTAL	**2632**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	72	2.1	4	<1	1	2	2	4	5	14
13-19 YRS	1215	2.3	8	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS	7	4.4	18	<1	<1	2	9	10	10	10
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	20	2.8	6	<1	1	2	4	5	8	12
13-19 YRS	794	2.8	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	37	2.6	6	1	1	2	3	5	7	14
13-19 YRS	610	3.0	5	<1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	11	7.6	16	1	2	7	11	13	13	13
1-11 MOS	7	4.4	8	1	1	5	7	8	8	8
1-5 YRS	7	4.0	11	1	1	3	7	9	9	9
6-12 YRS	18	7.0	40	<1	1	5	11	19	21	21
13-19 YRS	816	3.7	9	1	1	2	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1295	2.3	8	1	1	2	3	4	5	10
B. *Operated*	825	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	651	3.0	5	1	1	2	4	6	7	12
B. *Operated*	859	3.8	10	1	1	3	5	8	10	14
1. SINGLE DX	2120	2.5	7	1	1	2	3	4	6	11
2. MULTIPLE DX	1510	3.5	8	1	1	2	4	7	9	13
A. NOT OPERATED	1946	2.5	7	1	1	2	3	5	6	11
B. OPERATED	1684	3.3	8	<1	1	2	4	7	9	14
TOTAL 0-27 DYS	21	5.9	17	<1	1	6	10	12	13	13
1-11 MOS	14	3.5	6	1	1	2	6	7	8	8
1-5 YRS	13	4.2	15	1	1	2	7	10	11	11
6-12 YRS	147	2.9	11	<1	1	2	3	5	11	20
13-19 YRS	3435	2.9	8	1	1	2	3	6	7	12
GRAND TOTAL	**3630**	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**7**	**12**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	2.6	2	1	1	2	3	5	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	1	5	5	5	6	6	6	6
13-19 YRS	510	5.4	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.9	3	<1	1	3	4	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	405	6.0	11	3	4	5	7	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.6	2	1	1	2	3	5	5	6
B. *Operated*	512	5.4	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	20	2.9	3	<1	1	3	4	5	7	8
B. *Operated*	406	6.0	11	3	4	5	7	8	10	24
1. SINGLE DX	545	5.2	4	2	3	5	6	7	8	12
2. MULTIPLE DX	426	5.9	11	3	3	5	7	8	10	24
A. NOT OPERATED	53	2.7	3	1	1	2	4	5	5	8
B. OPERATED	918	5.7	7	3	4	5	7	8	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	1	4	4	5	6	6	6	6
13-19 YRS	968	5.5	7	2	3	5	6	8	9	13
GRAND TOTAL	**971**	**5.5**	**7**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.4	7	<1	<1	1	3	7	7	7
13-19 YRS	414	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	51	1.6	1	<1	<1	1	2	4	5	98
13-19 YRS	8711	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	93	1.7	2	<1	<1	1	2	4	6	59
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	28	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	2828	1.8	5	<1	<1	1	2	3	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	1.4	1	<1	<1	1	2	2	3	6
B. *Operated*	8762	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	95	1.7	2	<1	<1	1	2	4	6	58
B. *Operated*	2856	1.8	5	<1	<1	1	2	3	5	9
1. SINGLE DX	9181	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	2951	1.8	5	<1	<1	1	2	3	5	9
A. NOT OPERATED	514	1.5	1	<1	<1	1	2	2	3	7
B. OPERATED	11618	1.5	2	<1	<1	1	2	2	3	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	86	1.7	1	<1	<1	1	2	3	4	65
13-19 YRS	12046	1.5	2	<1	<1	1	2	2	3	7
GRAND TOTAL	**12132**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	2.4	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	18	2.4	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	1	14.0		14	14	14	14	14	14	14
1. SINGLE DX	21	2.4	2	<1	<1	2	3	5	5	6
2. MULTIPLE DX	2	8.0	72	2	2	8	14	14	14	14
A. NOT OPERATED	4	2.3		2	2	2	3	3	3	3
B. OPERATED	19	3.1	9	<1	<1	2	4	6	10	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	2.9	8	<1	<1	2	3	5	9	14
GRAND TOTAL	**23**	**2.9**	**8**	**<1**	**<1**	**2**	**3**	**5**	**9**	**14**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	1530	1.9	5	<1	1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	31	1.7	2	<1	1	1	2	4	5	6
13-19 YRS	10247	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	246	2.6	4	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	1447	2.6	5	1	1	2	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1533	1.9	5	<1	1	1	2	3	4	7
B. *Operated*	10278	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	246	2.6	4	1	1	2	3	5	6	11
B. *Operated*	1452	2.6	5	1	1	2	3	5	7	11
1. SINGLE DX	11811	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX	1698	2.6	5	1	1	2	3	5	7	11
A. NOT OPERATED	1779	2.0	5	<1	1	1	2	4	4	8
B. OPERATED	11730	1.9	4	<1	1	1	2	3	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	39	1.7	1	<1	1	1	2	3	5	6
13-19 YRS	13470	1.9	4	<1	1	1	2	3	4	8
GRAND TOTAL	**13509**	**1.9**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	315	3.0	4	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	793	2.3	4	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	110	3.9	10	1	1	3	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	277	4.5	58	1	1	3	5	8	11	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	3.0	4	<1	1	2	4	5	7	12
B. *Operated*	794	2.3	4	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	110	3.9	10	1	1	3	5	7	9	17
B. *Operated*	279	4.5	58	1	1	3	5	8	11	28
1. SINGLE DX	1109	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	389	4.3	44	1	1	3	5	8	11	25
A. NOT OPERATED	425	3.2	6	<1	1	3	4	6	7	13
B. OPERATED	1073	2.9	19	<1	1	2	3	5	7	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	1495	3.0	15	<1	1	2	4	6	7	14
GRAND TOTAL	**1498**	**3.0**	**15**	**<1**	**1**	**2**	**4**	**6**	**7**	**14**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7		2	2	3	3	3	3	3
13-19 YRS	1578	2.5	4	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	57	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	277	3.2	5	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.7	9	1	1	2	5	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1581	2.5	4	<1	1	2	3	4	6	9
B. *Operated*	57	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	277	3.2	5	1	1	3	4	6	8	12
B. *Operated*	33	3.7	9	1	1	2	5	7	10	14
1. SINGLE DX	1638	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	310	3.3	6	1	1	3	4	6	8	13
A. NOT OPERATED	1858	2.6	4	<1	1	2	3	5	6	9
B. OPERATED	90	2.8	6	<1	1	2	4	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7		2	2	3	3	3	3	3
13-19 YRS	1945	2.6	4	<1	1	2	3	5	6	9
GRAND TOTAL	**1948**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	105	2.3	6	<1	<1	2	2	4	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.7	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	2.3	2	<1	<1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	4.1	10	<1	<1	5	5	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.3	6	<1	<1	2	2	4	7	14
B. *Operated*	6	2.7	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	30	2.3	2	<1	<1	2	3	4	5	6
B. *Operated*	7	4.1	10	<1	<1	5	5	9	10	10
1. SINGLE DX	111	2.3	5	<1	<1	2	2	4	7	14
2. MULTIPLE DX	37	2.6	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	135	2.3	5	<1	<1	2	3	4	6	14
B. OPERATED	13	3.5	7	<1	<1	2	5	7	9	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	148	2.4	5	<1	<1	2	3	5	6	14
GRAND TOTAL	**148**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**14**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1139	3.7	14	1	1	3	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	122	4.9	46	<1	1	3	5	8	13	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	295	4.3	11	1	1	3	5	8	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	75	5.1	12	1	2	4	6	11	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1140	3.7	14	1	1	3	4	6	9	14
B. *Operated*	122	4.9	46	<1	1	3	5	8	13	35
2. MULTIPLE DX										
A. *Not Operated*	296	4.3	11	1	1	3	5	9	12	20
B. *Operated*	75	5.1	12	1	2	4	6	11	12	19
1. SINGLE DX	1262	3.8	17	1	1	3	4	7	9	16
2. MULTIPLE DX	371	4.4	12	1	2	3	5	9	12	19
A. NOT OPERATED	1436	3.9	14	1	1	3	4	7	9	16
B. OPERATED	197	5.0	33	<1	1	4	6	9	12	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	1631	4.0	16	1	1	3	5	7	9	16
GRAND TOTAL	**1633**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	1248	3.4	8	1	2	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	38	3.0	7	<1	1	2	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	486	3.9	11	1	1	3	5	7	9	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	6.4	55	2	2	5	6	9	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1250	3.4	8	1	2	3	4	6	7	12
B. *Operated*	38	3.0	7	<1	1	2	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	488	3.9	11	1	1	3	5	7	9	19
B. *Operated*	23	6.4	55	2	2	5	6	9	22	38
1. SINGLE DX	1288	3.4	8	1	1	3	4	6	7	12
2. MULTIPLE DX	511	4.0	13	1	2	3	5	7	9	23
A. NOT OPERATED	1738	3.6	9	1	2	3	4	6	8	13
B. OPERATED	61	4.3	27	<1	1	3	5	8	11	35
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.3		3	3	3	4	4	4	4
13-19 YRS	1795	3.6	9	1	2	3	4	6	8	14
GRAND TOTAL	**1799**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	25	1.8	3	<1	<1	1	2	3	7	8
13-19 YRS	9664	1.3	3	<1	<1	1	1	2	2	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	622	1.3	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	4	<1	<1	2	4	5	5	5
13-19 YRS	808	1.7	2	<1	<1	1	2	4	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	91	2.1	3	<1	<1	1	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9689	1.3	3	<1	<1	1	1	2	2	6
B. *Operated*	623	1.3	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	811	1.7	2	<1	<1	1	2	4	4	8
B. *Operated*	91	2.1	3	<1	<1	1	3	4	6	8
1. SINGLE DX	10312	1.3	3	<1	<1	1	1	2	2	6
2. MULTIPLE DX	902	1.8	2	<1	<1	1	2	4	5	8
A. NOT OPERATED	10500	1.3	3	<1	<1	1	1	2	3	6
B. OPERATED	714	1.4	2	<1	<1	1	1	2	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	29	1.8	3	<1	<1	1	2	4	7	8
13-19 YRS	11185	1.3	3	<1	<1	1	1	2	3	6
GRAND TOTAL	**11214**	**1.3**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	241	3.3	20	<1	1	2	4	6	8	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	4.4	35	1	1	3	4	7	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	56	3.6	7	1	1	3	5	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	4.8	21	1	1	3	6	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	3.3	20	<1	1	2	4	6	8	22
B. *Operated*	15	4.4	35	1	1	3	4	7	20	25
2. MULTIPLE DX										
A. *Not Operated*	56	3.6	7	1	1	3	5	7	9	16
B. *Operated*	8	4.8	21	1	1	3	6	13	15	15
1. SINGLE DX	257	3.4	20	<1	1	2	4	6	8	25
2. MULTIPLE DX	64	3.7	9	1	1	3	5	7	9	16
A. NOT OPERATED	298	3.4	17	<1	1	2	4	6	8	20
B. OPERATED	23	4.5	29	1	1	3	4	9	18	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	320	3.4	18	<1	1	2	4	6	9	22
GRAND TOTAL	**321**	**3.4**	**18**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	669	2.1	3	<1	<1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	53	3.6	16	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	178	2.4	4	<1	<1	2	3	4	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	3.4	4	<1	1	3	4	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.1	3	<1	<1	2	3	4	5	9
B. *Operated*	53	3.6	16	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*	178	2.4	4	<1	<1	2	3	4	6	13
B. *Operated*	18	3.4	4	<1	1	3	4	7	8	8
1. SINGLE DX	723	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	196	2.5	4	<1	<1	2	3	4	7	13
A. NOT OPERATED	848	2.1	3	<1	<1	2	3	4	5	9
B. OPERATED	71	3.5	13	1	1	2	4	7	10	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	918	2.2	4	<1	<1	2	3	4	5	10
GRAND TOTAL	**919**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5	4	2	2	3	5	6	6	6
13-19 YRS	1245	3.3	4	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	162	2.9	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1028	3.8	6	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	142	4.8	11	1	1	4	6	9	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1249	3.3	4	<1	1	3	4	6	7	10
B. *Operated*	162	2.9	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	1029	3.8	6	1	1	3	5	7	8	12
B. *Operated*	143	4.7	11	1	1	4	6	9	12	16
1. SINGLE DX	1411	3.2	4	<1	<1	3	4	6	7	10
2. MULTIPLE DX	1172	3.9	6	1	1	3	5	7	8	14
A. NOT OPERATED	2278	3.5	5	<1	1	3	5	6	7	11
B. OPERATED	305	3.7	8	<1	<1	3	5	7	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0	3	1	1	3	4	6	6	6
13-19 YRS	2577	3.6	5	<1	1	3	5	6	8	12
GRAND TOTAL	**2583**	**3.6**	**5**	**<1**	**1**	**3**	**5**	**6**	**8**	**12**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	290	4.4	17	<1	1	3	6	8	12	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	4.0	7	<1	<1	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	644	4.3	38	1	1	3	5	7	10	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	82	6.4	49	1	1	4	7	15	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	4.4	17	<1	1	3	6	8	12	23
B. *Operated*	35	4.0	7	<1	<1	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	644	4.3	38	1	1	3	5	7	10	23
B. *Operated*	82	6.4	49	1	1	4	7	15	23	33
1. SINGLE DX	325	4.4	16	<1	1	3	6	8	12	23
2. MULTIPLE DX	726	4.5	39	1	1	3	5	8	12	29
A. NOT OPERATED	934	4.3	31	<1	1	3	5	8	11	23
B. OPERATED	117	5.7	38	<1	1	4	6	13	19	31
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1051	4.5	32	<1	1	3	5	8	12	26
GRAND TOTAL	**1051**	**4.5**	**32**	**<1**	**1**	**3**	**5**	**8**	**12**	**26**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	1.3	1	<1	<1	1	1	3	3	3
13-19 YRS	1900	2.5	9	<1	<1	1	3	5	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	499	2.9	8	<1	<1	2	4	6	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	883	3.3	11	<1	<1	2	4	6	8	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	267	5.1	20	<1	1	4	6	10	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1908	2.5	9	<1	<1	1	3	5	7	15
B. *Operated*	500	2.9	8	<1	<1	2	4	6	7	17
2. MULTIPLE DX										
A. *Not Operated*	883	3.3	11	<1	<1	2	4	6	8	19
B. *Operated*	267	5.1	20	<1	1	4	6	10	12	23
1. SINGLE DX	2408	2.6	9	<1	<1	2	3	5	7	15
2. MULTIPLE DX	1150	3.7	14	<1	1	3	5	7	10	20
A. NOT OPERATED	2791	2.7	10	<1	<1	2	3	6	7	16
B. OPERATED	767	3.7	13	<1	<1	3	5	7	10	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	1.2		<1	<1	1	1	2	3	3
13-19 YRS	3549	2.9	11	<1	<1	2	4	6	8	17
GRAND TOTAL	**3558**	**2.9**	**11**	**<1**	**<1**	**2**	**4**	**6**	**8**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	248	3.6	30	2	2	3	4	4	6	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	111	5.2	42	2	2	3	5	8	18	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	318	3.8	10	1	2	3	4	5	9	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	377	7.1	92	2	2	4	7	14	25	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	3.6	30	2	2	3	4	4	6	21
B. *Operated*	111	5.2	42	2	2	3	5	8	18	42
2. MULTIPLE DX										
A. *Not Operated*	318	3.8	10	1	2	3	4	5	9	20
B. *Operated*	378	7.1	92	2	2	4	7	14	24	71
1. SINGLE DX	361	4.1	34	2	2	3	4	5	9	26
2. MULTIPLE DX	696	5.6	57	2	2	4	5	10	17	57
A. NOT OPERATED	568	3.7	19	2	2	3	4	5	8	20
B. OPERATED	489	6.7	81	2	2	4	7	13	23	65
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	1	3	3	3	5	5	5	5
13-19 YRS	1054	5.1	50	2	2	3	5	9	15	49
GRAND TOTAL	**1057**	**5.1**	**50**	**2**	**2**	**3**	**5**	**8**	**15**	**49**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	100	3.0	1	1	2	3	4	4	5	7
13-19 YRS	48156	3.0	4	1	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	22	2.8	1	1	2	3	3	4	5	5
13-19 YRS	10416	3.0	2	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.8		2	2	3	3	3	3	3
13-19 YRS	2710	3.5	3	2	2	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	3.4	1	2	2	3	4	5	5	5
13-19 YRS	1446	3.7	7	2	2	3	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48256	3.0	4	1	2	3	3	4	5	6
B. *Operated*	10438	3.0	2	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	2715	3.5	3	2	2	3	4	5	6	10
B. *Operated*	1454	3.7	7	2	2	3	4	5	7	12
1. SINGLE DX	58694	3.0	4	1	2	3	3	4	5	6
2. MULTIPLE DX	4169	3.6	5	2	2	3	4	5	6	11
A. NOT OPERATED	50971	3.0	4	1	2	3	3	4	5	7
B. OPERATED	11892	3.1	3	2	2	3	4	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	135	3.0	1	2	2	3	3	4	5	6
13-19 YRS	62728	3.0	4	1	2	3	3	4	5	7
GRAND TOTAL	**62863**	**3.0**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	3.9	16	1	1	3	4	6	14	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	94	6.1	9	2	3	5	7	9	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	3.5	2	1	1	3	4	6	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	152	7.6	50	3	3	6	8	14	20	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.9	16	1	1	3	4	6	14	21
B. *Operated*	94	6.1	9	2	3	5	7	9	14	16
2. MULTIPLE DX										
A. *Not Operated*	20	3.5	2	1	1	3	4	6	6	7
B. *Operated*	153	7.5	49	3	3	6	8	14	20	51
1. SINGLE DX	125	5.5	12	2	2	5	7	9	14	18
2. MULTIPLE DX	173	7.1	46	2	3	6	7	12	17	47
A. NOT OPERATED	51	3.7	11	1	1	3	4	6	7	21
B. OPERATED	247	7.0	35	3	3	6	7	12	16	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	297	6.4	32	2	3	5	7	11	15	28
GRAND TOTAL	**298**	**6.4**	**32**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	235	3.1	4	1	1	3	4	5	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	239	4.8	6	2	2	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	201	3.1	3	1	1	3	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	509	5.2	11	2	2	4	6	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	3.1	4	1	1	3	4	5	5	9
B. *Operated*	239	4.8	6	2	2	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	201	3.1	3	1	1	3	4	5	6	11
B. *Operated*	511	5.2	11	2	2	4	6	8	10	20
1. SINGLE DX	474	3.9	6	1	2	3	5	6	7	13
2. MULTIPLE DX	712	4.6	10	1	2	4	6	8	9	18
A. NOT OPERATED	436	3.1	4	1	1	3	4	5	6	10
B. OPERATED	750	5.1	9	2	2	4	6	8	10	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	1184	4.3	8	1	2	4	5	7	9	16
GRAND TOTAL	**1186**	**4.3**	**8**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	32	2.8	1	2	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	396	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	3.2	2	1	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	211	3.5	4	1	2	3	4	5	6	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.8	1	2	2	3	3	4	5	6
B. *Operated*	398	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	16	3.2	2	1	2	3	4	5	5	5
B. *Operated*	212	3.4	4	1	2	3	4	5	6	14
1. SINGLE DX	430	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX	228	3.4	4	1	2	3	4	5	6	13
A. NOT OPERATED	48	2.9	1	1	2	3	4	5	5	6
B. OPERATED	610	3.1	3	1	2	3	4	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	655	3.1	3	1	2	3	4	4	5	9
GRAND TOTAL	**658**	**3.1**	**3**	**1**	**2**	**3**	**4**	**4**	**5**	**9**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	164	3.1	1	1	2	3	4	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	115	3.1	1	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	97	3.1	1	1	2	3	4	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	139	3.8	7	2	2	3	4	5	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.1	1	1	2	3	4	4	5	6
B. *Operated*	115	3.1	1	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	97	3.1	1	1	2	3	4	5	5	7
B. *Operated*	139	3.8	7	2	2	3	4	5	7	18
1. SINGLE DX	279	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX	236	3.5	5	2	2	3	4	5	6	11
A. NOT OPERATED	261	3.1	1	1	2	3	4	5	5	6
B. OPERATED	254	3.5	5	1	2	3	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	515	3.3	3	1	2	3	4	5	5	8
GRAND TOTAL	**515**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	96	3.4	3	1	2	3	4	5	6	61
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	62	4.2	11	2	2	4	4	6	8	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	103	4.4	19	1	2	3	4	7	13	29
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	375	5.3	25	2	2	4	6	9	12	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.4	3	1	2	3	4	5	6	61
B. *Operated*	63	4.2	11	2	2	3	4	6	8	24
2. MULTIPLE DX										
A. *Not Operated*	103	4.4	19	1	2	3	4	7	13	29
B. *Operated*	375	5.3	25	2	2	4	6	9	12	34
1. SINGLE DX	159	3.7	7	2	2	3	4	6	7	25
2. MULTIPLE DX	478	5.1	24	2	2	4	6	8	12	32
A. NOT OPERATED	199	3.9	12	1	2	3	4	6	8	29
B. OPERATED	438	5.2	23	2	2	4	6	8	11	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	636	4.8	20	2	2	4	5	8	11	28
GRAND TOTAL	**637**	**4.8**	**20**	**2**	**2**	**4**	**5**	**8**	**11**	**28**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	225	3.0	2	1	2	3	4	5	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.3	3	1	1	3	4	6	6	6
13-19 YRS	1439	4.9	11	2	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	114	3.1	3	1	1	3	3	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	1	4	4	5	6	6	6	6
13-19 YRS	1489	5.8	15	2	3	5	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	3.0	2	1	2	3	4	5	5	8
B. *Operated*	1445	4.9	11	2	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	114	3.1	3	1	1	3	3	5	7	10
B. *Operated*	1492	5.8	15	2	3	5	7	9	11	17
1. SINGLE DX	1671	4.6	10	2	2	4	6	7	7	11
2. MULTIPLE DX	1606	5.7	14	2	3	5	7	9	10	17
A. NOT OPERATED	340	3.0	2	1	2	3	4	5	6	9
B. OPERATED	2937	5.4	13	2	3	5	6	8	9	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	4.0	3	1	1	4	5	6	6	6
13-19 YRS	3267	5.1	13	2	2	5	6	8	9	15
GRAND TOTAL	**3277**	**5.1**	**13**	**2**	**2**	**5**	**6**	**8**	**9**	**15**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	356	3.3	7	2	2	3	4	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	1426	3.9	6	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	201	3.3	2	1	2	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.8		3	3	4	4	4	4	4
13-19 YRS	2647	4.5	7	2	2	4	6	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	3.3	7	2	2	3	4	4	5	10
B. *Operated*	1428	3.9	6	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	201	3.3	2	1	2	3	4	5	6	9
B. *Operated*	2651	4.5	7	2	2	4	6	7	8	13
1. SINGLE DX	1784	3.8	6	2	2	3	4	6	7	10
2. MULTIPLE DX	2852	4.4	7	2	2	4	5	7	8	13
A. NOT OPERATED	557	3.3	5	2	2	3	4	4	5	10
B. OPERATED	4079	4.3	7	2	2	4	5	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.5		3	3	3	4	4	4	4
13-19 YRS	4630	4.2	7	2	2	4	5	7	8	12
GRAND TOTAL	**4636**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	94	4.3	6	2	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	5.9	2	4	4	6	6	8	9	9
13-19 YRS	3616	5.8	6	3	4	6	7	8	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	63	4.9	6	2	2	5	6	8	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	22	6.0	3	4	4	6	7	8	9	11
13-19 YRS	4937	6.6	9	4	4	6	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.2	6	2	2	3	5	7	9	14
B. *Operated*	3623	5.8	6	3	4	6	7	8	8	12
2. MULTIPLE DX										
A. *Not Operatsd*	64	4.9	6	2	2	5	6	8	9	15
B. *Operated*	4959	6.6	9	4	4	6	7	9	11	17
1. SINGLE DX	3720	5.7	6	3	4	6	7	8	8	12
2. MULTIPLE DX	5023	6.6	9	4	4	6	7	9	11	17
A. NOT OPERATED	161	4.5	6	2	2	4	5	7	9	15
B. OPERATED	8582	6.3	8	4	4	6	7	9	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	33	5.7	3	3	3	6	6	8	9	11
13-19 YRS	8710	6.2	8	3	4	6	7	8	10	16
GRAND TOTAL	**8743**	**6.2**	**8**	**3**	**4**	**6**	**7**	**8**	**10**	**16**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	562	3.3	1	1	2	3	4	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.0	2	3	3	4	5	6	6	6
13-19 YRS	865	4.1	3	2	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	336	3.6	3	2	2	3	4	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1665	4.9	7	2	2	4	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	562	3.3	1	1	2	3	4	5	5	7
B. *Operated*	869	4.1	3	2	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	337	3.6	3	2	2	3	4	5	6	12
B. *Operated*	1666	4.9	7	2	2	4	6	8	9	15
1. SINGLE DX	1431	3.8	3	2	2	4	5	6	7	8
2. MULTIPLE DX	2003	4.7	7	2	2	4	6	8	9	14
A. NOT OPERATED	899	3.4	2	2	2	3	4	5	5	9
B. OPERATED	2535	4.6	6	2	2	4	6	7	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.7	3	1	1	4	5	6	6	6
13-19 YRS	3428	4.3	5	2	2	4	5	7	8	12
GRAND TOTAL	**3434**	**4.3**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	64	3.3	3	1	2	3	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	202	4.5	7	2	2	4	5	7	8	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	40	4.6	5	2	2	4	6	8	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	403	5.8	8	2	3	5	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.3	3	1	1	3	4	5	7	11
B. *Operated*	202	4.5	7	2	2	4	5	7	8	22
2. MULTIPLE DX										
A. *Not Operated*	40	4.6	5	2	2	4	6	8	9	11
B. *Operated*	404	5.8	8	2	3	5	7	9	11	17
1. SINGLE DX	267	4.2	6	1	2	4	5	7	8	19
2. MULTIPLE DX	444	5.6	8	2	3	5	7	9	11	17
A. NOT OPERATED	105	3.8	4	1	2	3	4	6	8	11
B. OPERATED	606	5.3	8	2	2	5	6	8	10	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	709	5.1	8	2	2	5	6	8	10	17
GRAND TOTAL	**711**	**5.1**	**8**	**2**	**2**	**5**	**6**	**8**	**10**	**17**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	5.1	3	2	2	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	5.6		5	5	6	6	6	6	6
13-19 YRS	1911	5.9	3	4	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	5.2	3	3	3	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	1	5	5	6	7	7	7	7
13-19 YRS	1403	6.3	12	4	4	6	7	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.1	3	2	2	5	6	8	8	8
B. *Operated*	1916	5.9	3	4	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	9	5.2	3	3	3	5	6	8	8	8
B. *Operated*	1406	6.3	12	4	4	6	7	8	10	15
1. SINGLE DX	1943	5.9	3	4	4	6	7	8	8	11
2. MULTIPLE DX	1415	6.3	12	4	4	6	7	8	10	15
A. NOT OPERATED	36	5.2	3	2	3	5	6	8	8	8
B. OPERATED	3322	6.1	7	4	4	6	7	8	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	5.8	1	5	5	6	6	7	7	7
13-19 YRS	3350	6.1	7	4	4	6	7	8	9	14
GRAND TOTAL	**3358**	**6.1**	**7**	**4**	**4**	**6**	**7**	**8**	**9**	**14**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	1424	3.3	4	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3		3	3	3	3
13-19 YRS	1155	3.9	5	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	752	3.7	10	1	2	3	4	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	11.2	264	2	2	5	8	40	44	44
13-19 YRS	2171	4.7	13	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1427	3.3	4	1	1	3	4	5	6	10
B. *Operated*	1156	3.9	5	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	753	3.7	10	1	2	3	4	6	7	13
B. *Operated*	2177	4.7	13	2	2	4	5	7	9	16
1. SINGLE DX	2583	3.6	5	1	2	3	4	5	7	12
2. MULTIPLE DX	2930	4.5	13	2	2	4	5	7	9	15
A. NOT OPERATED	2180	3.4	6	1	1	3	4	5	7	12
B. OPERATED	3333	4.4	11	2	2	4	5	7	8	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	7.3	152	2	2	3	6	22	42	44
13-19 YRS	5502	4.0	9	1	2	3	5	6	8	14
GRAND TOTAL	**5513**	**4.0**	**9**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.0	1	2	2	3	4	4	4	4
13-19 YRS	3220	3.0	5	2	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.3		2	2	2	3	3	3	3
13-19 YRS	1779	3.2	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	730	3.3	7	2	2	3	4	5	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.2	1	2	2	3	4	4	4	4
13-19 YRS	1745	3.6	9	2	2	3	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3227	3.0	5	2	2	3	3	4	5	6
B. *Operated*	1785	3.2	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	733	3.3	7	2	2	3	4	5	5	9
B. *Operated*	1750	3.6	9	2	2	3	4	5	7	12
1. SINGLE DX	5012	3.1	4	2	2	3	4	4	5	6
2. MULTIPLE DX	2483	3.6	9	2	2	3	4	5	6	11
A. NOT OPERATED	3960	3.1	6	2	2	3	4	4	5	7
B. OPERATED	3535	3.4	5	2	2	3	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	2.8	1	1	2	3	3	4	4	4
13-19 YRS	7474	3.2	6	2	2	3	4	4	5	8
GRAND TOTAL	**7495**	**3.2**	**6**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	674	2.8	1	1	1	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.5	1	1	1	2	3	4	4	4
13-19 YRS	4911	3.0	10	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	168	3.3	3	1	2	3	4	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.3	7	1	1	2	4	8	9	9
13-19 YRS	1842	3.3	3	2	2	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	2.8	1	1	1	3	3	4	5	6
B. *Operated*	4922	3.0	10	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	168	3.3	3	1	2	3	4	5	6	12
B. *Operated*	1849	3.3	3	2	2	3	4	5	6	10
1. SINGLE DX	5599	3.0	9	1	2	3	3	4	5	6
2. MULTIPLE DX	2017	3.3	3	2	2	3	4	5	6	10
A. NOT OPERATED	845	2.9	2	1	1	3	3	4	5	7
B. OPERATED	6771	3.1	8	1	2	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	2.9	3	1	1	3	3	4	6	9
13-19 YRS	7595	3.1	7	1	2	3	3	4	5	8
GRAND TOTAL	**7616**	**3.1**	**7**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	651	3.2	3	2	2	3	4	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.5		2	2	2	3	3	3	3
13-19 YRS	5587	3.1	4	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	175	3.5	5	1	2	3	4	5	6	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	3.1	2	2	2	3	4	5	5	5
13-19 YRS	3144	3.6	4	2	2	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	3.2	3	2	2	3	4	4	5	7
B. *Operated*	5593	3.1	4	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	176	3.5	5	1	2	3	4	5	6	15
B. *Operated*	3152	3.6	4	2	2	3	4	5	6	10
1. SINGLE DX	6244	3.2	4	2	2	3	4	4	5	7
2. MULTIPLE DX	3328	3.6	4	2	2	3	4	5	6	10
A. NOT OPERATED	827	3.2	3	2	2	3	4	4	5	8
B. OPERATED	8745	3.3	4	2	2	3	4	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	15	2.9	1	2	2	3	3	5	5	5
13-19 YRS	9557	3.3	4	2	2	3	4	4	5	8
GRAND TOTAL	**9572**	**3.3**	**4**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	363	3.2	4	1	2	3	4	4	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.0	1	2	2	3	4	4	4	4
13-19 YRS	2126	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	116	3.4	2	2	2	3	4	5	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	3	4	4	7	7	7	7	7
13-19 YRS	1500	3.5	4	2	2	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	3.2	4	1	2	3	4	4	5	11
B. *Operated*	2133	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	117	3.4	2	2	2	3	4	5	5	9
B. *Operated*	1503	3.5	4	2	2	3	4	5	6	11
1. SINGLE DX	2499	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX	1620	3.5	4	2	2	3	4	5	6	11
A. NOT OPERATED	483	3.2	4	1	2	3	4	4	5	11
B. OPERATED	3636	3.3	3	2	2	3	4	5	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	3.6	3	2	2	3	4	7	7	7
13-19 YRS	4105	3.3	3	2	2	3	4	5	5	9
GRAND TOTAL	**4119**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**9**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.9	1	<1	1	3	4	4	4	4
13-19 YRS	5627	3.2	9	1	1	3	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	43	3.2	2	1	2	3	4	5	6	9
13-19 YRS	21553	3.4	5	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.6	1	1	1	3	3	4	4	4
13-19 YRS	2764	3.5	6	1	2	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	47	5.4	17	1	2	4	8	11	13	19
13-19 YRS	13004	4.5	12	2	2	4	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5641	3.2	9	1	1	3	4	5	6	11
B. *Operated*	21596	3.4	5	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	2771	3.5	6	1	2	3	4	6	7	12
B. *Operated*	13051	4.5	12	2	2	4	5	8	10	17
1. SINGLE DX	27237	3.4	6	2	2	3	4	5	6	10
2. MULTIPLE DX	15822	4.4	11	2	2	4	5	7	9	16
A. NOT OPERATED	8412	3.3	8	1	1	3	4	5	6	12
B. OPERATED	34647	3.9	8	2	2	3	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	111	4.1	9	1	2	3	4	8	10	18
13-19 YRS	42948	3.7	8	2	2	3	4	6	7	14
GRAND TOTAL	**43059**	**3.7**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	274	4.3	4	2	2	4	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	52	4.7	12	1	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	100	4.6	7	2	2	4	6	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	7.0	27	2	3	5	8	12	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	4.3	4	2	2	4	5	7	8	13
B. *Operated*	52	4.7	12	1	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	100	4.6	7	2	2	4	6	7	9	16
B. *Operated*	33	7.0	27	2	3	5	8	12	19	27
1. SINGLE DX	326	4.4	5	2	2	4	5	7	8	14
2. MULTIPLE DX	133	5.2	13	2	2	5	6	9	10	22
A. NOT OPERATED	374	4.4	5	2	2	4	5	7	8	13
B. OPERATED	85	5.6	19	1	2	5	7	10	16	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	459	4.6	8	2	2	4	5	7	9	18
GRAND TOTAL	**459**	**4.6**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**18**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	103	1.8	3	<1	<1	1	2	3	4	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	325	2.0	2	<1	1	2	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	58	3.0	3	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	170	3.2	4	1	1	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	1.8	3	<1	<1	1	2	3	4	10
B. *Operated*	327	2.0	2	<1	1	2	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	58	3.0	3	1	1	3	4	6	7	9
B. *Operated*	171	3.2	4	1	1	2	4	6	7	12
1. SINGLE DX	430	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX	229	3.1	4	1	1	2	4	6	7	10
A. NOT OPERATED	161	2.3	3	<1	1	2	3	4	6	9
B. OPERATED	498	2.4	3	1	1	2	3	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	656	2.4	3	<1	1	2	3	4	6	9
GRAND TOTAL	**659**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	124	4.5	36	1	1	3	5	8	12	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	154	3.1	4	<1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	5.5	26	1	1	4	7	11	17	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	100	5.0	24	1	1	3	5	11	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	4.5	36	1	1	3	5	8	12	31
B. *Operated*	154	3.1	4	<1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	69	5.5	26	1	1	4	7	11	17	26
B. *Operated*	100	5.0	24	1	1	3	5	11	17	24
1. SINGLE DX	278	3.7	19	1	1	3	4	6	10	15
2. MULTIPLE DX	169	5.2	25	1	1	3	6	11	17	25
A. NOT OPERATED	193	4.9	32	1	1	4	5	9	14	25
B. OPERATED	254	3.8	13	1	1	3	4	7	11	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	447	4.3	21	1	1	3	4	8	12	21
GRAND TOTAL	**447**	**4.3**	**21**	**1**	**1**	**3**	**4**	**8**	**12**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	41	5.8	34	2	2	5	6	9	11	39
1-11 MOS	302	4.8	20	2	2	4	6	8	10	17
1-5 YRS	858	4.2	9	1	2	4	5	7	9	13
6-12 YRS	990	4.6	9	2	2	4	6	8	10	18
13-19 YRS	1159	4.4	7	2	2	4	5	7	9	13
B. *Operated*										
0-27 DYS	13	5.3	14	<1	2	5	7	10	14	15
1-11 MOS	235	5.3	11	1	1	5	7	10	13	16
1-5 YRS	593	4.5	15	1	1	3	6	9	11	23
6-12 YRS	474	5.0	14	1	1	4	6	9	11	20
13-19 YRS	635	5.7	24	1	2	5	7	10	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	5.3	10	2	3	4	7	10	10	18
1-11 MOS	322	5.7	17	2	2	5	7	10	13	21
1-5 YRS	697	5.3	26	2	2	4	7	9	12	20
6-12 YRS	696	5.2	23	2	2	4	6	9	11	31
13-19 YRS	941	5.1	13	2	2	4	6	9	11	18
B. *Operated*										
0-27 DYS	17	12.7	176	3	4	8	15	33	47	53
1-11 MOS	120	7.1	43	2	2	6	8	11	14	33
1-5 YRS	316	6.9	54	1	2	5	8	13	18	43
6-12 YRS	287	6.9	39	1	2	5	9	14	18	33
13-19 YRS	467	7.6	55	2	2	6	9	14	19	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3350	4.5	10	2	2	4	5	7	9	14
B. *Operated*	1950	5.1	18	1	1	4	6	10	12	23
2. MULTIPLE DX										
A. *Not Operated*	2693	5.2	19	2	2	4	6	9	12	20
B. *Operated*	1207	7.3	52	1	2	5	9	14	19	41
1. SINGLE DX	5300	4.7	13	1	2	4	6	8	11	19
2. MULTIPLE DX	3900	5.9	30	2	2	5	7	11	14	31
A. NOT OPERATED	6043	4.8	14	2	2	4	6	8	10	18
B. OPERATED	3157	5.9	32	1	2	5	7	11	15	31
TOTAL 0-27 DYS	108	6.7	51	2	2	5	7	11	16	45
1-11 MOS	979	5.5	20	2	2	5	7	10	12	20
1-5 YRS	2464	4.9	22	1	2	4	6	9	12	22
6-12 YRS	2447	5.1	18	1	2	4	6	9	12	22
13-19 YRS	3202	5.3	20	2	2	4	6	9	12	23
GRAND TOTAL	**9200**	**5.2**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	203	4.5	6	2	2	4	6	8	9	12
1-11 MOS	125	4.8	8	1	2	4	6	8	11	14
1-5 YRS	345	4.3	7	1	2	4	5	7	9	15
6-12 YRS	272	4.3	6	1	2	4	5	7	9	15
13-19 YRS	295	4.5	19	1	2	4	5	8	9	15
B. *Operated*										
0-27 DYS	5	4.0	7	<1	<1	4	6	7	7	7
1-11 MOS	79	5.1	36	<1	1	3	7	10	13	37
1-5 YRS	243	3.6	16	<1	<1	2	5	8	10	22
6-12 YRS	273	3.7	15	1	1	2	5	8	10	15
13-19 YRS	437	4.1	33	1	1	3	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	174	5.0	8	2	2	4	6	7	9	18
1-11 MOS	161	5.8	16	2	2	5	7	10	13	21
1-5 YRS	463	5.0	10	1	2	4	6	9	11	16
6-12 YRS	277	5.1	14	2	2	4	6	9	11	24
13-19 YRS	309	5.3	13	2	2	4	6	9	12	22
B. *Operated*										
0-27 DYS	9	6.3	13	1	2	6	9	11	13	13
1-11 MOS	64	6.1	14	1	1	6	9	11	13	14
1-5 YRS	140	5.4	16	1	2	4	7	11	13	18
6-12 YRS	150	5.5	27	<1	1	4	7	11	14	35
13-19 YRS	278	5.9	27	1	2	4	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1240	4.5	10	1	2	4	5	8	9	14
B. *Operated*	1037	4.0	24	<1	1	2	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	1384	5.2	12	2	2	4	6	9	11	19
B. *Operated*	641	5.7	23	1	1	4	8	11	14	25
1. SINGLE DX	2277	4.2	16	1	1	3	5	8	10	15
2. MULTIPLE DX	2025	5.3	16	1	2	4	7	10	12	21
A. NOT OPERATED	2624	4.8	11	2	2	4	6	8	10	17
B. OPERATED	1678	4.6	24	<1	1	3	6	10	12	22
TOTAL 0-27 DYS	391	4.8	7	2	2	4	6	8	9	15
1-11 MOS	429	5.4	17	1	2	4	7	10	12	19
1-5 YRS	1191	4.6	12	1	1	4	6	9	11	16
6-12 YRS	972	4.5	15	1	1	4	6	9	11	20
13-19 YRS	1319	4.8	24	1	2	4	6	9	12	21
GRAND TOTAL	**4302**	**4.8**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.4	2	<1	<1	3	3	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	117	3.9	7	1	2	4	5	6	7	14
B. *Operated*										
0-27 DYS	5	3.8	7	<1	<1	3	6	7	7	7
1-11 MOS	21	3.0	4	<1	<1	2	4	6	7	8
1-5 YRS	33	3.0	12	<1	1	2	3	5	12	17
6-12 YRS	49	3.9	11	1	1	3	4	6	12	20
13-19 YRS	5217	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	45	3.2	6	<1	<1	2	4	6	8	11
B. *Operated*										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	9	5.1	29	2	2	3	5	14	19	19
6-12 YRS	6	7.2	56	2	2	4	7	20	22	22
13-19 YRS	571	5.1	11	2	2	4	6	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.9	7	1	1	4	5	6	7	13
B. *Operated*	5325	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	50	3.2	6	<1	<1	2	4	7	8	11
B. *Operated*	590	5.1	12	2	2	4	6	8	11	22
1. SINGLE DX	5447	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX	640	5.0	12	1	2	4	6	8	11	21
A. NOT OPERATED	172	3.7	7	<1	1	3	5	6	7	11
B. OPERATED	5915	4.3	6	2	2	4	5	7	8	13
TOTAL 0-27 DYS	8	4.4	9	<1	1	3	6	9	10	10
1-11 MOS	28	3.1	5	<1	<1	3	4	7	8	8
1-5 YRS	44	3.5	15	<1	1	2	4	7	14	19
6-12 YRS	57	4.2	16	1	1	3	4	7	12	22
13-19 YRS	5950	4.3	6	2	2	4	5	7	8	13
GRAND TOTAL	**6087**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	17	1.8	2	<1	<1	1	2	4	6	6
6-12 YRS	8	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	11	2.4	7	<1	<1	2	2	6	10	10
B. *Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	98	1.5	1	<1	<1	1	2	2	5	99+
1-5 YRS	389	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	310	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	510	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	7	3.0	5	1	1	2	4	6	7	7
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	11	2.8	11	<1	<1	2	3	8	12	12
1-5 YRS	51	2.1	2	<1	1	2	2	4	4	9
6-12 YRS	54	2.1	2	1	1	2	2	4	5	9
13-19 YRS	101	3.1	13	<1	1	2	3	5	8	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.9	3	<1	<1	1	2	3	6	10
B. *Operated*	1310	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	17	2.2	3	<1	<1	2	3	4	6	7
B. *Operated*	219	2.6	8	<1	1	2	3	4	7	15
1. SINGLE DX	1348	1.7	1	<1	<1	1	2	3		6
2. MULTIPLE DX	236	2.6	7	<1	1	2	3	4	7	15
A. NOT OPERATED	55	2.0	3	<1	<1	1	2	4	6	10
B. OPERATED	1529	1.8	2	<1	<1	2	2	3	4	7
TOTAL 0-27 DYS	5	2.6	1	2	2	2	3	4	4	4
1-11 MOS	115	1.6	2	<1	<1	1	2	3	5	99+
1-5 YRS	462	1.6	1	<1	<1	1	2	2	3	6
6-12 YRS	373	1.7	1	<1	<1	1	2	3	3	6
13-19 YRS	629	2.1	3	<1	<1	2	2	3	4	9
GRAND TOTAL	**1584**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	129	4.5	9	1	2	4	6	8	9	15
1-11 MOS	368	4.2	9	1	1	3	5	7	10	18
1-5 YRS	711	4.0	13	1	1	3	5	7	10	19
6-12 YRS	554	3.8	12	1	1	3	4	7	10	19
13-19 YRS	741	5.0	29	1	1	3	6	10	15	30
B. *Operated*										
0-27 DYS	6	5.3	13	2	2	5	9	9	9	9
1-11 MOS	57	2.6	12	<1	<1	1	2	8	11	18
1-5 YRS	542	2.7	25	<1	<1	2	2	5	9	24
6-12 YRS	1372	2.7	11	<1	<1	2	3	5	8	19
13-19 YRS	3253	3.0	18	<1	1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	90	5.6	47	2	2	4	6	9	10	48
1-11 MOS	495	5.5	18	1	2	5	7	10	13	18
1-5 YRS	692	4.5	14	1	1	4	5	8	12	22
6-12 YRS	424	5.4	35	1	1	4	6	10	17	28
13-19 YRS	637	6.0	52	1	1	4	7	12	19	46
B. *Operated*										
0-27 DYS	4	6.0	64	2	2	2	10	18	18	18
1-11 MOS	37	7.8	37	1	2	6	13	17	18	25
1-5 YRS	265	4.3	45	<1	1	2	4	9	13	39
6-12 YRS	528	4.5	43	<1	1	2	4	10	16	44
13-19 YRS	1326	5.9	78	1	1	3	6	15	26	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2503	4.3	17	1	1	3	5	8	11	22
B. *Operated*	5230	2.9	17	<1	1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	2338	5.3	31	1	1	4	6	10	14	27
B. *Operated*	2160	5.4	65	1	1	2	5	13	21	47
1. SINGLE DX	7733	3.4	17	<1	1	2	4	7	10	21
2. MULTIPLE DX	4498	5.4	47	1	1	3	6	11	17	39
A. NOT OPERATED	4841	4.8	24	1	1	4	6	9	13	25
B. OPERATED	7390	3.6	32	<1	1	2	3	7	12	33
TOTAL 0-27 DYS	229	5.0	25	1	2	4	6	8	9	25
1-11 MOS	957	4.9	16	1	1	4	6	9	12	19
1-5 YRS	2210	3.9	20	<1	1	3	5	7	11	23
6-12 YRS	2878	3.6	22	<1	1	2	4	7	11	26
13-19 YRS	5957	4.2	38	<1	1	2	4	9	14	35
GRAND TOTAL	**12231**	**4.1**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	2	9.0	98	2	2	9	16	16	16	16
1-5 YRS	7	3.9	5	2	2	4	5	7	8	8
6-12 YRS	20	4.9	13	1	1	4	7	10	12	14
13-19 YRS	87	6.3	24	<1	1	4	9	13	17	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	12	9.1	69	2	2	7	11	20	30	32
13-19 YRS	56	7.0	41	1	2	5	9	17	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	8.5	61	3	3	8	14	14	14	14
1-5 YRS	4	6.0	5	4	4	5	7	9	9	9
6-12 YRS	39	6.7	29	1	2	5	10	13	19	25
13-19 YRS	167	8.9	95	1	2	6	11	17	27	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	14	10.3	54	2	3	9	15	24	26	26
13-19 YRS	97	15.6	305	2	2	10	20	36	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	6.1	24	<1	1	4	8	13	16	21
B. *Operated*	72	7.3	45	1	2	5	9	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	212	8.4	81	1	2	6	10	17	25	93
B. *Operated*	113	14.7	274	2	2	10	19	33	53	97
1. SINGLE DX	189	6.5	32	1	1	5	9	14	19	29
2. MULTIPLE DX	325	10.6	156	1	2	7	13	25	36	97
A. NOT OPERATED	329	7.6	62	1	2	5	10	16	21	54
B. OPERATED	185	11.8	197	2	2	8	15	27	38	90
TOTAL 0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	5	9.8	45	2	2	14	15	16	16	16
1-5 YRS	16	3.8	5	1	2	3	5	8	9	9
6-12 YRS	85	7.2	37	1	2	5	9	15	22	30
13-19 YRS	407	9.7	134	1	2	6	12	20	33	92
GRAND TOTAL	**514**	**9.1**	**114**	**1**	**2**	**6**	**11**	**19**	**28**	**83**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	9.0	13	6	6	8	12	13	13	13
1-5 YRS	183	6.5	25	2	2	5	9	12	15	27
6-12 YRS	260	6.2	23	2	2	5	8	11	14	27
13-19 YRS	182	6.7	18	2	3	6	9	12	15	21
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	54	99+	99+	99+	99+
1-5 YRS	28	5.0	36	1	1	2	6	13	21	24
6-12 YRS	47	9.7	124	1	2	7	11	18	44	54
13-19 YRS	62	7.0	37	2	2	5	11	17	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	14.8	70	7	7	13	21	26	26	26
1-5 YRS	69	5.8	12	2	2	5	8	10	12	16
6-12 YRS	103	8.0	73	1	2	5	9	19	29	72
13-19 YRS	138	8.8	72	2	3	7	10	16	24	51
B. *Operated*										
0-27 DYS	2	23.0	722	4	4	23	42	42	42	42
1-11 MOS	2	9.0	18	6	6	9	12	12	12	12
1-5 YRS	14	11.8	120	1	1	11	13	27	38	41
6-12 YRS	18	10.8	194	2	2	7	17	45	82	99+
13-19 YRS	55	11.1	104	2	2	8	15	28	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	629	6.4	22	2	2	5	8	12	14	26
B. *Operated*	138	7.5	68	1	2	5	10	17	22	59
2. MULTIPLE DX										
A. *Not Operated*	314	8.0	60	2	2	6	9	16	23	49
B. *Operated*	91	11.3	128	2	2	8	15	29	42	99+
1. SINGLE DX	767	6.6	31	2	2	5	9	13	16	28
2. MULTIPLE DX	405	8.7	77	2	2	6	10	19	29	58
A. NOT OPERATED	943	6.9	35	2	2	5	9	13	17	34
B. OPERATED	229	9.0	95	1	2	6	12	21	37	99+
TOTAL 0-27 DYS	3	18.3	426	4	4	9	34	42	42	42
1-11 MOS	10	11.3	37	6	6	10	15	56	96	99+
1-5 YRS	294	6.4	29	1	2	5	9	12	15	28
6-12 YRS	428	7.2	55	2	2	5	9	13	22	50
13-19 YRS	437	8.0	50	2	2	6	10	15	22	40
GRAND TOTAL	**1172**	**7.4**	**48**	**2**	**2**	**5**	**9**	**14**	**20**	**45**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	3	5.3	12	2	2	5	8	9	9	9
13-19 YRS	14	3.8	4	1	2	3	5	7	8	8
B. *Operated*										
0-27 DYS	4	10.8	37	2	2	12	14	16	16	16
1-11 MOS	3	21.3	401	6	6	14	36	44	44	44
1-5 YRS	4	5.3	27	2	2	3	8	13	13	13
6-12 YRS	4	12.3	32	4	4	14	16	16	16	16
13-19 YRS	83	5.1	51	1	2	3	5	8	17	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	7.0	11	3	3	9	9	10	10	10
1-11 MOS	4	6.3	44	2	2	4	10	16	16	16
1-5 YRS	3	13.0	219	3	3	6	24	30	30	30
6-12 YRS	8	5.0	5	<1	1	5	7	7	7	7
13-19 YRS	12	10.5	47	2	3	9	15	22	23	23
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	3	18.7	12	15	15	19	21	22	22	22
6-12 YRS	9	8.3	35	2	2	7	11	17	21	21
13-19 YRS	52	6.7	50	2	2	4	7	12	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.1	5	1	2	4	5	7	8	9
B. *Operated*	98	6.1	65	1	2	4	5	14	17	51
2. MULTIPLE DX										
A. *Not Operated*	32	8.3	45	2	2	6	10	18	23	30
B. *Operated*	66	7.3	51	2	2	5	9	19	22	38
1. SINGLE DX	118	5.8	55	1	2	4	5	13	16	48
2. MULTIPLE DX	98	7.6	49	2	2	5	9	18	23	35
A. NOT OPERATED	52	6.7	34	2	2	5	8	15	21	30
B. OPERATED	164	6.6	59	2	2	4	7	15	21	43
TOTAL 0-27 DYS	9	8.7	23	2	2	9	12	15	16	16
1-11 MOS	10	9.8	170	2	2	4	14	30	44	44
1-5 YRS	12	10.5	85	2	2	6	17	24	29	30
6-12 YRS	24	7.5	26	1	2	6	10	16	18	21
13-19 YRS	161	5.9	48	1	2	4	6	12	21	38
GRAND TOTAL	**216**	**6.6**	**53**	**2**	**2**	**4**	**7**	**15**	**22**	**41**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	15.3	108	<1	1	15	21	30	31	31
1-11 MOS	41	10.5	78	1	2	8	14	21	25	48
1-5 YRS	179	7.3	30	1	2	6	10	15	17	27
6-12 YRS	188	7.6	47	2	2	5	9	17	22	36
13-19 YRS	226	6.7	26	2	2	5	8	13	15	25
B. *Operated*										
0-27 DYS	2	26.5	265	15	15	26	38	38	38	38
1-11 MOS	17	14.8	24	7	8	15	17	23	24	24
1-5 YRS	88	14.9	65	4	6	13	20	24	29	44
6-12 YRS	63	13.3	76	1	3	13	17	22	28	44
13-19 YRS	173	7.9	76	2	2	4	10	17	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	15.5	142	1	1	16	27	30	30	30
1-11 MOS	42	13.0	48	4	5	13	17	21	25	35
1-5 YRS	121	10.1	65	1	2	8	14	22	26	35
6-12 YRS	117	8.1	66	2	2	5	9	19	24	46
13-19 YRS	186	7.6	40	2	2	6	9	15	22	29
B. *Operated*										
0-27 DYS	2	16.0	72	10	10	16	22	22	22	22
1-11 MOS	42	17.9	107	5	6	16	23	33	37	48
1-5 YRS	49	18.1	102	6	8	17	22	30	43	49
6-12 YRS	65	18.5	161	4	5	15	26	39	42	95
13-19 YRS	115	10.3	102	2	2	6	14	25	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	7.4	38	2	2	6	10	15	20	30
B. *Operated*	343	11.2	83	2	2	9	16	22	28	44
2. MULTIPLE DX										
A. *Not Operated*	472	9.0	57	2	2	6	12	19	25	35
B. *Operated*	273	14.9	130	2	3	12	21	32	40	53
1. SINGLE DX	983	8.7	57	2	2	6	12	18	23	41
2. MULTIPLE DX	745	11.1	92	2	2	8	16	24	31	44
A. NOT OPERATED	1112	8.1	47	2	2	6	11	17	22	32
B. OPERATED	616	12.8	107	2	3	10	17	26	35	47
TOTAL 0-27 DYS	16	16.9	120	<1	1	16	24	31	36	38
1-11 MOS	142	14.0	78	3	4	13	18	24	31	48
1-5 YRS	437	10.8	69	2	2	9	15	22	26	43
6-12 YRS	433	10.2	88	2	2	7	14	22	27	44
13-19 YRS	700	7.8	56	2	2	5	9	16	24	38
GRAND TOTAL	**1728**	**9.8**	**73**	**2**	**2**	**7**	**13**	**21**	**27**	**43**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	36	3.3	4	1	1	3	4	6	8	9
13-19 YRS	226	3.4	6	<1	1	3	4	7	9	11
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	3	6.3	44	2	2	3	11	14	14	14
1-5 YRS	17	3.8	6	1	1	3	5	8	9	9
6-12 YRS	219	3.7	5	1	1	3	5	7	8	11
13-19 YRS	5941	4.1	6	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	13	3.0	4	<1	<1	2	4	6	7	7
13-19 YRS	125	2.9	8	<1	<1	2	4	7	9	13
B. *Operated*										
0-27 DYS	1	6.0		6	6	53	99+	99+	99+	99+
1-11 MOS	10	4.6	3	<1	2	5	6	7	7	7
1-5 YRS	4	5.8	25	<1	<1	5	10	11	11	11
6-12 YRS	71	4.4	6	1	2	4	5	7	9	13
13-19 YRS	3083	4.6	7	2	2	4	6	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.4	6	<1	1	3	4	7	9	11
B. *Operated*	6182	4.1	6	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	141	3.0	7	<1	<1	2	4	7	9	12
B. *Operated*	3169	4.6	7	1	2	4	6	7	9	14
1. SINGLE DX	6448	4.0	6	1	2	4	5	6	8	11
2. MULTIPLE DX	3310	4.6	7	1	2	4	6	7	9	14
A. NOT OPERATED	407	3.2	6	<1	1	3	4	7	9	12
B. OPERATED	9351	4.3	7	1	2	4	5	7	8	12
TOTAL 0-27 DYS	3	4.7	2	3	3	5	53	99+	99+	99+
1-11 MOS	15	5.1	10	<1	2	4	6	9	13	14
1-5 YRS	26	3.9	8	1	1	3	5	9	10	11
6-12 YRS	339	3.8	5	1	1	4	5	7	8	11
13-19 YRS	9375	4.2	7	1	2	4	5	7	8	12
GRAND TOTAL	**9758**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	13	4.3	17	<1	<1	3	6	10	15	16
1-5 YRS	316	3.7	6	1	1	3	5	6	8	13
6-12 YRS	408	4.5	11	1	2	4	5	8	11	18
13-19 YRS	418	4.4	21	<1	1	3	5	8	11	20
B. *Operated*										
0-27 DYS	4	3.8	4	2	2	5	29	99+	99+	99+
1-11 MOS	12	5.7	126	<1	1	2	4	16	37	41
1-5 YRS	74	4.6	116	<1	1	2	4	7	9	75
6-12 YRS	385	4.2	15	1	2	3	5	7	10	24
13-19 YRS	5111	4.3	8	1	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	16	5.1	28	1	1	3	6	13	19	21
1-5 YRS	176	4.1	10	1	1	3	5	7	10	16
6-12 YRS	230	4.3	9	1	1	4	5	7	11	16
13-19 YRS	348	4.6	24	<1	1	4	6	9	11	22
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.6	13	1	1	6	8	10	10	10
1-5 YRS	69	6.0	74	1	2	4	6	10	18	57
6-12 YRS	179	5.1	13	1	2	4	6	10	12	21
13-19 YRS	1563	5.0	16	2	2	4	6	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1156	4.2	13	1	1	4	5	7	10	18
B. *Operated*	5586	4.3	10	1	2	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	772	4.4	16	1	1	3	6	8	11	19
B. *Operated*	1816	5.1	18	2	2	4	6	9	11	24
1. SINGLE DX	6742	4.3	11	1	2	4	5	7	9	15
2. MULTIPLE DX	2588	4.9	17	1	2	4	6	8	11	22
A. NOT OPERATED	1928	4.3	14	1	1	4	5	8	11	18
B. OPERATED	7402	4.5	12	1	2	4	5	7	9	17
TOTAL 0-27 DYS	7	3.9	4	1	1	5	6	72	99+	99+
1-11 MOS	46	5.1	46	<1	1	3	6	10	17	41
1-5 YRS	635	4.1	27	1	1	3	5	7	9	21
6-12 YRS	1202	4.5	12	1	2	4	5	8	11	18
13-19 YRS	7440	4.5	11	1	2	4	5	7	9	17
GRAND TOTAL	**9330**	**4.5**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**18**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	11.3	62	5	5	10	12	25	28	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	13.0	200	3	3	13	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	5	5	5	6	8	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	5.9	5	2	3	5	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	9.0	17	4	4	9	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	10.1	56	2	3	10	11	22	28	28
B. *Operated*	2	13.0	200	3	3	13	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	14	5.7	5	2	2	5	8	9	9	9
B. *Operated*	4	9.0	17	4	4	9	12	14	14	14
1. SINGLE DX	11	10.6	66	2	3	10	12	25	28	28
2. MULTIPLE DX	18	6.4	9	2	3	6	8	10	12	14
A. NOT OPERATED	23	7.4	28	2	2	7	9	11	18	28
B. OPERATED	6	10.3	55	3	3	9	14	22	23	23
TOTAL 0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	6.5	5	5	5	6	8	8	8	8
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	24	8.6	37	3	4	7	10	15	24	28
GRAND TOTAL	**29**	**8.0**	**33**	**2**	**3**	**7**	**10**	**13**	**23**	**28**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	5	7.4	48	1	1	6	12	18	18	18
13-19 YRS	20	8.2	34	1	2	6	13	17	19	21
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	17.5	113	10	10	17	25	25	25	25
6-12 YRS	3	3.3	1	2	2	4	4	4	4	4
13-19 YRS	22	8.5	169	1	1	6	10	12	33	64
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	4	14.5	87	4	4	14	21	26	26	26
1-5 YRS	4	10.3	194	1	1	4	18	31	31	31
6-12 YRS	8	7.4	36	3	3	5	8	18	21	21
13-19 YRS	16	4.9	7	1	2	5	6	8	11	12
B. *Operated*										
0-27 DYS	2	11.5	85	5	5	11	18	18	18	18
1-11 MOS										
1-5 YRS	2	10.5	145	2	2	10	19	19	19	19
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	13	12.2	121	3	3	8	18	44	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	8.0	32	1	2	7	12	17	19	21
B. *Operated*	28	8.5	146	1	1	5	10	13	29	64
2. MULTIPLE DX										
A. *Not Operated*	34	7.1	48	1	2	5	7	17	25	31
B. *Operated*	18	11.8	99	2	3	8	18	35	72	99+
1. SINGLE DX	55	8.2	88	1	1	6	10	16	20	62
2. MULTIPLE DX	52	8.7	70	2	2	5	11	22	31	98
A. NOT OPERATED	61	7.5	41	1	2	5	10	17	21	30
B. OPERATED	46	9.8	128	1	1	7	11	24	42	99+
TOTAL 0-27 DYS	6	6.5	37	2	2	4	8	17	18	18
1-11 MOS	4	14.5	87	4	4	14	21	26	26	26
1-5 YRS	9	11.7	117	1	1	8	20	29	31	31
6-12 YRS	17	6.9	32	1	2	5	10	17	20	21
13-19 YRS	71	8.3	88	1	2	6	10	17	30	92
GRAND TOTAL	**107**	**8.5**	**79**	**1**	**2**	**6**	**11**	**18**	**26**	**79**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	6.1	15	2	2	6	8	12	13	13
1-11 MOS	5	6.0	11	1	1	6	8	10	10	10
1-5 YRS	13	8.5	35	2	3	7	11	30	84	99+
6-12 YRS	8	8.8	74	2	2	7	9	23	29	29
13-19 YRS	205	8.6	40	1	3	7	11	15	18	27
B. *Operated*										
0-27 DYS	10	13.2	20	7	7	13	17	19	20	20
1-11 MOS	13	9.7	42	2	2	8	13	21	22	22
1-5 YRS	5	9.2	60	1	1	7	12	22	22	22
6-12 YRS	15	9.1	18	2	5	9	11	16	17	18
13-19 YRS	719	9.2	37	2	2	8	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	5	13.8	88	7	7	11	17	30	30	30
6-12 YRS	3	19.0	592	3	3	7	37	47	47	47
13-19 YRS	70	8.7	28	2	3	8	12	14	18	29
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	13.0	7	11	11	12	15	16	16	16
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	98	12.0	85	2	2	10	15	25	34	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	8.5	40	1	3	7	11	15	20	33
B. *Operated*	762	9.2	37	2	2	8	12	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	81	9.3	48	2	3	8	12	15	20	42
B. *Operated*	104	11.9	81	2	3	10	15	24	33	42
1. SINGLE DX	1001	9.1	37	2	2	8	11	16	20	30
2. MULTIPLE DX	185	10.8	68	2	3	9	13	21	30	42
A. NOT OPERATED	320	8.7	42	2	3	7	11	15	20	36
B. OPERATED	866	9.6	43	2	2	8	12	17	22	35
TOTAL 0-27 DYS	20	9.8	27	2	3	9	13	18	19	20
1-11 MOS	23	9.1	30	1	2	8	12	17	21	22
1-5 YRS	24	10.0	49	2	3	8	13	22	47	99+
6-12 YRS	27	9.9	87	2	3	8	10	18	32	47
13-19 YRS	1092	9.3	42	2	2	8	12	17	21	34
GRAND TOTAL	**1186**	**9.3**	**43**	**2**	**2**	**8**	**12**	**17**	**22**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-27 DYS										
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS	14	6.1	36	1	1	5	7	14	21	23
6-12 YRS	12	7.8	51	2	2	5	9	21	24	25
13-19 YRS	57	6.9	29	2	2	5	8	14	16	33
B. ***Operated***										
0-27 DYS	5	10.0	106	2	2	6	16	27	27	27
1-11 MOS	5	12.4	82	2	2	9	20	25	25	25
1-5 YRS										
6-12 YRS	4	6.0	23	2	2	4	9	13	13	13
13-19 YRS	74	8.8	48	1	2	7	12	17	22	32
2. MULTIPLE DX										
A. ***Not Operated***										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	7.3	40	1	1	5	12	17	20	20
6-12 YRS	4	11.8	28	4	4	14	15	15	15	15
13-19 YRS	33	6.8	21	1	2	7	10	13	15	20
B. ***Operated***										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	3	15.7	104	4	4	20	22	23	23	23
1-5 YRS	2	9.0	50	4	4	9	14	14	14	14
6-12 YRS	4	9.5	26	3	3	10	13	14	14	14
13-19 YRS	17	10.1	53	1	1	10	12	22	26	28
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	86	6.8	32	1	2	5	8	14	18	31
B. ***Operated***	88	9.0	50	1	2	7	12	18	25	31
2. MULTIPLE DX										
A. ***Not Operated***	48	7.3	25	1	2	6	10	14	16	20
B. ***Operated***	27	10.7	50	1	2	10	14	22	24	28
1. SINGLE DX	174	7.9	42	1	2	6	10	16	22	32
2. MULTIPLE DX	75	8.5	36	1	2	8	12	15	20	27
A. NOT OPERATED	134	7.0	29	1	2	5	10	14	18	26
B. OPERATED	115	9.4	50	1	2	8	13	20	25	30
TOTAL 0-27 DYS	7	10.1	77	2	2	6	14	25	27	27
1-11 MOS	12	10.7	70	2	3	7	19	24	25	25
1-5 YRS	25	6.8	36	1	1	5	10	14	21	23
6-12 YRS	24	8.5	38	2	2	6	13	16	21	25
13-19 YRS	181	8.0	38	1	2	6	10	16	20	32
GRAND TOTAL	**249**	**8.1**	**40**	**1**	**2**	**6**	**11**	**16**	**21**	**29**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	5	10.0	78	1	1	12	16	21	21	21
13-19 YRS	91	6.9	24	2	2	6	9	13	16	26
B. ***Operated***										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	55	6.8	32	1	2	5	9	15	20	24
2. MULTIPLE DX										
A. ***Not Operated***										
0-27 DYS	3	3.3	5	2	2	2	5	6	6	6
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	3	9.0	19	6	6	7	12	14	14	14
6-12 YRS	4	7.8	104	2	2	3	13	23	23	23
13-19 YRS	83	7.2	37	2	2	6	10	13	14	39
B. ***Operated***										
0-27 DYS										
1-11 MOS	1	34.0		34	34	34	34	34	34	34
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	8.5	61	3	3	8	14	14	14	14
13-19 YRS	31	8.6	36	2	3	7	11	16	22	27
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	97	7.0	26	1	2	6	9	14	18	26
B. ***Operated***	56	7.0	34	1	2	5	10	16	20	24
2. MULTIPLE DX										
A. ***Not Operated***	94	7.2	37	2	2	6	10	13	14	38
B. ***Operated***	35	9.1	54	2	2	7	12	17	26	34
1. SINGLE DX	153	7.0	29	1	2	5	9	15	19	25
2. MULTIPLE DX	129	7.7	42	2	2	6	10	14	17	37
A. NOT OPERATED	191	7.1	31	2	2	6	9	13	16	26
B. OPERATED	91	7.8	42	1	2	6	11	16	21	31
TOTAL 0-27 DYS	3	3.3	5	2	2	2	5	6	6	6
1-11 MOS	2	22.5	265	11	11	22	34	34	34	34
1-5 YRS	5	7.0	19	2	2	6	9	14	14	14
6-12 YRS	12	9.7	70	1	1	8	16	22	23	23
13-19 YRS	260	7.2	31	2	2	6	9	14	17	27
GRAND TOTAL	**282**	**7.4**	**35**	**1**	**2**	**6**	**10**	**15**	**18**	**27**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.3	16	1	1	6	8	9	9	9
6-12 YRS										
13-19 YRS	32	8.0	16	2	3	8	10	14	16	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	21	5.9	19	1	1	4	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS										
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	23	7.2	29	1	2	7	10	12	18	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	9.5	34	1	2	10	13	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.8	17	1	3	8	10	14	16	17
B. *Operated*	22	6.0	19	1	1	5	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	29	6.9	24	2	2	7	8	12	14	26
B. *Operated*	8	9.5	34	1	2	10	13	17	19	19
1. SINGLE DX	57	7.1	18	1	2	7	10	13	14	17
2. MULTIPLE DX	37	7.5	27	1	2	7	10	13	17	26
A. NOT OPERATED	64	7.4	20	2	2	7	10	12	15	25
B. OPERATED	30	7.0	24	1	1	7	11	13	14	19
TOTAL 0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	3	5.3	16	1	1	6	8	9	9	9
6-12 YRS	3	6.7	10	3	3	8	9	9	9	9
13-19 YRS	84	7.4	23	1	2	7	10	13	15	24
GRAND TOTAL	**94**	**7.3**	**21**	**1**	**2**	**7**	**10**	**13**	**14**	**23**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	9.4	11	7	7	8	11	15	15	15
1-11 MOS	12	3.8	15	<1	<1	2	5	10	13	14
1-5 YRS	55	2.3	4	<1	1	2	3	4	7	10
6-12 YRS	144	3.6	7	1	1	3	5	7	8	13
13-19 YRS	648	5.3	16	1	2	4	7	11	13	21
B. *Operated*										
0-27 DYS	3	5.7	25	<1	<1	5	9	11	11	11
1-11 MOS	6	6.2	28	2	2	4	10	14	15	15
1-5 YRS	7	3.6	4	<1	<1	4	5	6	6	6
6-12 YRS	31	4.0	9	<1	1	3	5	9	10	11
13-19 YRS	352	5.8	27	1	2	4	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	7.8	35	3	3	7	7	17	23	23
1-11 MOS	13	11.4	55	4	4	10	18	22	23	23
1-5 YRS	46	4.1	18	1	1	3	5	9	15	20
6-12 YRS	89	4.1	12	1	1	3	5	8	11	17
13-19 YRS	555	5.5	20	1	1	4	8	10	13	24
B. *Operated*										
0-27 DYS	1	33.0		33	33	33	33	33	33	33
1-11 MOS	4	6.0	36	3	3	3	9	15	15	15
1-5 YRS	8	13.3	244	1	1	7	20	40	46	46
6-12 YRS	19	6.4	39	1	2	4	6	19	20	20
13-19 YRS	226	7.4	42	1	2	5	10	15	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	4.8	14	1	1	4	6	10	12	18
B. *Operated*	399	5.6	25	1	2	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	712	5.4	21	1	1	4	7	10	14	23
B. *Operated*	258	7.6	51	1	2	5	10	15	21	39
1. SINGLE DX	1263	5.1	18	1	1	4	7	11	14	22
2. MULTIPLE DX	970	6.0	29	1	1	4	8	12	17	27
A. NOT OPERATED	1576	5.1	17	1	1	4	7	10	13	22
B. OPERATED	657	6.4	36	1	2	4	8	14	18	33
TOTAL 0-27 DYS	18	9.3	59	1	3	7	10	21	29	33
1-11 MOS	35	7.3	43	<1	1	4	10	17	22	23
1-5 YRS	116	3.9	31	1	1	2	4	8	14	32
6-12 YRS	283	4.0	11	1	1	3	5	7	10	19
13-19 YRS	1781	5.7	23	1	2	4	8	12	15	24
GRAND TOTAL	**2233**	**5.5**	**23**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	13	4.5	10	1	1	4	7	9	10	10
1-5 YRS	365	4.1	21	1	1	3	5	7	9	20
6-12 YRS	306	4.7	10	1	2	4	6	8	11	17
13-19 YRS	224	4.8	13	1	2	4	6	9	11	22
B. *Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	19	2.7	7	<1	<1	2	3	8	9	9
1-5 YRS	168	2.2	8	<1	<1	1	2	4	7	16
6-12 YRS	209	3.3	9	<1	1	2	4	6	9	19
13-19 YRS	1212	3.1	6	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	6.0	19	1	1	4	9	12	15	15
1-5 YRS	120	4.3	8	1	1	4	6	7	9	16
6-12 YRS	119	4.8	9	1	2	4	6	9	10	16
13-19 YRS	130	5.1	17	1	2	4	6	8	12	24
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.5	6	1	1	3	5	6	6	6
1-5 YRS	28	3.4	15	1	1	2	3	6	10	21
6-12 YRS	63	4.4	18	1	2	3	5	10	11	27
13-19 YRS	458	4.0	15	1	2	3	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	910	4.5	15	1	2	4	6	8	11	18
B. *Operated*	1611	3.0	6	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	380	4.8	12	1	2	4	6	8	10	20
B. *Operated*	553	4.0	15	1	1	3	4	7	10	21
1. SINGLE DX	2521	3.5	10	1	1	3	4	6	8	16
2. MULTIPLE DX	933	4.3	14	1	1	3	5	8	10	21
A. NOT OPERATED	1290	4.6	14	1	2	4	6	8	10	19
B. OPERATED	2164	3.3	9	<1	1	3	4	5	8	18
TOTAL 0-27 DYS	6	2.7	1	2	2	2	4	4	4	4
1-11 MOS	46	4.0	11	<1	1	3	6	9	10	15
1-5 YRS	681	3.6	16	1	1	3	4	7	9	19
6-12 YRS	697	4.3	11	1	1	3	5	8	10	18
13-19 YRS	2024	3.6	10	1	1	3	4	6	8	18
GRAND TOTAL	**3454**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	18	2.6	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS	4	3.8	4	1	1	4	5	6	6	6
1-11 MOS	6	3.2	3	2	2	3	4	6	6	6
1-5 YRS	17	2.6	6	<1	<1	2	3	9	64	99+
6-12 YRS	126	3.9	6	2	2	3	4	6	7	16
13-19 YRS	1198	4.1	12	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	2.8	12	<1	<1	1	4	8	8	8
13-19 YRS	34	2.4	8	<1	<1	1	2	5	10	14
B. *Operated*										
0-27 DYS	3	3.7	6	<1	<1	4	5	6	6	6
1-11 MOS	8	4.9	25	<1	1	4	4	13	17	17
1-5 YRS	10	7.6	119	2	2	3	5	25	37	37
6-12 YRS	74	4.4	5	2	2	4	5	7	7	14
13-19 YRS	1018	4.2	4	2	2	4	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.5	3	<1	<1	2	4	5	6	7
B. *Operated*	1351	4.0	11	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	41	2.3	8	<1	<1	1	2	5	9	14
B. *Operated*	1113	4.3	5	2	2	4	5	6	8	13
1. SINGLE DX	1374	4.0	11	2	2	4	5	6	7	12
2. MULTIPLE DX	1154	4.2	6	2	2	4	5	6	8	13
A. NOT OPERATED	64	2.4	6	<1	<1	1	3	5	7	14
B. OPERATED	2464	4.1	8	2	2	4	5	6	7	12
TOTAL 0-27 DYS	7	3.7	4	<1	<1	4	5	6	6	6
1-11 MOS	16	3.8	14	<1	<1	3	4	6	14	17
1-5 YRS	31	4.2	45	<1	1	2	4	12	35	99+
6-12 YRS	206	4.0	5	2	2	4	5	7	7	15
13-19 YRS	2268	4.1	8	2	2	4	5	6	7	12
GRAND TOTAL	**2528**	**4.1**	**8**	**2**	**2**	**4**	**5**	**6**	**7**	**12**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	1.3		<1	<1	1	2	2	2	2
6-12 YRS	24	1.8	1	<1	<1	1	2	3	4	5
13-19 YRS	75	2.0	3	<1	<1	1	2	4	5	11
B. *Operated*										
0-27 DYS	3	3.0	4	<1	<1	3	4	5	5	5
1-11 MOS	20	1.6		<1	<1	1	2	3	3	3
1-5 YRS	380	2.2	2	<1	1	2	2	3	4	9
6-12 YRS	966	2.1	5	<1	1	2	2	3	4	8
13-19 YRS	2775	2.1	6	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	16	1.9	6	<1	<1	1	2	3	9	11
13-19 YRS	28	1.5	2	<1	<1	1	2	2	3	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	29	2.1	1	1	1	2	3	4	4	6
6-12 YRS	78	2.3	1	<1	1	2	3	4	5	6
13-19 YRS	351	2.8	7	<1	1	2	3	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	1.9	2	<1	<1	1	2	4	5	9
B. *Operated*	4144	2.1	6	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	52	1.6	3	<1	<1	1	2	2	3	11
B. *Operated*	461	2.7	5	<1	1	2	3	5	6	10
1. SINGLE DX	4253	2.1	5	<1	1	2	2	3	4	7
2. MULTIPLE DX	513	2.6	5	<1	1	2	3	5	6	10
A. NOT OPERATED	161	1.8	3	<1	<1	1	2	3	5	11
B. OPERATED	4605	2.2	6	<1	1	2	2	3	4	7
TOTAL 0-27 DYS	4	2.8	3	<1	<1	2	4	5	5	5
1-11 MOS	24	1.7	1	<1	1	2	2	3	3	4
1-5 YRS	425	2.1	2	<1	1	2	2	3	4	9
6-12 YRS	1084	2.1	5	<1	1	2	2	3	4	8
13-19 YRS	3229	2.2	6	<1	1	2	2	3	4	7
GRAND TOTAL	**4766**	**2.2**	**5**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	30.7	108	18	18	31	41	43	43	43
1-11 MOS	31	13.5	47	2	3	15	17	23	23	27
1-5 YRS	86	13.3	51	2	4	12	19	23	26	31
6-12 YRS	196	14.0	69	2	4	13	21	26	29	33
13-19 YRS	131	14.0	121	1	2	11	21	29	38	46
B. *Operated*										
0-27 DYS	4	21.3	92	8	8	23	28	30	30	30
1-11 MOS	19	18.6	104	3	5	21	22	29	38	45
1-5 YRS	79	15.9	78	2	3	16	23	28	30	31
6-12 YRS	203	16.3	144	2	3	15	24	30	37	59
13-19 YRS	271	14.4	148	2	2	10	22	31	41	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	22.5	122	8	8	24	30	34	34	34
1-11 MOS	23	19.4	91	4	5	21	28	30	34	35
1-5 YRS	62	16.9	87	2	3	17	24	28	33	37
6-12 YRS	87	19.7	88	5	9	20	27	31	36	45
13-19 YRS	56	15.1	104	3	3	13	25	30	36	96
B. *Operated*										
0-27 DYS	4	31.8	104	22	22	29	38	46	46	46
1-11 MOS	20	20.9	91	5	8	21	29	32	35	38
1-5 YRS	34	21.3	217	5	6	19	26	47	63	99+
6-12 YRS	112	20.5	217	4	5	18	28	40	52	84
13-19 YRS	166	19.7	262	2	3	16	29	45	57	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	14.1	83	2	3	13	20	27	29	42
B. *Operated*	576	15.5	136	2	2	13	23	30	37	54
2. MULTIPLE DX										
A. *Not Operated*	232	17.8	95	3	5	18	25	30	35	42
B. *Operated*	336	20.3	230	3	4	17	29	43	53	99+
1. SINGLE DX	1027	14.9	113	2	3	13	21	29	33	48
2. MULTIPLE DX	568	19.3	176	3	4	18	27	36	46	85
A. NOT OPERATED	683	15.4	90	2	4	14	22	28	31	42
B. OPERATED	912	17.3	176	2	3	15	24	34	45	64
TOTAL 0-27 DYS	19	27.2	111	8	12	27	33	43	45	46
1-11 MOS	93	17.6	85	2	5	16	24	29	32	42
1-5 YRS	261	16.0	94	2	4	15	23	27	30	59
6-12 YRS	598	16.8	130	2	4	15	23	30	37	59
13-19 YRS	624	15.8	173	2	3	12	23	33	43	61
GRAND TOTAL	**1595**	**16.4**	**140**	**2**	**3**	**15**	**23**	**30**	**39**	**60**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	9	4.2	9	1	1	4	6	9	9	9
1-5 YRS	107	5.9	20	<1	1	5	8	12	14	21
6-12 YRS	298	7.1	74	1	1	5	9	15	24	59
13-19 YRS	272	4.1	16	1	1	3	5	8	11	19
B. *Operated*										
0-27 DYS	8	8.0	135	<1	<1	4	7	28	36	36
1-11 MOS	12	3.4	9	1	1	2	6	7	10	10
1-5 YRS	150	5.4	35	<1	1	3	7	13	17	27
6-12 YRS	1120	6.2	32	1	1	5	8	12	16	31
13-19 YRS	3489	4.9	15	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	15.0	82	6	6	13	16	30	32	32
1-11 MOS	12	13.0	208	2	3	7	17	37	46	48
1-5 YRS	34	8.4	144	<1	1	6	9	14	24	69
6-12 YRS	114	8.2	65	1	1	5	11	21	27	35
13-19 YRS	252	5.9	73	<1	1	4	7	12	18	54
B. *Operated*										
0-27 DYS	2	11.5	13	9	9	11	14	14	14	14
1-11 MOS	7	21.3	819	1	2	15	20	72	84	84
1-5 YRS	51	6.7	36	1	1	4	9	16	22	25
6-12 YRS	293	7.4	59	1	2	5	9	16	23	43
13-19 YRS	1266	5.9	39	1	2	4	6	12	17	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	5.7	43	1	1	4	7	12	15	34
B. *Operated*	4779	5.2	20	1	2	4	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	418	7.1	83	<1	1	4	8	15	25	50
B. *Operated*	1619	6.3	47	1	2	4	7	13	18	37
1. SINGLE DX	5467	5.3	23	1	2	4	6	10	13	24
2. MULTIPLE DX	2037	6.4	54	1	2	4	7	14	19	42
A. NOT OPERATED	1106	6.2	59	1	1	4	7	13	19	39
B. OPERATED	6398	5.5	27	1	2	4	6	10	14	26
TOTAL 0-27 DYS	18	10.2	97	<1	1	7	14	27	34	36
1-11 MOS	40	9.6	235	1	1	5	9	23	40	84
1-5 YRS	342	6.1	41	<1	1	4	8	13	17	26
6-12 YRS	1825	6.7	45	1	1	5	8	14	18	35
13-19 YRS	5279	5.1	24	1	2	4	6	9	13	25
GRAND TOTAL	**7504**	**5.6**	**32**	**1**	**2**	**4**	**6**	**11**	**15**	**30**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	18	2.4	3	<1	1	2	4	5	6	7
6-12 YRS	13	3.2	6	<1	<1	3	5	6	8	8
13-19 YRS	28	4.4	35	<1	1	2	4	10	16	29
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	14	2.6	3	1	1	2	2	5	7	7
1-5 YRS	116	3.6	6	1	1	3	4	7	9	13
6-12 YRS	309	4.5	8	2	2	4	6	8	9	17
13-19 YRS	722	4.4	14	1	2	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.4	18	1	1	2	7	11	12	12
1-5 YRS	8	3.0	12	<1	<1	1	4	9	10	10
6-12 YRS	12	2.5	4	<1	<1	2	3	5	8	8
13-19 YRS	24	3.5	12	<1	1	2	5	7	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	8	4.6	26	2	2	3	4	13	17	17
1-5 YRS	78	4.3	8	2	2	4	5	8	11	14
6-12 YRS	208	4.8	9	1	2	4	6	9	11	15
13-19 YRS	536	5.2	17	1	2	4	6	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.4	18	<1	1	2	4	7	9	27
B. *Operated*	1162	4.3	12	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	51	3.3	11	<1	<1	2	5	8	10	15
B. *Operated*	830	5.0	14	1	2	4	6	9	11	23
1. SINGLE DX	1226	4.3	12	1	2	3	5	8	10	16
2. MULTIPLE DX	881	4.9	14	1	2	4	6	9	11	22
A. NOT OPERATED	115	3.4	14	<1	<1	2	4	8	10	20
B. OPERATED	1992	4.6	13	1	2	4	6	8	11	19
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	34	3.3	11	1	1	2	4	7	11	17
1-5 YRS	220	3.7	7	1	1	3	5	7	9	13
6-12 YRS	542	4.5	9	1	2	4	6	8	9	16
13-19 YRS	1310	4.7	16	1	2	4	6	9	11	24
GRAND TOTAL	**2107**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**19**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	19	5.9	23	1	1	5	8	12	17	20
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	12	5.0	16	1	1	3	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	13	4.8	16	1	1	3	6	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	6	5.2	22	2	2	3	7	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.1	21	1	1	5	8	12	17	20
B. *Operated*	14	5.6	23	1	1	3	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	16	4.5	14	1	1	3	5	12	13	13
B. *Operated*	10	6.8	43	2	2	4	8	18	22	22
1. SINGLE DX	35	5.9	21	1	1	4	8	13	15	20
2. MULTIPLE DX	26	5.4	25	1	1	3	6	13	16	22
A. NOT OPERATED	37	5.4	18	1	1	4	7	12	14	20
B. OPERATED	24	6.1	30	1	2	3	8	14	18	22
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	3	7.3	4	5	5	8	9	9	9	9
6-12 YRS	6	3.7	4	2	2	3	5	7	7	7
13-19 YRS	50	5.3	18	1	1	4	7	13	14	20
GRAND TOTAL	**61**	**5.7**	**22**	**1**	**1**	**4**	**8**	**13**	**15**	**22**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	13	3.0	4	1	1	2	4	6	7	7
1-5 YRS	111	2.8	7	<1	1	2	3	6	8	14
6-12 YRS	265	3.5	8	1	1	3	4	7	10	14
13-19 YRS	667	3.8	11	1	1	3	5	7	9	15
B. *Operated*										
0-27 DYS	5	2.4	1	1	1	3	3	3	3	3
1-11 MOS	26	2.9	7	<1	1	2	3	5	8	14
1-5 YRS	189	2.5	4	<1	1	2	3	5	6	7
6-12 YRS	488	5.0	35	<1	1	3	5	13	17	26
13-19 YRS	2175	5.8	40	1	1	3	7	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	6.8	23	2	2	5	8	15	17	17
1-11 MOS	20	3.1	9	1	1	2	4	6	10	13
1-5 YRS	78	3.8	9	1	1	3	5	8	9	17
6-12 YRS	165	3.7	11	1	1	3	4	7	11	19
13-19 YRS	620	4.6	21	1	1	4	6	9	11	20
B. *Operated*										
0-27 DYS	7	13.9	153	2	2	8	22	33	35	35
1-11 MOS	12	5.1	17	2	2	3	6	13	14	14
1-5 YRS	134	4.1	13	1	2	3	4	8	10	18
6-12 YRS	311	5.9	35	1	2	4	7	14	18	29
13-19 YRS	1593	5.1	41	1	2	3	5	10	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1059	3.6	10	1	1	3	5	7	9	15
B. *Operated*	2883	5.4	37	1	1	3	6	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	891	4.4	18	1	1	3	6	8	11	19
B. *Operated*	2057	5.2	39	1	2	3	5	11	18	34
1. SINGLE DX	3942	4.9	30	1	1	3	5	12	17	27
2. MULTIPLE DX	2948	4.9	33	1	1	3	5	10	15	32
A. NOT OPERATED	1950	4.0	14	1	1	3	5	8	10	17
B. OPERATED	4940	5.3	38	1	1	3	5	13	18	30
TOTAL 0-27 DYS	23	7.6	70	1	2	4	8	21	27	35
1-11 MOS	71	3.3	9	1	1	2	4	6	12	14
1-5 YRS	512	3.2	8	1	1	2	4	6	8	15
6-12 YRS	1229	4.8	27	1	1	3	5	11	17	25
13-19 YRS	5055	5.1	35	1	1	3	5	12	17	30
GRAND TOTAL	**6890**	**4.9**	**31**	**1**	**1**	**3**	**5**	**11**	**17**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	9	4.0	6	1	1	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	5	3.4	2	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.5	15	1	1	3	7	10	10	10
13-19 YRS	46	5.7	28	1	2	4	7	10	12	34
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	7.2	15	3	3	7	9	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.1	4	1	1	4	5	7	7	7
B. *Operated*	8	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	51	5.6	26	1	2	4	7	10	11	34
B. *Operated*	6	7.2	15	3	3	7	9	13	13	13
1. SINGLE DX	21	3.7	3	1	1	3	5	6	7	7
2. MULTIPLE DX	57	5.8	25	1	2	4	8	10	12	33
A. NOT OPERATED	64	5.3	22	1	2	4	6	10	11	31
B. OPERATED	14	4.8	11	1	2	4	5	10	12	13
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	8	4.3	7	1	1	4	5	9	10	10
13-19 YRS	66	5.4	22	1	2	4	7	10	11	31
GRAND TOTAL	**78**	**5.2**	**20**	**1**	**2**	**4**	**6**	**10**	**11**	**29**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	6.2	69	1	1	3	6	19	28	32
1-11 MOS	80	3.7	37	<1	<1	2	3	8	11	39
1-5 YRS	62	3.7	42	<1	<1	2	3	6	16	39
6-12 YRS	24	3.6	12	<1	<1	3	4	8	12	16
13-19 YRS	15	6.9	47	<1	2	5	9	11	24	29
B. *Operated*										
0-27 DYS	29	10.2	83	1	2	8	13	20	36	40
1-11 MOS	127	9.1	42	2	3	8	11	16	22	34
1-5 YRS	70	7.1	30	1	2	6	9	14	17	27
6-12 YRS	39	7.0	25	2	2	5	10	15	16	22
13-19 YRS	45	9.3	59	2	2	7	13	21	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	15.9	454	<1	1	6	21	45	75	76
1-11 MOS	142	6.8	66	1	1	4	8	14	21	43
1-5 YRS	172	5.2	28	1	1	3	7	11	16	25
6-12 YRS	95	6.2	84	1	1	4	7	12	19	87
13-19 YRS	51	6.0	25	2	2	5	9	12	18	98
B. *Operated*										
0-27 DYS	27	21.9	172	5	7	22	33	52	99+	99+
1-11 MOS	132	14.9	214	2	3	11	18	32	36	82
1-5 YRS	126	10.4	85	1	2	8	14	23	31	61
6-12 YRS	138	10.2	160	2	2	7	11	16	31	76
13-19 YRS	90	11.1	99	2	2	9	15	20	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	4.1	39	<1	<1	2	4	9	15	36
B. *Operated*	310	8.5	44	2	2	7	11	17	22	35
2. MULTIPLE DX										
A. *Not Operated*	483	6.5	74	1	1	4	7	13	21	68
B. *Operated*	513	12.2	153	2	2	9	15	28	36	83
1. SINGLE DX	507	6.8	47	<1	1	5	9	15	20	35
2. MULTIPLE DX	996	9.4	123	1	2	6	11	21	32	76
A. NOT OPERATED	680	5.8	65	<1	1	3	7	12	20	43
B. OPERATED	823	10.8	115	2	2	8	13	22	32	75
TOTAL 0-27 DYS	95	14.2	223	1	2	9	21	35	52	99+
1-11 MOS	481	9.1	111	1	1	6	11	20	29	58
1-5 YRS	430	6.8	53	1	1	4	9	16	23	39
6-12 YRS	296	7.9	110	1	1	5	10	14	21	73
13-19 YRS	201	9.1	71	2	2	7	12	19	28	72
GRAND TOTAL	**1503**	**8.5**	**99**	**1**	**1**	**5**	**11**	**19**	**28**	**61**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.6	11	<1	<1	3	5	9	9	9
1-11 MOS	390	1.1	1	<1	<1	1	1	1	2	4
1-5 YRS	299	1.2	1	<1	<1	1	1	2	2	6
6-12 YRS	43	2.3	11	<1	<1	1	2	5	8	20
13-19 YRS	15	2.1	2	1	1	2	3	3	5	6
B. *Operated*										
0-27 DYS	7	5.4	44	1	1	4	5	17	20	20
1-11 MOS	210	2.3	4	<1	<1	2	3	4	6	12
1-5 YRS	960	2.2	3	<1	1	2	3	4	5	9
6-12 YRS	1046	2.3	3	1	1	2	3	4	4	8
13-19 YRS	635	2.7	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	3.8	6	2	2	3	5	8	8	8
1-11 MOS	96	1.8	3	<1	<1	1	2	4	6	9
1-5 YRS	99	2.2	41	<1	<1	1	2	2	4	42
6-12 YRS	27	1.9	3	<1	<1	1	3	3	6	9
13-19 YRS	15	3.6	41	<1	<1	1	4	5	21	26
B. *Operated*										
0-27 DYS	6	8.8	85	1	1	4	19	22	22	22
1-11 MOS	117	3.7	29	1	1	2	4	8	10	28
1-5 YRS	236	2.6	4	<1	1	2	3	4	6	13
6-12 YRS	274	2.4	3	1	1	2	3	4	5	11
13-19 YRS	194	3.1	7	1	1	2	4	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	1.3	2	<1	<1	1	1	2	2	6
B. *Operated*	2858	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	242	2.1	21	<1	<1	1	2	4	6	21
B. *Operated*	827	2.9	9	1	1	2	3	5	7	14
1. SINGLE DX	3610	2.2	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX	1069	2.7	12	<1	1	2	3	5	7	14
A. NOT OPERATED	994	1.5	6	<1	<1	1	1	2	3	9
B. OPERATED	3685	2.5	4	<1	1	2	3	4	5	11
TOTAL 0-27 DYS	23	5.6	39	<1	1	3	6	19	21	22
1-11 MOS	813	1.9	7	<1	<1	1	2	3	6	11
1-5 YRS	1594	2.1	5	<1	<1	2	2	3	5	11
6-12 YRS	1390	2.4	3	<1	1	2	3	4	5	9
13-19 YRS	859	2.8	5	1	1	2	3	5	6	10
GRAND TOTAL	**4679**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	5.2	33	<1	1	3	7	12	14	33
1-11 MOS	70	4.4	23	1	1	3	5	8	15	26
1-5 YRS	57	2.3	3	<1	1	2	2	5	7	8
6-12 YRS	37	2.5	4	<1	<1	2	3	5	7	8
13-19 YRS	49	3.5	22	1	1	2	3	5	11	26
B. *Operated*										
0-27 DYS	21	9.1	70	1	1	7	12	24	27	29
1-11 MOS	300	5.3	32	1	1	2	8	12	14	25
1-5 YRS	902	4.9	19	1	1	2	8	10	12	19
6-12 YRS	461	4.6	24	1	1	2	7	10	12	19
13-19 YRS	431	5.2	30	1	2	2	8	11	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	80	7.3	119	<1	1	3	7	18	27	57
1-11 MOS	387	5.8	56	1	1	4	6	11	16	45
1-5 YRS	226	3.6	13	<1	<1	2	5	7	11	17
6-12 YRS	87	4.7	41	1	1	3	5	9	15	39
13-19 YRS	124	4.4	15	1	1	3	5	9	12	20
B. *Operated*										
0-27 DYS	95	17.4	330	2	2	11	21	48	69	99+
1-11 MOS	615	8.4	113	1	2	4	11	20	27	69
1-5 YRS	891	6.0	45	1	1	2	9	13	17	33
6-12 YRS	437	5.8	49	1	2	2	8	12	18	36
13-19 YRS	366	6.3	57	1	2	3	9	13	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	3.6	18	<1	1	2	4	7	11	26
B. *Operated*	2115	5.0	25	1	1	2	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	904	5.1	45	<1	1	3	6	10	14	41
B. *Operated*	2404	7.1	82	1	2	3	9	16	22	52
1. SINGLE DX	2373	4.9	24	1	1	2	7	10	12	23
2. MULTIPLE DX	3308	6.5	72	1	1	3	9	14	21	48
A. NOT OPERATED	1162	4.8	40	<1	1	3	5	10	13	35
B. OPERATED	4519	6.1	56	1	1	3	9	13	17	41
TOTAL 0-27 DYS	241	11.0	208	1	1	6	13	31	48	79
1-11 MOS	1372	6.8	77	1	1	4	9	15	23	47
1-5 YRS	2076	5.2	30	1	1	2	8	11	14	27
6-12 YRS	1022	5.0	36	1	1	2	8	11	13	31
13-19 YRS	970	5.4	38	1	2	3	8	11	14	29
GRAND TOTAL	**5681**	**5.8**	**53**	**1**	**1**	**3**	**8**	**12**	**17**	**40**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	8	3.0	18	<1	<1	1	3	11	13	13
1-5 YRS	12	2.5	3	<1	<1	2	4	5	5	5
6-12 YRS	5	2.6	7	<1	<1	1	4	7	7	7
13-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	16	5.4	7	2	2	5	7	9	10	11
1-11 MOS	536	4.7	5	2	2	4	6	8	8	11
1-5 YRS	665	4.7	20	1	2	4	6	8	8	12
6-12 YRS	226	3.4	5	1	2	3	4	6	7	9
13-19 YRS	164	2.7	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	8.4	50	2	2	7	9	19	25	29
1-11 MOS	51	4.0	35	<1	<1	1	5	10	21	28
1-5 YRS	49	1.5	2	<1	<1	1	1	3	4	10
6-12 YRS	3	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	3	8.3	17	5	5	7	11	13	13	13
1-11 MOS	155	5.4	10	2	2	5	7	9	10	20
1-5 YRS	358	4.7	9	2	2	4	6	8	9	15
6-12 YRS	184	3.6	7	1	1	3	5	6	7	18
13-19 YRS	220	3.3	3	1	2	3	4	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.7	7	<1	<1	1	4	5	7	13
B. *Operated*	1607	4.3	12	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	126	3.5	27	<1	<1	1	4	8	13	28
B. *Operated*	920	4.3	8	1	2	4	5	7	9	14
1. SINGLE DX	1638	4.3	11	1	2	4	6	7	8	11
2. MULTIPLE DX	1046	4.2	11	1	1	4	5	8	9	20
A. NOT OPERATED	157	3.4	23	<1	<1	1	4	8	12	28
B. OPERATED	2527	4.3	10	1	2	4	6	7	8	12
TOTAL 0-27 DYS	40	6.9	29	2	2	6	8	12	18	29
1-11 MOS	750	4.8	8	1	2	4	6	8	9	14
1-5 YRS	1084	4.6	16	1	2	4	6	8	9	13
6-12 YRS	418	3.4	6	1	1	3	4	6	7	12
13-19 YRS	392	3.0	3	1	1	3	4	5	6	8
GRAND TOTAL	**2684**	**4.3**	**11**	**1**	**2**	**4**	**6**	**7**	**8**	**13**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	64	3.8	13	1	1	3	4	6	7	25
1-11 MOS	111	3.6	9	1	1	3	5	7	8	19
1-5 YRS	3	5.7	21	3	3	3	9	11	11	11
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	477	4.5	5	2	2	4	5	7	9	13
1-11 MOS	1076	4.3	6	2	2	4	5	7	8	13
1-5 YRS	4	6.3	2	5	5	6	7	8	8	8
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	3.8	6	<1	1	3	5	7	10	10
1-11 MOS	57	4.1	9	1	1	3	5	8	11	15
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	99	6.2	14	2	2	6	8	9	12	25
1-11 MOS	225	6.0	12	2	3	5	7	10	12	21
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	3.7	11	1	1	3	5	6	8	22
B. *Operated*	1557	4.4	6	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	80	4.0	8	1	1	3	5	8	10	14
B. *Operated*	325	6.0	13	2	3	5	7	10	12	22
1. SINGLE DX	1735	4.3	6	2	2	4	5	7	8	13
2. MULTIPLE DX	405	5.6	13	2	2	5	7	10	12	21
A. NOT OPERATED	258	3.8	10	1	1	3	5	7	9	16
B. OPERATED	1882	4.7	7	2	2	4	6	8	9	14
TOTAL 0-27 DYS	663	4.6	8	2	2	4	6	8	9	14
1-11 MOS	1469	4.5	8	2	2	4	5	7	9	15
1-5 YRS	8	5.6	8	3	3	5	7	10	11	11
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2140**	**4.5**	**8**	**2**	**2**	**4**	**5**	**8**	**9**	**15**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	4.1	19	<1	1	3	5	9	12	23
1-11 MOS	191	3.3	20	<1	<1	2	4	7	9	24
1-5 YRS	202	2.0	11	<1	<1	1	2	4	5	19
6-12 YRS	52	2.5	4	<1	<1	2	3	5	8	9
13-19 YRS	45	4.2	7	1	1	4	6	8	9	10
B. *Operated*										
0-27 DYS	49	12.6	92	2	5	10	16	23	29	48
1-11 MOS	211	5.7	58	<1	<1	3	8	13	18	40
1-5 YRS	352	3.4	25	<1	<1	2	4	8	11	19
6-12 YRS	222	3.9	11	<1	1	3	5	8	9	14
13-19 YRS	371	4.5	44	1	1	3	5	7	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	33	10.0	193	1	1	6	11	20	25	79
1-11 MOS	187	6.8	96	1	1	4	7	14	20	81
1-5 YRS	114	4.8	17	<1	1	4	7	10	14	19
6-12 YRS	46	4.2	29	<1	<1	3	5	8	9	36
13-19 YRS	42	4.5	11	1	1	4	6	9	12	13
B. *Operated*										
0-27 DYS	45	21.4	409	4	5	18	41	99+	99+	99+
1-11 MOS	183	13.1	175	2	2	9	16	36	50	99+
1-5 YRS	247	7.5	103	<1	1	4	9	16	24	55
6-12 YRS	205	5.7	22	1	2	5	7	11	14	30
13-19 YRS	333	5.2	17	1	2	4	6	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	2.8	14	<1	<1	2	3	6	8	18
B. *Operated*	1205	4.6	40	<1	1	3	5	10	14	31
2. MULTIPLE DX										
A. *Not Operated*	422	6.0	68	1	1	4	7	12	16	49
B. *Operated*	1013	8.0	101	1	2	5	9	17	29	99+
1. SINGLE DX	1727	4.1	33	<1	1	2	5	8	13	27
2. MULTIPLE DX	1435	7.4	92	1	1	5	9	16	25	96
A. NOT OPERATED	944	4.3	41	<1	1	2	5	9	13	31
B. OPERATED	2218	6.2	70	<1	1	4	7	14	19	62
TOTAL 0-27 DYS	159	12.8	223	1	2	9	17	41	99+	99+
1-11 MOS	772	7.1	98	<1	1	4	8	15	25	65
1-5 YRS	915	4.4	46	<1	<1	2	5	10	15	35
6-12 YRS	525	4.5	17	<1	1	3	6	9	12	26
13-19 YRS	791	4.8	29	1	1	3	5	9	13	23
GRAND TOTAL	**3162**	**5.6**	**62**	**<1**	**1**	**3**	**6**	**12**	**18**	**50**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	29	1.7	2	<1	<1	1	2	4	5	5
6-12 YRS	27	2.1	2	<1	<1	1	3	4	4	5
13-19 YRS	12	2.4	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	13	1.9	1	<1	<1	2	2	3	4	4
1-5 YRS	1076	2.9	3	<1	1	3	4	5	6	8
6-12 YRS	1605	3.4	3	1	2	3	4	6	7	9
13-19 YRS	522	3.7	5	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	5	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	78	1.4	1	<1	<1	1	1	2	3	7
6-12 YRS	59	2.1	3	<1	<1	1	3	4	5	10
13-19 YRS	16	2.8	2	<1	<1	3	4	5	6	6
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	39	2.2	2	<1	1	2	3	4	6	8
1-5 YRS	1213	3.1	5	1	1	3	4	5	7	9
6-12 YRS	1284	3.6	4	1	2	3	4	6	8	11
13-19 YRS	444	4.3	5	2	2	4	5	7	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.0	2	<1	<1	1	3	4	5	5
B. *Operated*	3216	3.3	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	160	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	2981	3.5	4	1	2	3	4	6	8	11
1. SINGLE DX	3285	3.2	4	1	1	3	4	5	7	9
2. MULTIPLE DX	3141	3.4	5	1	1	3	4	6	7	10
A. NOT OPERATED	229	1.8	2	<1	<1	1	2	4	5	6
B. OPERATED	6197	3.4	4	1	1	3	4	6	7	9
TOTAL 0-27 DYS	3	2.7	4	<1	<1	2	4	5	5	5
1-11 MOS	58	2.1	2	<1	<1	2	2	4	5	8
1-5 YRS	2396	3.0	4	<1	1	3	4	5	6	8
6-12 YRS	2975	3.4	3	1	2	3	4	6	7	9
13-19 YRS	994	3.9	5	2	2	3	5	7	8	11
GRAND TOTAL	**6426**	**3.3**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	4.4	13	<1	<1	4	6	10	11	11
1-11 MOS	11	2.6	4	<1	<1	2	4	6	6	6
1-5 YRS	56	2.0	3	<1	<1	1	2	4	6	10
6-12 YRS	46	2.7	6	<1	<1	2	3	7	8	12
13-19 YRS	55	4.3	73	<1	1	3	5	6	8	61
B. *Operated*										
0-27 DYS	17	8.1	76	<1	1	6	9	26	30	30
1-11 MOS	79	5.4	30	<1	1	3	7	11	16	28
1-5 YRS	1320	5.4	26	<1	1	4	8	12	14	18
6-12 YRS	645	4.9	30	<1	1	3	7	11	14	26
13-19 YRS	725	4.1	14	<1	1	3	5	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.8	4	2	2	5	6	6	6	6
1-11 MOS	35	4.2	25	<1	1	2	5	9	15	26
1-5 YRS	83	2.2	5	<1	<1	1	2	5	7	11
6-12 YRS	53	3.3	5	<1	1	3	5	7	8	10
13-19 YRS	79	3.7	7	1	1	3	5	6	8	15
B. *Operated*										
0-27 DYS	13	11.3	51	1	3	11	17	22	24	24
1-11 MOS	116	8.4	70	1	1	6	12	19	24	74
1-5 YRS	826	5.2	28	<1	1	3	8	12	15	27
6-12 YRS	600	5.1	34	1	1	3	7	12	15	23
13-19 YRS	687	5.5	23	1	1	4	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	3.0	27	<1	<1	2	3	6	8	17
B. *Operated*	2786	5.0	25	<1	1	3	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	254	3.2	9	<1	1	2	5	6	8	16
B. *Operated*	2242	5.5	31	1	1	3	8	12	16	26
1. SINGLE DX	2961	4.8	25	<1	1	3	7	11	13	20
2. MULTIPLE DX	2496	5.2	29	1	1	3	7	12	15	25
A. NOT OPERATED	429	3.1	16	<1	<1	2	4	6	8	16
B. OPERATED	5028	5.2	28	<1	1	3	8	12	15	23
TOTAL 0-27 DYS	41	8.2	54	<1	1	6	11	20	26	30
1-11 MOS	241	6.5	51	<1	1	4	9	16	21	35
1-5 YRS	2285	5.1	26	<1	1	3	8	11	14	21
6-12 YRS	1344	4.9	30	1	1	3	7	11	14	22
13-19 YRS	1546	4.7	20	<1	1	3	6	10	14	19
GRAND TOTAL	**5457**	**5.0**	**27**	**<1**	**1**	**3**	**7**	**11**	**14**	**23**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	45	1.2		<1	<1	1	1	2	2	4
1-5 YRS	42	1.9	2	<1	<1	1	2	4	6	7
6-12 YRS	11	1.8	1	<1	<1	2	2	3	5	5
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	528	3.4	6	1	1	3	4	6	7	10
1-5 YRS	531	3.9	6	1	2	3	5	6	9	14
6-12 YRS	296	4.8	20	2	2	4	5	7	10	16
13-19 YRS	229	6.0	49	2	3	5	7	9	11	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	17.0	338	4	4	17	30	30	30	30
1-11 MOS	59	1.6	2	<1	<1	1	1	3	5	8
1-5 YRS	44	2.1	13	<1	<1	1	2	4	8	21
6-12 YRS	9	1.9	4	<1	<1	1	2	5	7	7
13-19 YRS	12	2.8	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	119	5.4	34	1	2	3	6	10	16	35
1-5 YRS	160	4.8	12	2	2	4	6	8	13	19
6-12 YRS	211	4.6	5	2	3	4	5	7	10	13
13-19 YRS	355	5.3	8	3	3	5	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	1586	4.2	16	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	126	2.1	12	<1	<1	1	2	4	6	23
B. *Operated*	846	5.0	12	2	2	4	6	8	10	22
1. SINGLE DX	1688	4.0	15	1	1	3	5	7	9	14
2. MULTIPLE DX	972	4.6	13	1	1	4	5	8	10	22
A. NOT OPERATED	228	1.9	8	<1	<1	1	2	4	6	16
B. OPERATED	2432	4.5	15	1	2	4	5	7	9	16
TOTAL 0-27 DYS	7	7.4	101	2	2	4	6	25	30	30
1-11 MOS	751	3.4	11	<1	1	3	4	6	8	16
1-5 YRS	777	3.9	8	1	1	3	5	7	9	16
6-12 YRS	527	4.6	14	2	2	4	5	7	10	14
13-19 YRS	598	5.5	24	2	3	5	6	9	10	23
GRAND TOTAL	**2660**	**4.3**	**14**	**1**	**1**	**4**	**5**	**7**	**9**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	7.2	228	1	1	3	8	36	97	99+
1-11 MOS	417	3.3	26	<1	<1	2	3	8	12	29
1-5 YRS	301	2.5	7	<1	1	2	3	4	7	15
6-12 YRS	117	3.2	10	<1	1	2	4	7	9	49
13-19 YRS	183	4.2	24	1	1	3	5	9	10	14
B. *Operated*										
0-27 DYS	28	6.4	30	1	1	5	10	17	22	99+
1-11 MOS	827	5.8	35	<1	1	4	8	13	17	28
1-5 YRS	1494	4.0	26	1	1	2	4	8	12	25
6-12 YRS	1386	4.4	17	1	2	3	5	8	11	22
13-19 YRS	2284	4.6	15	1	2	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	59	10.2	146	2	2	6	12	23	33	70
1-11 MOS	353	5.3	48	<1	1	3	6	11	16	42
1-5 YRS	313	3.9	30	<1	<1	2	5	8	11	26
6-12 YRS	177	5.2	27	1	1	3	6	13	17	30
13-19 YRS	244	5.5	47	<1	1	4	6	10	18	39
B. *Operated*										
0-27 DYS	12	7.7	100	1	2	7	99+	99+	99+	99+
1-11 MOS	282	8.1	65	1	1	6	11	21	27	82
1-5 YRS	515	6.1	54	1	1	4	7	13	21	39
6-12 YRS	483	6.2	32	1	2	4	8	13	16	35
13-19 YRS	904	5.7	37	1	2	4	6	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1049	3.3	25	<1	1	2	3	8	11	28
B. *Operated*	6019	4.6	22	1	1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	1146	5.2	46	<1	1	3	6	11	17	38
B. *Operated*	2196	6.2	44	1	2	4	8	13	20	39
1. SINGLE DX	7068	4.4	22	1	1	3	5	9	13	24
2. MULTIPLE DX	3342	5.9	45	1	1	4	7	13	19	39
A. NOT OPERATED	2195	4.3	37	<1	1	2	5	9	14	34
B. OPERATED	8215	5.0	28	1	1	3	6	11	15	28
TOTAL 0-27 DYS	130	8.5	136	1	1	5	12	28	99+	99+
1-11 MOS	1879	5.5	42	<1	1	3	8	13	18	31
1-5 YRS	2623	4.2	31	<1	1	2	5	9	14	28
6-12 YRS	2163	4.8	21	1	1	3	6	10	13	27
13-19 YRS	3615	4.9	24	1	2	3	6	10	13	25
GRAND TOTAL	**10410**	**4.9**	**30**	**1**	**1**	**3**	**6**	**10**	**15**	**28**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5991	3.9	23	1	1	3	4	7	12	25
1-11 MOS	573	6.1	54	1	1	3	7	17	22	36
1-5 YRS	20	4.2	12	<1	<1	3	6	8	11	14
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	121	5.4	40	1	2	4	6	11	17	68
1-11 MOS	79	7.9	62	<1	1	4	14	20	22	36
1-5 YRS	18	4.9	39	1	2	3	3	17	22	22
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3199	9.3	117	1	2	5	12	25	35	99+
1-11 MOS	767	10.8	151	1	2	6	14	27	36	66
1-5 YRS	66	7.4	130	<1	1	4	7	16	39	94
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	285	21.0	453	3	4	21	99+	99+	99+	99+
1-11 MOS	125	14.7	281	1	1	10	27	55	99+	99+
1-5 YRS	22	4.8	96	1	1	2	3	9	26	47
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6584	4.1	26	1	1	3	4	8	14	27
B. *Operated*	218	6.3	49	1	1	4	7	17	21	44
2. MULTIPLE DX										
A. *Not Operated*	4032	9.5	124	1	2	5	12	25	35	99+
B. *Operated*	432	18.3	402	1	2	16	59	99+	99+	99+
1. SINGLE DX	6802	4.2	27	1	1	3	4	8	14	27
2. MULTIPLE DX	4464	10.4	158	1	2	6	14	31	56	99+
A. NOT OPERATED	10616	6.2	70	1	1	3	6	15	24	53
B. OPERATED	650	14.3	316	1	2	10	32	99+	99+	99+
TOTAL 0-27 DYS	9596	6.2	80	1	2	3	6	17	28	99+
1-11 MOS	1544	9.2	128	1	1	5	12	24	33	91
1-5 YRS	126	6.1	93	1	1	3	6	12	24	75
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**11266**	**6.6**	**88**	**1**	**1**	**3**	**7**	**18**	**29**	**99+**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	110	3.5	5	1	1	3	4	6	8	13
1-11 MOS	953	3.5	9	1	1	3	4	6	8	14
1-5 YRS	3165	3.0	10	1	1	2	4	5	7	13
6-12 YRS	1776	3.3	8	1	1	3	4	6	7	11
13-19 YRS	2143	3.5	7	1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS	3	9.7	42	3	3	10	14	16	16	16
1-11 MOS	11	5.7	12	2	2	5	7	12	13	13
1-5 YRS	38	4.2	17	1	1	3	6	9	15	19
6-12 YRS	27	4.4	8	1	1	4	6	9	11	11
13-19 YRS	56	6.4	34	1	1	5	9	15	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	57	6.6	24	1	2	5	9	13	18	94
1-11 MOS	1606	4.3	19	1	1	3	5	7	10	24
1-5 YRS	5508	3.5	11	1	1	3	4	6	8	14
6-12 YRS	1177	4.0	13	1	1	3	5	7	10	19
13-19 YRS	1283	5.1	28	1	1	4	6	10	13	30
B. *Operated*										
0-27 DYS	6	37.7	1453	1	2	21	84	87	87	87
1-11 MOS	49	8.8	72	2	3	6	10	18	31	41
1-5 YRS	112	6.6	40	1	2	5	8	14	23	32
6-12 YRS	42	7.6	42	1	2	6	10	19	22	29
13-19 YRS	83	8.2	70	1	2	6	10	14	21	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8147	3.3	8	1	1	3	4	6	7	13
B. *Operated*	135	5.4	23	1	1	4	7	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	9631	3.9	15	1	1	3	5	7	9	20
B. *Operated*	292	8.2	97	1	2	6	9	16	24	53
1. SINGLE DX	8282	3.3	9	1	1	3	4	6	7	13
2. MULTIPLE DX	9923	4.1	18	1	1	3	5	7	10	21
A. NOT OPERATED	17778	3.6	12	1	1	3	4	7	8	16
B. OPERATED	427	7.3	75	1	2	5	9	15	22	37
TOTAL 0-27 DYS	176	5.8	92	1	2	4	6	10	15	86
1-11 MOS	2619	4.1	17	1	1	3	5	7	10	23
1-5 YRS	8823	3.4	11	1	1	3	4	6	8	14
6-12 YRS	3022	3.6	11	1	1	3	4	7	8	15
13-19 YRS	3565	4.3	17	1	1	3	5	8	11	21
GRAND TOTAL	**18205**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	317	4.1	15	1	2	3	5	7	8	12
1-11 MOS	914	3.1	3	1	1	3	4	5	6	9
1-5 YRS	964	3.0	4	1	1	3	4	5	7	10
6-12 YRS	494	3.6	6	1	2	3	4	6	8	13
13-19 YRS	330	4.4	7	1	2	4	6	8	10	13
B. *Operated*										
0-27 DYS	4	6.3	16	3	3	5	9	12	12	12
1-11 MOS	15	5.6	15	1	1	4	9	11	12	13
1-5 YRS	23	5.0	8	2	2	4	7	9	11	12
6-12 YRS	26	8.5	33	2	3	7	10	16	23	23
13-19 YRS	22	10.6	169	2	2	7	14	19	38	63
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	236	4.7	24	1	2	4	5	7	9	22
1-11 MOS	1236	3.8	7	1	1	3	4	6	8	14
1-5 YRS	1574	3.5	7	1	1	3	4	6	8	14
6-12 YRS	628	3.9	13	1	1	3	5	7	8	16
13-19 YRS	494	4.7	10	1	2	4	6	8	11	17
B. *Operated*										
0-27 DYS	9	5.2	14	3	3	3	6	12	13	13
1-11 MOS	36	5.5	9	2	2	5	7	9	12	13
1-5 YRS	35	9.9	189	1	2	6	11	17	40	73
6-12 YRS	37	7.9	45	2	2	6	10	17	24	31
13-19 YRS	60	12.4	172	3	4	9	13	23	30	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3019	3.4	6	1	1	3	4	6	7	11
B. *Operated*	90	7.5	59	2	2	6	9	14	18	47
2. MULTIPLE DX										
A. *Not Operated*	4168	3.8	10	1	1	3	5	7	9	14
B. *Operated*	177	9.2	113	2	3	6	10	17	26	66
1. SINGLE DX	3109	3.5	8	1	1	3	4	6	8	12
2. MULTIPLE DX	4345	4.1	15	1	1	3	5	7	9	17
A. NOT OPERATED	7187	3.7	8	1	1	3	4	6	8	13
B. OPERATED	267	8.6	95	2	2	6	10	16	22	60
TOTAL 0-27 DYS	566	4.4	19	1	2	4	5	7	9	14
1-11 MOS	2201	3.5	6	1	1	3	4	6	8	13
1-5 YRS	2596	3.4	9	1	1	3	4	6	8	13
6-12 YRS	1185	4.0	13	1	1	3	5	7	9	19
13-19 YRS	906	5.2	28	1	2	4	6	9	12	23
GRAND TOTAL	**7454**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS										
1-5 YRS	85	2.6	3	<1	1	2	3	5	7	10
6-12 YRS	530	3.0	5	1	1	3	4	5	6	9
13-19 YRS	1240	3.6	15	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	12	3.6	4	1	1	3	5	7	8	8
13-19 YRS	76	3.8	6	1	2	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	59	2.8	2	1	1	3	4	5	6	7
6-12 YRS	458	3.4	5	1	1	3	4	6	7	12
13-19 YRS	1156	4.3	8	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	16	5.6	12	1	2	5	7	10	13	15
13-19 YRS	77	6.0	19	2	2	5	9	11	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1857	3.4	12	1	1	3	4	6	7	11
B. *Operated*	89	3.8	5	1	2	3	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1678	4.0	7	1	1	3	5	7	9	14
B. *Operated*	95	6.0	17	2	2	5	8	11	15	20
1. SINGLE DX	1946	3.4	12	1	1	3	4	6	7	11
2. MULTIPLE DX	1773	4.1	8	1	1	3	5	7	9	15
A. NOT OPERATED	3535	3.7	10	1	1	3	4	6	8	13
B. OPERATED	184	4.9	13	1	2	4	6	10	12	16
TOTAL 0-27 DYS	4	5.0	17	1	1	5	8	9	9	9
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	147	2.7	3	1	1	2	4	5	7	10
6-12 YRS	1016	3.2	5	1	1	3	4	6	7	11
13-19 YRS	2549	4.0	12	1	1	3	5	7	9	14
GRAND TOTAL	**3719**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	64	2.1	4	<1	1	2	2	3	6	12
6-12 YRS	69	2.1	1	1	1	2	3	4	5	5
13-19 YRS	117	3.3	11	1	1	2	4	6	8	19
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	74	1.3	1	<1	<1	1	1	2	3	8
6-12 YRS	132	1.8	2	<1	<1	1	2	4	5	9
13-19 YRS	65	3.5	7	1	1	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	4.0	10	<1	<1	4	6	9	10	10
1-5 YRS	96	2.8	5	<1	1	2	3	6	9	59
6-12 YRS	97	3.6	41	1	1	2	4	6	7	39
13-19 YRS	87	3.6	7	<1	1	3	5	7	10	12
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	3.5	13	<1	<1	3	6	6	6	6
1-5 YRS	43	2.4	5	<1	<1	2	3	5	8	11
6-12 YRS	62	2.6	6	<1	<1	2	3	7	9	10
13-19 YRS	64	5.1	18	1	1	4	7	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	2.6	6	1	1	2	3	5	7	12
B. *Operated*	272	2.1	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	289	3.3	18	<1	1	2	4	6	8	13
B. *Operated*	172	3.5	12	<1	1	2	4	8	11	17
1. SINGLE DX	528	2.3	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	461	3.4	15	<1	1	2	4	7	10	15
A. NOT OPERATED	545	3.0	13	1	1	2	3	6	7	13
B. OPERATED	444	2.6	7	<1	<1	2	3	6	9	12
TOTAL 0-27 DYS	5	3.8	11	1	1	3	6	9	9	9
1-11 MOS	14	3.3	8	<1	<1	2	4	7	9	10
1-5 YRS	277	2.2	4	<1	<1	1	3	4	7	12
6-12 YRS	360	2.5	14	<1	<1	2	3	5	6	10
13-19 YRS	333	3.7	11	1	1	3	5	8	10	16
GRAND TOTAL	**989**	**2.8**	**10**	**<1**	**1**	**2**	**3**	**6**	**8**	**13**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	61	1	1	2	12	15	15	15
1-11 MOS	11	2.9	3	1	1	2	4	6	6	6
1-5 YRS	72	3.0	5	<1	1	2	4	6	8	10
6-12 YRS	87	3.4	5	1	1	3	4	7	8	11
13-19 YRS	100	3.0	5	<1	1	2	4	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	10	3.4	8	1	1	2	5	8	10	10
1-5 YRS	188	2.1	3	<1	<1	2	2	4	6	10
6-12 YRS	336	2.1	2	<1	1	2	2	3	5	9
13-19 YRS	695	2.5	4	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.3	9	1	1	2	5	8	9	9
1-11 MOS	23	4.3	18	<1	1	3	5	8	17	17
1-5 YRS	71	4.0	10	<1	1	4	5	7	10	20
6-12 YRS	75	4.4	10	1	1	3	5	9	12	15
13-19 YRS	140	4.4	10	1	1	3	6	8	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.9	35	<1	<1	5	7	16	18	18
1-5 YRS	60	3.1	16	<1	1	2	3	6	8	27
6-12 YRS	81	3.7	13	1	1	2	5	9	12	75
13-19 YRS	165	4.4	19	1	1	3	5	9	11	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	3.2	5	1	1	2	4	6	8	11
B. *Operated*	1229	2.3	3	<1	1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	316	4.2	10	1	1	3	5	8	11	16
B. *Operated*	313	4.0	17	1	1	2	5	9	11	28
1. SINGLE DX	1502	2.5	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	629	4.1	14	1	1	3	5	8	11	21
A. NOT OPERATED	589	3.7	8	1	1	3	5	7	9	15
B. OPERATED	1542	2.7	7	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	10	4.1	21	1	1	2	5	12	15	15
1-11 MOS	51	4.1	15	1	1	3	5	7	16	18
1-5 YRS	391	2.8	7	<1	<1	2	3	5	8	11
6-12 YRS	579	2.8	6	<1	1	2	3	6	8	13
13-19 YRS	1100	3.1	8	1	1	2	3	6	8	14
GRAND TOTAL	**2131**	**3.0**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**14**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.0	7	8	8	12	13	13	13	13
1-5 YRS	6	8.7	42	3	3	7	12	19	20	20
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.7	252	1	1	2	22	29	29	29
1-5 YRS	27	5.3	62	<1	1	2	4	15	24	36
6-12 YRS	28	5.2	45	1	1	3	5	15	20	30
13-19 YRS	60	5.2	34	<1	1	3	6	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	5.8	11	2	2	6	7	11	11	11
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	22.0		22	22	22	22	22	22	22
13-19 YRS	4	5.0	14	<1	<1	4	7	10	10	10
B. *Operated*										
0-27 DYS	3	14.7	86	4	4	20	60	99+	99+	99+
1-11 MOS	3	19.3	306	2	2	28	68	99+	99+	99+
1-5 YRS	23	7.2	56	<1	1	4	10	16	26	30
6-12 YRS	26	6.6	70	1	2	3	8	13	26	40
13-19 YRS	53	7.2	73	<1	1	4	11	22	32	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.7	33	<1	1	5	12	14	19	20
B. *Operated*	118	5.4	46	1	1	3	5	15	21	32
2. MULTIPLE DX										
A. *Not Operated*	12	6.8	31	<1	1	5	8	14	21	22
B. *Operated*	108	7.6	76	1	1	4	11	23	33	99+
1. SINGLE DX	132	5.5	45	1	1	3	6	15	20	31
2. MULTIPLE DX	120	7.5	72	1	1	4	11	22	32	99+
A. NOT OPERATED	26	6.8	31	<1	1	5	10	13	20	22
B. OPERATED	226	6.4	62	1	1	3	8	19	30	99+
TOTAL 0-27 DYS	4	12.8	72	4	4	19	41	99+	99+	99+
1-11 MOS	14	10.9	117	1	2	8	17	37	84	99+
1-5 YRS	57	6.4	56	1	1	3	8	16	23	36
6-12 YRS	57	6.0	59	1	1	3	6	16	22	39
13-19 YRS	120	6.0	50	<1	1	3	7	17	24	52
GRAND TOTAL	**252**	**6.5**	**58**	**1**	**1**	**3**	**8**	**19**	**28**	**97**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	3.7	5	1	1	3	5	7	7	7
1-11 MOS	5	4.8	2	4	4	4	5	7	7	7
1-5 YRS	7	1.4		<1	<1	1	2	2	2	2
6-12 YRS	109	2.8	3	1	1	2	4	5	6	10
13-19 YRS	391	3.1	6	1	1	3	4	5	6	12
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	13	3.9	9	2	2	3	4	7	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	4.5	3	2	3	4	5	7	9	9
1-11 MOS	22	5.1	11	1	2	4	8	10	12	13
1-5 YRS	20	4.4	10	1	1	4	6	9	11	12
6-12 YRS	108	3.3	3	1	1	3	4	6	7	10
13-19 YRS	446	3.8	8	1	1	3	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	7	2	2	3	6	8	8	8
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	8	6.0	14	2	2	5	9	11	11	11
13-19 YRS	29	5.6	50	1	2	3	5	11	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	3.0	6	1	1	2	4	5	6	12
B. *Operated*	20	3.4	7	1	2	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	609	3.8	7	1	1	3	5	7	9	14
B. *Operated*	42	5.7	37	1	2	4	7	11	16	35
1. SINGLE DX	539	3.0	6	1	1	2	4	5	6	12
2. MULTIPLE DX	651	3.9	9	1	1	3	5	7	9	17
A. NOT OPERATED	1128	3.5	7	1	1	3	4	6	8	13
B. OPERATED	62	4.9	26	1	2	3	5	11	12	33
TOTAL 0-27 DYS	22	4.0	4	1	2	4	5	6	8	9
1-11 MOS	32	4.8	9	1	2	4	7	9	11	13
1-5 YRS	29	3.9	10	1	1	3	5	9	10	12
6-12 YRS	228	3.2	4	1	1	3	4	6	7	11
13-19 YRS	879	3.6	9	1	1	3	4	6	8	15
GRAND TOTAL	**1190**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	104	4.2	27	<1	1	3	4	8	14	28
1-11 MOS	398	3.9	17	1	1	3	5	9	12	21
1-5 YRS	157	2.5	3	<1	1	2	3	5	5	11
6-12 YRS	54	3.0	4	1	1	2	4	6	8	9
13-19 YRS	138	2.7	4	1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS	2	19.5	685	1	1	19	38	38	38	38
1-11 MOS	18	4.2	34	1	1	2	4	10	20	25
1-5 YRS	14	2.1	2	<1	1	2	3	4	5	6
6-12 YRS	29	3.7	15	1	1	2	5	9	14	16
13-19 YRS	46	4.2	13	1	1	3	5	8	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	75	5.3	46	1	1	3	6	10	12	46
1-11 MOS	495	4.9	22	1	1	3	6	10	13	23
1-5 YRS	238	3.6	10	1	1	3	4	7	8	18
6-12 YRS	109	4.0	10	1	1	3	5	8	10	18
13-19 YRS	223	4.5	31	1	1	3	5	8	12	29
B. *Operated*										
0-27 DYS	4	7.0	12	4	4	7	10	10	10	10
1-11 MOS	33	10.3	61	1	2	10	16	30	83	99+
1-5 YRS	21	7.4	41	1	2	4	11	18	22	23
6-12 YRS	20	6.6	30	<1	1	5	10	15	18	18
13-19 YRS	62	5.7	26	1	2	4	7	10	12	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	851	3.4	13	1	1	2	4	7	10	20
B. *Operated*	109	4.1	26	1	1	2	5	8	14	30
2. MULTIPLE DX										
A. *Not Operated*	1140	4.5	22	1	1	3	5	9	12	22
B. *Operated*	140	7.2	39	1	2	5	10	17	22	99+
1. SINGLE DX	960	3.5	15	1	1	2	4	7	10	21
2. MULTIPLE DX	1280	4.8	25	1	1	3	6	10	13	24
A. NOT OPERATED	1991	4.0	18	1	1	3	5	8	11	21
B. OPERATED	249	5.8	36	1	1	4	8	13	18	38
TOTAL 0-27 DYS	185	4.9	40	1	1	3	5	10	14	35
1-11 MOS	944	4.6	23	1	1	3	5	10	13	25
1-5 YRS	430	3.3	10	1	1	2	4	6	8	19
6-12 YRS	212	3.9	12	1	1	3	5	8	10	18
13-19 YRS	469	4.1	21	1	1	3	5	8	10	21
GRAND TOTAL	**2240**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	107	2.3	5	1	1	2	3	4	4	13
6-12 YRS	144	2.8	57	1	1	2	3	4	5	11
13-19 YRS	234	2.7	3	1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	282	2.0	31	<1	<1	1	2	3	3	7
6-12 YRS	781	1.9	6	<1	1	1	2	3	4	13
13-19 YRS	251	2.7	8	<1	1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	10	2.7	3	1	1	2	3	5	6	6
1-5 YRS	111	3.1	7	1	1	2	4	6	8	16
6-12 YRS	151	3.0	6	1	1	2	4	6	8	13
13-19 YRS	201	3.6	7	1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	334	2.1	4	<1	1	2	2	3	4	10
6-12 YRS	724	2.2	7	<1	1	2	2	4	5	14
13-19 YRS	239	3.4	11	1	1	2	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	2.6	19	1	1	2	3	4	5	9
B. *Operated*	1317	2.0	12	<1	1	1	2	3	4	13
2. MULTIPLE DX										
A. *Not Operated*	475	3.3	7	1	1	3	4	7	8	13
B. *Operated*	1302	2.4	7	<1	1	2	3	4	6	15
1. SINGLE DX	1806	2.2	14	<1	1	2	2	4	5	12
2. MULTIPLE DX	1777	2.6	7	1	1	2	3	5	7	15
A. NOT OPERATED	964	3.0	13	1	1	2	4	5	7	12
B. OPERATED	2619	2.2	10	<1	1	2	2	4	5	15
TOTAL 0-27 DYS	7	4.0	9	1	1	3	5	9	10	10
1-11 MOS	17	2.4	2	<1	1	2	3	5	6	6
1-5 YRS	834	2.2	14	<1	1	2	2	4	5	10
6-12 YRS	1800	2.2	10	<1	1	2	2	4	5	13
13-19 YRS	925	3.1	7	1	1	2	4	6	8	15
GRAND TOTAL	**3583**	**2.4**	**11**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	51	2.8	3	1	1	2	4	5	6	7
1-11 MOS	186	2.8	4	1	1	2	3	4	6	13
1-5 YRS	686	2.4	3	1	1	2	3	4	5	9
6-12 YRS	3985	2.6	5	1	1	2	3	5	6	10
13-19 YRS	6555	2.9	6	1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	23	2.7	1	1	1	3	3	4	5	5
6-12 YRS	325	4.1	7	1	2	3	5	7	9	15
13-19 YRS	972	4.5	10	1	2	4	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	31	3.9	19	1	1	3	4	8	12	23
1-11 MOS	133	3.5	10	1	1	3	4	6	8	22
1-5 YRS	456	2.7	3	1	1	2	3	5	6	8
6-12 YRS	1965	3.1	7	1	1	3	4	6	7	13
13-19 YRS	4071	3.5	11	1	1	3	4	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	36	5.3	9	2	2	4	7	9	12	13
6-12 YRS	222	4.7	11	2	2	4	5	9	11	14
13-19 YRS	782	5.6	18	1	2	5	7	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11463	2.7	6	1	1	2	3	5	6	11
B. *Operated*	1324	4.4	9	1	2	4	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	6656	3.3	10	1	1	3	4	6	8	13
B. *Operated*	1042	5.4	17	1	2	4	6	10	12	19
1. SINGLE DX	12787	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	7698	3.6	11	1	1	3	4	7	9	15
A. NOT OPERATED	18119	3.0	7	1	1	2	4	5	7	12
B. OPERATED	2366	4.8	13	1	2	4	6	9	11	18
TOTAL 0-27 DYS	82	3.2	9	1	1	3	4	5	8	19
1-11 MOS	325	3.1	6	1	1	3	4	5	6	14
1-5 YRS	1201	2.6	4	1	1	2	3	4	6	10
6-12 YRS	6497	2.9	6	1	1	2	4	5	7	12
13-19 YRS	12380	3.4	10	1	1	3	4	6	8	14
GRAND TOTAL	**20485**	**3.2**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	97	2.9	4	1	1	2	3	5	6	13
1-11 MOS	302	3.4	6	1	1	3	4	6	8	11
1-5 YRS	223	3.0	5	1	1	2	4	6	8	12
6-12 YRS	230	3.6	12	1	1	3	4	6	9	24
13-19 YRS	223	3.5	8	1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	9	4.8	6	2	2	5	7	8	9	9
1-5 YRS	21	2.4	3	<1	1	2	3	4	7	8
6-12 YRS	28	4.4	15	<1	<1	3	6	9	11	18
13-19 YRS	58	5.8	39	1	1	4	8	13	17	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	86	4.5	20	1	1	3	5	8	12	28
1-11 MOS	590	4.0	14	1	1	3	5	7	10	20
1-5 YRS	643	3.4	10	1	1	3	4	6	7	20
6-12 YRS	476	3.7	12	1	1	3	4	7	10	19
13-19 YRS	442	4.1	11	1	1	3	5	8	10	16
B. *Operated*										
0-27 DYS	5	6.2	20	3	3	5	7	14	14	14
1-11 MOS	22	8.5	77	1	1	6	10	25	28	32
1-5 YRS	31	5.0	10	1	1	5	7	10	11	14
6-12 YRS	41	5.1	21	<1	1	3	7	11	13	24
13-19 YRS	87	7.8	58	1	2	6	9	13	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1075	3.3	8	1	1	3	4	6	8	14
B. *Operated*	118	4.8	25	<1	1	3	6	9	15	27
2. MULTIPLE DX										
A. *Not Operated*	2237	3.8	12	1	1	3	4	7	9	19
B. *Operated*	186	6.8	44	1	2	5	8	12	18	39
1. SINGLE DX	1193	3.5	10	1	1	3	4	6	9	16
2. MULTIPLE DX	2423	4.0	15	1	1	3	5	8	10	22
A. NOT OPERATED	3312	3.6	11	1	1	3	4	7	9	17
B. OPERATED	304	6.0	38	1	1	5	8	11	16	37
TOTAL 0-27 DYS	190	3.7	13	1	1	3	4	6	9	22
1-11 MOS	923	3.9	13	1	1	3	5	7	9	21
1-5 YRS	918	3.3	9	1	1	3	4	6	8	15
6-12 YRS	775	3.7	12	1	1	3	4	7	10	20
13-19 YRS	810	4.4	19	1	1	3	5	9	11	23
GRAND TOTAL	**3616**	**3.8**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	830	3.9	20	1	1	3	4	6	9	22
1-11 MOS	2098	5.2	23	1	1	4	6	10	14	23
1-5 YRS	1295	3.7	21	1	1	3	4	7	10	22
6-12 YRS	1223	3.3	14	1	1	3	4	6	8	16
13-19 YRS	2585	3.9	25	1	1	3	4	7	9	26
B. *Operated*										
0-27 DYS	11	5.5	33	<1	1	4	6	14	20	21
1-11 MOS	66	5.2	27	1	1	3	6	12	17	24
1-5 YRS	160	4.3	41	<1	1	2	4	9	15	45
6-12 YRS	190	3.2	13	<1	<1	2	3	6	10	20
13-19 YRS	409	4.1	33	1	1	2	4	8	13	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	556	5.7	28	1	2	4	7	11	16	28
1-11 MOS	2467	7.0	45	1	2	5	8	14	19	33
1-5 YRS	1408	4.7	27	1	1	3	5	9	14	26
6-12 YRS	973	3.8	9	1	1	3	5	7	9	15
13-19 YRS	2507	4.2	16	1	1	3	5	7	9	18
B. *Operated*										
0-27 DYS	21	12.5	162	2	3	9	17	24	40	58
1-11 MOS	121	11.7	134	1	2	9	17	26	57	99+
1-5 YRS	123	8.8	154	1	2	4	10	21	39	81
6-12 YRS	111	4.2	14	1	1	3	6	9	12	52
13-19 YRS	298	5.7	44	1	1	4	7	12	18	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8031	4.1	22	1	1	3	5	7	11	23
B. *Operated*	836	4.1	30	<1	1	2	4	8	14	37
2. MULTIPLE DX										
A. *Not Operated*	7911	5.2	29	1	1	4	6	10	14	26
B. *Operated*	674	7.3	86	1	1	4	9	18	25	99+
1. SINGLE DX	8867	4.1	23	1	1	3	5	8	11	24
2. MULTIPLE DX	8585	5.4	34	1	1	4	6	11	15	29
A. NOT OPERATED	15942	4.6	26	1	1	3	5	9	13	25
B. OPERATED	1510	5.5	57	1	1	3	6	13	19	58
TOTAL 0-27 DYS	1418	4.7	27	1	1	3	5	9	14	25
1-11 MOS	4752	6.3	39	1	2	4	8	13	18	30
1-5 YRS	2986	4.4	31	1	1	3	5	9	13	28
6-12 YRS	2497	3.5	12	1	1	3	4	6	8	17
13-19 YRS	5799	4.1	23	1	1	3	5	7	10	25
GRAND TOTAL	**17452**	**4.7**	**29**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	62	2.9	10	1	1	2	3	5	7	21
1-11 MOS	799	2.3	3	1	1	2	3	4	5	9
1-5 YRS	613	2.3	3	1	1	2	3	4	6	9
6-12 YRS	346	3.0	6	1	1	2	4	6	8	12
13-19 YRS	186	5.2	45	1	1	3	6	10	15	38
B. *Operated*										
0-27 DYS	3	15.3	58	7	7	17	21	22	22	22
1-11 MOS	52	4.4	10	1	1	3	6	10	11	12
1-5 YRS	110	6.0	27	2	2	5	8	11	14	30
6-12 YRS	151	6.7	63	2	2	5	8	11	16	37
13-19 YRS	111	8.7	142	2	2	6	9	14	22	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	6.5	48	1	1	4	8	18	24	26
1-11 MOS	419	3.9	13	1	1	3	5	8	11	18
1-5 YRS	503	3.5	16	1	1	2	4	7	10	21
6-12 YRS	353	3.8	9	1	1	3	5	7	9	15
13-19 YRS	351	5.8	33	1	1	4	7	11	17	28
B. *Operated*										
0-27 DYS	4	20.0	395	4	4	13	32	49	49	49
1-11 MOS	39	10.4	112	1	2	8	11	26	40	43
1-5 YRS	141	10.6	143	1	2	7	11	24	35	74
6-12 YRS	160	11.1	226	1	2	7	11	27	41	94
13-19 YRS	311	14.7	264	2	3	10	19	42	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2006	2.7	8	1	1	2	3	5	7	13
B. *Operated*	427	6.8	70	1	2	5	8	11	16	45
2. MULTIPLE DX										
A. *Not Operated*	1645	4.2	19	1	1	3	5	8	11	23
B. *Operated*	655	12.7	223	1	2	8	15	34	52	99+
1. SINGLE DX	2433	3.4	22	1	1	2	4	7	9	18
2. MULTIPLE DX	2300	6.6	92	1	1	4	7	14	24	69
A. NOT OPERATED	3651	3.4	14	1	1	2	4	7	9	18
B. OPERATED	1082	10.4	171	1	2	7	11	24	41	99+
TOTAL 0-27 DYS	88	4.9	49	1	1	2	5	11	22	40
1-11 MOS	1309	3.1	12	1	1	2	4	6	9	15
1-5 YRS	1367	3.9	30	1	1	2	4	8	11	30
6-12 YRS	1010	5.1	58	1	1	3	6	9	13	40
13-19 YRS	959	8.9	140	1	1	5	10	21	38	99+
GRAND TOTAL	**4733**	**5.0**	**58**	**1**	**1**	**3**	**5**	**10**	**15**	**45**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.9	1	1	1	2	2	4	4	4
1-11 MOS	118	2.2	4	1	1	2	3	4	5	12
1-5 YRS	314	2.4	8	1	1	2	3	4	6	23
6-12 YRS	316	3.1	9	1	1	2	4	6	8	13
13-19 YRS	239	4.6	17	1	1	3	6	9	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS	5	8.0	20	2	2	9	11	13	13	13
1-5 YRS	21	6.7	16	2	2	6	9	13	15	15
6-12 YRS	33	5.2	10	2	2	4	8	9	9	15
13-19 YRS	58	5.4	32	1	1	4	6	12	14	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	75	4.9	28	1	1	3	6	12	17	82
1-5 YRS	209	4.2	21	1	1	3	5	8	12	27
6-12 YRS	245	5.0	20	1	1	4	6	10	15	22
13-19 YRS	392	6.5	54	1	2	4	8	12	16	42
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	11.8	77	5	5	10	14	27	27	27
1-5 YRS	43	9.1	129	1	2	5	12	24	47	99+
6-12 YRS	93	10.6	123	1	2	7	13	34	37	99+
13-19 YRS	256	13.9	231	1	2	9	17	39	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	996	3.1	10	1	1	2	4	6	9	19
B. *Operated*	117	5.7	22	1	2	4	8	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	922	5.4	36	1	1	4	6	11	16	32
B. *Operated*	398	12.5	195	1	2	8	16	36	58	99+
1. SINGLE DX	1113	3.4	12	1	1	2	4	7	9	19
2. MULTIPLE DX	1320	7.6	95	1	1	4	9	17	30	75
A. NOT OPERATED	1918	4.2	24	1	1	3	5	9	12	27
B. OPERATED	515	11.0	164	1	2	7	14	30	48	99+
TOTAL 0-27 DYS	11	1.8	1	1	1	2	2	3	4	4
1-11 MOS	203	3.6	18	1	1	2	4	9	12	28
1-5 YRS	587	3.7	25	1	1	2	4	7	12	37
6-12 YRS	687	4.9	34	1	1	3	6	9	16	35
13-19 YRS	945	7.9	105	1	1	5	9	16	30	75
GRAND TOTAL	**2433**	**5.7**	**61**	**1**	**1**	**3**	**6**	**12**	**19**	**58**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	25	1.8	1	<1	<1	2	2	3	4	5
6-12 YRS	92	2.3	4	<1	<1	2	3	5	7	61
13-19 YRS	264	2.0	4	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	2.4	7	<1	<1	1	3	7	7	7
1-5 YRS	153	2.1	4	<1	<1	1	2	4	7	10
6-12 YRS	1076	1.9	3	<1	<1	2	2	3	4	8
13-19 YRS	4072	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	4.0	12	1	1	3	6	9	10	10
1-5 YRS	51	2.9	6	<1	1	2	3	5	9	13
6-12 YRS	106	2.9	9	1	1	2	3	6	8	19
13-19 YRS	454	3.1	17	<1	1	2	3	6	9	21
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	10.4	131	1	2	7	12	31	35	35
1-5 YRS	146	4.1	20	1	1	3	5	8	11	24
6-12 YRS	583	3.6	19	1	1	2	4	7	9	24
13-19 YRS	3128	4.7	34	1	1	3	5	9	12	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	2.1	4	<1	<1	2	2	4	6	9
B. *Operated*	5308	2.4	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	619	3.1	15	<1	1	2	3	6	8	20
B. *Operated*	3865	4.5	32	1	1	3	5	8	11	32
1. SINGLE DX	5691	2.4	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	4484	4.3	30	1	1	3	5	8	11	31
A. NOT OPERATED	1002	2.7	11	<1	<1	2	3	5	7	15
B. OPERATED	9173	3.3	17	<1	1	2	4	6	9	17
TOTAL 0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	22	5.5	55	<1	<1	3	7	11	22	35
1-5 YRS	375	3.0	11	<1	<1	2	3	6	9	16
6-12 YRS	1857	2.5	9	<1	<1	2	3	5	7	13
13-19 YRS	7918	3.4	18	<1	1	2	4	6	9	18
GRAND TOTAL	**10175**	**3.2**	**16**	**<1**	**1**	**2**	**4**	**6**	**9**	**17**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	11.0	8	9	9	11	13	13	13	13
1-11 MOS	9	5.7	25	1	1	4	9	14	14	14
1-5 YRS	23	6.5	91	1	1	3	8	12	26	47
6-12 YRS	209	4.1	10	1	1	3	5	8	10	16
13-19 YRS	1141	6.1	35	1	2	5	7	11	15	32
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.5	61	3	3	8	14	14	14	14
6-12 YRS	10	18.3	409	1	4	10	16	54	66	66
13-19 YRS	146	16.3	239	2	4	11	20	40	49	75
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	8	9.3	66	1	2	5	17	21	21	21
1-5 YRS	19	7.4	27	1	1	7	11	15	17	18
6-12 YRS	70	4.7	10	2	2	4	6	7	9	20
13-19 YRS	958	7.0	49	1	2	5	8	13	18	47
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	19	14.5	113	2	3	14	20	24	36	46
13-19 YRS	455	17.6	248	2	4	13	25	43	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1384	5.8	33	1	2	4	7	11	14	29
B. *Operated*	158	16.3	246	2	4	11	20	42	50	74
2. MULTIPLE DX										
A. *Not Operated*	1057	6.9	46	1	2	5	8	13	18	44
B. *Operated*	476	17.4	242	2	4	13	24	43	56	99+
1. SINGLE DX	1542	6.9	65	1	2	5	8	13	20	47
2. MULTIPLE DX	1533	10.2	131	2	2	6	12	24	38	72
A. NOT OPERATED	2441	6.3	39	1	2	5	8	12	16	37
B. OPERATED	634	17.2	243	2	4	12	24	43	52	99+
TOTAL 0-27 DYS	4	8.5	11	6	6	8	11	13	13	13
1-11 MOS	18	7.2	42	1	1	5	13	18	21	21
1-5 YRS	45	7.1	58	1	1	5	10	14	16	47
6-12 YRS	308	5.3	39	1	1	4	6	10	15	32
13-19 YRS	2700	8.9	107	1	2	6	10	19	32	60
GRAND TOTAL	**3075**	**8.5**	**100**	**1**	**2**	**5**	**9**	**18**	**30**	**57**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	54	7.7	74	1	1	6	10	18	46	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	29.0	364	9	9	31	43	47	47	47
13-19 YRS	51	17.5	137	2	4	15	22	35	49	99
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	12.5	265	1	1	12	24	24	24	24
6-12 YRS	5	11.6	205	3	3	5	15	37	37	37
13-19 YRS	56	17.6	451	2	3	11	27	84	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	29.0		29	29	29	29	29	29	29
1-5 YRS	1	42.0		42	42	42	42	42	42	42
6-12 YRS	1	81.0		81	81	90	99+	99+	99+	99+
13-19 YRS	107	42.5	576	10	17	53	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	7.4	70	1	1	6	10	18	43	99+
B. *Operated*	54	18.2	150	2	4	16	25	38	49	98
2. MULTIPLE DX										
A. *Not Operated*	63	17.0	421	1	3	10	27	75	99+	99+
B. *Operated*	110	42.7	575	10	18	53	99+	99+	99+	99+
1. SINGLE DX	112	12.6	137	1	2	10	18	33	49	99+
2. MULTIPLE DX	173	33.3	670	3	5	39	82	99+	99+	99+
A. NOT OPERATED	121	12.4	274	1	2	7	14	49	92	99+
B. OPERATED	164	34.6	567	6	10	38	81	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	1	29.0		29	29	29	29	29	29	29
1-5 YRS	4	18.0	357	1	1	14	33	42	42	42
6-12 YRS	12	19.5	615	1	2	8	39	85	97	99+
13-19 YRS	268	25.5	566	2	3	22	57	99+	99+	99+
GRAND TOTAL	**285**	**25.2**	**562**	**2**	**3**	**22**	**56**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	4.5	6	2	2	4	6	8	8	8
1-5 YRS	13	3.5	6	1	1	3	5	7	9	9
6-12 YRS	28	2.6	2	1	1	2	4	5	6	6
13-19 YRS	99	2.6	3	<1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	5.5	9	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	5.5	14	1	2	4	6	11	14	15
1-5 YRS	27	4.1	8	1	1	4	5	9	10	12
6-12 YRS	64	3.7	12	1	1	3	5	7	9	22
13-19 YRS	385	4.4	13	1	1	3	6	9	11	19
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	3	8.0	27	2	2	11	11	11	11	11
6-12 YRS	32	8.6	155	1	2	5	8	17	33	66
13-19 YRS	207	9.6	86	1	2	7	12	20	26	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	2.8	3	<1	1	2	4	5	6	10
B. *Operated*	10	5.5	9	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	489	4.3	13	1	1	3	6	9	11	18
B. *Operated*	244	9.4	93	1	2	7	11	20	26	66
1. SINGLE DX	155	2.9	4	<1	1	2	4	5	7	10
2. MULTIPLE DX	733	6.0	45	1	1	4	7	12	17	32
A. NOT OPERATED	634	4.0	11	1	1	3	5	8	10	15
B. OPERATED	254	9.3	91	1	2	7	11	19	26	66
TOTAL 0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	17	5.8	17	1	2	4	7	14	15	15
1-5 YRS	43	4.2	9	1	1	4	5	9	11	12
6-12 YRS	124	4.7	51	1	1	3	6	8	11	42
13-19 YRS	701	5.7	40	1	1	4	7	11	16	30
GRAND TOTAL	**888**	**5.5**	**39**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	11.0	49	6	6	8	16	19	19	19
1-5 YRS	28	5.6	45	1	1	4	6	14	19	33
6-12 YRS	118	5.8	16	1	2	5	8	11	13	20
13-19 YRS	455	7.8	69	1	2	5	9	14	20	48
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.0	10	3	3	7	9	10	10	10
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	30	13.7	170	1	2	8	19	35	46	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	53	7.9	83	1	2	6	9	15	26	45
6-12 YRS	132	7.7	37	2	2	6	10	16	19	31
13-19 YRS	602	11.2	104	2	3	8	14	23	33	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	12.1	116	3	3	10	14	29	39	39
6-12 YRS	39	19.8	178	3	7	16	29	42	50	99+
13-19 YRS	383	21.7	307	4	5	16	31	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	7.3	58	1	2	5	9	14	18	46
B. *Operated*	35	12.7	153	1	3	8	18	34	43	47
2. MULTIPLE DX										
A. *Not Operated*	789	10.4	93	2	3	8	13	21	29	48
B. *Operated*	432	21.3	292	4	5	16	30	49	65	99+
1. SINGLE DX	640	7.6	64	1	2	5	9	14	20	46
2. MULTIPLE DX	1221	14.3	190	2	3	10	19	36	46	81
A. NOT OPERATED	1394	9.1	80	2	2	6	11	18	26	47
B. OPERATED	467	20.7	287	3	5	15	30	47	61	99+
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	9.4	37	3	3	8	13	19	19	19
1-5 YRS	95	7.6	74	1	2	5	9	16	25	45
6-12 YRS	290	8.6	67	1	2	6	11	17	26	43
13-19 YRS	1470	12.9	176	2	3	8	16	32	45	78
GRAND TOTAL	**1861**	**12.0**	**157**	**2**	**3**	**8**	**14**	**29**	**42**	**73**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	46	4.4	14	1	1	3	3	10	12	17
1-5 YRS	286	3.8	24	1	1	2	3	11	16	21
6-12 YRS	472	3.7	28	1	1	2	3	11	19	24
13-19 YRS	241	4.5	39	<1	1	2	4	11	18	32
B. *Operated*										
0-27 DYS	4	4.5	6	2	2	4	6	8	8	8
1-11 MOS	16	2.3	3	1	1	2	3	4	7	8
1-5 YRS	1092	5.0	31	1	1	3	6	15	18	22
6-12 YRS	2337	5.0	35	1	1	3	5	15	19	25
13-19 YRS	1309	4.9	35	1	1	3	5	11	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	8.5	104	<1	<1	3	16	25	26	26
1-11 MOS	35	8.0	43	1	2	6	11	16	24	28
1-5 YRS	74	5.6	47	1	1	3	8	13	16	42
6-12 YRS	132	6.3	70	1	1	3	7	17	24	42
13-19 YRS	161	4.9	52	<1	1	3	5	9	15	51
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	15	9.9	96	2	2	6	10	23	34	38
1-5 YRS	247	7.5	56	1	1	4	12	20	23	36
6-12 YRS	688	7.7	68	1	1	4	11	20	24	33
13-19 YRS	673	8.9	130	1	2	5	10	23	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1047	4.0	29	<1	1	2	4	11	17	24
B. *Operated*	4758	5.0	34	1	1	3	5	14	19	26
2. MULTIPLE DX										
A. *Not Operated*	408	5.8	57	1	1	3	6	14	20	43
B. *Operated*	1624	8.2	92	1	1	4	10	21	26	51
1. SINGLE DX	5805	4.8	33	1	1	3	5	14	19	25
2. MULTIPLE DX	2032	7.7	86	1	1	4	10	19	26	50
A. NOT OPERATED	1455	4.5	37	1	1	2	4	12	17	29
B. OPERATED	6382	5.8	51	1	1	3	6	16	21	32
TOTAL 0-27 DYS	13	7.4	52	<1	1	4	10	18	24	26
1-11 MOS	112	6.0	38	1	1	4	7	12	17	32
1-5 YRS	1699	5.2	36	1	1	3	6	15	18	24
6-12 YRS	3629	5.4	43	1	1	3	6	16	20	27
13-19 YRS	2384	6.0	67	1	1	3	6	15	22	45
GRAND TOTAL	**7837**	**5.5**	**49**	**1**	**1**	**3**	**6**	**15**	**20**	**32**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	10	2.8	4	1	1	2	3	6	7	7
1-5 YRS	93	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	305	1.9	5	<1	1	1	2	3	4	12
13-19 YRS	246	2.5	29	<1	1	1	3	4	5	16
B. *Operated*										
0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	21	1.7	1	1	1	1	2	3	4	4
1-5 YRS	1148	1.6	3	<1	1	1	2	2	3	8
6-12 YRS	5792	1.8	3	1	1	1	2	3	4	9
13-19 YRS	3421	2.7	8	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0		8	8	8	8	8	8	8
1-11 MOS	11	3.5	18	<1	<1	2	4	10	15	15
1-5 YRS	42	2.8	26	<1	<1	1	2	4	9	33
6-12 YRS	137	2.9	42	1	1	2	3	4	6	39
13-19 YRS	234	3.4	13	1	1	2	4	7	10	22
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	7	4.9	10	2	2	3	7	9	10	10
1-5 YRS	163	2.7	14	<1	1	2	3	6	7	25
6-12 YRS	1021	3.1	26	1	1	2	3	6	9	26
13-19 YRS	1321	6.1	76	1	1	4	7	12	19	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	2.1	13	<1	1	1	2	4	4	12
B. *Operated*	10386	2.1	5	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	426	3.2	23	1	1	2	4	6	9	33
B. *Operated*	2514	4.7	54	1	1	3	5	10	15	42
1. SINGLE DX	11041	2.1	5	1	1	1	2	4	5	10
2. MULTIPLE DX	2940	4.5	50	1	1	2	5	9	14	39
A. NOT OPERATED	1081	2.5	18	<1	1	2	3	4	6	16
B. OPERATED	12900	2.6	15	1	1	2	3	5	7	18
TOTAL 0-27 DYS	9	3.3	8	<1	<1	2	5	8	8	8
1-11 MOS	49	2.8	7	1	1	2	3	7	8	15
1-5 YRS	1446	1.7	5	<1	1	1	2	3	4	10
6-12 YRS	7255	2.0	7	1	1	1	2	3	5	11
13-19 YRS	5222	3.6	29	1	1	2	4	7	10	25
GRAND TOTAL	**13981**	**2.6**	**16**	**1**	**1**	**2**	**3**	**5**	**7**	**18**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	13	2.6	2	1	1	3	3	4	5	5
6-12 YRS	49	2.4	4	<1	1	2	3	4	6	10
13-19 YRS	122	3.2	71	<1	<1	2	3	5	8	34
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.4	4	<1	<1	3	5	6	6	6
1-5 YRS	117	2.0	2	<1	1	1	2	4	5	8
6-12 YRS	667	2.0	16	<1	1	1	2	3	5	14
13-19 YRS	2546	2.2	8	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	40	1	1	6	12	16	16	16
1-5 YRS	18	2.4	3	1	1	2	4	5	6	7
6-12 YRS	32	2.2	3	<1	1	2	3	4	5	9
13-19 YRS	143	3.8	66	<1	1	2	4	7	10	23
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	88	3.1	18	1	1	2	3	6	8	27
6-12 YRS	218	3.1	10	1	1	2	3	6	9	18
13-19 YRS	1091	3.8	25	1	1	2	4	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.9	48	<1	1	2	3	5	7	11
B. *Operated*	3335	2.1	9	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	197	3.5	50	<1	1	2	4	7	9	18
B. *Operated*	1399	3.6	22	1	1	2	4	7	10	23
1. SINGLE DX	3520	2.2	11	<1	1	2	2	3	5	9
2. MULTIPLE DX	1596	3.6	26	1	1	2	4	7	10	22
A. NOT OPERATED	382	3.2	49	<1	1	2	3	6	8	17
B. OPERATED	4734	2.6	13	<1	1	2	3	4	6	16
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	4.5	20	<1	<1	3	6	11	16	16
1-5 YRS	236	2.5	8	1	1	2	3	4	6	14
6-12 YRS	966	2.3	14	<1	1	2	2	4	6	14
13-19 YRS	3902	2.7	17	<1	1	2	3	5	7	17
GRAND TOTAL	**5116**	**2.6**	**16**	**<1**	**1**	**2**	**3**	**4**	**7**	**16**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	10	9.6	112	<1	<1	5	21	26	28	28
1-5 YRS	72	14.7	110	1	1	16	21	29	32	42
6-12 YRS	71	21.8	195	2	3	22	28	42	53	90
13-19 YRS	67	16.1	404	1	2	5	24	49	56	89
B. *Operated*										
0-27 DYS	6	20.0	89	4	5	21	27	31	31	31
1-11 MOS	19	16.6	112	2	5	16	18	24	40	52
1-5 YRS	41	16.7	121	3	4	15	23	27	38	55
6-12 YRS	203	13.2	122	3	4	9	16	28	35	67
13-19 YRS	277	11.9	82	3	4	10	14	22	31	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	6	10.5	46	1	1	11	15	19	19	19
1-5 YRS	35	16.9	146	1	2	16	23	30	31	62
6-12 YRS	37	20.7	242	1	2	21	29	36	47	76
13-19 YRS	46	20.2	537	1	2	9	34	62	74	84
B. *Operated*										
0-27 DYS	6	20.7	149	6	6	19	31	36	37	37
1-11 MOS	12	18.2	145	<1	2	20	27	54	91	99+
1-5 YRS	40	18.4	138	4	5	16	23	31	45	55
6-12 YRS	75	19.8	188	4	6	16	30	43	49	89
13-19 YRS	323	24.4	316	5	8	20	32	53	63	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	17.1	236	1	2	16	25	40	49	71
B. *Operated*	546	13.0	103	3	4	10	16	26	33	55
2. MULTIPLE DX										
A. *Not Operated*	126	18.7	314	1	2	14	27	38	62	78
B. *Operated*	456	22.9	277	4	7	19	31	48	61	99+
1. SINGLE DX	767	14.2	144	2	3	11	19	29	41	59
2. MULTIPLE DX	582	22.0	288	3	5	17	30	47	61	96
A. NOT OPERATED	347	17.7	264	1	2	15	25	39	51	76
B. OPERATED	1002	17.5	206	3	5	13	23	37	50	79
TOTAL 0-27 DYS	15	17.1	131	2	4	16	26	31	36	37
1-11 MOS	47	14.7	118	1	1	16	20	27	43	99+
1-5 YRS	188	16.3	125	1	3	16	22	30	33	55
6-12 YRS	386	16.8	173	3	4	12	24	35	45	74
13-19 YRS	713	18.5	280	3	4	13	25	42	58	82
GRAND TOTAL	**1349**	**17.6**	**221**	**2**	**4**	**13**	**24**	**38**	**50**	**78**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	14.8	77	1	2	16	20	25	26	26
1-11 MOS	196	11.2	98	1	1	10	18	23	26	32
1-5 YRS	873	16.4	111	1	2	17	23	29	33	48
6-12 YRS	774	24.5	157	3	5	24	31	40	46	60
13-19 YRS	386	25.6	395	1	2	27	39	49	63	88
B. *Operated*										
0-27 DYS	3	12.0	49	5	5	12	17	19	19	19
1-11 MOS	78	9.7	68	1	1	8	16	22	25	27
1-5 YRS	509	14.3	117	1	2	14	22	28	34	42
6-12 YRS	658	20.7	185	2	3	22	30	37	41	59
13-19 YRS	1036	16.9	240	2	3	12	24	37	46	74
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	28.8	1124	3	3	17	48	78	78	78
1-11 MOS	81	11.6	89	1	2	11	17	23	27	46
1-5 YRS	310	18.6	126	2	3	20	25	30	39	54
6-12 YRS	302	24.9	212	2	4	25	32	42	49	72
13-19 YRS	254	31.0	381	2	3	33	44	55	61	83
B. *Operated*										
0-27 DYS	2	36.0	2048	4	4	36	68	68	68	68
1-11 MOS	24	11.8	76	2	3	9	17	26	27	28
1-5 YRS	192	19.4	127	2	4	21	26	33	36	48
6-12 YRS	454	26.3	227	3	6	26	35	47	53	93
13-19 YRS	1554	25.9	359	4	6	20	37	56	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2235	20.3	199	1	2	20	28	38	45	64
B. *Operated*	2284	17.2	198	2	2	15	25	35	41	65
2. MULTIPLE DX										
A. *Not Operated*	951	23.3	256	2	3	23	32	45	53	74
B. *Operated*	2226	25.3	315	4	6	21	35	51	63	99
1. SINGLE DX	4519	18.7	201	1	2	18	27	36	43	64
2. MULTIPLE DX	3177	24.7	298	3	4	22	34	49	59	93
A. NOT OPERATED	3186	21.2	218	1	2	21	29	40	48	67
B. OPERATED	4510	21.2	272	2	3	18	30	43	55	85
TOTAL 0-27 DYS	15	20.8	505	1	3	15	20	68	75	78
1-11 MOS	379	11.0	88	1	1	10	17	23	26	32
1-5 YRS	1884	16.5	120	1	2	17	24	29	34	48
6-12 YRS	2188	23.8	192	2	4	24	32	41	48	66
13-19 YRS	3230	23.4	348	2	4	18	35	50	61	92
GRAND TOTAL	**7696**	**21.2**	**250**	**2**	**3**	**20**	**29**	**42**	**51**	**78**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	3.3	4	2	2	3	4	6	6	6
1-11 MOS	16	3.3	19	<1	1	2	3	8	15	18
1-5 YRS	288	2.8	11	1	1	2	3	5	8	19
6-12 YRS	708	3.2	10	1	1	3	4	5	7	16
13-19 YRS	841	3.5	10	1	1	3	4	6	8	21
B. Operated										
0-27 DYS	5	4.4	12	1	1	3	6	10	10	10
1-11 MOS	9	5.1	11	1	1	6	8	9	9	9
1-5 YRS	310	2.9	9	<1	1	2	3	6	9	22
6-12 YRS	1467	4.2	19	1	1	3	5	8	11	21
13-19 YRS	2447	5.7	36	1	2	4	7	11	14	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	15	4.3	12	1	2	3	6	8	12	14
1-5 YRS	96	4.0	14	1	1	3	4	9	13	18
6-12 YRS	159	5.1	70	1	1	3	5	9	13	45
13-19 YRS	348	5.8	57	1	1	4	7	11	13	61
B. Operated										
0-27 DYS										
1-11 MOS	5	15.0	45	4	4	17	19	21	21	21
1-5 YRS	119	5.0	29	1	1	4	6	8	12	32
6-12 YRS	452	8.9	136	1	2	5	9	19	31	66
13-19 YRS	1500	12.0	188	2	3	8	13	26	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1857	3.2	10	1	1	2	4	6	8	19
B. *Operated*	4238	4.9	29	1	1	4	6	10	13	27
2. MULTIPLE DX										
A. *Not Operated*	618	5.3	53	1	1	4	6	10	13	39
B. *Operated*	2076	10.9	171	1	2	7	12	24	40	75
1. SINGLE DX	6095	4.4	24	1	1	3	5	9	12	24
2. MULTIPLE DX	2694	9.6	149	1	2	6	11	20	34	72
A. NOT OPERATED	2475	3.8	22	1	1	3	4	7	10	23
B. OPERATED	6314	6.9	84	1	1	4	8	14	21	56
TOTAL 0-27 DYS	9	3.9	8	1	1	3	5	8	10	10
1-11 MOS	45	5.3	29	1	1	3	7	14	18	21
1-5 YRS	813	3.3	14	1	1	2	4	7	10	22
6-12 YRS	2786	4.7	42	1	1	3	5	9	13	34
13-19 YRS	5136	7.2	88	1	1	5	8	14	21	57
GRAND TOTAL	**8789**	**6.0**	**68**	**1**	**1**	**4**	**7**	**12**	**17**	**52**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	6	3.3	11	1	1	2	3	9	10	10
1-5 YRS	80	2.9	13	1	1	2	3	5	7	22
6-12 YRS	284	2.9	6	1	1	2	4	5	6	12
13-19 YRS	652	3.2	10	<1	1	2	4	6	8	16
B. Operated										
0-27 DYS	4	5.5	9	3	3	5	8	9	9	9
1-11 MOS	10	2.9	8	1	1	2	3	7	10	10
1-5 YRS	129	3.3	14	1	1	2	4	6	7	27
6-12 YRS	853	3.8	18	1	1	3	4	7	9	17
13-19 YRS	3447	4.4	13	1	2	4	5	8	10	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	7	6.7	14	3	3	6	8	13	14	14
1-5 YRS	34	3.6	33	1	1	2	3	6	7	35
6-12 YRS	111	4.8	22	1	1	3	6	10	17	53
13-19 YRS	446	4.3	13	1	1	3	6	9	11	19
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	17.8	762	1	1	5	33	59	59	59
1-5 YRS	74	7.9	91	1	1	5	9	17	31	50
6-12 YRS	353	7.2	88	1	2	4	7	14	26	55
13-19 YRS	2229	7.0	49	2	2	5	8	14	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	3.1	9	1	1	2	4	6	7	16
B. *Operated*	4443	4.2	14	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	600	4.4	16	1	1	3	6	9	12	23
B. *Operated*	2661	7.1	56	1	2	5	8	14	20	44
1. SINGLE DX	5467	4.0	13	1	1	3	5	7	9	17
2. MULTIPLE DX	3261	6.6	50	1	2	5	8	13	18	39
A. NOT OPERATED	1624	3.6	12	1	1	3	4	7	9	19
B. OPERATED	7104	5.3	32	1	2	4	6	10	13	30
TOTAL 0-27 DYS	9	4.7	6	2	2	4	7	8	9	9
1-11 MOS	27	6.2	123	1	1	3	6	10	21	59
1-5 YRS	317	4.3	37	1	1	2	5	8	14	34
6-12 YRS	1601	4.5	34	1	1	3	5	8	12	33
13-19 YRS	6774	5.1	26	1	1	4	6	10	13	27
GRAND TOTAL	**8728**	**5.0**	**28**	**1**	**1**	**4**	**6**	**9**	**13**	**28**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.0	3	1	1	1	3	5	5	5
1-5 YRS	24	2.0	2	<1	1	2	3	4	6	6
6-12 YRS	54	2.4	18	<1	1	1	3	3	4	31
13-19 YRS	193	2.6	44	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	2.8	5	1	1	2	3	7	7	7
6-12 YRS	42	2.8	4	1	1	2	4	5	7	10
13-19 YRS	240	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	12	2	2	6	8	9	9	9
1-11 MOS	17	4.1	27	<1	1	3	4	9	17	22
1-5 YRS	70	3.2	14	1	1	2	3	6	12	19
6-12 YRS	104	3.1	9	1	1	2	4	5	7	20
13-19 YRS	447	4.1	41	1	1	3	5	8	11	23
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	20	6.0	44	1	1	3	8	15	23	26
6-12 YRS	48	6.5	82	1	1	3	7	13	32	42
13-19 YRS	262	7.2	95	1	2	4	8	15	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.5	34	<1	1	2	3	4	5	8
B. *Operated*	289	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	641	3.8	32	1	1	2	4	7	11	22
B. *Operated*	331	7.0	90	1	1	4	7	14	30	55
1. SINGLE DX	565	2.8	19	<1	1	2	3	5	6	9
2. MULTIPLE DX	972	4.9	54	1	1	3	5	9	15	41
A. NOT OPERATED	917	3.4	33	1	1	2	4	6	9	22
B. OPERATED	620	5.2	53	1	1	3	5	9	16	41
TOTAL 0-27 DYS	4	4.5	14	1	1	4	7	9	9	9
1-11 MOS	23	3.7	21	<1	1	2	5	7	14	22
1-5 YRS	120	3.4	17	1	1	2	3	8	12	22
6-12 YRS	248	3.6	26	1	1	2	4	6	9	32
13-19 YRS	1142	4.3	49	1	1	3	4	6	12	34
GRAND TOTAL	**1537**	**4.1**	**42**	**1**	**1**	**3**	**4**	**7**	**12**	**33**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	18	2.7	10	<1	1	2	4	10	61	99+
1-5 YRS	24	2.9	17	1	1	2	3	5	11	21
6-12 YRS	15	4.3	32	<1	1	2	5	9	19	23
13-19 YRS	15	4.3	32	<1	<1	2	5	9	19	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.6	2	1	1	2	3	5	5	5
6-12 YRS	16	9.4	426	1	1	2	7	21	65	84
13-19 YRS	17	6.3	14	2	3	6	7	10	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	5.4	29	<1	1	3	6	15	18	19
1-5 YRS	18	3.8	13	<1	1	2	6	9	12	13
6-12 YRS	13	7.2	81	<1	1	3	7	24	29	30
13-19 YRS	25	7.6	51	1	2	5	8	21	24	27
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	7	6.6	11	1	2	6	9	11	11	11
6-12 YRS	7	24.1	540	2	3	17	34	64	70	70
13-19 YRS	34	23.5	677	1	2	15	37	82	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.4	21	<1	1	2	4	7	20	82
B. *Operated*	38	7.1	184	1	1	4	7	10	20	84
2. MULTIPLE DX										
A. *Not Operated*	69	6.1	43	<1	1	3	7	16	23	29
B. *Operated*	51	20.3	560	1	2	11	23	78	88	99+
1. SINGLE DX	110	4.7	79	1	1	2	5	9	21	90
2. MULTIPLE DX	120	12.1	309	1	1	6	15	30	73	99+
A. NOT OPERATED	141	4.7	33	<1	1	3	5	13	22	36
B. OPERATED	89	14.7	439	1	1	7	17	58	82	99+
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	33	4.0	19	<1	1	3	5	14	18	99+
1-5 YRS	54	3.6	15	1	1	2	5	9	11	21
6-12 YRS	51	9.3	261	1	1	3	9	23	38	84
13-19 YRS	91	12.8	340	1	2	6	15	34	78	99+
GRAND TOTAL	**230**	**8.6**	**213**	**1**	**1**	**3**	**9**	**22**	**43**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	8	1.8	1	1	1	1	2	4	4	4
13-19 YRS	57	1.6	1	<1	<1	1	2	3	5	92
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	<1	2	3	3	3
1-5 YRS	3	2.3	5	1	1	1	4	5	5	5
6-12 YRS	31	3.6	25	1	1	3	4	5	8	29
13-19 YRS	797	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	3	3	3	6	6	6	6	6
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	50	3.4	7	1	1	3	4	7	10	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	6	5.3	21	1	1	4	7	12	13	13
13-19 YRS	152	4.8	22	1	1	3	6	11	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	1.7	2	<1	<1	1	2	3	5	82
B. *Operated*	834	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	55	3.4	7	1	1	3	5	7	10	12
B. *Operated*	161	4.8	21	1	1	3	6	11	14	34
1. SINGLE DX	902	3.1	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	216	4.4	18	1	1	3	5	10	13	27
A. NOT OPERATED	123	2.4	5	<1	1	2	3	5	7	35
B. OPERATED	995	3.5	7	1	1	3	4	6	7	15
TOTAL 0-27 DYS										
1-11 MOS	4	3.0	8	<1	<1	2	5	7	7	7
1-5 YRS	11	3.0	4	<1	<1	3	5	6	6	6
6-12 YRS	47	3.4	20	1	1	2	4	6	9	29
13-19 YRS	1056	3.3	7	1	1	3	4	6	7	15
GRAND TOTAL	**1118**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	6	2.3	1	1	1	2	3	4	4	4
6-12 YRS	30	3.3	6	1	1	3	4	6	7	13
13-19 YRS	221	2.8	4	<1	1	2	4	5	7	8
B. *Operated*										
0-27 DYS	3	5.0	3	4	4	4	6	7	7	7
1-11 MOS	4	5.0	1	4	4	5	6	6	6	6
1-5 YRS	6	2.8	2	2	2	2	4	5	5	5
6-12 YRS	173	4.5	8	1	2	4	5	7	9	13
13-19 YRS	5583	4.5	8	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	7.3	124	1	1	3	7	27	32	32
13-19 YRS	108	3.8	18	<1	<1	2	5	9	10	26
B. *Operated*										
0-27 DYS	7	3.9	10	<1	<1	3	5	9	10	10
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	4.8	3	3	3	4	6	7	7	7
6-12 YRS	58	5.9	41	1	2	5	7	11	13	44
13-19 YRS	2454	5.3	16	2	2	5	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.9	5	<1	1	2	4	5	7	12
B. *Operated*	5769	4.5	8	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	115	4.0	24	<1	<1	2	5	9	10	29
B. *Operated*	2525	5.3	17	2	2	5	6	8	10	21
1. SINGLE DX	6027	4.5	8	2	2	4	5	7	8	12
2. MULTIPLE DX	2640	5.2	17	1	2	5	6	8	10	22
A. NOT OPERATED	373	3.2	11	<1	1	2	4	6	8	17
B. OPERATED	8294	4.8	11	2	2	4	6	7	9	15
TOTAL 0-27 DYS	10	4.2	8	<1	<1	4	6	8	10	10
1-11 MOS	7	6.0	31	1	1	5	6	16	18	18
1-5 YRS	16	3.1	3	1	2	3	4	5	6	7
6-12 YRS	268	4.7	18	1	2	4	6	8	10	27
13-19 YRS	8366	4.7	11	2	2	4	5	7	9	14
GRAND TOTAL	**8667**	**4.7**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	9	3.2	17	<1	<1	1	4	11	11	11
1-5 YRS	27	2.7	7	<1	1	2	4	4	6	14
6-12 YRS	61	3.8	16	1	1	3	5	8	12	22
13-19 YRS	126	6.0	57	<1	1	3	7	14	21	41
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	12	4.6	26	<1	<1	3	6	12	17	18
1-5 YRS	83	3.9	19	<1	1	2	5	9	14	21
6-12 YRS	405	3.0	19	<1	1	1	3	6	11	22
13-19 YRS	846	4.3	47	<1	1	2	4	10	15	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	20	6.0	35	1	2	4	5	17	21	23
6-12 YRS	35	5.5	43	1	1	3	6	12	22	30
13-19 YRS	137	7.4	136	1	1	4	7	14	30	67
B. *Operated*										
0-27 DYS	2	9.5	25	6	6	9	13	13	13	13
1-11 MOS	5	4.8	7	2	2	4	7	8	8	8
1-5 YRS	33	6.4	49	1	1	4	7	16	20	33
6-12 YRS	166	6.3	110	1	1	3	6	13	25	56
13-19 YRS	538	9.5	115	1	1	6	13	22	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	4.9	39	<1	1	3	5	11	17	27
B. *Operated*	1348	3.9	37	<1	1	2	4	9	14	29
2. MULTIPLE DX										
A. *Not Operated*	195	6.9	107	1	1	4	7	14	24	56
B. *Operated*	744	8.6	111	1	1	5	11	21	30	58
1. SINGLE DX	1573	4.0	37	<1	1	2	4	9	15	28
2. MULTIPLE DX	939	8.3	111	1	1	5	10	20	29	58
A. NOT OPERATED	420	5.8	72	1	1	3	6	12	21	46
B. OPERATED	2092	5.6	69	1	1	3	6	14	21	44
TOTAL 0-27 DYS	6	5.3	17	1	1	4	6	12	13	13
1-11 MOS	29	4.0	17	<1	<1	2	5	10	11	18
1-5 YRS	163	4.5	26	<1	1	3	5	10	17	23
6-12 YRS	667	4.0	44	1	1	2	4	9	15	30
13-19 YRS	1647	6.4	83	1	1	3	7	16	22	49
GRAND TOTAL	**2512**	**5.6**	**69**	**1**	**1**	**3**	**6**	**14**	**21**	**44**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	13	3.1	5	1	1	2	4	7	8	8
6-12 YRS	48	2.7	4	1	1	2	4	5	7	11
13-19 YRS	314	2.8	6	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	63	4.3	6	1	1	4	6	7	9	13
13-19 YRS	1360	4.2	6	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	13.5	265	2	2	13	25	25	25	25
1-5 YRS	6	3.2	2	2	2	3	4	5	5	5
6-12 YRS	30	5.0	18	1	1	4	6	13	14	17
13-19 YRS	171	3.6	9	1	1	3	5	8	11	81
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	45	6.4	10	2	3	6	8	12	12	14
13-19 YRS	1139	5.4	8	2	2	5	7	9	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	2.8	5	<1	1	2	4	5	7	12
B. *Operated*	1426	4.2	6	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	209	3.9	13	1	1	3	5	9	13	54
B. *Operated*	1186	5.4	8	2	2	5	7	9	10	16
1. SINGLE DX	1803	3.9	6	1	1	4	5	7	8	11
2. MULTIPLE DX	1395	5.2	9	1	2	5	6	9	11	17
A. NOT OPERATED	586	3.2	8	<1	1	2	4	6	9	16
B. OPERATED	2612	4.8	7	1	2	5	6	8	9	14
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	4	8.3	126	2	2	3	14	25	25	25
1-5 YRS	22	3.0	3	1	1	3	4	6	7	8
6-12 YRS	186	4.5	10	1	1	4	6	9	12	14
13-19 YRS	2984	4.5	8	1	1	4	6	8	9	14
GRAND TOTAL	**3198**	**4.5**	**8**	**1**	**1**	**4**	**6**	**8**	**9**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	11.5	162	2	2	4	23	31	32	32
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	5	3.0	2	1	1	4	4	4	4	4
6-12 YRS	40	4.8	15	1	2	4	6	10	11	22
13-19 YRS	802	5.4	13	1	2	5	7	10	13	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	90	7.6	27	1	2	6	10	13	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	7.8	27	2	2	6	11	16	16	16
1-11 MOS	3	12.0	27	9	9	9	16	18	18	18
1-5 YRS	6	3.5	8	<1	<1	2	7	7	7	7
6-12 YRS	31	5.7	34	1	1	4	7	12	19	28
13-19 YRS	620	6.2	19	1	2	5	8	12	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	62	8.8	29	1	3	8	12	17	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	5.4	15	1	2	4	7	10	13	20
B. *Operated*	92	7.4	27	1	2	6	10	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	665	6.2	20	1	2	5	8	12	14	21
B. *Operated*	65	8.6	29	1	3	8	12	17	18	24
1. SINGLE DX	947	5.6	16	1	2	5	7	11	13	22
2. MULTIPLE DX	730	6.4	21	1	2	5	8	12	15	21
A. NOT OPERATED	1520	5.8	17	1	2	5	7	11	13	20
B. OPERATED	157	7.9	28	1	2	7	11	15	18	24
TOTAL 0-27 DYS	11	9.8	96	2	2	6	14	27	32	32
1-11 MOS	7	7.3	35	2	2	9	9	16	18	18
1-5 YRS	11	3.3	5	<1	<1	3	4	7	7	7
6-12 YRS	74	5.1	23	1	2	4	6	10	13	27
13-19 YRS	1574	6.0	18	1	2	5	8	11	14	21
GRAND TOTAL	**1677**	**6.0**	**19**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.3	9	<1	<1	2	5	8	9	9
1-5 YRS	56	2.3	2	1	1	2	3	4	5	9
6-12 YRS	245	2.7	4	1	1	2	3	5	7	9
13-19 YRS	1188	3.9	11	1	1	3	5	8	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	3	7.3	16	3	3	8	10	11	11	11
6-12 YRS	6	5.3	15	2	2	4	7	11	12	12
13-19 YRS	84	6.9	36	1	2	5	9	14	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.3	52	2	2	8	14	15	15	15
1-11 MOS	10	4.5	10	1	1	4	5	9	12	12
1-5 YRS	31	4.0	16	<1	1	3	5	9	11	20
6-12 YRS	132	3.2	6	1	1	3	4	7	7	11
13-19 YRS	1558	4.8	13	1	1	4	7	10	12	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	8	6.1	30	1	1	4	11	14	15	15
13-19 YRS	116	6.1	29	1	1	5	7	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1498	3.6	10	1	1	3	5	7	10	15
B. *Operated*	95	6.8	33	1	2	5	9	13	19	30
2. MULTIPLE DX										
A. *Not Operated*	1735	4.7	13	1	1	4	6	9	12	18
B. *Operated*	127	6.1	28	1	1	5	7	12	16	26
1. SINGLE DX	1593	3.8	12	1	1	3	5	8	11	17
2. MULTIPLE DX	1862	4.8	14	1	1	4	6	10	12	19
A. NOT OPERATED	3233	4.2	12	1	1	3	6	8	11	17
B. OPERATED	222	6.4	30	1	1	5	8	13	17	28
TOTAL 0-27 DYS	5	7.2	45	2	2	3	14	15	15	15
1-11 MOS	21	4.2	9	<1	1	4	5	9	11	12
1-5 YRS	92	3.1	9	1	1	2	4	6	9	16
6-12 YRS	391	2.9	5	1	1	2	4	6	7	12
13-19 YRS	2946	4.6	14	1	1	4	6	9	12	18
GRAND TOTAL	**3455**	**4.3**	**13**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	3.3	6	1	1	2	5	7	7	7
1-5 YRS	42	3.4	21	<1	<1	2	4	6	8	29
6-12 YRS	113	3.2	9	1	1	2	4	6	9	17
13-19 YRS	372	2.7	5	<1	1	2	4	5	7	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	21	2.6	2	<1	1	2	3	5	6	6
6-12 YRS	87	3.1	7	1	1	3	4	5	7	17
13-19 YRS	1023	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	20	2.8	4	1	1	2	3	7	8	8
6-12 YRS	61	2.7	3	1	1	2	3	5	7	8
13-19 YRS	280	3.4	7	<1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	2.2	4	1	1	1	3	6	6	6
6-12 YRS	30	3.5	8	1	1	3	4	8	10	12
13-19 YRS	343	3.8	8	1	1	3	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	535	2.9	7	<1	1	2	4	6	7	12
B. *Operated*	1132	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	366	3.3	6	1	1	2	4	7	8	12
B. *Operated*	388	3.7	8	1	1	3	5	7	9	12
1. SINGLE DX	1667	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	754	3.5	7	1	1	3	4	7	8	12
A. NOT OPERATED	901	3.0	7	<1	1	2	4	6	7	12
B. OPERATED	1520	3.2	4	1	1	3	4	5	7	10
TOTAL 0-27 DYS	6	3.3	6	1	1	3	3	8	8	8
1-11 MOS	11	3.2	5	1	1	2	5	7	7	7
1-5 YRS	95	2.9	11	<1	1	2	4	6	7	20
6-12 YRS	291	3.1	7	1	1	2	4	6	8	13
13-19 YRS	2018	3.2	5	1	1	3	4	6	7	11
GRAND TOTAL	**2421**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	1.8	3	1	1	1	2	4	6	7
1-11 MOS	320	1.6	2	1	1	1	2	3	4	6
1-5 YRS	2660	1.6	2	<1	1	1	2	2	3	7
6-12 YRS	5393	1.6	2	1	1	1	2	3	3	7
13-19 YRS	5450	2.0	3	<1	1	1	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	27	5.1	297	<1	1	1	2	5	18	91
6-12 YRS	62	2.3	5	1	1	1	3	4	7	12
13-19 YRS	102	2.8	26	<1	<1	1	3	6	9	72
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.0	8	1	1	2	4	7	10	11
1-11 MOS	211	2.6	5	1	1	2	3	5	7	12
1-5 YRS	1886	2.6	13	1	1	2	3	5	7	16
6-12 YRS	3889	2.4	9	1	1	2	3	4	6	14
13-19 YRS	7795	2.9	11	1	1	2	3	6	8	15
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	15	3.3	13	1	1	2	4	10	12	13
1-5 YRS	243	5.4	109	1	1	2	5	11	23	68
6-12 YRS	673	4.6	61	1	1	2	4	9	18	45
13-19 YRS	2501	5.1	65	1	1	3	5	11	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13836	1.8	2	1	1	1	2	3	4	8
B. *Operated*	193	3.0	56	<1	1	1	3	5	8	72
2. MULTIPLE DX										
A. *Not Operated*	13795	2.7	11	1	1	2	3	5	7	15
B. *Operated*	3434	5.0	67	1	1	2	5	11	19	48
1. SINGLE DX	14029	1.8	3	1	1	1	2	3	4	8
2. MULTIPLE DX	17229	3.2	23	1	1	2	3	6	9	24
A. NOT OPERATED	27631	2.2	7	1	1	2	2	4	6	12
B. OPERATED	3627	4.9	67	1	1	2	5	11	18	48
TOTAL 0-27 DYS	29	2.5	5	1	1	2	3	6	7	11
1-11 MOS	548	2.0	4	1	1	1	2	4	6	11
1-5 YRS	4816	2.2	14	1	1	1	2	4	6	15
6-12 YRS	10017	2.1	9	1	1	1	2	4	5	14
13-19 YRS	15848	2.9	18	<1	1	2	3	6	8	21
GRAND TOTAL	**31258**	**2.5**	**14**	**1**	**1**	**2**	**3**	**5**	**7**	**18**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	3.2	26	1	1	2	3	7	18	20
1-11 MOS	227	2.2	11	1	1	1	2	3	8	19
1-5 YRS	916	1.8	8	<1	1	1	2	3	4	11
6-12 YRS	1193	1.9	12	1	1	1	2	3	4	13
13-19 YRS	1186	3.0	30	<1	1	2	3	6	10	22
B. *Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	20	12.9	113	2	4	8	17	27	37	45
1-5 YRS	40	12.9	238	1	1	7	15	38	53	62
6-12 YRS	64	9.1	48	2	2	7	11	18	22	33
13-19 YRS	137	12.4	226	1	1	8	15	42	64	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7	30	3	3	4	11	13	13	13
1-11 MOS	185	3.8	46	1	1	2	4	8	14	31
1-5 YRS	920	3.0	18	1	1	2	3	6	10	25
6-12 YRS	1161	3.3	35	1	1	2	3	6	11	35
13-19 YRS	1874	4.7	64	<1	1	2	5	10	17	58
B. *Operated*										
0-27 DYS	4	16.8	694	<1	<1	5	32	56	56	56
1-11 MOS	35	18.1	214	2	2	16	28	42	51	99+
1-5 YRS	152	9.4	195	1	1	4	12	31	49	99+
6-12 YRS	259	10.2	211	1	1	5	15	34	69	99+
13-19 YRS	881	17.5	432	1	1	10	31	69	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3535	2.3	17	<1	1	1	2	4	7	18
B. *Operated*	262	11.8	177	1	1	8	15	29	54	99+
2. MULTIPLE DX										
A. *Not Operated*	4143	3.9	46	1	1	2	4	8	13	37
B. *Operated*	1331	15.2	368	1	1	8	24	59	99+	99+
1. SINGLE DX	3797	2.9	34	<1	1	1	2	6	10	30
2. MULTIPLE DX	5474	6.6	147	1	1	2	6	19	37	99+
A. NOT OPERATED	7678	3.2	33	1	1	2	3	6	11	29
B. OPERATED	1593	14.6	338	1	1	8	22	55	95	99+
TOTAL 0-27 DYS	21	7.7	182	<1	1	2	5	25	43	56
1-11 MOS	467	4.5	63	1	1	2	4	11	23	44
1-5 YRS	2028	3.1	37	1	1	1	3	6	11	33
6-12 YRS	2677	3.5	48	1	1	2	3	7	14	49
13-19 YRS	4078	7.2	171	<1	1	2	7	21	43	99+
GRAND TOTAL	**9271**	**5.1**	**104**	**1**	**1**	**2**	**4**	**12**	**26**	**95**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	2.8	1	2	2	3	3	4	4	4
6-12 YRS	23	2.7	10	1	1	2	3	4	9	16
13-19 YRS	101	2.9	9	<1	1	2	4	5	6	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	12	4.8	8	1	2	4	7	9	10	10
13-19 YRS	145	5.7	10	2	2	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	8.5	25	5	5	8	12	12	12	12
1-5 YRS	25	4.5	9	1	1	3	7	9	10	10
6-12 YRS	32	4.4	13	1	1	3	6	8	14	16
13-19 YRS	201	4.6	11	1	1	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	28	9.5	112	2	3	6	9	22	28	54
6-12 YRS	50	10.1	67	1	4	7	13	23	34	99
13-19 YRS	466	10.3	90	3	3	8	12	19	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.9	9	1	1	2	3	5	6	18
B. *Operated*	160	5.6	10	2	2	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	260	4.6	11	1	1	4	6	8	10	16
B. *Operated*	544	10.2	89	3	3	8	12	19	29	57
1. SINGLE DX	290	4.4	11	1	1	4	6	9	10	15
2. MULTIPLE DX	804	8.4	70	1	2	6	10	16	24	52
A. NOT OPERATED	390	4.0	11	1	1	3	5	8	10	16
B. OPERATED	704	9.2	74	2	3	7	10	17	25	54
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	31	1	1	5	10	12	12	12
1-5 YRS	61	6.6	62	1	2	5	7	10	21	51
6-12 YRS	117	6.5	45	1	1	5	8	15	21	61
13-19 YRS	913	7.5	59	1	2	6	9	14	20	44
GRAND TOTAL	**1094**	**7.3**	**58**	**1**	**2**	**5**	**9**	**14**	**20**	**44**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	77	3.2	8	1	1	2	5	7	9	13
6-12 YRS	398	3.7	12	1	1	3	5	8	11	18
13-19 YRS	853	3.7	9	1	1	3	5	7	9	15
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	53	8.2	18	2	4	7	10	14	15	26
6-12 YRS	247	6.3	8	2	3	6	8	9	11	17
13-19 YRS	489	7.7	31	3	4	7	9	11	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.3	9	1	1	3	3	8	9	9
1-5 YRS	88	4.3	14	1	1	3	5	9	11	19
6-12 YRS	342	4.4	17	1	1	3	6	10	12	24
13-19 YRS	841	4.3	25	1	1	3	5	8	10	19
B. *Operated*										
0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	4	15.5	73	9	9	13	22	27	27	27
1-5 YRS	126	11.7	85	3	4	9	13	23	27	48
6-12 YRS	334	11.8	134	3	5	8	13	23	32	67
13-19 YRS	1267	13.3	160	3	5	9	14	30	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1331	3.7	10	1	1	3	5	8	9	15
B. *Operated*	793	7.3	23	2	4	7	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	1277	4.3	22	1	1	3	5	9	11	20
B. *Operated*	1733	12.9	149	3	5	9	14	27	41	69
1. SINGLE DX	2124	5.0	18	1	1	4	7	9	11	19
2. MULTIPLE DX	3010	9.3	113	1	2	7	10	19	31	61
A. NOT OPERATED	2608	4.0	16	1	1	3	5	8	10	18
B. OPERATED	2526	11.1	117	3	4	8	12	21	33	65
TOTAL 0-27 DYS	3	10.0	16	6	6	10	13	14	14	14
1-11 MOS	16	6.8	47	1	1	5	9	16	24	27
1-5 YRS	344	7.4	52	1	1	6	9	15	21	40
6-12 YRS	1321	6.4	54	1	1	5	8	12	18	40
13-19 YRS	3450	7.9	90	1	1	6	9	15	25	53
GRAND TOTAL	**5134**	**7.5**	**78**	**1**	**1**	**6**	**9**	**14**	**22**	**49**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	29	2.3	3	<1	<1	2	4	5	6	99+
6-12 YRS	44	3.8	12	1	1	3	4	7	8	21
13-19 YRS	47	3.4	11	<1	1	2	4	6	11	19
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	2.5	2	<1	1	2	3	5	6	6
1-5 YRS	359	2.4	5	<1	1	1	3	5	7	11
6-12 YRS	389	3.0	7	1	1	2	4	7	8	13
13-19 YRS	385	3.8	9	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	24	4.3	22	<1	1	3	5	8	18	18
6-12 YRS	50	4.0	11	1	1	3	5	7	11	20
13-19 YRS	108	3.6	7	<1	1	3	5	6	8	15
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	6	5.7	8	2	2	5	8	10	10	10
1-5 YRS	243	4.1	16	1	1	3	5	8	10	32
6-12 YRS	306	4.6	15	1	1	4	6	9	11	23
13-19 YRS	545	4.3	13	1	1	3	5	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.2	10	<1	1	2	4	6	8	42
B. *Operated*	1149	3.1	7	1	1	2	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	183	3.8	10	1	1	3	5	7	9	19
B. *Operated*	1102	4.4	14	1	1	3	6	9	11	19
1. SINGLE DX	1271	3.1	7	1	1	2	4	7	8	15
2. MULTIPLE DX	1285	4.3	14	1	1	3	5	8	11	19
A. NOT OPERATED	305	3.6	10	<1	1	3	4	7	9	20
B. OPERATED	2251	3.7	11	1	1	3	5	7	10	17
TOTAL 0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	24	3.2	6	<1	1	3	4	6	9	10
1-5 YRS	655	3.1	10	<1	1	2	4	7	9	18
6-12 YRS	789	3.7	11	1	1	3	5	7	9	16
13-19 YRS	1085	4.0	11	1	1	3	5	8	11	18
GRAND TOTAL	**2556**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	18	1.9	3	1	1	1	2	5	6	6
1-5 YRS	182	2.2	4	<1	1	2	3	4	5	11
6-12 YRS	110	2.6	8	1	1	2	3	5	6	53
13-19 YRS	233	2.8	22	<1	<1	2	3	5	6	15
B. *Operated*										
0-27 DYS	3	4.0	7	2	2	3	6	7	7	7
1-11 MOS	34	2.0	4	<1	1	1	2	4	5	11
1-5 YRS	878	1.8	8	<1	1	1	2	3	5	9
6-12 YRS	471	2.3	11	<1	1	1	2	4	6	18
13-19 YRS	667	2.8	8	<1	1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.0	3	1	1	3	4	5	5	5
1-11 MOS	33	2.9	9	1	1	2	3	5	12	14
1-5 YRS	253	3.2	23	1	1	2	4	6	8	26
6-12 YRS	229	2.7	7	1	1	2	3	5	7	10
13-19 YRS	794	2.7	7	<1	1	2	3	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS	40	3.4	15	<1	1	2	4	7	10	21
1-5 YRS	698	2.9	10	<1	1	2	3	6	9	19
6-12 YRS	671	3.1	12	1	1	2	4	6	9	16
13-19 YRS	2358	4.1	41	<1	1	2	5	8	12	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	2.5	13	<1	1	2	3	5	6	16
B. *Operated*	2053	2.2	9	<1	1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1313	2.8	10	<1	1	2	3	5	7	14
B. *Operated*	3767	3.7	30	<1	1	2	4	7	11	26
1. SINGLE DX	2597	2.3	9	<1	1	1	2	4	6	14
2. MULTIPLE DX	5080	3.5	25	<1	1	2	4	7	10	24
A. NOT OPERATED	1857	2.7	11	<1	1	2	3	5	7	15
B. OPERATED	5820	3.2	23	<1	1	2	4	6	9	23
TOTAL 0-27 DYS	8	3.1	4	<1	<1	3	4	6	7	7
1-11 MOS	125	2.7	9	<1	1	1	3	6	8	16
1-5 YRS	2011	2.4	10	<1	1	1	3	5	7	13
6-12 YRS	1481	2.7	11	1	1	2	3	5	8	17
13-19 YRS	4052	3.5	29	<1	1	2	4	7	10	25
GRAND TOTAL	**7677**	**3.1**	**20**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	3.8	6	<1	<1	3	5	7	7	7
1-5 YRS	70	1.8	2	<1	1	1	2	4	5	7
6-12 YRS	138	2.1	2	1	1	2	3	4	5	9
13-19 YRS	505	2.5	6	<1	1	2	3	5	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.5	6	2	2	6	7	7	7	7
1-5 YRS	117	2.4	9	<1	<1	1	3	5	7	17
6-12 YRS	288	2.6	6	<1	1	2	3	6	8	12
13-19 YRS	576	4.4	26	1	1	3	5	8	10	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	34	3.9	28	<1	1	3	4	5	20	25
6-12 YRS	46	4.2	61	1	1	3	3	7	12	53
13-19 YRS	395	3.3	8	1	1	2	4	6	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	9	4.4	7	2	2	4	6	9	10	10
1-5 YRS	70	5.5	51	1	1	3	8	14	18	43
6-12 YRS	169	7.3	102	1	1	4	8	18	26	50
13-19 YRS	846	8.3	88	1	2	6	10	15	25	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	718	2.4	5	<1	1	2	3	4	6	11
B. *Operated*	985	3.7	19	<1	1	2	5	7	9	25
2. MULTIPLE DX										
A. *Not Operated*	479	3.4	14	1	1	2	4	6	9	16
B. *Operated*	1094	8.0	87	1	1	6	10	15	24	53
1. SINGLE DX	1703	3.1	13	<1	1	2	4	6	8	17
2. MULTIPLE DX	1573	6.6	69	1	1	4	8	13	19	49
A. NOT OPERATED	1197	2.8	9	<1	1	2	3	5	7	14
B. OPERATED	2079	5.9	59	1	1	4	7	12	17	44
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	20	4.3	6	<1	1	4	6	7	9	10
1-5 YRS	291	3.2	21	<1	1	2	4	6	11	24
6-12 YRS	641	3.8	39	1	1	2	4	7	11	34
13-19 YRS	2322	5.2	47	1	1	3	6	10	14	37
GRAND TOTAL	**3276**	**4.8**	**43**	**1**	**1**	**3**	**6**	**10**	**14**	**35**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	80	2.6	4	1	1	2	3	5	6	10
6-12 YRS	122	2.9	12	<1	1	2	3	5	7	20
13-19 YRS	407	2.7	5	<1	<1	2	4	5	6	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	43	2.2	9	<1	<1	1	3	4	5	20
1-5 YRS	710	2.3	9	<1	1	1	2	4	7	18
6-12 YRS	1101	2.4	12	<1	1	2	3	4	6	11
13-19 YRS	3244	2.6	10	<1	1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	4.3	7	2	2	4	6	7	7	7
1-5 YRS	38	4.0	13	1	1	3	5	8	10	21
6-12 YRS	84	4.2	52	1	1	3	4	8	9	47
13-19 YRS	365	4.2	34	<1	1	3	5	7	13	28
B. *Operated*										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	19	3.4	9	1	1	2	4	3	10	12
1-5 YRS	321	2.6	8	1	1	2	3	5	7	13
6-12 YRS	650	3.4	33	1	1	2	4	6	9	33
13-19 YRS	2565	3.7	24	1	1	2	4	7	11	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	2.7	6	<1	1	2	3	5	6	11
B. *Operated*	5099	2.5	10	<1	1	2	3	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	492	4.2	35	1	1	3	5	7	11	26
B. *Operated*	3558	3.5	24	1	1	2	4	7	10	26
1. SINGLE DX	5712	2.5	10	<1	1	2	3	5	6	14
2. MULTIPLE DX	4050	3.6	26	1	1	2	4	7	10	26
A. NOT OPERATED	1105	3.4	19	<1	1	2	4	6	8	17
B. OPERATED	8657	2.9	16	<1	1	2	3	6	8	20
TOTAL 0-27 DYS	6	3.2	6	1	1	2	3	8	8	8
1-11 MOS	69	2.7	9	<1	1	2	3	6	7	18
1-5 YRS	1149	2.5	9	<1	1	2	3	5	7	16
6-12 YRS	1957	2.8	21	1	1	2	3	5	8	15
13-19 YRS	6581	3.1	17	<1	1	2	3	6	9	20
GRAND TOTAL	**9762**	**3.0**	**17**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.3	2	<1	<1	2	3	5	5	5
1-5 YRS	127	2.5	7	<1	<1	2	3	5	7	15
6-12 YRS	293	2.9	7	<1	1	2	3	5	8	16
13-19 YRS	601	3.3	9	<1	1	2	4	6	8	16
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	9	6.0	88	<1	<1	2	7	21	30	30
1-5 YRS	413	3.6	22	<1	1	2	4	8	12	27
6-12 YRS	1034	4.3	36	1	1	3	5	9	13	32
13-19 YRS	1555	5.0	33	1	1	3	6	11	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	4.0	4	<1	<1	4	5	7	7	7
1-5 YRS	50	4.3	16	<1	1	3	6	9	10	25
6-12 YRS	148	4.6	10	1	2	4	6	8	11	20
13-19 YRS	293	4.6	20	1	1	4	5	9	11	24
B. *Operated*										
0-27 DYS										
1-11 MOS	4	9.0	106	1	1	5	15	24	24	24
1-5 YRS	198	8.3	152	1	1	4	8	24	32	64
6-12 YRS	386	9.2	149	1	2	5	10	22	37	69
13-19 YRS	942	8.4	101	1	2	5	9	20	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1030	3.1	8	<1	1	2	4	6	8	16
B. *Operated*	3013	4.5	33	1	1	3	5	10	14	30
2. MULTIPLE DX										
A. *Not Operated*	498	4.6	16	1	1	4	6	9	11	23
B. *Operated*	1530	8.6	120	1	1	5	9	20	31	60
1. SINGLE DX	4043	4.2	27	1	1	3	5	8	13	27
2. MULTIPLE DX	2028	7.6	97	1	1	4	8	17	27	54
A. NOT OPERATED	1528	3.6	11	<1	1	3	4	7	9	18
B. OPERATED	4543	5.9	66	1	1	3	6	13	20	47
TOTAL 0-27 DYS	3	3.7	9	1	1	3	6	7	7	7
1-11 MOS	28	4.8	45	<1	<1	3	5	8	25	30
1-5 YRS	788	4.7	56	<1	1	2	5	10	16	39
6-12 YRS	1861	5.1	57	1	1	3	5	11	16	46
13-19 YRS	3391	5.6	50	1	1	3	6	12	18	38
GRAND TOTAL	**6071**	**5.3**	**53**	**1**	**1**	**3**	**6**	**11**	**17**	**40**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.8	2	1	1	1	3	4	4	4
1-5 YRS	24	2.5	17	1	1	1	2	4	10	21
6-12 YRS	18	2.1	6	<1	<1	1	2	4	8	11
13-19 YRS	28	2.9	7	<1	<1	2	4	6	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	8.7	52	2	2	7	15	19	19	19
6-12 YRS	16	3.1	7	1	1	2	4	7	10	11
13-19 YRS	53	5.0	33	1	1	4	6	9	13	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	1.5		<1	<1	1	2	2	2	2
1-5 YRS	16	2.6	5	1	1	2	4	6	7	8
6-12 YRS	21	2.5	4	1	1	2	3	5	7	8
13-19 YRS	43	3.8	21	<1	1	3	4	6	14	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	14	4.2	10	1	1	3	7	9	10	10
6-12 YRS	36	7.3	57	1	2	5	9	15	21	39
13-19 YRS	193	11.2	226	1	1	6	12	26	51	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.5	9	<1	1	1	2	5	9	19
B. *Operated*	76	4.9	30	1	1	3	6	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	86	3.1	13	<1	1	2	4	5	8	23
B. *Operated*	244	10.2	192	1	1	6	12	21	39	70
1. SINGLE DX	150	3.7	21	1	1	2	4	8	11	21
2. MULTIPLE DX	330	8.3	155	1	1	4	10	18	29	66
A. NOT OPERATED	160	2.8	11	<1	1	2	3	5	8	22
B. OPERATED	320	8.9	158	1	1	5	10	19	35	66
TOTAL 0-27 DYS										
1-11 MOS	12	1.8	1	<1	<1	2	2	4	4	4
1-5 YRS	60	3.6	18	1	1	2	4	9	13	21
6-12 YRS	91	4.4	31	1	1	3	5	11	14	32
13-19 YRS	317	8.4	159	1	1	4	10	18	32	66
GRAND TOTAL	**480**	**6.9**	**117**	**1**	**1**	**3**	**7**	**15**	**23**	**63**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.6	7	1	1	4	5	7	7	7
1-5 YRS	40	2.6	5	<1	<1	2	3	5	6	13
6-12 YRS	43	4.0	31	<1	<1	2	4	22	43	99+
13-19 YRS	132	5.1	56	1	1	3	6	10	14	31
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	13	4.8	28	<1	<1	3	7	12	18	20
1-5 YRS	151	3.8	16	1	1	2	5	9	11	19
6-12 YRS	381	4.0	32	1	1	2	4	8	10	21
13-19 YRS	1291	4.0	20	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	11	5.3	13	1	1	4	8	10	12	12
1-5 YRS	40	6.5	90	<1	1	3	7	12	31	47
6-12 YRS	46	5.3	71	1	1	3	6	10	15	51
13-19 YRS	224	8.6	179	1	1	4	9	26	51	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.8	76	1	1	5	14	20	20	20
1-5 YRS	90	5.7	52	1	2	3	6	11	18	40
6-12 YRS	190	5.3	38	1	1	3	6	12	17	30
13-19 YRS	868	5.5	56	1	2	3	6	12	19	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	4.4	41	<1	1	3	5	9	14	84
B. *Operated*	1837	4.0	22	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	322	7.8	149	1	1	4	8	22	44	99+
B. *Operated*	1152	5.5	53	1	2	3	6	12	19	57
1. SINGLE DX	2057	4.1	24	1	1	3	5	8	11	22
2. MULTIPLE DX	1474	6.0	75	1	1	3	6	13	22	81
A. NOT OPERATED	542	6.4	108	1	1	3	7	14	29	99+
B. OPERATED	2989	4.6	34	1	1	3	5	9	14	31
TOTAL 0-27 DYS	2	21.0	242	10	10	21	32	32	32	32
1-11 MOS	33	5.2	24	<1	1	3	7	10	19	20
1-5 YRS	321	4.5	35	1	1	2	5	10	13	36
6-12 YRS	660	4.4	37	1	1	3	5	9	14	31
13-19 YRS	2515	5.0	50	1	1	3	5	10	15	53
GRAND TOTAL	**3531**	**4.9**	**46**	**1**	**1**	**3**	**5**	**10**	**15**	**45**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	4.1	12	1	1	4	6	10	12	12
1-5 YRS	154	4.0	4	1	2	4	5	6	7	10
6-12 YRS	761	4.4	5	2	2	4	5	7	8	14
13-19 YRS	747	4.1	5	1	2	4	5	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	7.2	27	1	1	6	9	15	18	18
6-12 YRS	38	7.6	20	2	3	8	9	12	18	21
13-19 YRS	35	7.1	34	2	2	5	12	16	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	2.8	2	1	1	2	4	5	5	5
1-5 YRS	97	4.6	9	1	1	4	6	8	10	18
6-12 YRS	397	4.4	7	1	1	4	5	7	9	13
13-19 YRS	497	4.5	16	1	1	4	6	7	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	26	6.0	25	1	1	4	9	15	16	17
6-12 YRS	61	5.9	14	1	2	5	9	12	13	14
13-19 YRS	78	5.4	13	1	1	5	7	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1674	4.2	5	1	2	4	5	6	8	13
B. *Operated*	82	7.3	26	1	2	6	10	15	18	23
2. MULTIPLE DX										
A. *Not Operated*	1004	4.5	12	1	1	4	6	7	9	16
B. *Operated*	165	5.7	15	1	2	5	7	11	14	18
1. SINGLE DX	1756	4.4	6	1	2	4	5	7	9	15
2. MULTIPLE DX	1169	4.6	12	1	1	4	6	8	11	16
A. NOT OPERATED	2678	4.3	7	1	2	4	5	7	8	14
B. OPERATED	247	6.2	19	1	2	5	9	12	16	20
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	24	3.4	7	1	1	3	4	6	9	12
1-5 YRS	286	4.5	9	1	1	4	6	7	9	17
6-12 YRS	1257	4.6	7	1	2	4	5	7	9	14
13-19 YRS	1357	4.4	10	1	2	4	5	7	9	17
GRAND TOTAL	**2925**	**4.5**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	3.6	21	<1	1	2	4	9	16	18
1-11 MOS	160	2.1	4	<1	1	1	2	4	6	10
1-5 YRS	743	2.0	3	<1	1	1	2	4	5	8
6-12 YRS	1210	2.0	3	1	1	1	2	3	5	9
13-19 YRS	2364	2.4	5	<1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	4	3.8	9	1	1	3	6	8	8	8
1-11 MOS	8	1.8	1	1	1	2	2	3	3	3
1-5 YRS	101	3.2	18	<1	<1	2	4	6	10	25
6-12 YRS	181	3.0	9	<1	1	2	3	7	9	15
13-19 YRS	388	3.4	10	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	2.7	4	1	1	2	3	6	8	8
1-11 MOS	237	3.6	13	1	1	2	4	8	11	17
1-5 YRS	1206	2.9	10	1	1	2	3	6	8	17
6-12 YRS	1667	2.6	7	1	1	2	3	5	7	13
13-19 YRS	4234	2.8	8	<1	1	2	3	5	7	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	7.8	104	1	1	4	8	18	33	41
1-5 YRS	123	4.0	16	1	1	3	5	9	13	22
6-12 YRS	208	4.1	18	1	1	3	5	9	12	22
13-19 YRS	825	5.2	61	1	1	3	6	10	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4491	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	682	3.3	11	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	7357	2.8	8	<1	1	2	3	5	7	13
B. *Operated*	1174	4.9	50	1	1	3	6	10	15	35
1. SINGLE DX	5173	2.3	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	8531	3.1	15	<1	1	2	4	6	8	18
A. NOT OPERATED	11848	2.6	7	<1	1	2	3	5	7	12
B. OPERATED	1856	4.3	36	1	1	3	5	9	12	30
TOTAL 0-27 DYS	32	3.2	12	1	1	2	4	8	8	18
1-11 MOS	422	3.2	14	<1	1	2	3	7	10	18
1-5 YRS	2173	2.6	9	1	1	2	3	5	7	15
6-12 YRS	3266	2.5	7	1	1	2	3	5	7	14
13-19 YRS	7811	3.0	14	<1	1	2	3	6	8	16
GRAND TOTAL	**13704**	**2.8**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	112	2.4	2	1	1	2	3	4	5	8
6-12 YRS	66	2.7	3	1	1	2	3	5	6	11
13-19 YRS	121	3.5	13	1	1	2	4	8	12	19
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	44	5.0	46	<1	1	2	5	17	21	28
6-12 YRS	31	8.7	136	1	1	4	10	26	37	52
13-19 YRS	124	6.8	63	1	2	4	8	17	24	65
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	54	3.4	16	1	1	2	4	7	13	22
6-12 YRS	49	3.7	9	1	1	3	4	8	11	15
13-19 YRS	124	4.5	20	<1	1	3	5	10	13	24
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	42	1	1	1	8	14	14	14
1-5 YRS	47	5.3	46	1	1	2	6	17	21	29
6-12 YRS	61	9.8	238	1	1	4	10	25	39	87
13-19 YRS	256	9.9	128	1	2	6	13	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.9	7	1	1	2	3	5	8	14
B. *Operated*	200	6.7	70	1	1	4	7	17	26	53
2. MULTIPLE DX										
A. *Not Operated*	228	4.1	17	1	1	3	5	9	12	22
B. *Operated*	368	9.2	137	1	1	5	12	23	30	59
1. SINGLE DX	503	4.4	36	1	1	2	5	10	16	32
2. MULTIPLE DX	596	7.3	97	1	1	4	9	17	26	52
A. NOT OPERATED	531	3.4	11	1	1	2	4	7	11	18
B. OPERATED	568	8.4	115	1	1	5	10	21	29	56
TOTAL 0-27 DYS	3	6.3	12	3	3	6	9	10	10	10
1-11 MOS	7	3.3	23	<1	<1	1	3	12	14	14
1-5 YRS	257	3.6	22	1	1	2	4	7	15	27
6-12 YRS	207	5.9	103	1	1	3	5	12	23	55
13-19 YRS	625	7.0	78	1	1	4	8	17	24	51
GRAND TOTAL	**1099**	**6.0**	**71**	**1**	**1**	**3**	**6**	**14**	**22**	**49**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	23	1.0		<1	<1	1	1	1	2	2
6-12 YRS	21	1.5	2	<1	<1	1	2	2	4	7
13-19 YRS	15	1.7	1	<1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	23	1.2		<1	<1	1	1	2	2	2
6-12 YRS	29	1.8	5	<1	1	1	2	2	7	12
13-19 YRS	20	2.9	14	<1	1	2	3	6	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	11	4.2	7	1	1	4	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.0	66	<1	<1	2	11	18	18	18
6-12 YRS	11	3.7	10	1	1	3	5	8	12	12
13-19 YRS	15	4.5	16	1	1	4	5	9	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	1.4	1	<1	<1	1	2	2	3	7
B. *Operated*	73	1.9	6	<1	<1	1	2	3	7	16
2. MULTIPLE DX										
A. *Not Operated*	20	3.2	5	1	1	2	4	7	8	9
B. *Operated*	30	4.4	19	1	1	3	5	10	16	18
1. SINGLE DX	133	1.7	4	<1	<1	1	2	2	4	13
2. MULTIPLE DX	50	3.9	13	1	1	3	5	8	12	18
A. NOT OPERATED	80	1.8	2	<1	<1	1	2	4	6	8
B. OPERATED	103	2.6	11	<1	<1	1	2	5	10	17
TOTAL 0-27 DYS										
1-11 MOS	4	1.8	2	<1	<1	1	2	4	4	4
1-5 YRS	52	1.5	6	<1	<1	1	1	2	2	18
6-12 YRS	66	2.0	5	<1	<1	1	2	4	7	12
13-19 YRS	61	3.2	11	1	1	2	4	7	9	17
GRAND TOTAL	**183**	**2.3**	**7**	**<1**	**<1**	**1**	**2**	**5**	**8**	**17**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	79	1.9	1	<1	1	2	2	3	5	7
1-11 MOS	229	2.0	5	<1	1	1	2	4	5	12
1-5 YRS	1531	1.4	5	<1	<1	1	1	2	3	6
6-12 YRS	715	1.6	3	<1	<1	1	2	3	4	9
13-19 YRS	331	1.8	3	<1	1	1	2	3	4	10
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	44	2.5	6	1	1	2	3	4	7	14
1-5 YRS	368	2.3	7	<1	1	1	2	5	7	11
6-12 YRS	173	2.2	4	<1	<1	1	3	5	7	9
13-19 YRS	111	2.7	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	39	2.4	2	<1	1	2	3	4	5	7
1-11 MOS	106	3.5	8	1	1	2	4	8	10	14
1-5 YRS	231	2.4	7	<1	<1	2	3	4	6	16
6-12 YRS	86	2.3	3	<1	<1	2	3	5	6	8
13-19 YRS	93	2.8	13	<1	1	2	3	5	6	25
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	22	3.5	8	1	1	3	5	10	43	99+
1-5 YRS	151	5.4	107	<1	1	2	6	10	16	70
6-12 YRS	46	4.0	14	<1	1	2	6	10	11	16
13-19 YRS	69	6.3	43	1	1	5	8	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2885	1.6	4	<1	<1	1	2	3	4	8
B. *Operated*	697	2.3	6	<1	<1	1	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	555	2.7	8	<1	1	2	3	5	7	15
B. *Operated*	289	5.2	69	1	1	3	6	10	16	62
1. SINGLE DX	3582	1.7	5	<1	<1	1	2	3	4	9
2. MULTIPLE DX	844	3.5	30	<1	1	2	4	7	10	24
A. NOT OPERATED	3440	1.7	5	<1	<1	1	2	3	4	10
B. OPERATED	986	3.2	26	<1	1	2	4	7	9	21
TOTAL 0-27 DYS	120	2.1	2	<1	1	2	3	4	5	7
1-11 MOS	401	2.5	7	<1	1	2	3	5	8	13
1-5 YRS	2281	1.9	13	<1	<1	1	2	3	5	11
6-12 YRS	1020	1.9	4	<1	<1	1	2	4	5	10
13-19 YRS	604	2.6	12	<1	1	1	3	6	8	22
GRAND TOTAL	**4426**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	20	6.1	63	1	2	3	7	15	25	35
1-5 YRS	89	6.6	28	1	1	5	9	14	20	21
6-12 YRS	59	9.3	63	<1	1	7	14	22	26	33
13-19 YRS	70	8.1	40	1	2	7	10	18	22	26
B. *Operated*										
0-27 DYS										
1-11 MOS	17	12.4	108	1	1	9	19	29	34	36
1-5 YRS	144	15.9	274	2	2	10	24	39	52	75
6-12 YRS	174	13.9	165	2	2	9	20	34	40	62
13-19 YRS	224	13.3	217	2	2	8	15	32	42	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	38	7.2	28	1	1	6	9	15	16	22
1-5 YRS	152	8.2	47	1	2	7	11	15	20	41
6-12 YRS	74	8.8	49	<1	1	7	11	20	25	29
13-19 YRS	117	9.2	72	1	2	7	12	19	29	40
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	31	20.2	145	2	3	25	30	34	37	37
1-5 YRS	223	21.5	251	2	3	18	30	44	53	72
6-12 YRS	193	22.5	272	4	5	18	33	47	62	99+
13-19 YRS	286	22.5	324	3	4	16	35	50	60	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	7.7	44	1	1	6	11	17	22	29
B. *Operated*	559	14.1	212	2	2	9	19	34	43	76
2. MULTIPLE DX										
A. *Not Operated*	381	8.5	53	1	2	7	11	17	23	34
B. *Operated*	734	22.1	280	2	4	18	32	47	56	80
1. SINGLE DX	797	12.2	171	1	2	8	15	29	39	68
2. MULTIPLE DX	1115	17.4	243	2	3	12	25	41	50	76
A. NOT OPERATED	619	8.2	50	1	2	6	11	17	22	33
B. OPERATED	1293	18.6	266	2	3	13	28	42	53	77
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	106	11.6	114	1	2	8	17	30	34	37
1-5 YRS	608	14.7	209	1	2	10	20	34	45	66
6-12 YRS	500	15.9	207	2	3	11	23	38	46	77
13-19 YRS	697	15.8	251	2	2	10	22	40	50	77
GRAND TOTAL	**1912**	**15.3**	**220**	**2**	**2**	**10**	**22**	**36**	**48**	**74**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	176	6.0	44	1	1	4	7	13	19	39
1-5 YRS	749	5.6	25	1	1	4	7	12	15	24
6-12 YRS	304	5.1	21	1	1	4	7	11	13	19
13-19 YRS	506	5.4	35	1	1	3	7	13	18	31
B. *Operated*										
0-27 DYS										
1-11 MOS	30	11.1	186	2	2	7	11	25	40	66
1-5 YRS	155	9.9	100	1	1	7	13	21	33	50
6-12 YRS	104	11.1	140	1	2	7	14	32	38	55
13-19 YRS	139	10.0	91	1	1	7	14	23	34	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	8.2	60	1	2	6	10	19	28	28
1-11 MOS	395	6.4	36	1	1	4	9	15	20	25
1-5 YRS	1499	6.8	36	1	1	5	9	14	19	29
6-12 YRS	519	7.0	42	1	1	5	9	16	20	30
13-19 YRS	974	5.5	30	1	1	4	7	13	17	26
B. *Operated*										
0-27 DYS	1	24.0		24	24	62	99+	99+	99+	99+
1-11 MOS	69	12.6	141	2	2	8	16	31	43	52
1-5 YRS	324	13.6	140	2	2	9	20	32	39	56
6-12 YRS	199	15.5	198	1	2	11	22	34	46	61
13-19 YRS	287	12.9	178	1	2	8	18	28	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1737	5.5	29	1	1	4	7	12	15	28
B. *Operated*	428	10.3	112	1	2	7	13	24	35	54
2. MULTIPLE DX										
A. *Not Operated*	3397	6.4	35	1	1	5	9	14	18	29
B. *Operated*	880	13.7	166	1	2	9	20	32	42	61
1. SINGLE DX	2165	6.4	49	1	1	4	8	14	19	37
2. MULTIPLE DX	4277	7.9	71	1	1	5	10	18	24	43
A. NOT OPERATED	5134	6.1	33	1	1	4	8	13	18	28
B. OPERATED	1308	12.6	151	1	2	8	17	30	39	59
TOTAL 0-27 DYS	13	8.4	73	<1	1	6	11	35	86	99+
1-11 MOS	670	7.1	60	1	1	5	9	16	22	42
1-5 YRS	2727	7.5	55	1	1	5	10	16	22	38
6-12 YRS	1126	8.4	86	1	1	5	11	19	27	46
13-19 YRS	1906	6.9	65	1	1	4	9	16	23	45
GRAND TOTAL	**6442**	**7.4**	**64**	**1**	**1**	**5**	**9**	**17**	**23**	**41**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	11	2.0	2	1	1	1	3	4	5	5
6-12 YRS	51	2.7	6	1	1	2	3	6	8	13
13-19 YRS	151	3.5	13	1	1	3	4	7	11	32
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.8	14	1	1	3	6	9	9	9
1-5 YRS	23	3.5	29	1	1	2	3	6	14	27
6-12 YRS	83	2.9	5	1	1	2	3	5	7	14
13-19 YRS	344	2.9	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	9	2.3	5	<1	<1	1	3	6	8	8
6-12 YRS	45	3.2	8	1	1	3	4	6	9	15
13-19 YRS	157	7.5	217	1	1	4	7	14	40	99
B. *Operated*										
0-27 DYS	2	16.0	288	4	4	16	28	28	28	28
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	35	2.7	9	1	1	2	3	5	11	14
6-12 YRS	84	4.0	78	<1	1	2	3	6	16	58
13-19 YRS	374	4.7	83	1	1	2	4	8	20	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	3.2	11	1	1	2	4	7	9	20
B. *Operated*	454	2.9	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	215	6.3	164	1	1	3	6	10	22	97
B. *Operated*	497	4.5	77	1	1	2	4	8	16	75
1. SINGLE DX	669	3.0	8	1	1	2	3	6	8	14
2. MULTIPLE DX	712	5.1	104	1	1	2	4	9	21	92
A. NOT OPERATED	430	4.8	90	1	1	3	5	8	14	92
B. OPERATED	951	3.8	44	1	1	2	4	6	11	50
TOTAL 0-27 DYS	4	9.3	157	2	2	3	16	28	28	28
1-11 MOS	10	4.0	10	1	1	4	7	8	9	9
1-5 YRS	78	2.8	13	<1	1	2	3	5	8	23
6-12 YRS	263	3.3	29	1	1	2	3	6	8	25
13-19 YRS	1026	4.4	69	1	1	2	4	8	13	82
GRAND TOTAL	**1381**	**4.1**	**58**	**1**	**1**	**2**	**4**	**7**	**12**	**69**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	27	2.3	3	<1	1	2	3	4	7	7
1-5 YRS	232	2.4	5	1	1	2	3	5	6	13
6-12 YRS	415	2.3	6	1	1	2	3	4	5	9
13-19 YRS	671	2.8	7	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	27	3	3	3	10	12	12	12
1-5 YRS	82	5.0	58	<1	1	2	6	9	23	40
6-12 YRS	89	4.8	39	1	1	2	5	11	20	33
13-19 YRS	322	4.7	45	1	1	3	5	9	13	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	20	5.2	32	<1	<1	3	8	12	18	23
1-5 YRS	209	3.9	29	1	1	3	4	7	10	34
6-12 YRS	301	3.4	11	1	1	2	4	7	8	16
13-19 YRS	775	3.6	10	<1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	3	3.7	6	1	1	4	5	6	6	6
1-5 YRS	42	10.0	255	<1	1	4	13	26	37	90
6-12 YRS	120	6.5	43	1	1	4	8	16	21	29
13-19 YRS	443	9.9	167	1	1	5	11	24	42	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1346	2.6	7	1	1	2	3	5	6	12
B. *Operated*	496	4.8	46	1	1	2	5	9	17	40
2. MULTIPLE DX										
A. *Not Operated*	1305	3.6	14	1	1	3	4	7	9	19
B. *Operated*	610	9.2	149	1	1	5	10	21	35	75
1. SINGLE DX	1842	3.2	18	1	1	2	4	6	8	23
2. MULTIPLE DX	1915	5.4	63	1	1	3	6	11	19	45
A. NOT OPERATED	2651	3.1	10	1	1	2	4	6	8	15
B. OPERATED	1106	7.2	107	1	1	4	8	19	28	60
TOTAL 0-27 DYS	3	6.7	25	2	2	6	10	12	12	12
1-11 MOS	53	3.7	17	<1	1	2	4	9	12	23
1-5 YRS	565	3.9	43	1	1	2	4	7	12	37
6-12 YRS	925	3.4	18	1	1	2	4	7	10	26
13-19 YRS	2211	4.8	52	1	1	3	5	9	15	43
GRAND TOTAL	**3757**	**4.3**	**42**	**1**	**1**	**2**	**5**	**8**	**13**	**37**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	1.6	1	<1	<1	1	2	3	4	4
1-11 MOS	163	2.0	3	<1	1	1	2	4	5	9
1-5 YRS	3544	1.6	4	<1	1	1	2	2	3	7
6-12 YRS	502	2.6	23	<1	1	2	3	4	6	14
13-19 YRS	3995	2.3	8	<1	1	2	3	4	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	8	1.5		<1	<1	1	2	2	2	2
6-12 YRS	6	2.5	4	<1	<1	2	3	6	6	6
13-19 YRS	19	5.6	136	<1	1	2	5	8	33	53
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	7.6	98	1	1	3	8	25	32	33
1-11 MOS	125	3.7	13	1	1	3	4	7	11	21
1-5 YRS	1092	2.3	6	1	1	2	3	4	6	11
6-12 YRS	435	3.5	16	1	1	2	4	7	10	23
13-19 YRS	5937	4.3	43	<1	1	2	4	9	14	38
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.0	3	2	2	4	5	6	6	6
1-5 YRS	19	8.4	136	1	1	4	10	39	72	99+
6-12 YRS	9	6.2	22	1	1	6	10	13	15	15
13-19 YRS	117	8.7	92	<1	1	6	11	23	28	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8220	2.0	7	<1	1	1	2	4	5	10
B. *Operated*	34	4.0	78	<1	1	2	3	6	8	53
2. MULTIPLE DX										
A. *Not Operated*	7601	4.0	36	<1	1	2	4	8	13	34
B. *Operated*	150	8.3	90	1	1	5	10	22	30	99
1. SINGLE DX	8254	2.0	7	<1	1	1	2	4	5	10
2. MULTIPLE DX	7751	4.1	37	<1	1	2	4	8	13	35
A. NOT OPERATED	15821	2.9	22	<1	1	2	3	5	8	25
B. OPERATED	184	7.5	90	1	1	4	9	20	29	85
TOTAL 0-27 DYS	28	4.1	49	<1	1	2	3	9	23	33
1-11 MOS	294	2.7	8	<1	1	2	3	6	8	15
1-5 YRS	4663	1.8	5	<1	1	1	2	3	4	9
6-12 YRS	952	3.1	20	<1	1	2	3	6	8	20
13-19 YRS	10068	3.6	31	<1	1	2	4	7	11	30
GRAND TOTAL	**16005**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**6**	**9**	**26**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	2.2	3	1	1	2	2	5	6	6
1-11 MOS	192	1.6	2	<1	1	1	2	3	4	8
1-5 YRS	2326	2.1	6	<1	1	1	2	5	7	14
6-12 YRS	591	2.0	5	<1	1	1	2	4	5	11
13-19 YRS	1175	1.9	3	<1	<1	1	2	3	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	6.0	39	<1	1	4	7	14	22	24
6-12 YRS	16	[illegible].6	8	1	2	4	6	9	10	11
13-19 YRS	16	5.3	38	1	2	4	5	6	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	102	3.3	7	1	1	2	4	7	9	13
1-5 YRS	999	3.6	18	1	1	2	4	7	11	22
6-12 YRS	246	2.8	8	1	1	2	3	5	7	15
13-19 YRS	783	3.3	28	<1	1	2	3	6	11	30
B. *Operated*										
0-27 DYS										
1-11 MOS	5	8.0	22	4	4	7	9	16	16	16
1-5 YRS	21	12.2	175	1	2	8	14	28	42	58
6-12 YRS	10	10.2	121	1	2	5	10	30	34	34
13-19 YRS	36	14.4	396	1	1	6	17	57	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4294	2.0	5	<1	1	1	2	4	6	13
B. *Operated*	47	5.2	27	1	2	4	6	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	2134	3.4	20	1	1	2	4	7	10	22
B. *Operated*	72	12.7	265	1	2	7	15	33	61	96
1. SINGLE DX	4341	2.0	6	<1	1	1	2	4	6	13
2. MULTIPLE DX	2206	3.7	30	1	1	2	4	7	11	30
A. NOT OPERATED	6428	2.5	10	<1	1	1	3	5	7	16
B. OPERATED	119	9.7	184	1	2	5	10	28	38	87
TOTAL 0-27 DYS	14	2.0	2	1	1	2	2	4	6	6
1-11 MOS	300	2.3	5	<1	1	1	3	5	7	13
1-5 YRS	3360	2.6	12	1	1	1	3	6	8	18
6-12 YRS	863	2.4	8	1	1	2	3	5	6	14
13-19 YRS	2010	2.7	23	<1	<1	1	3	5	7	25
GRAND TOTAL	**6547**	**2.6**	**14**	**<1**	**1**	**1**	**3**	**5**	**7**	**20**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	3.7	5	<1	1	3	5	6	8	10
1-11 MOS	171	3.9	20	1	1	2	5	9	14	26
1-5 YRS	690	2.6	8	1	1	2	3	5	7	13
6-12 YRS	454	2.8	7	1	1	2	3	5	7	12
13-19 YRS	629	2.9	15	<1	1	2	3	5	8	21
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	5.9	12	1	1	7	9	10	10	10
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	15	8.7	81	<1	2	7	10	16	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	5.1	19	<1	1	4	7	11	15	17
1-11 MOS	233	7.5	75	1	1	5	9	18	23	38
1-5 YRS	566	4.2	24	1	1	3	5	10	12	23
6-12 YRS	331	4.1	50	1	1	3	4	8	10	20
13-19 YRS	657	3.7	27	1	1	2	4	7	11	23
B. *Operated*										
0-27 DYS										
1-11 MOS	5	25.4	569	<1	<1	32	40	57	57	57
1-5 YRS	33	15.9	440	1	1	8	19	64	80	99+
6-12 YRS	10	13.0	220	1	1	6	26	37	40	40
13-19 YRS	35	13.0	190	<1	1	7	22	42	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	2.9	11	1	1	2	3	6	8	16
B. *Operated*	28	6.9	51	1	1	6	9	13	18	37
2. MULTIPLE DX										
A. *Not Operated*	1806	4.5	38	1	1	3	5	9	14	28
B. *Operated*	83	14.9	312	<1	1	7	26	43	64	99+
1. SINGLE DX	1995	2.9	12	1	1	2	3	6	8	17
2. MULTIPLE DX	1889	4.9	54	1	1	3	5	10	15	39
A. NOT OPERATED	3773	3.6	25	1	1	2	4	7	11	23
B. OPERATED	111	12.9	257	<1	1	7	17	38	56	99+
TOTAL 0-27 DYS	43	4.2	11	<1	1	3	5	9	11	17
1-11 MOS	410	6.2	64	1	1	3	7	15	22	36
1-5 YRS	1298	3.7	30	1	1	2	4	7	12	29
6-12 YRS	797	3.5	29	1	1	2	4	7	9	20
13-19 YRS	1336	3.6	29	1	1	2	4	7	11	31
GRAND TOTAL	**3884**	**3.9**	**34**	**1**	**1**	**2**	**4**	**8**	**12**	**31**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	21	5.9	50	<1	1	4	7	16	25	27
1-5 YRS	55	2.9	6	1	1	2	4	7	8	10
6-12 YRS	55	3.2	7	<1	1	2	5	7	9	11
13-19 YRS	86	4.4	16	<1	1	3	6	10	13	18
B. *Operated*										
0-27 DYS	6	6.0	34	2	2	3	10	15	16	16
1-11 MOS	133	8.0	55	1	2	6	9	15	24	41
1-5 YRS	273	5.7	46	<1	1	4	7	12	15	37
6-12 YRS	288	5.1	19	<1	1	4	8	11	14	19
13-19 YRS	587	5.0	38	1	1	3	6	11	16	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	13.3	152	3	3	10	23	27	27	27
1-11 MOS	31	7.5	54	1	2	5	10	15	29	31
1-5 YRS	59	5.1	31	<1	1	3	6	14	22	93
6-12 YRS	62	3.9	9	1	1	3	5	7	11	14
13-19 YRS	99	5.5	25	1	1	5	7	9	16	28
B. *Operated*										
0-27 DYS	5	13.6	11	10	10	13	17	17	17	17
1-11 MOS	199	13.3	176	2	3	8	17	35	44	66
1-5 YRS	298	8.9	70	1	2	6	12	22	26	45
6-12 YRS	290	8.6	82	1	2	6	10	18	30	44
13-19 YRS	492	8.8	92	1	2	6	11	19	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.9	15	<1	1	2	5	8	11	21
B. *Operated*	1287	5.5	38	1	1	4	7	12	16	34
2. MULTIPLE DX										
A. *Not Operated*	254	5.4	28	1	1	4	6	11	17	31
B. *Operated*	1284	9.5	100	1	2	6	12	21	32	54
1. SINGLE DX	1505	5.3	35	1	1	3	7	11	16	32
2. MULTIPLE DX	1538	8.8	90	1	2	6	11	20	30	51
A. NOT OPERATED	472	4.7	23	1	1	3	6	10	14	27
B. OPERATED	2571	7.5	73	1	1	5	9	16	25	44
TOTAL 0-27 DYS	15	10.4	51	2	2	10	15	17	25	27
1-11 MOS	384	10.6	125	1	2	7	12	24	38	60
1-5 YRS	685	6.8	55	<1	1	5	8	16	23	41
6-12 YRS	695	6.3	47	1	1	4	8	13	18	39
13-19 YRS	1264	6.5	60	1	1	4	8	15	21	40
GRAND TOTAL	**3043**	**7.1**	**66**	**1**	**1**	**4**	**8**	**16**	**23**	**44**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	2.1	2	1	1	2	3	4	5	5
1-11 MOS	13	2.1	6	<1	<1	1	2	5	9	10
1-5 YRS	261	1.8	5	<1	<1	1	2	3	4	10
6-12 YRS	442	1.7	2	<1	1	1	2	3	4	6
13-19 YRS	490	2.0	3	<1	1	1	2	4	5	8
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	5	1.2		1	1	1	2	2	2	2
1-5 YRS	215	1.6	1	<1	<1	1	2	3	3	6
6-12 YRS	327	1.9	27	<1	1	1	2	3	4	7
13-19 YRS	428	2.6	17	<1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.0	5	<1	<1	2	4	7	7	7
1-11 MOS	6	3.8	8	2	2	3	5	9	9	9
1-5 YRS	60	2.4	4	<1	1	2	3	5	6	12
6-12 YRS	64	2.1	3	<1	1	2	3	4	5	9
13-19 YRS	85	3.5	12	<1	1	2	4	7	10	19
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	32	3.6	17	1	1	2	4	8	9	22
6-12 YRS	46	4.2	28	<1	1	2	4	13	16	25
13-19 YRS	77	4.6	22	1	1	3	6	11	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1214	1.8	3	<1	1	1	2	3	4	8
B. *Operated*	977	2.1	17	<1	1	1	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	221	2.8	7	<1	1	2	3	6	8	14
B. *Operated*	158	4.2	22	<1	1	2	5	9	15	23
1. SINGLE DX	2191	2.0	9	<1	1	1	2	3	5	10
2. MULTIPLE DX	379	3.4	14	<1	1	2	4	8	11	21
A. NOT OPERATED	1435	2.0	4	<1	1	1	2	4	5	10
B. OPERATED	1135	2.4	18	<1	1	1	2	4	7	17
TOTAL 0-27 DYS	18	2.4	3	<1	1	2	3	5	6	7
1-11 MOS	25	2.5	7	<1	1	1	3	7	9	10
1-5 YRS	568	1.9	4	<1	<1	1	2	3	5	9
6-12 YRS	879	1.9	13	<1	1	1	2	3	4	10
13-19 YRS	1080	2.5	11	<1	1	2	3	5	7	16
GRAND TOTAL	**2570**	**2.2**	**10**	**<1**	**1**	**1**	**2**	**4**	**5**	**13**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	5.1	8	2	2	5	6	10	11	11
1-11 MOS	21	4.8	10	1	2	4	6	9	12	14
1-5 YRS	40	4.5	7	1	1	4	6	8	10	12
6-12 YRS	117	5.2	11	2	2	5	7	9	11	16
13-19 YRS	269	5.7	18	1	2	5	7	12	16	21
B. *Operated*										
0-27 DYS	2	10.0	72	4	4	10	16	16	16	16
1-11 MOS	6	11.8	110	2	2	9	20	27	28	28
1-5 YRS	47	3.4	8	<1	1	2	5	8	9	13
6-12 YRS	116	7.0	25	1	2	6	9	13	16	28
13-19 YRS	237	8.0	35	2	2	7	11	16	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.7	38	<1	1	4	12	16	16	16
1-11 MOS	17	6.9	19	1	2	6	9	14	15	15
1-5 YRS	35	7.5	63	1	2	6	9	16	18	45
6-12 YRS	46	6.3	35	1	2	5	7	11	18	34
13-19 YRS	130	6.7	20	2	2	6	8	12	15	24
B. *Operated*										
0-27 DYS	4	14.3	47	8	8	12	18	24	24	24
1-11 MOS	10	11.6	174	1	1	4	28	31	33	33
1-5 YRS	16	7.3	27	<1	2	7	9	15	18	20
6-12 YRS	43	10.7	50	2	2	9	17	21	23	27
13-19 YRS	110	10.6	102	2	3	7	13	22	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	5.4	15	1	2	5	7	10	12	21
B. *Operated*	408	7.3	32	1	2	6	10	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	235	6.7	30	2	2	5	8	14	16	30
B. *Operated*	183	10.5	85	2	3	7	14	22	28	44
1. SINGLE DX	862	6.3	24	1	2	5	8	12	16	24
2. MULTIPLE DX	418	8.4	57	2	2	6	10	17	23	38
A. NOT OPERATED	689	5.9	20	1	2	5	7	11	15	23
B. OPERATED	591	8.3	51	1	2	6	11	17	22	33
TOTAL 0-27 DYS	20	8.0	38	1	2	5	12	16	20	24
1-11 MOS	54	7.5	58	1	2	5	9	15	28	33
1-5 YRS	138	5.2	27	1	1	4	7	10	13	23
6-12 YRS	322	6.8	27	1	2	5	9	12	18	27
13-19 YRS	746	7.3	39	2	2	5	9	15	19	30
GRAND TOTAL	**1280**	**7.0**	**36**	**1**	**2**	**5**	**9**	**15**	**19**	**29**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.6	41	1	1	2	6	16	16	16
1-5 YRS	27	1.7	1	<1	<1	1	2	3	3	4
6-12 YRS	37	2.7	6	1	1	2	3	5	7	13
13-19 YRS	77	3.8	13	<1	1	3	4	8	13	17
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	13	4.8	22	<1	1	3	6	14	16	16
1-5 YRS	64	3.0	12	<1	<1	2	4	7	12	18
6-12 YRS	92	4.0	19	<1	1	2	4	9	14	23
13-19 YRS	205	4.9	27	1	1	3	6	10	12	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	20	4.5	12	1	1	3	7	10	11	12
1-5 YRS	54	4.2	71	1	1	2	4	7	11	59
6-12 YRS	55	3.8	11	1	1	3	4	8	12	17
13-19 YRS	116	5.6	90	1	1	3	5	11	20	53
B. *Operated*										
0-27 DYS	3	6.7	6	4	4	7	8	9	9	9
1-11 MOS	19	11.2	164	1	1	9	13	25	43	55
1-5 YRS	50	6.1	58	<1	1	4	8	11	19	47
6-12 YRS	84	6.5	45	1	1	4	8	15	22	34
13-19 YRS	194	7.3	79	1	2	5	9	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.1	10	<1	1	2	3	7	10	16
B. *Operated*	376	4.3	22	<1	1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	246	4.8	62	1	1	3	5	10	13	37
B. *Operated*	350	7.1	72	1	1	5	9	16	22	47
1. SINGLE DX	522	4.0	19	<1	1	3	5	9	12	22
2. MULTIPLE DX	596	6.2	69	1	1	3	7	13	20	42
A. NOT OPERATED	392	4.2	43	1	1	3	4	8	13	27
B. OPERATED	726	5.7	48	<1	1	3	7	12	18	33
TOTAL 0-27 DYS	6	5.0	8	<1	<1	5	7	9	9	9
1-11 MOS	57	6.8	74	1	1	4	9	15	19	53
1-5 YRS	195	4.0	40	<1	1	2	4	8	12	37
6-12 YRS	268	4.5	25	1	1	3	5	11	15	23
13-19 YRS	592	5.7	56	1	1	3	7	11	18	34
GRAND TOTAL	**1118**	**5.2**	**47**	**1**	**1**	**3**	**6**	**11**	**16**	**31**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	16	2.0	1	<1	<1	2	3	3	4	4
1-5 YRS	48	3.0	2	1	1	3	4	5	6	7
6-12 YRS	35	2.9	2	1	1	3	4	5	6	6
13-19 YRS	31	3.9	8	1	1	3	5	8	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	3.5	7	1	1	3	4	8	9	10
1-5 YRS	53	3.3	4	1	2	3	4	6	7	13
6-12 YRS	24	3.4	3	1	2	3	4	5	7	8
13-19 YRS	35	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.5	42	2	2	6	12	16	16	16
6-12 YRS	4	6.0	21	2	2	5	9	12	12	12
13-19 YRS	8	6.0	17	1	1	6	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	3.1	4	1	1	3	4	5	6	10
B. *Operated*	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	132	3.3	4	1	1	3	4	6	7	11
B. *Operated*	16	6.4	21	1	2	6	10	12	15	16
1. SINGLE DX	136	3.0	3	1	1	3	4	5	6	10
2. MULTIPLE DX	148	3.7	7	1	1	3	4	7	9	13
A. NOT OPERATED	264	3.2	4	1	1	3	4	6	7	11
B. OPERATED	20	5.6	20	1	1	4	8	12	14	16
TOTAL 0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	35	2.8	5	<1	1	2	4	6	8	10
1-5 YRS	106	3.3	5	1	1	3	4	6	7	14
6-12 YRS	65	3.3	3	1	2	3	4	5	6	11
13-19 YRS	75	3.7	8	1	1	3	5	7	11	12
GRAND TOTAL	**284**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS	11	1.8	1	<1	<1	2	2	3	4	4
1-11 MOS	11	1.5		<1	<1	1	2	3	3	3
1-5 YRS	10	1.9	1	1	1	2	3	4	4	4
6-12 YRS	7	1.3		<1	<1	1	2	2	2	2
13-19 YRS	250	2.2	3	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS	8	2.6	3	1	1	2	4	5	6	6
1-11 MOS	7	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	16	4.3	7	1	1	4	6	9	10	10
13-19 YRS	197	3.0	10	<1	<1	2	3	5	7	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	4	<1	<1	1	3	6	6	6
B. *Operated*	289	2.1	3	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	6	2.2	6	<1	<1	1	2	6	7	7
B. *Operated*	230	3.0	10	<1	<1	2	3	6	7	22
1. SINGLE DX	297	2.1	3	<1	<1	2	2	4	4	7
2. MULTIPLE DX	236	3.0	10	<1	<1	2	3	6	7	21
A. NOT OPERATED	14	2.2	4	<1	<1	1	2	6	7	7
B. OPERATED	519	2.5	6	<1	<1	2	3	4	6	10
TOTAL 0-27 DYS	22	2.7	3	<1	1	2	4	6	7	7
1-11 MOS	18	1.6		<1	<1	1	2	3	3	3
1-5 YRS	12	2.0	1	1	1	2	3	4	4	4
6-12 YRS	23	3.4	7	<1	<1	2	5	7	9	10
13-19 YRS	458	2.5	6	<1	<1	2	3	4	5	10
GRAND TOTAL	**533**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	407	3.5	12	1	2	3	4	6	6	9
1000-1499	120	7.9	129	<1	<1	3	6	32	40	99+
1500-1749	129	12.0	141	<1	<1	6	21	26	32	46
1750-2499	13672	3.8	8	1	2	3	4	6	8	16
2500+	727199	3.3	2	1	2	3	4	5	6	8
B. *Operated*										
1-999 G	3	2.3	1	<1	<1	3	3	3	3	3
1000-1499	2	53.5	221	43	43	53	64	64	64	64
1500-1749	1	29.0		29	29	29	29	29	29	29
1750-2499	23	9.1	60	<1	1	6	13	21	27	28
2500+	525	3.9	5	2	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	566	22.6	991	<1	<1	5	61	85	99	99+
1000-1499	1896	33.6	414	<1	<1	35	47	59	67	88
1500-1749	2438	23.1	131	<1	6	23	29	36	40	53
1750-2499	31107	8.1	42	2	3	6	11	17	21	29
2500+	271455	4.2	5	2	2	4	5	7	8	12
B. *Operated*										
1-999 G	187	52.2	1109	<1	1	71	99	99+	99+	99+
1000-1499	854	46.2	405	1	24	47	61	77	94	99+
1500-1749	542	32.0	236	5	16	31	38	53	66	99+
1750-2499	1932	16.4	130	3	5	15	21	29	36	79
2500+	5584	7.8	63	2	3	6	9	14	20	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741527	3.3	2	1	2	3	4	5	6	8
B. *Operated*	554	4.4	19	2	2	3	5	6	8	26
2. MULTIPLE DX										
A. *Not Operated*	307462	4.9	24	2	2	4	5	7	11	27
B. *Operated*	9099	15.6	310	2	3	8	20	44	62	99+
1. SINGLE DX	742081	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX	316561	5.2	35	2	2	4	6	8	12	34
A. NOT OPERATED	1048989	3.8	9	2	2	3	4	6	7	15
B. OPERATED	9653	14.9	300	2	3	8	19	42	61	99+
TOTAL 1-999 G	1163	20.6	929	<1	<1	4	61	92	99+	99+
1000-1499	2872	36.3	467	<1	1	38	51	65	75	99+
1500-1749	3110	24.2	167	<1	5	24	31	38	45	70
1750-2499	46734	7.2	43	2	2	5	9	16	20	30
2500+	1004763	3.5	4	2	2	3	4	6	7	9
GRAND TOTAL	**1058642**	**3.9**	**13**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	6	5.5	12	2	2	5	8	11	11	11
1000-1499	15	19.5	353	<1	<1	25	36	39	48	51
1500-1749	36	17.3	68	<1	3	18	22	26	28	39
1750-2499	1829	5.4	13	2	2	4	6	9	12	19
2500+	6530	4.6	4	2	2	4	6	7	8	10
B. *Operated*										
1-999 G	1	1.0		<1	<1	<1	<1	<1	<1	<1
1000-1499	2	16.5	481	<1	<1	16	32	32	32	32
1500-1749	1	21.0		21	21	21	21	21	21	21
1750-2499	6	8.2	55	2	2	5	13	20	21	21
2500+	7	4.0	4	<1	<1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	63	23.2	1137	<1	<1	3	73	96	99+	99+
1000-1499	362	34.7	366	<1	<1	36	46	60	67	86
1500-1749	582	23.7	101	5	12	24	29	35	41	58
1750-2499	4494	10.1	43	3	4	8	14	19	23	30
2500+	3249	5.5	7	2	3	5	7	8	10	15
B. *Operated*										
1-999 G	42	45.0	1217	<1	<1	65	88	99+	99+	99+
1000-1499	153	43.0	411	<1	14	45	55	70	84	99+
1500-1749	123	29.6	184	1	15	30	37	44	55	81
1750-2499	250	18.2	153	4	5	17	23	31	36	79
2500+	80	9.4	117	2	3	6	13	16	19	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8416	4.8	8	2	2	4	6	7	9	16
B. *Operated*	17	7.8	78	<1	<1	5	8	21	28	32
2. MULTIPLE DX										
A. *Not Operated*	8750	10.4	101	3	3	7	13	22	30	53
B. *Operated*	648	26.9	433	1	4	23	40	62	78	99+
1. SINGLE DX	8433	4.8	8	2	2	4	6	7	9	16
2. MULTIPLE DX	9398	11.5	141	3	3	7	15	26	36	66
A. NOT OPERATED	17166	7.7	63	2	3	5	8	16	23	43
B. OPERATED	665	26.4	433	1	4	23	39	61	78	99+
TOTAL 1-999 G	112	30.2	1236	<1	<1	10	77	99+	99+	99+
1000-1499	532	36.6	400	<1	<1	38	49	64	72	99+
1500-1749	742	24.4	120	3	12	24	30	37	42	62
1750-2499	6579	9.1	47	3	3	7	12	18	22	30
2500+	9866	4.9	6	2	3	5	6	7	8	13
GRAND TOTAL	**17831**	**8.4**	**90**	**2**	**3**	**5**	**8**	**18**	**27**	**53**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	3	2.3		2	2	2	3	3	3	3
1000-1499	4	15.0	227	<1	<1	15	28	29	29	29
1500-1749	4	15.5	78	3	3	18	21	23	23	23
1750-2499	114	4.3	12	1	2	3	5	10	12	18
2500+	1829	2.8	2	1	1	3	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749										
1750-2499										
2500+	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	3.3	16	<1	<1	8	99+	99+	99+	99+
1000-1499	43	36.5	459	<1	<1	36	51	66	73	81
1500-1749	54	24.0	105	5	13	23	28	37	42	53
1750-2499	351	10.0	61	2	2	8	14	21	25	35
2500+	726	4.5	12	1	2	4	5	8	11	20
B. *Operated*										
1-999 G	6	80.8	106	71	72	90	99+	99+	99+	99+
1000-1499	18	39.2	512	1	1	44	66	99+	99+	99+
1500-1749	11	33.6	127	23	24	31	42	73	96	99+
1750-2499	34	17.2	122	2	3	17	22	27	42	50
2500+	58	9.1	106	1	2	6	10	17	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1954	3.0	4	1	1	3	3	4	6	10
B. *Operated*	5	14.0	553	2	2	4	18	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	1177	8.2	97	1	2	4	9	20	29	53
B. *Operated*	127	21.1	464	1	3	13	36	72	99	99+
1. SINGLE DX	1959	3.0	5	1	1	3	3	4	6	10
2. MULTIPLE DX	1304	9.5	147	1	2	5	11	24	37	79
A. NOT OPERATED	3131	4.9	45	1	1	3	4	10	17	37
B. OPERATED	132	20.8	465	1	3	13	35	72	98	99+
TOTAL 1-999 G	12	41.8	1711	<1	1	75	99+	99+	99+	99+
1000-1499	66	36.2	477	<1	1	39	52	72	83	99+
1500-1749	69	25.0	122	3	13	24	29	41	46	92
1750-2499	499	9.2	64	2	2	6	13	20	25	37
2500+	2617	3.4	8	1	1	3	4	6	8	13
GRAND TOTAL	**3263**	**5.6**	**72**	**1**	**1**	**3**	**5**	**12**	**22**	**52**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	9	2.3	5	1	1	2	2	6	8	8
6-12 YRS	47	3.0	9	<1	<1	2	4	8	10	12
13-19 YRS	96	2.6	4	<1	1	2	3	5	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	12	1.3		<1	<1	1	2	2	2	2
1-5 YRS	131	2.1	10	<1	<1	2	2	3	4	23
6-12 YRS	492	3.2	47	<1	1	2	3	5	7	21
13-19 YRS	3044	2.8	12	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	15	4.2	16	<1	1	3	6	9	14	16
13-19 YRS	36	2.7	28	<1	<1	1	2	4	8	32
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.8	1	1	1	2	2	3	3	3
1-5 YRS	32	2.8	11	<1	1	2	3	5	10	18
6-12 YRS	107	4.0	16	1	1	3	5	9	13	21
13-19 YRS	469	3.9	12	1	1	3	5	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	2.7	6	<1	1	2	3	6	8	12
B. *Operated*	3679	2.9	17	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	54	3.1	23	<1	<1	2	3	6	10	31
B. *Operated*	615	3.9	13	1	1	3	5	7	10	20
1. SINGLE DX	3834	2.8	16	<1	1	2	3	5	6	12
2. MULTIPLE DX	669	3.8	14	1	1	3	4	7	10	21
A. NOT OPERATED	209	2.8	10	<1	<1	2	3	6	9	14
B. OPERATED	4294	3.0	16	<1	1	2	3	5	6	14
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	1.4		<1	<1	1	2	2	3	3
1-5 YRS	175	2.2	10	<1	<1	2	2	3	4	20
6-12 YRS	661	3.4	39	<1	1	2	4	6	8	20
13-19 YRS	3645	3.0	12	<1	1	2	3	5	6	13
GRAND TOTAL	**4503**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

Length of Stay Tables
Operation Groups

1,659 PAS Hospitals, United States, 1979, by Operation

C: Summary of all patients in operation groups

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
					5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS	1609	5.3	29	1	1	4	6	11	16	29
	1-11 MOS	15987	3.4	20	<1	<1	2	4	7	11	22
	1-5 YRS	85120	2.4	12	<1	<1	2	2	4	7	18
	6-12 YRS	127906	2.8	14	<1	1	2	3	5	8	20
	13-19 YRS	293958	3.5	13	1	1	3	4	6	8	17
2. MULTIPLE DX											
	0-27 DYS	1578	17.8	533	1	2	10	35	99+	99+	99+
	1-11 MOS	11704	9.7	214	<1	1	4	10	30	47	85
	1-5 YRS	67131	3.4	35	<1	1	2	2	7	12	33
	6-12 YRS	70054	4.2	44	<1	1	2	4	9	16	35
	13-19 YRS	159667	5.8	58	1	2	4	6	11	17	48
TOT. SINGLE DX		524580	3.2	14	<1	1	2	4	6	8	18
" MULTIPLE DX		310134	5.1	61	1	1	3	5	10	17	49
TOTAL	0-27 DYS	3187	11.5	317	1	2	6	13	63	99+	99+
	1-11 MOS	27691	6.1	112	<1	1	2	6	14	27	65
	1-5 YRS	152251	2.8	23	<1	<1	2	2	5	9	26
	6-12 YRS	197960	3.3	25	<1	1	2	3	6	10	27
	13-19 YRS	453625	4.3	31	1	1	3	5	8	11	30
GRAND TOTAL		**834714**	**3.9**	**32**	**<1**	**1**	**2**	**4**	**7**	**11**	**31**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	[illegible]
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	1.2		<1	1	1	1	2	3	3
1-5 YRS	46	2.3	10	1	1	1	3	4	7	17
6-12 YRS	53	1.6	3	<1	1	1	2	2	5	12
13-19 YRS	29	1.7	2	<1	<1	1	2	3	5	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	4	1.8	2	1	1	1	3	4	4	4
13-19 YRS	24	3.2	17	<1	<1	2	4	5	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		1	1	1	1	1	1	1
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	150	1.8	5	<1	1	1	2	3	5	16
B. *Operated*	30	3.0	14	<1	<1	2	4	5	6	21
1. SINGLE DX	8	1.4	1	1	1	1	1	3	4	4
2. MULTIPLE DX	180	2.0	6	<1	<1	1	2	4	5	17
A. NOT OPERATED	157	1.8	5	<1	1	1	2	3	5	16
B. OPERATED	31	3.0	14	<1	<1	2	4	5	6	21
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	26	1.2		<1	1	1	1	2	2	3
1-5 YRS	47	2.4	10	1	1	1	3	4	7	17
6-12 YRS	59	1.6	3	<1	1	1	2	2	5	11
13-19 YRS	54	2.4	9	<1	<1	1	3	5	6	20
GRAND TOTAL	**188**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	416	3.5	14	1	1	2	4	6	11	20
1-11 MOS	566	2.6	8	<1	<1	2	3	5	7	17
1-5 YRS	1193	2.2	10	<1	<1	1	2	5	6	12
6-12 YRS	1040	3.4	17	<1	<1	2	4	7	10	22
13-19 YRS	3272	2.6	19	<1	<1	1	3	5	8	20
B. *Operated*										
0-27 DYS	6	5.5	69	<1	<1	2	6	20	22	22
1-11 MOS	116	4.6	50	<1	<1	2	6	12	14	41
1-5 YRS	518	2.5	12	<1	<1	1	2	6	9	21
6-12 YRS	667	2.9	31	<1	<1	1	2	6	9	22
13-19 YRS	2073	2.9	11	<1	<1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	207	6.8	60	1	2	4	8	16	24	37
1-11 MOS	344	3.9	46	<1	1	2	4	8	13	26
1-5 YRS	913	2.9	15	<1	<1	1	4	6	8	19
6-12 YRS	1075	4.0	46	<1	<1	2	4	9	14	41
13-19 YRS	2519	4.3	56	<1	1	2	4	8	14	52
B. *Operated*										
0-27 DYS	19	7.5	98	<1	1	3	10	26	33	33
1-11 MOS	107	8.3	90	1	1	5	11	17	25	50
1-5 YRS	301	4.3	46	<1	1	2	5	10	14	45
6-12 YRS	353	4.3	35	<1	1	2	4	10	17	40
13-19 YRS	1074	5.2	74	<1	1	3	5	11	20	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6487	2.7	16	<1	<1	1	3	5	8	19
B. *Operated*	3380	2.9	17	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	5058	4.0	47	<1	<1	2	4	8	13	40
B. *Operated*	1854	5.1	64	<1	1	3	5	11	19	62
1. SINGLE DX	9867	2.7	16	<1	<1	2	3	6	9	19
2. MULTIPLE DX	6912	4.3	52	<1	<1	2	4	9	15	48
A. NOT OPERATED	11545	3.3	30	<1	<1	2	3	6	10	28
B. OPERATED	5234	3.7	35	<1	<1	2	4	8	12	39
TOTAL 0-27 DYS	648	4.7	34	1	1	3	5	11	17	31
1-11 MOS	1133	3.8	34	<1	<1	2	4	8	13	25
1-5 YRS	2925	2.7	16	<1	<1	1	3	5	9	21
6-12 YRS	3135	3.6	32	<1	<1	2	4	8	11	29
13-19 YRS	8938	3.4	35	<1	<1	2	3	7	11	36
GRAND TOTAL	**16779**	**3.4**	**31**	**<1**	**<1**	**2**	**3**	**7**	**11**	**30**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	13.3	154	<1	<1	11	22	31	32	32
1-11 MOS	62	11.5	83	1	2	9	16	25	28	43
1-5 YRS	72	11.8	114	2	2	9	16	30	46	99+
6-12 YRS	106	12.2	95	2	3	11	17	21	26	91
13-19 YRS	162	14.8	197	2	3	11	17	35	51	90
2. MULTIPLE DX										
0-27 DYS	7	20.0	289	3	4	13	35	46	47	47
1-11 MOS	114	20.0	236	3	4	18	27	37	49	95
1-5 YRS	79	16.0	195	2	3	11	26	33	38	66
6-12 YRS	100	18.1	193	3	4	16	22	38	52	84
13-19 YRS	183	23.5	314	4	8	19	31	57	78	99+
TOT. SINGLE DX	408	13.1	139	2	2	11	16	26	41	96
" MULTIPLE DX	483	20.3	257	3	4	17	28	44	61	99+
TOTAL 0-27 DYS	13	16.9	221	<1	2	13	24	41	46	47
1-11 MOS	176	17.0	198	2	3	14	24	35	43	90
1-5 YRS	151	14.0	160	2	2	10	20	32	44	99
6-12 YRS	206	15.1	151	3	4	12	18	29	43	91
13-19 YRS	345	19.4	277	2	4	15	25	49	64	99+
GRAND TOTAL	891	17.0	215	2	3	13	22	37	52	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	10.4	74	1	2	6	17	23	24	24
1-11 MOS	79	8.9	46	3	4	7	11	15	21	41
1-5 YRS	75	9.4	33	3	3	8	13	18	21	28
6-12 YRS	107	10.8	55	3	4	9	14	20	24	39
13-19 YRS	163	14.2	127	3	4	11	18	30	44	94
2. MULTIPLE DX										
0-27 DYS	3	43.0	819	13	13	58	85	99+	99+	99+
1-11 MOS	47	16.4	151	4	4	11	26	35	56	99+
1-5 YRS	84	19.0	324	4	5	14	23	42	67	98
6-12 YRS	110	17.3	276	3	5	12	24	50	94	99+
13-19 YRS	241	24.9	368	5	7	20	40	71	99+	99+
TOT. SINGLE DX	431	11.5	81	3	4	8	15	22	30	52
" MULTIPLE DX	485	21.5	334	4	6	16	33	66	99+	99+
TOTAL 0-27 DYS	10	20.2	479	1	3	15	40	82	98	99+
1-11 MOS	126	11.7	97	3	4	8	13	29	36	99+
1-5 YRS	159	14.5	209	3	4	9	18	30	42	94
6-12 YRS	217	14.1	177	3	4	10	17	32	50	99+
13-19 YRS	404	20.6	298	4	6	16	32	57	99+	99+
GRAND TOTAL	916	16.8	240	3	5	11	22	44	69	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	5.8	9	2	2	6	8	9	9	9
1-11 MOS	166	6.7	13	2	3	6	8	10	13	22
1-5 YRS	125	6.6	29	2	2	5	8	11	15	31
6-12 YRS	184	6.2	24	2	2	5	8	10	14	33
13-19 YRS	196	7.1	47	2	3	6	9	11	14	41
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	56	10.1	31	3	4	9	13	18	19	28
1-5 YRS	78	11.9	163	2	3	8	12	30	35	69
6-12 YRS	126	8.4	91	2	3	7	9	15	23	95
13-19 YRS	255	13.4	219	2	3	9	16	31	65	99+
TOT. SINGLE DX	675	6.6	29	2	3	6	8	10	14	28
" MULTIPLE DX	516	11.6	162	2	3	8	13	25	38	99+
TOTAL 0-27 DYS	5	7.0	15	2	2	7	10	12	12	12
1-11 MOS	222	7.6	20	2	3	7	9	13	17	24
1-5 YRS	203	8.7	87	2	3	6	10	15	28	57
6-12 YRS	310	7.1	52	2	2	6	8	11	18	36
13-19 YRS	451	10.7	154	2	3	7	12	21	39	99+
GRAND TOTAL	1191	8.8	93	2	3	7	10	16	25	75

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	21	10.2	60	3	3	9	13	18	27	36
1-11 MOS	124	10.5	74	3	4	8	13	20	25	51
1-5 YRS	50	9.2	37	3	4	8	11	17	28	99
6-12 YRS	32	10.1	28	4	4	9	15	18	19	22
13-19 YRS	44	10.9	30	4	5	10	14	18	20	28
2. MULTIPLE DX										
0-27 DYS	23	27.3	375	5	7	39	99+	99+	99+	99+
1-11 MOS	137	21.9	360	4	5	16	36	66	99+	99+
1-5 YRS	77	15.6	155	4	4	13	20	30	50	93
6-12 YRS	83	20.7	410	4	5	12	29	52	78	98
13-19 YRS	93	17.6	250	4	5	14	23	54	97	99+
TOT. SINGLE DX	271	10.2	53	3	4	8	13	18	23	44
" MULTIPLE DX	413	19.8	314	4	5	14	31	62	99+	99+
TOTAL 0-27 DYS	44	19.1	293	3	5	17	53	99+	99+	99+
1-11 MOS	261	16.5	256	3	4	10	22	44	70	99+
1-5 YRS	127	13.1	118	3	4	10	16	26	39	99+
6-12 YRS	115	17.7	325	4	5	[illegible]	19	46	61	95
13-19 YRS	137	15.4	189	4	5	12	18	35	65	99+
GRAND TOTAL	684	16.0	232	3	4	11	20	46	75	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	5.4	9	2	2	5	7	10	10	10
1-11 MOS	152	8.6	53	2	3	7	10	15	23	42
1-5 YRS	231	7.0	50	1	2	5	8	14	17	39
6-12 YRS	157	8.6	99	2	3	6	10	15	21	65
13-19 YRS	138	12.1	130	1	2	9	17	27	42	99+
2. MULTIPLE DX										
0-27 DYS	5	28.4	255	9	10	35	87	99+	99+	99+
1-11 MOS	250	15.5	245	2	3	10	19	37	47	79
1-5 YRS	296	11.9	156	2	3	7	16	26	35	92
6-12 YRS	222	11.6	123	2	3	8	14	30	41	73
13-19 YRS	227	18.4	295	3	4	14	29	54	99+	99+
TOT. SINGLE DX	683	8.7	81	2	2	6	10	17	24	51
" MULTIPLE DX	1000	14.3	211	2	3	9	19	36	51	99+
TOTAL 0-27 DYS	10	16.9	264	2	3	13	42	99+	99+	99+
1-11 MOS	402	12.9	183	2	3	8	15	29	40	71
1-5 YRS	527	9.7	115	2	2	6	12	22	30	75
6-12 YRS	379	10.4	115	2	3	7	12	22	39	65
13-19 YRS	365	16.0	241	2	3	11	24	45	86	99+
GRAND TOTAL	1683	12.0	165	2	3	8	15	30	44	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	11.6	48	2	2	13	15	21	21	21
1-11 MOS	8	7.6	24	2	2	10	13	66	99+	99+
1-5 YRS	10	6.3	22	1	2	5	7	14	17	17
6-12 YRS	13	11.9	53	5	7	9	13	25	30	31
13-19 YRS	97	14.2	103	5	6	12	16	27	36	54
2. MULTIPLE DX										
0-27 DYS	1	52.0		52	52	52	52	52	52	52
1-11 MOS	7	6.1	27	1	1	4	10	14	15	15
1-5 YRS	7	15.6	124	4	4	16	18	33	37	37
6-12 YRS	19	19.8	339	4	6	13	22	52	63	68
13-19 YRS	96	26.9	424	6	8	19	44	63	72	99+
TOT. SINGLE DX	133	12.9	90	3	5	11	15	25	33	62
" MULTIPLE DX	130	24.3	403	4	6	16	36	59	69	99+
TOTAL 0-27 DYS	6	18.3	310	2	3	13	21	49	52	52
1-11 MOS	15	6.9	24	1	2	6	12	15	74	99+
1-5 YRS	17	10.1	81	2	3	5	16	19	31	37
6-12 YRS	32	16.6	233	5	6	11	17	41	55	68
13-19 YRS	193	20.5	301	6	6	14	26	51	63	94
GRAND TOTAL	263	18.6	276	4	5	13	22	47	60	97

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	15.5	170	3	4	11	19	38	40	40
1-11 MOS	22	6.8	30	1	2	5	12	14	17	20
1-5 YRS	23	8.1	37	2	3	7	10	15	23	28
6-12 YRS	29	8.7	33	1	2	8	12	17	21	22
13-19 YRS	94	13.3	178	1	2	9	18	28	38	70
2. MULTIPLE DX										
0-27 DYS	11	30.5	483	8	11	27	41	91	99	99+
1-11 MOS	34	15.3	190	3	4	12	23	42	89	99+
1-5 YRS	22	16.1	407	1	2	8	19	43	63	88
6-12 YRS	45	15.1	246	2	3	11	19	26	39	83
13-19 YRS	150	20.3	265	3	5	16	26	44	57	93
TOT. SINGLE DX	174	11.1	122	1	2	8	14	23	30	61
" MULTIPLE DX	262	18.8	280	3	4	15	24	42	63	99+
TOTAL 0-27 DYS	17	25.2	409	5	9	21	33	76	95	99+
1-11 MOS	56	12.0	143	2	2	9	15	33	56	99+
1-5 YRS	45	12.0	230	1	3	8	14	26	43	88
6-12 YRS	74	12.6	170	2	2	9	16	23	26	81
13-19 YRS	244	17.6	242	2	3	14	22	36	55	82
GRAND TOTAL	436	15.8	231	2	3	12	21	33	52	94

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	30	3.4	12	1	1	2	4	5	11	19
6-12 YRS	51	3.3	5	<1	1	3	4	6	10	10
13-19 YRS	293	3.1	5	<1	1	2	4	6	8	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	6.0	3	4	4	6	7	8	8	8
1-5 YRS	20	3.9	4	1	1	4	5	7	8	8
6-12 YRS	31	9.1	135	2	2	4	15	37	91	99+
13-19 YRS	136	4.2	32	1	1	3	4	8	15	99+
TOT. SINGLE DX	376	3.1	5	<1	1	2	4	6	9	12
" MULTIPLE DX	191	5.0	48	1	1	3	5	9	27	99+
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	5.2	5	2	2	6	7	8	8	8
1-5 YRS	50	3.6	9	1	1	3	4	7	8	19
6-12 YRS	82	5.5	61	<1	1	3	6	14	35	99+
13-19 YRS	429	3.4	13	1	1	2	4	7	9	39
GRAND TOTAL	567	3.8	20	1	1	3	4	7	10	45

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	9	3.6	7	1	1	3	4	8	8	8
1-5 YRS	36	2.3	3	<1	1	2	3	5	7	7
6-12 YRS	147	3.3	57	1	1	2	3	5	7	15
13-19 YRS	734	2.9	8	1	1	2	3	5	6	19
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	8	4.8	8	1	2	4	6	9	10	10
1-5 YRS	63	3.2	20	1	1	2	3	6	10	26
6-12 YRS	155	2.7	9	1	1	2	3	4	9	17
13-19 YRS	704	3.2	9	1	1	2	4	6	8	21
TOT. SINGLE DX	929	3.0	16	1	1	2	3	5	6	16
" MULTIPLE DX	932	3.1	10	1	1	2	3	6	9	21
TOTAL 0-27 DYS	5	2.0	2	1	1	2	3	4	4	4
1-11 MOS	17	4.1	7	1	1	3	6	8	9	10
1-5 YRS	99	2.9	14	1	1	2	3	6	7	26
6-12 YRS	302	3.0	33	1	1	2	3	5	8	15
13-19 YRS	1438	3.0	9	1	1	2	3	5	7	21
GRAND TOTAL	**1861**	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**21**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS	3	5.3	4	3	3	6	7	7	7	7
13-19 YRS	20	9.0	102	1	1	7	10	15	32	48
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	21	6.2	6	3	3	6	8	10	11	11
TOT. SINGLE DX	24	8.6	87	1	2	7	10	14	26	48
" MULTIPLE DX	25	6.1	5	3	3	6	7	10	10	11
TOTAL 0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	5	5.2	4	3	3	6	7	7	7	7
13-19 YRS	41	7.6	53	2	3	6	9	11	15	48
GRAND TOTAL	**49**	**7.3**	**46**	**2**	**3**	**6**	**9**	**11**	**14**	**48**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	21	5.1	24	1	1	4	6	13	18	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.5	12	1	1	2	5	9	10	10
6-12 YRS	8	9.4	146	<1	<1	3	18	29	29	29
13-19 YRS	25	5.9	83	<1	1	2	4	21	27	39
TOT. SINGLE DX	25	4.8	21	1	1	4	5	9	18	19
" MULTIPLE DX	39	6.3	84	<1	1	2	6	22	29	39
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	7	3.3	11	1	1	2	4	9	10	10
6-12 YRS	11	7.7	111	<1	1	3	8	28	29	29
13-19 YRS	46	5.6	55	1	1	3	5	17	21	39
GRAND TOTAL	**64**	**5.7**	**59**	**1**	**1**	**3**	**5**	**18**	**24**	**38**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.0	3	3	3	6	6	6	5	6
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	19	4.1	6	1	1	4	5	7	9	11
6-12 YRS	68	4.1	5	2	2	4	5	6	9	13
13-19 YRS	626	4.9	9	2	3	4	5	7	9	19
2. MULTIPLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	19.0	512	3	3	19	35	35	35	35
1-5 YRS	6	8.5	94	2	2	3	14	25	26	26
6-12 YRS	25	6.6	12	2	3	6	8	11	13	18
13-19 YRS	208	7.1	45	3	3	5	7	13	18	45
TOT. SINGLE DX	718	4.8	9	2	3	4	5	7	9	18
" MULTIPLE DX	243	7.1	45	3	3	5	8	13	18	42
TOTAL 0-27 DYS	5	4.2	3	2	2	4	6	6	6	6
1-11 MOS	4	10.5	267	2	2	3	19	35	35	35
1-5 YRS	25	5.1	28	1	1	4	5	11	17	26
6-12 YRS	93	4.8	8	2	2	4	6	9	11	16
13-19 YRS	834	5.5	19	3	3	4	6	8	12	24
GRAND TOTAL	961	5.4	19	2	3	4	6	8	12	24

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	18	3.5	3	2	2	3	4	7	7	7
1-5 YRS	369	2.5	3	1	1	2	3	4	5	12
6-12 YRS	335	2.8	2	1	1	3	3	4	5	7
13-19 YRS	348	3.2	5	1	2	3	4	5	7	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	6.6	20	2	2	6	8	14	15	15
1-5 YRS	34	2.4	2	<1	1	2	2	4	6	9
6-12 YRS	44	4.5	14	2	2	3	5	9	13	19
13-19 YRS	70	6.7	58	2	2	4	7	14	20	45
TOT. SINGLE DX	1070	2.8	4	1	1	2	3	4	5	12
" MULTIPLE DX	155	5.1	34	1	2	3	6	11	15	32
TOTAL 0-27 DYS										
1-11 MOS	25	4.4	9	2	2	3	6	7	10	15
1-5 YRS	403	2.5	3	1	1	2	3	4	5	11
6-12 YRS	379	3.0	4	1	1	3	3	5	6	13
13-19 YRS	418	3.8	15	1	2	3	4	6	9	19
GRAND TOTAL	1225	3.1	8	1	1	3	3	5	7	15

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	9.0	42	2	2	6	16	18	18	18
1-5 YRS	5	8.0	16	2	2	10	11	12	12	12
6-12 YRS	10	9.7	19	3	3	9	12	16	17	17
13-19 YRS	49	10.1	55	3	4	9	12	16	24	49
2. MULTIPLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	2	23.0	18	20	20	23	26	26	26	26
1-5 YRS	6	12.3	47	6	6	11	14	24	25	25
6-12 YRS	3	13.7	52	9	9	16	61	99+	99+	99+
13-19 YRS	24	15.4	104	5	7	13	19	34	62	99+
TOT. SINGLE DX	71	9.8	45	2	4	9	12	16	18	44
" MULTIPLE DX	36	15.1	84	6	7	13	19	33	79	99+
TOTAL 0-27 DYS	2	11.0	32	7	7	11	15	15	15	15
1-11 MOS	8	12.5	74	2	3	11	19	24	26	26
1-5 YRS	11	10.4	35	2	4	10	12	18	24	25
6-12 YRS	13	10.6	26	3	4	10	15	30	84	99+
13-19 YRS	73	11.8	76	4	5	10	14	20	34	88
GRAND TOTAL	107	11.6	64	3	4	10	15	21	32	99+

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	97	1.4		<1	<1	1	2	2	3	4
1-5 YRS	473	1.5	18	<1	<1	1	2	2	2	4
6-12 YRS	341	1.4	1	<1	<1	1	2	2	3	4
13-19 YRS	222	1.7	1	<1	<1	2	2	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	13	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	69	3.7	127	<1	<1	1	2	4	8	71
6-12 YRS	36	2.4	12	<1	<1	2	3	3	5	22
13-19 YRS	59	4.1	43	<1	1	2	3	8	20	36
TOT. SINGLE DX	1134	1.5	8	<1	<1	1	2	2	3	4
" MULTIPLE DX	177	3.4	66	<1	<1	2	3	4	9	55
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	110	1.4		<1	<1	1	2	2	3	4
1-5 YRS	542	1.8	32	<1	<1	1	2	2	3	8
6-12 YRS	377	1.5	2	<1	<1	1	2	2	3	5
13-19 YRS	281	2.2	10	<1	<1	2	2	3	5	22
GRAND TOTAL	**1311**	**1.8**	**16**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	33	2.6	7	<1	1	2	3	5	10	12
1-5 YRS	625	1.9	2	<1	1	2	2	3	4	8
6-12 YRS	470	2.1	1	<1	1	2	2	3	4	7
13-19 YRS	351	2.2	3	<1	1	2	3	4	4	7
2. MULTIPLE DX										
0-27 DYS	4	5.3	52	1	1	2	9	16	16	16
1-11 MOS	14	3.4	25	1	1	2	3	8	17	20
1-5 YRS	257	3.0	15	1	1	2	3	6	8	21
6-12 YRS	286	2.8	8	1	1	2	3	5	7	18
13-19 YRS	821	3.7	29	1	1	2	4	7	10	31
TOT. SINGLE DX	1482	2.0	2	<1	1	2	2	3	4	7
" MULTIPLE DX	1382	3.4	22	1	1	2	4	6	[illegible]	25
TOTAL 0-27 DYS	7	3.4	31	<1	<1	1	3	13	16	16
1-11 MOS	47	2.9	12	<1	1	2	3	6	11	20
1-5 YRS	882	2.2	6	<1	1	2	2	4	5	11
6-12 YRS	756	2.3	4	<1	1	2	3	4	5	10
13-19 YRS	1172	3.2	22	<1	1	2	4	6	8	24
GRAND TOTAL	**2864**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	10	2.3	10	<1	<1	1	2	7	11	11
1-5 YRS	93	2.0	4	<1	<1	2	2	3	4	13
6-12 YRS	87	2.0	1	<1	1	2	2	3	4	7
13-19 YRS	79	2.2	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	6	2.2	4	1	1	2	2	6	6	6
1-5 YRS	40	2.6	3	<1	<1	2	3	5	6	11
6-12 YRS	31	3.5	8	1	1	2	4	8	9	13
13-19 YRS	53	3.3	4	1	1	3	4	6	8	9
TOT. SINGLE DX	271	2.1	2	<1	1	2	2	3	4	8
" MULTIPLE DX	131	3.1	5	1	1	2	4	6	8	11
TOTAL 0-27 DYS	3	6.0	16	2	2	6	9	10	10	10
1-11 MOS	16	2.3	7	<1	<1	1	2	6	9	11
1-5 YRS	133	2.2	4	<1	<1	2	2	3	5	12
6-12 YRS	118	2.4	3	<1	1	2	3	4	7	10
13-19 YRS	132	2.7	3	1	1	2	3	4	6	9
GRAND TOTAL	**402**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	56	1.5		<1	<1	1	2	2	2	2
6-12 YRS	98	1.7	2	1	1	1	2	3	4	9
13-19 YRS	66	2.1	3	<1	<1	2	2	3	4	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	22	2.1	3	<1	1	2	2	4	7	8
6-12 YRS	21	3.6	8	1	1	2	5	8	10	[illegible]
13-19 YRS	32	3.8	18	1	1	2	4	6	12	[illegible]
TOT. SINGLE DX	222	1.8	2	<1	<1	2	2	2	3	9
" MULTIPLE DX	78	3.2	11	1	1	2	4	6	9	20
TOTAL 0-27 DYS										
1-11 MOS	5	1.8	1	<1	<1	2	2	3	3	3
1-5 YRS	78	1.6	1	<1	<1	1	2	2	3	7
6-12 YRS	119	2.1	3	1	1	2	2	4	7	10
13-19 YRS	98	2.6	9	<1	1	2	2	5	7	18
GRAND TOTAL	**300**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**4**	**6**	**11**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	7	6.6	9	3	3	6	9	11	11	11
6-12 YRS	19	5.4	11	2	3	4	8	12	57	99+
13-19 YRS	61	4.8	5	2	2	5	6	7	9	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	4.8	6	2	2	4	6	8	8	8
1-5 YRS	9	7.8	25	2	3	6	16	58	99+	99+
6-12 YRS	19	6.0	12	1	2	5	9	11	12	13
13-19 YRS	38	5.8	8	3	3	5	7	9	12	14
TOT. SINGLE DX	89	5.1	6	2	3	5	6	8	11	66
" MULTIPLE DX	70	6.1	11	2	3	5	8	11	14	82
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	5.4	7	2	2	5	8	8	8	8
1-5 YRS	16	7.3	18	2	3	6	10	16	71	99+
6-12 YRS	38	5.7	11	2	3	5	8	11	14	99+
13-19 YRS	99	5.2	6	2	3	5	6	8	10	14
GRAND TOTAL	**159**	**5.5**	**9**	**2**	**3**	**5**	**7**	**10**	**13**	**90**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	2.6	4	<1	<1	2	4	6	6	6
1-5 YRS	121	3.5	7	<1	1	3	4	7	9	13
6-12 YRS	156	3.4	6	<1	1	3	5	7	8	10
13-19 YRS	195	3.7	7	1	1	3	5	7	10	14
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	10.3	89	2	2	6	19	24	25	25
1-5 YRS	75	5.3	21	1	2	4	7	10	13	83
6-12 YRS	127	5.0	10	2	2	5	6	9	10	15
13-19 YRS	147	4.9	12	1	2	4	6	8	10	19
TOT. SINGLE DX	480	3.5	7	<1	1	3	5	7	9	13
" MULTIPLE DX	356	5.1	14	1	2	4	6	9	11	25
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	13	6.2	55	<1	<1	4	6	20	24	25
1-5 YRS	196	4.2	13	<1	1	4	5	8	10	26
6-12 YRS	283	4.1	8	1	1	3	5	8	9	13
13-19 YRS	342	4.2	9	1	1	4	6	8	10	15
GRAND TOTAL	**836**	**4.2**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	47	2.9	6	<1	1	2	3	6	10	11
1-5 YRS	39	2.5	2	<1	1	2	3	4	6	7
6-12 YRS	27	3.4	6	1	2	2	4	6	9	12
13-19 YRS	68	3.6	6	2	2	3	4	6	7	17
2. MULTIPLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	18	3.8	17	1	1	2	5	9	14	17
1-5 YRS	9	7.4	33	2	2	4	12	16	17	17
6-12 YRS	33	3.5	6	1	1	3	4	8	9	10
13-19 YRS	49	4.7	30	1	1	4	5	8	11	37
TOT. SINGLE DX	184	3.2	5	1	1	3	4	5	7	12
" MULTIPLE DX	111	4.4	21	1	1	3	5	9	11	25
TOTAL 0-27 DYS	5	3.8	5	1	1	5	5	6	6	6
1-11 MOS	65	3.1	9	<1	1	2	3	6	10	16
1-5 YRS	48	3.5	11	1	1	3	3	7	11	17
6-12 YRS	60	3.5	6	1	1	3	4	7	9	12
13-19 YRS	117	4.1	16	1	2	3	5	7	9	24
GRAND TOTAL	**295**	**3.6**	**12**	**1**	**1**	**3**	**4**	**7**	**10**	**17**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	13.5	85	7	7	13	20	20	20	20
1-11 MOS	8	2.6	5	1	1	2	3	7	8	8
1-5 YRS	51	3.2	6	1	1	3	4	7	9	10
6-12 YRS	85	5.2	19	1	1	4	7	10	14	21
13-19 YRS	115	4.9	26	1	1	3	6	11	16	28
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	2.1	1	1	1	2	3	4	4	4
1-5 YRS	46	5.4	18	1	2	4	7	13	15	18
6-12 YRS	98	6.1	16	2	2	5	8	13	14	19
13-19 YRS	108	6.5	29	1	2	5	9	12	16	30
TOT. SINGLE DX	261	4.7	20	1	1	3	6	10	14	21
" MULTIPLE DX	260	6.0	22	1	2	5	8	12	14	21
TOTAL 0-27 DYS	2	13.5	85	7	7	13	20	20	20	20
1-11 MOS	16	2.4	3	1	1	2	3	4	7	8
1-5 YRS	97	4.2	13	1	1	3	5	9	12	17
6-12 YRS	183	5.7	18	1	1	5	8	12	14	21
13-19 YRS	223	5.7	28	1	2	4	7	11	16	27
GRAND TOTAL	**521**	**5.3**	**22**	**1**	**1**	**4**	**7**	**11**	**14**	**21**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	22	3.1	7	1	1	2	4	6	10	12
1-5 YRS	17	1.9	1	<1	1	2	2	3	4	4
6-12 YRS	16	4.1	7	2	2	3	5	7	10	12
13-19 YRS	47	4.1	13	2	2	3	5	6	9	23
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	4.0	12	1	1	3	5	9	13	13
1-5 YRS	10	4.6	16	2	2	3	5	11	14	14
6-12 YRS	16	3.4	5	1	2	3	4	7	9	10
13-19 YRS	30	4.1	7	2	2	4	5	6	11	15
TOT. SINGLE DX	103	3.5	9	1	1	3	4	6	8	19
" MULTIPLE DX	68	4.0	8	2	2	3	5	7	11	15
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	33	3.4	9	1	1	3	4	7	12	13
1-5 YRS	27	2.9	8	1	1	2	3	5	10	14
6-12 YRS	32	3.7	6	2	2	3	5	7	10	12
13-19 YRS	77	4.1	11	2	2	3	5	6	10	21
GRAND TOTAL	**171**	**3.7**	**9**	**1**	**2**	**3**	**4**	**6**	**10**	**15**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	54	2.6	3	1	1	2	3	4	6	12
1-5 YRS	151	2.7	6	1	1	2	3	5	6	12
6-12 YRS	245	2.6	2	1	1	2	3	4	5	11
13-19 YRS	248	2.8	4	1	1	2	3	4	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	54	4.2	11	1	2	3	6	8	11	16
1-5 YRS	67	3.4	14	1	2	2	4	5	8	26
6-12 YRS	126	3.5	12	1	1	3	4	5	9	19
13-19 YRS	155	3.8	33	1	2	3	4	6	10	32
TOT. SINGLE DX	698	2.7	4	1	1	2	3	4	6	12
" MULTIPLE DX	402	3.7	20	1	2	3	4	6	9	22
TOTAL 0-27 DYS										
1-11 MOS	108	3.4	8	1	1	2	4	7	8	15
1-5 YRS	218	2.9	9	1	1	2	3	5	7	16
6-12 YRS	371	2.9	6	1	1	2	3	4	5	14
13-19 YRS	403	3.2	15	1	1	2	3	5	7	13
GRAND TOTAL	**1100**	**3.1**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	6	2.8	1	2	2	3	3	4	4	4
6-12 YRS	10	3.4	9	<1	<1	2	4	8	11	11
13-19 YRS	10	2.2		2	2	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	3.8	9	<1	<1	3	6	9	9	9
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	6	4.0	9	2	2	3	4	9	10	10
TOT. SINGLE DX	28	2.8	3	1	2	2	3	4	6	11
" MULTIPLE DX	17	3.6	7	<1	1	3	4	8	10	10
TOTAL 0-27 DYS										
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	12	3.3	5	<1	1	3	4	7	9	9
6-12 YRS	14	3.1	7	<1	1	2	4	6	10	11
13-19 YRS	16	2.9	4	2	2	2	3	4	8	10
GRAND TOTAL	**45**	**3.1**	**5**	**1**	**2**	**2**	**3**	**5**	**9**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	6	3.2	3	2	2	3	4	6	6	6
6-12 YRS	115	5.0	6	1	2	5	6	8	10	14
13-19 YRS	269	5.3	12	1	2	5	6	9	12	15
2. MULTIPLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	7	13.0	131	6	6	8	14	33	38	38
1-5 YRS	20	4.7	4	1	2	5	6	7	8	9
6-12 YRS	65	4.9	12	1	1	4	7	8	13	18
13-19 YRS	155	5.8	14	2	2	5	7	10	14	22
TOT. SINGLE DX	392	5.2	10	1	2	5	6	9	11	15
" MULTIPLE DX	249	5.7	17	2	2	5	7	9	13	22
TOTAL 0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	9	10.9	116	3	3	7	11	29	38	38
1-5 YRS	26	4.3	4	1	2	4	6	7	8	9
6-12 YRS	180	4.9	8	1	2	5	6	8	10	16
13-19 YRS	424	5.5	13	2	2	5	7	9	12	18
GRAND TOTAL	**641**	**5.4**	**13**	**1**	**2**	**5**	**6**	**9**	**12**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	2.3	2	<1	<1	2	3	5	5	5
1-5 YRS	18	3.2	5	1	1	3	4	6	9	10
6-12 YRS	27	4.2	11	<1	1	3	6	9	13	13
13-19 YRS	48	4.4	15	1	1	4	5	7	9	27
2. MULTIPLE DX										
0-27 DYS	2	46.5	3785	3	3	46	90	90	90	90
1-11 MOS	7	6.3	47	1	1	4	7	18	21	21
1-5 YRS	21	5.0	9	1	2	5	6	8	12	15
6-12 YRS	42	5.2	15	2	2	4	7	13	14	17
13-19 YRS	54	5.1	22	2	2	4	5	8	9	33
TOT. SINGLE DX	101	4.0	11	<1	1	3	5	7	9	20
" MULTIPLE DX	126	5.9	75	2	2	4	6	9	14	47
TOTAL 0-27 DYS	3	32.3	2494	3	3	4	68	90	90	90
1-11 MOS	14	4.3	27	<1	<1	3	4	9	18	21
1-5 YRS	39	4.2	8	1	1	3	5	7	10	15
6-12 YRS	69	4.8	14	1	1	4	6	12	13	16
13-19 YRS	102	4.8	19	1	2	4	5	7	9	30
GRAND TOTAL	**227**	**5.0**	**48**	**1**	**2**	**4**	**5**	**8**	**13**	**29**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	514	1.6		<1	1	2	2	2	2	3
1-5 YRS	5580	1.8	5	<1	1	2	2	2	2	4
6-12 YRS	3436	1.9	6	1	1	2	2	2	2	7
13-19 YRS	1626	2.0	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	66	1.8	2	1	1	2	2	2	3	12
1-5 YRS	1002	1.9	3	1	1	2	2	2	3	7
6-12 YRS	741	2.1	4	1	1	2	2	2	3	12
13-19 YRS	454	2.2	7	1	1	2	2	3	3	11
TOT. SINGLE DX	11158	1.8	4	<1	1	2	2	2	2	4
" MULTIPLE DX	2263	2.0	4	1	1	2	2	2	3	8
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	580	1.6	1	<1	1	2	2	2	2	3
1-5 YRS	6582	1.8	4	<1	1	2	2	2	2	4
6-12 YRS	4177	1.9	5	1	1	2	2	2	3	7
13-19 YRS	2080	2.0	3	1	1	2	2	2	3	5
GRAND TOTAL	**13421**	**1.9**	**4**	**<1**	**1**	**2**	**2**	**2**	**2**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	2.8	8	<1	<1	1	4	7	7	7
1-5 YRS	19	1.8		<1	1	2	2	3	3	3
6-12 YRS	21	2.1	4	<1	1	2	2	3	7	10
13-19 YRS	7	4.9	71	<1	<1	2	2	20	24	24
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.0		1	1	2	2	3	3	3
6-12 YRS	9	2.7	3	2	2	2	3	5	7	7
13-19 YRS	11	3.5	5	2	2	3	4	7	10	10
TOT. SINGLE DX	51	2.4	12	<1	1	2	2	3	7	24
" MULTIPLE DX	29	2.8	3	1	2	2	3	4	7	10
TOTAL 0-27 DYS										
1-11 MOS	4	2.8	8	<1	<1	1	4	7	7	7
1-5 YRS	28	1.9		1	1	2	2	3	3	3
6-12 YRS	30	2.3	3	1	1	2	2	4	7	10
13-19 YRS	18	4.0	29	<1	1	2	3	8	18	24
GRAND TOTAL	**80**	**2.6**	**9**	**<1**	**1**	**2**	**2**	**4**	**7**	**20**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	34	1.6		<1	<1	1	2	2	3	3
1-5 YRS	166	2.4	4	<1	1	2	3	5	7	10
6-12 YRS	200	3.4	10	<1	1	2	4	8	10	19
13-19 YRS	273	3.4	6	1	1	3	4	6	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	15	2.1	2	<1	1	2	3	5	5	5
1-5 YRS	76	3.8	12	1	1	3	5	8	12	17
6-12 YRS	115	4.4	12	1	2	3	5	9	11	17
13-19 YRS	213	5.5	26	1	2	4	6	11	16	27
TOT. SINGLE DX	673	3.1	7	<1	1	2	4	6	9	16
" MULTIPLE DX	419	4.8	19	1	1	3	6	10	14	23
TOTAL 0-27 DYS										
1-11 MOS	49	1.7	1	<1	<1	2	2	3	3	5
1-5 YRS	242	2.9	7	<1	1	2	3	6	8	16
6-12 YRS	315	3.8	11	1	1	3	5	8	10	19
13-19 YRS	486	4.3	16	1	2	3	5	9	11	22
GRAND TOTAL	**1092**	**3.7**	**12**	**1**	**1**	**3**	**4**	**8**	**10**	**19**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	64	1.5	1	<1	<1	1	2	2	3	86
1-5 YRS	572	2.0	2	<1	<1	2	2	3	4	8
6-12 YRS	920	2.2	4	<1	1	2	2	3	5	9
13-19 YRS	612	2.2	5	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	4	16.3	322	4	4	10	28	42	42	42
1-11 MOS	27	3.6	8	<1	<1	2	6	8	9	10
1-5 YRS	157	3.0	12	<1	1	2	3	7	12	20
6-12 YRS	298	3.1	15	<1	1	2	3	6	8	21
13-19 YRS	722	3.9	20	1	1	3	4	7	9	21
TOT. SINGLE DX	2170	2.1	4	<1	<1	2	2	3	4	8
" MULTIPLE DX	1208	3.6	18	1	1	3	4	7	9	21
TOTAL 0-27 DYS	6	12.7	225	4	4	6	15	39	42	42
1-11 MOS	91	2.1	4	<1	<1	1	2	5	8	62
1-5 YRS	729	2.2	4	<1	<1	2	2	4	6	13
6-12 YRS	1218	2.4	7	<1	1	2	2	4	6	12
13-19 YRS	1334	3.1	13	<1	1	2	3	5	7	17
GRAND TOTAL	3378	2.6	9	<1	1	2	3	4	7	16

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	13	2.4	3	<1	<1	2	3	4	7	8
6-12 YRS	89	3.1	43	1	1	2	3	3	5	41
13-19 YRS	194	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.4		<1	<1	1	2	2	2	2
6-12 YRS	62	2.2		1	2	2	2	3	3	5
13-19 YRS	83	2.4	2	1	1	2	3	4	5	8
TOT. SINGLE DX	300	2.6	13	1	1	2	3	3	4	8
" MULTIPLE DX	158	2.2	1	1	1	2	3	3	4	8
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	25	1.9	2	<1	<1	2	2	3	4	8
6-12 YRS	151	2.7	25	1	1	2	3	3	4	8
13-19 YRS	277	2.4	1	1	1	2	3	3	4	7
GRAND TOTAL	458	2.5	9	1	1	2	3	3	4	8

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.4		2	2	2	3	3	3	3
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	291	1.9	1	<1	1	2	2	3	3	4
6-12 YRS	1514	2.1	1	1	1	2	2	3	3	4
13-19 YRS	1419	2.3	2	1	1	2	3	3	3	6
2. MULTIPLE DX										
0-27 DYS	4	2.8	1	2	2	3	3	4	4	4
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	177	2.2	2	<1	1	2	2	3	4	8
6-12 YRS	1028	2.3	1	1	1	2	3	3	4	5
13-19 YRS	1088	2.5	3	1	2	2	3	3	4	8
TOT. SINGLE DX	3231	2.1	2	1	1	2	2	3	3	5
" MULTIPLE DX	2300	2.4	2	1	1	2	3	3	4	7
TOTAL 0-27 DYS	9	2.6	1	2	2	2	3	4	4	4
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	468	2.0	1	<1	1	2	2	3	3	6
6-12 YRS	2542	2.2	1	1	1	2	2	3	3	5
13-19 YRS	2507	2.4	2	1	1	2	3	3	4	7
GRAND TOTAL	5531	2.2	2	1	1	2	2	3	4	6

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	25	3.6	30	<1	<1	1	3	10	17	24
1-11 MOS	1716	1.3	2	<1	<1	1	1	1	3	8
1-5 YRS	10477	1.2	2	<1	<1	1	1	1	2	4
6-12 YRS	6522	1.2	4	<1	<1	1	1	2	2	3
13-19 YRS	882	1.4	2	<1	<1	1	2	2	2	9
2. MULTIPLE DX										
0-27 DYS	26	5.5	20	<1	1	5	8	12	15	18
1-11 MOS	726	5.3	38	<1	<1	4	7	12	15	25
1-5 YRS	6635	1.8	5	<1	<1	1	2	2	4	11
6-12 YRS	4087	1.7	4	<1	<1	1	2	2	3	8
13-19 YRS	540	2.2	8	<1	<1	2	2	3	5	20
TOT. SINGLE DX	19622	1.2	3	<1	<1	1	1	1	2	5
" MULTIPLE DX	12014	2.0	8	<1	<1	1	2	3	6	13
TOTAL 0-27 DYS	51	4.6	25	<1	<1	2	7	11	15	24
1-11 MOS	2442	2.5	16	<1	<1	1	2	6	10	19
1-5 YRS	17112	1.4	3	<1	<1	1	1	2	2	8
6-12 YRS	10609	1.4	4	<1	<1	1	1	2	2	6
13-19 YRS	1422	1.7	5	<1	<1	1	2	2	4	14
GRAND TOTAL	31636	1.5	5	<1	<1	1	1	2	3	10

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	5.0	14	2	2	4	5	11	12	12
1-5 YRS	91	4.2	98	1	1	2	3	7	10	64
6-12 YRS	386	2.8	3	1	2	2	3	4	5	10
13-19 YRS	404	2.9	3	1	2	3	3	4	6	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	6.0	27	2	2	4	8	15	17	17
1-5 YRS	120	4.7	61	1	2	3	4	8	12	47
6-12 YRS	589	3.1	6	1	2	3	3	5	8	15
13-19 YRS	706	3.6	18	1	2	3	4	5	7	22
TOT. SINGLE DX	887	3.0	13	1	2	2	3	4	6	12
" MULTIPLE DX	1424	3.5	17	1	2	3	3	5	8	18
TOTAL 0-27 DYS										
1-11 MOS	15	5.6	21	2	2	4	7	12	16	17
1-5 YRS	211	4.5	76	1	2	3	4	8	11	50
6-12 YRS	975	3.0	5	1	2	2	3	4	7	14
13-19 YRS	1110	3.3	12	1	2	3	3	5	7	16
GRAND TOTAL	2311	3.3	15	1	2	3	3	5	7	16

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	13	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	285	1.6	6	<1	<1	1	2	2	3	10
6-12 YRS	480	1.5	1	<1	<1	1	2	2	3	6
13-19 YRS	332	2.4	4	<1	1	2	3	3	4	9
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	15	3.3	28	<1	<1	1	3	8	18	21
1-5 YRS	170	2.0	7	<1	<1	1	2	3	4	18
6-12 YRS	339	2.1	2	<1	<1	2	2	4	4	10
13-19 YRS	277	2.6	3	1	1	2	3	4	6	10
TOT. SINGLE DX	1111	1.8	3	<1	<1	1	2	3	4	6
" MULTIPLE DX	803	2.3	4	<1	1	2	2	4	5	11
TOTAL 0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	28	2.6	16	<1	<1	1	3	5	9	21
1-5 YRS	455	1.7	6	<1	<1	1	2	2	3	18
6-12 YRS	819	1.8	2	<1	<1	1	2	3	4	7
13-19 YRS	609	2.5	4	1	1	2	3	4	5	10
GRAND TOTAL	1914	2.0	4	<1	<1	2	2	3	4	9

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	54	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	1368	2.8	3	1	1	3	3	5	5	5
2. MULTIPLE DX										
0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	88	2.8	2	1	1	2	4	5	5	65
13-19 YRS	2008	3.3	12	1	2	3	4	5	5	10
TOT. SINGLE DX	1425	2.8	3	1	1	3	3	5	5	5
" MULTIPLE DX	2105	3.2	11	1	2	3	4	5	5	11
TOTAL 0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	142	2.5	2	1	1	2	3	4	5	16
13-19 YRS	3376	3.1	8	1	2	3	4	5	5	8
GRAND TOTAL	**3530**	**3.1**	**8**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	6	2.8	7	1	1	2	3	7	8	8
1-5 YRS	74	1.8	1	<1	1	1	2	3	4	5
6-12 YRS	221	2.2	1	1	1	2	3	4	4	6
13-19 YRS	3532	2.6	6	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	6	3.0	2	2	2	3	4	5	5	5
1-11 MOS	11	2.9	5	1	1	2	4	7	8	8
1-5 YRS	83	3.1	10	1	1	2	4	6	8	19
6-12 YRS	299	3.0	9	1	1	2	3	4	6	19
13-19 YRS	4191	3.0	5	1	1	3	3	4	5	11
TOT. SINGLE DX	3835	2.6	5	1	1	2	3	4	5	7
" MULTIPLE DX	4590	3.0	5	1	1	3	3	4	5	12
TOTAL 0-27 DYS	8	2.8	2	1	1	3	4	5	5	5
1-11 MOS	17	2.9	5	1	1	2	3	7	8	8
1-5 YRS	157	2.5	6	<1	1	2	3	5	6	16
6-12 YRS	520	2.7	6	1	1	2	3	4	5	8
13-19 YRS	7723	2.8	5	1	1	2	3	4	5	9
GRAND TOTAL	**8425**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	17	2.4	3	1	1	2	3	3	6	8
1-5 YRS	114	1.9	2	<1	<1	2	2	3	4	41
6-12 YRS	172	1.9	2	<1	<1	2	2	3	4	9
13-19 YRS	318	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	5	8.0	76	2	2	6	11	23	23	23
1-11 MOS	10	2.2	1	1	1	2	2	3	4	4
1-5 YRS	46	3.0	9	<1	1	2	4	6	9	17
6-12 YRS	194	2.7	5	<1	1	2	3	5	8	15
13-19 YRS	396	3.0	16	1	1	2	3	5	6	14
TOT. SINGLE DX	621	2.1	2	<1	<1	2	2	4	5	9
" MULTIPLE DX	651	2.9	12	1	1	2	3	5	7	15
TOTAL 0-27 DYS	5	8.0	76	2	2	6	11	23	23	23
1-11 MOS	27	2.3	2	1	1	2	3	3	5	8
1-5 YRS	160	2.3	4	<1	<1	2	2	4	6	16
6-12 YRS	366	2.3	4	<1	<1	2	3	4	5	12
13-19 YRS	714	2.7	10	1	1	2	3	4	6	12
GRAND TOTAL	**1272**	**2.6**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	6.0	51	<1	<1	3	10	18	18	18
1-5 YRS	187	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	945	1.6	2	<1	<1	1	2	3	3	8
13-19 YRS	2314	2.0	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	3.4	8	<1	<1	2	6	7	7	7
1-5 YRS	89	2.7	8	<1	<1	2	3	5	7	19
6-12 YRS	343	2.5	7	<1	1	2	3	5	7	10
13-19 YRS	1389	3.6	18	1	1	3	4	6	9	22
TOT. SINGLE DX	3452	1.9	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	1827	3.3	16	<1	1	2	4	6	9	20
TOTAL 0-27 DYS	2	5.0	32	1	1	5	9	9	9	9
1-11 MOS	10	4.7	28	<1	<1	2	7	13	18	18
1-5 YRS	276	1.8	4	<1	<1	1	2	4	5	9
6-12 YRS	1288	1.9	3	<1	<1	1	2	3	4	9
13-19 YRS	3703	2.6	9	<1	1	2	3	5	6	13
GRAND TOTAL	**5279**	**2.4**	**8**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	32	3.2	9	1	1	2	3	7	10	15
13-19 YRS	187	3.1	4	1	1	3	3	5	7	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	11	5.5	39	1	1	2	8	17	18	18
6-12 YRS	41	3.2	5	1	1	3	4	6	8	11
13-19 YRS	195	4.8	61	1	2	3	5	8	11	52
TOT. SINGLE DX	224	3.1	5	1	1	2	3	5	7	13
" MULTIPLE DX	248	4.5	51	1	2	3	4	8	11	32
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	13	5.0	34	1	1	2	8	16	18	18
6-12 YRS	73	3.2	6	1	1	2	3	6	9	14
13-19 YRS	382	3.9	34	1	2	3	4	6	10	20
GRAND TOTAL	472	3.8	30	1	1	3	4	6	10	18

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	4.8	23	<1	<1	3	7	13	15	15
1-5 YRS	34	4.7	137	<1	<1	2	3	6	20	67
6-12 YRS	132	2.6	10	<1	<1	2	3	5	7	13
13-19 YRS	254	3.8	15	1	1	2	4	8	10	24
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	56	3.8	28	<1	1	2	4	8	13	31
6-12 YRS	182	3.7	15	<1	1	2	4	8	11	17
13-19 YRS	305	4.9	36	1	1	3	6	10	14	22
TOT. SINGLE DX	432	3.5	24	<1	1	2	4	7	9	24
" MULTIPLE DX	546	4.4	28	1	1	3	5	9	12	23
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	13	4.4	20	<1	<1	3	6	13	15	15
1-5 YRS	90	4.1	68	<1	<1	2	3	8	14	53
6-12 YRS	314	3.2	13	<1	1	2	4	7	9	16
13-19 YRS	559	4.4	27	1	1	3	5	9	12	24
GRAND TOTAL	978	4.0	26	<1	1	2	5	8	11	24

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	13	1.8		<1	<1	2	2	3	3	3
1-5 YRS	530	1.4	2	<1	<1	1	1	2	2	9
6-12 YRS	1028	1.6	2	<1	<1	1	2	2	2	5
13-19 YRS	14181	1.9	3	1	1	2	2	2	2	5
2. MULTIPLE DX										
0-27 DYS	6	2.0		1	1	2	2	3	3	3
1-11 MOS	6	5.2	95	<1	<1	1	2	23	25	25
1-5 YRS	408	2.0	6	<1	1	1	2	4	6	12
6-12 YRS	837	2.4	9	<1	1	2	2	4	6	14
13-19 YRS	3329	2.7	20	1	1	2	2	4	6	22
TOT. SINGLE DX	15757	1.9	3	<1	1	2	2	2	2	5
" MULTIPLE DX	4586	2.6	17	1	1	2	2	4	6	21
TOTAL 0-27 DYS	11	2.0		1	1	2	2	3	3	3
1-11 MOS	19	2.8	29	<1	<1	2	2	3	15	25
1-5 YRS	938	1.7	4	<1	<1	1	2	2	4	11
6-12 YRS	1865	2.0	5	<1	<1	2	2	3	4	12
13-19 YRS	17510	2.0	6	1	1	2	2	2	3	10
GRAND TOTAL	20343	2.0	6	<1	1	2	2	2	3	11

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	1451	1.1		<1	<1	1	1	2	2	2
6-12 YRS	260	1.3		<1	<1	1	2	2	2	3
13-19 YRS	244	1.7	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	416	1.6	12	<1	<1	1	2	2	2	12
6-12 YRS	181	1.6	1	<1	<1	1	2	2	4	8
13-19 YRS	171	3.0	24	<1	1	2	2	6	13	37
TOT. SINGLE DX	1960	1.2	1	<1	<1	1	1	2	2	3
" MULTIPLE DX	771	1.9	12	<1	<1	1	2	2	4	19
TOTAL 0-27 DYS										
1-11 MOS	8	1.6	1	1	1	2	2	3	3	3
1-5 YRS	1867	1.3	3	<1	<1	1	1	2	2	3
6-12 YRS	441	1.4	1	<1	<1	1	2	2	2	6
13-19 YRS	415	2.2	11	<1	<1	1	2	3	6	32
GRAND TOTAL	2731	1.4	4	<1	<1	1	1	2	2	7

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	2.1	2	<1	<1	2	3	4	5	5
1-5 YRS	156	1.5	7	<1	<1	1	1	2	2	8
6-12 YRS	169	2.5	21	<1	1	2	2	3	5	18
13-19 YRS	177	2.6	5	1	1	2	3	4	6	14
2. MULTIPLE DX										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	3	6.3	22	1	1	8	9	10	10	10
1-5 YRS	76	2.8	23	1	1	1	2	6	10	30
6-12 YRS	151	4.1	140	1	1	2	2	5	8	92
13-19 YRS	301	3.5	44	1	1	2	3	5	7	35
TOT. SINGLE DX	511	2.2	11	<1	<1	2	2	3	5	14
" MULTIPLE DX	534	3.6	68	1	1	2	3	5	8	47
TOTAL 0-27 DYS	4	3.3	2	2	2	3	4	5	5	5
1-11 MOS	11	3.3	10	<1	<1	2	5	9	10	10
1-5 YRS	232	2.0	12	<1	<1	1	2	3	5	25
6-12 YRS	320	3.3	78	<1	1	2	2	4	6	80
13-19 YRS	478	3.2	30	1	1	2	3	5	7	29
GRAND TOTAL	**1045**	**2.9**	**40**	**<1**	**1**	**2**	**2**	**4**	**6**	**32**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	2.6	1	<1	1	3	4	4	4	4
1-5 YRS	51	2.6	3	<1	<1	2	3	5	6	8
6-12 YRS	198	2.9	5	1	1	2	4	5	7	10
13-19 YRS	362	3.3	8	1	1	3	4	5	6	14
2. MULTIPLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	10	5.2	10	2	2	4	6	10	11	11
6-12 YRS	50	3.5	6	1	1	3	4	7	10	12
13-19 YRS	106	4.4	12	2	2	3	5	8	11	20
TOT. SINGLE DX	628	3.1	7	1	1	3	4	5	6	10
" MULTIPLE DX	171	4.2	10	1	2	3	5	8	11	16
TOTAL 0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	19	2.7	1	<1	1	3	4	4	4	4
1-5 YRS	61	3.0	5	<1	1	2	4	6	7	11
6-12 YRS	248	3.0	6	1	1	2	4	5	7	11
13-19 YRS	468	3.6	9	1	2	3	4	6	7	16
GRAND TOTAL	**799**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	91	4.2	4	1	2	4	5	7	8	63
1-5 YRS	692	4.3	21	1	1	4	6	7	8	12
6-12 YRS	168	4.0	5	1	2	4	5	7	8	9
13-19 YRS	83	3.3	3	1	1	3	4	6	6	7
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	43	5.2	12	2	2	5	6	9	11	21
1-5 YRS	339	4.9	10	1	2	4	6	8	9	15
6-12 YRS	132	4.9	9	2	2	4	6	8	10	20
13-19 YRS	66	5.3	27	2	2	4	6	8	13	32
TOT. SINGLE DX	1035	4.2	15	1	1	4	5	7	8	11
" MULTIPLE DX	581	5.0	12	2	2	4	6	8	10	21
TOTAL 0-27 DYS	2	9.0	32	5	5	9	13	13	13	13
1-11 MOS	134	4.5	7	1	2	4	6	7	9	33
1-5 YRS	1031	4.5	17	1	1	4	6	7	8	13
6-12 YRS	300	4.4	7	1	2	4	6	8	8	13
13-19 YRS	149	4.2	14	1	2	3	5	7	8	27
GRAND TOTAL	**1616**	**4.5**	**14**	**1**	**1**	**4**	**6**	**7**	**8**	**14**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	17	5.1	8	2	2	4	7	9	10	11
1-11 MOS	576	4.4	7	<1	1	4	6	8	9	12
1-5 YRS	854	2.2	4	<1	<1	1	2	5	7	11
6-12 YRS	664	2.3	5	<1	1	2	2	4	6	11
13-19 YRS	600	2.8	19	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	5	17.4	805	1	1	6	22	68	68	68
1-11 MOS	169	5.7	23	1	2	5	8	9	11	25
1-5 YRS	415	3.1	9	<1	1	2	4	8	9	15
6-12 YRS	457	3.2	19	1	1	2	4	5	8	22
13-19 YRS	919	4.0	27	1	1	3	5	7	10	29
TOT. SINGLE DX	2711	2.8	9	<1	1	2	4	6	7	12
" MULTIPLE DX	1965	3.8	24	1	1	3	5	8	10	26
TOTAL 0-27 DYS	22	7.9	187	1	2	5	7	10	34	68
1-11 MOS	745	4.7	11	1	1	4	6	8	9	14
1-5 YRS	1269	2.5	6	<1	<1	2	3	6	8	12
6-12 YRS	1121	2.7	11	<1	1	2	3	5	7	15
13-19 YRS	1519	3.5	24	<1	1	2	4	6	9	22
GRAND TOTAL	**4676**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**7**	**8**	**15**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	14	2.2	1	1	1	2	3	4	4	4
1-11 MOS	26	2.0	1	<1	1	2	2	3	4	4
1-5 YRS	1617	1.8	2	<1	1	2	2	2	2	4
6-12 YRS	7174	1.9	2	1	1	2	2	2	3	4
13-19 YRS	24602	2.1	3	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	5	1.4		<1	<1	1	2	2	2	2
1-5 YRS	1012	1.8	2	<1	1	2	2	2	3	6
6-12 YRS	1593	2.0	7	1	1	2	2	2	3	6
13-19 YRS	3350	2.5	10	1	1	2	3	4	5	11
TOT. SINGLE DX	33433	2.0	2	1	1	2	2	3	3	5
" MULTIPLE DX	5963	2.3	8	1	1	2	2	3	4	9
TOTAL 0-27 DYS	17	2.2	1	1	1	2	3	4	4	4
1-11 MOS	31	1.9	1	<1	<1	2	2	3	4	4
1-5 YRS	2629	1.8	2	<1	1	2	2	2	3	5
6-12 YRS	8767	1.9	3	1	1	2	2	2	3	5
13-19 YRS	27952	2.1	4	1	1	2	2	3	3	6
GRAND TOTAL	39396	2.1	3	1	1	2	2	3	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	27	1.7		<1	1	2	2	2	2	2
1-11 MOS	63	2.0	10	<1	1	2	2	2	2	24
1-5 YRS	21054	1.8	2	<1	1	2	2	2	2	4
6-12 YRS	35913	1.8	2	1	1	2	2	2	2	4
13-19 YRS	7914	2.1	6	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	15	1.6		<1	<1	2	2	2	2	2
1-11 MOS	58	2.2	4	<1	<1	2	2	3	7	12
1-5 YRS	19268	1.9	4	<1	1	2	2	2	3	6
6-12 YRS	18046	1.9	3	1	1	2	2	2	3	6
13-19 YRS	2398	2.3	10	1	1	2	2	3	4	9
TOT. SINGLE DX	64971	1.8	3	1	1	2	2	2	3	4
" MULTIPLE DX	39785	1.9	4	<1	1	2	2	2	3	6
TOTAL 0-27 DYS	42	1.6		<1	<1	2	2	2	2	2
1-11 MOS	121	2.1	8	<1	1	2	2	2	3	16
1-5 YRS	40322	1.8	3	<1	1	2	2	2	2	5
6-12 YRS	53959	1.8	2	1	1	2	2	2	2	5
13-19 YRS	10312	2.1	7	1	1	2	2	3	3	6
GRAND TOTAL	104756	1.9	3	1	1	2	2	2	3	5

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.3		<1	<1	1	2	2	2	2
1-11 MOS	133	1.3	3	<1	<1	1	1	2	2	33
1-5 YRS	3287	1.5	4	<1	<1	1	2	2	2	4
6-12 YRS	2675	1.5	1	<1	<1	1	2	2	2	3
13-19 YRS	363	2.0	25	<1	1	2	2	2	3	6
2. MULTIPLE DX										
0-27 DYS	11	1.5		<1	<1	1	2	2	2	2
1-11 MOS	287	1.6	3	<1	<1	1	2	2	2	12
1-5 YRS	10522	1.6	4	<1	<1	1	2	2	2	4
6-12 YRS	6030	1.6	1	<1	<1	1	2	2	2	3
13-19 YRS	435	2.0	3	<1	1	2	2	3	4	11
TOT. SINGLE DX	6462	1.6	4	<1	<1	1	2	2	2	3
" MULTIPLE DX	17285	1.6	3	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS	15	1.4		<1	<1	1	2	2	2	2
1-11 MOS	420	1.5	3	<1	<1	1	2	2	2	16
1-5 YRS	13809	1.6	4	<1	<1	1	2	2	2	4
6-12 YRS	8705	1.6	1	<1	<1	1	2	2	2	3
13-19 YRS	798	2.0	13	<1	1	2	2	2	3	9
GRAND TOTAL	23747	1.6	3	<1	<1	1	2	2	2	4

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	45	2.9	16	<1	1	2	3	6	12	24
1-5 YRS	372	2.0	2	<1	<1	2	2	3	5	9
6-12 YRS	621	2.4	22	<1	1	2	3	4	5	8
13-19 YRS	1198	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	4	17.5	46	10	10	17	22	26	26	26
1-11 MOS	19	5.9	25	1	1	6	8	12	17	20
1-5 YRS	127	3.0	6	<1	1	2	4	7	8	13
6-12 YRS	194	3.0	10	<1	1	2	3	5	9	18
13-19 YRS	279	4.2	30	1	1	3	5	7	10	25
TOT. SINGLE DX	2236	2.5	9	<1	1	2	3	4	5	10
" MULTIPLE DX	623	3.7	20	1	1	2	4	7	10	21
TOTAL 0-27 DYS	4	17.5	46	10	10	17	22	26	26	26
1-11 MOS	64	3.8	21	<1	1	2	5	11	12	23
1-5 YRS	499	2.2	4	<1	<1	2	2	4	6	10
6-12 YRS	815	2.5	19	<1	1	2	3	4	6	13
13-19 YRS	1477	3.0	9	1	1	2	4	5	6	13
GRAND TOTAL	2859	2.7	12	<1	1	2	3	5	6	13

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	15	2.6	6	<1	<1	2	3	6	9	10
13-19 YRS	9	5.6	20	1	1	3	9	12	13	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	24	2.2	3	<1	<1	1	3	4	7	8
6-12 YRS	9	2.3	9	<1	<1	1	2	7	10	10
13-19 YRS	12	3.3	6	1	1	2	4	8	9	9
TOT. SINGLE DX	35	3.0	10	<1	<1	2	3	9	10	13
" MULTIPLE DX	46	2.6	5	<1	<1	2	3	6	8	10
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	33	2.0	3	<1	<1	1	2	4	6	8
6-12 YRS	24	2.5	7	<1	<1	2	2	6	10	10
13-19 YRS	21	4.3	13	1	1	2	7	10	11	13
GRAND TOTAL	**81**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**7**	**9**	**12**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	2.9	14	<1	<1	2	3	6	13	15
1-5 YRS	165	2.5	49	<1	<1	2	2	3	5	20
6-12 YRS	327	1.8	6	<1	<1	1	2	2	3	11
13-19 YRS	226	1.9	1	<1	1	2	2	2	3	8
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	23.8	422	<1	1	38	45	89	99+	99+
1-5 YRS	61	2.6	9	<1	<1	2	2	6	9	18
6-12 YRS	88	2.1	9	<1	1	2	2	3	4	20
13-19 YRS	71	2.7	20	1	1	2	2	4	5	32
TOT. SINGLE DX	732	2.0	14	<1	<1	2	2	2	3	11
" MULTIPLE DX	227	3.0	33	<1	1	2	2	4	8	44
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	19	9.5	226	<1	<1	2	11	44	72	99+
1-5 YRS	226	2.6	38	<1	<1	2	2	3	6	20
6-12 YRS	415	1.9	6	<1	<1	2	2	2	3	12
13-19 YRS	297	2.1	6	<1	1	2	2	2	3	12
GRAND TOTAL	**959**	**2.2**	**19**	**<1**	**<1**	**2**	**2**	**3**	**4**	**22**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	5.8	48	<1	<1	2	11	17	20	20
6-12 YRS	20	3.2	26	<1	<1	2	2	7	16	23
13-19 YRS	11	7.8	136	<1	<1	2	6	30	34	34
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	2.2	1	<1	<1	2	2	4	4	4
6-12 YRS	8	2.4	4	1	1	2	3	6	7	7
13-19 YRS	16	11.2	587	<1	1	3	9	20	75	99
TOT. SINGLE DX	40	5.1	62	<1	<1	2	4	16	25	34
" MULTIPLE DX	31	7.0	314	<1	1	2	4	15	20	99
TOTAL 0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	15	4.3	31	<1	<1	2	4	13	18	20
6-12 YRS	28	3.0	20	<1	1	2	2	6	11	23
13-19 YRS	27	9.8	394	<1	1	2	7	26	44	99
GRAND TOTAL	**71**	**5.9**	**170**	**<1**	**<1**	**2**	**4**	**15**	**23**	**85**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	3	14.3	108	6	6	11	22	26	26	26
TOT. SINGLE DX										
" MULTIPLE DX	4	11.8	99	4	4	8	18	26	26	26
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	3	14.3	108	6	6	11	22	26	26	26
GRAND TOTAL	**4**	**11.8**	**99**	**4**	**4**	**8**	**18**	**26**	**26**	**26**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	18.3	666	<1	<1	6	37	48	48	48
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	1	69.0		69	69	84	99+	99+	99+	99+
1-11 MOS	4	20.0	169	1	1	26	47	99+	99+	99+
1-5 YRS	3	29.3	974	7	7	40	82	99+	99+	99+
6-12 YRS	2	49.5	2813	12	12	93	99+	99+	99+	99+
13-19 YRS	7	39.0	1053	8	9	35	81	98	99+	99+
TOT. SINGLE DX	5	12.6	397	<1	<1	6	17	48	48	48
" MULTIPLE DX	17	35.8	891	5	8	47	98	99+	99+	99+
TOTAL 0-27 DYS	1	69.0		69	69	84	99+	99+	99+	99+
1-11 MOS	5	16.4	191	1	1	24	30	93	99+	99+
1-5 YRS	3	29.3	974	7	7	40	82	99+	99+	99+
6-12 YRS	5	30.8	1328	<1	1	48	97	99+	99+	99+
13-19 YRS	8	34.9	1039	6	7	24	75	98	99+	99+
GRAND TOTAL	**22**	**30.5**	**854**	**1**	**3**	**28**	**90**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	20.0	149	11	11	15	27	38	38	38
1-11 MOS	16	7.4	48	1	1	4	12	19	20	20
1-5 YRS	111	7.1	54	1	2	6	8	11	14	50
6-12 YRS	33	6.9	89	1	1	5	7	16	46	99+
13-19 YRS	41	15.6	616	1	1	6	12	77	85	99+
2. MULTIPLE DX										
0-27 DYS	4	19.8	203	8	9	99+	99+	99+	99+	99+
1-11 MOS	29	18.2	246	1	1	16	30	54	98	99+
1-5 YRS	140	11.0	201	1	1	7	12	30	54	99+
6-12 YRS	62	13.6	260	<1	1	11	23	83	99+	99+
13-19 YRS	168	26.4	611	1	2	20	50	90	99+	99+
TOT. SINGLE DX	205	9.0	184	1	1	6	8	18	48	92
" MULTIPLE DX	403	18.4	430	1	2	12	33	78	99+	99+
TOTAL 0-27 DYS	8	19.9	151	8	10	38	99+	99+	99+	99+
1-11 MOS	45	14.4	200	1	1	13	22	43	63	99+
1-5 YRS	251	9.3	140	1	2	6	10	21	35	84
6-12 YRS	95	11.3	209	1	1	7	15	47	99+	99+
13-19 YRS	209	24.2	627	1	2	17	48	88	99+	99+
GRAND TOTAL	**608**	**15.2**	**367**	**1**	**2**	**8**	**22**	**57**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	8.0	81	<1	<1	3	18	21	21	21
1-5 YRS	15	4.5	16	1	1	2	8	10	13	14
6-12 YRS	18	5.3	16	1	1	5	7	9	14	17
13-19 YRS	63	5.9	31	1	2	5	8	11	15	35
2. MULTIPLE DX										
0-27 DYS	3	2.7	1	2	2	2	4	4	4	4
1-11 MOS	6	6.0	57	1	1	4	5	19	21	21
1-5 YRS	17	9.6	55	1	1	9	16	21	23	23
6-12 YRS	21	7.1	33	1	1	7	10	12	18	25
13-19 YRS	77	11.2	121	2	3	8	14	21	25	71
TOT. SINGLE DX	103	5.7	29	1	1	4	8	11	16	29
" MULTIPLE DX	124	9.8	94	1	2	8	13	21	24	43
TOTAL 0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	12	7.0	64	<1	1	3	12	21	21	21
1-5 YRS	32	7.2	42	1	1	4	11	17	22	23
6-12 YRS	39	6.3	25	1	1	6	9	12	15	25
13-19 YRS	140	8.8	87	1	2	7	11	18	22	43
GRAND TOTAL	**227**	**7.9**	**68**	**1**	**2**	**5**	**10**	**17**	**21**	**30**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.3	4	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.5	265	2	2	13	25	25	25	25
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	3	13.0	1	12	12	13	14	14	14	14
TOT. SINGLE DX	5	3.6	5	1	1	3	6	6	6	6
" MULTIPLE DX	6	12.3	58	2	3	12	14	24	25	25
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	13.5	265	2	2	13	25	25	25	25
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	7	8.0	24	2	2	6	13	14	14	14
GRAND TOTAL	**11**	**8.4**	**52**	**1**	**1**	**6**	**13**	**18**	**24**	**25**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	10.0	13	6	6	11	12	13	13	13
1-11 MOS	6	8.2	15	3	3	8	12	13	13	13
1-5 YRS	9	15.2	304	2	3	9	16	43	60	60
6-12 YRS	12	7.3	18	1	1	8	9	13	14	14
13-19 YRS	95	10.4	31	2	4	10	13	18	20	31
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	27.5	728	4	6	26	69	99+	99+	99+
1-5 YRS	15	16.3	104	5	7	13	20	27	40	45
6-12 YRS	29	17.0	164	6	6	12	20	41	48	48
13-19 YRS	106	15.6	145	5	6	12	18	28	40	69
TOT. SINGLE DX	125	10.3	48	2	4	9	13	17	20	42
" MULTIPLE DX	158	16.5	175	5	6	13	19	36	48	97
TOTAL 0-27 DYS	3	10.0	13	6	6	11	12	13	13	13
1-11 MOS	14	19.2	496	3	4	11	51	97	99+	99+
1-5 YRS	24	15.9	170	4	5	12	18	29	49	60
6-12 YRS	41	14.1	140	2	6	10	16	37	44	48
13-19 YRS	201	13.1	97	4	5	11	15	23	31	58
GRAND TOTAL	**283**	**13.8**	**128**	**4**	**5**	**11**	**16**	**26**	**41**	**72**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	3	21.0	124	11	11	19	29	33	33	33
6-12 YRS	7	11.7	65	2	3	10	19	23	24	24
13-19 YRS	24	13.0	35	6	8	11	15	24	25	25
2. MULTIPLE DX										
0-27 DYS	2	55.0	3362	14	14	55	96	96	96	96
1-11 MOS	3	58.3	1874	9	9	76	86	90	90	90
1-5 YRS	6	24.2	263	8	8	18	39	48	49	49
6-12 YRS	6	25.5	253	5	8	23	47	91	99+	99+
13-19 YRS	26	19.8	130	9	9	19	25	43	46	46
TOT. SINGLE DX	36	14.4	80	5	7	12	18	25	31	48
" MULTIPLE DX	43	25.5	447	8	9	21	29	56	92	99+
TOTAL 0-27 DYS	3	52.7	1697	14	14	48	84	96	96	96
1-11 MOS	4	47.8	1698	9	9	46	83	90	90	90
1-5 YRS	9	23.1	198	8	9	19	34	45	49	49
6-12 YRS	13	18.1	189	3	5	21	24	59	91	99+
13-19 YRS	50	16.5	95	8	8	13	22	26	44	46
GRAND TOTAL	**79**	**20.5**	**308**	**6**	**8**	**14**	**24**	**46**	**65**	**99**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	97	5.7	64	1	1	3	7	13	18	46
1-5 YRS	346	3.2	11	1	1	2	4	7	10	17
6-12 YRS	201	4.1	21	<1	1	2	5	11	14	20
13-19 YRS	209	6.1	49	1	1	4	8	14	21	48
2. MULTIPLE DX										
0-27 DYS	4	13.8	78	5	6	24	99+	99+	99+	99+
1-11 MOS	108	12.5	136	1	2	11	17	31	46	99+
1-5 YRS	235	8.6	66	1	2	6	12	19	24	47
6-12 YRS	130	8.8	86	1	2	6	12	19	26	45
13-19 YRS	265	11.0	132	2	2	8	14	21	29	92
TOT. SINGLE DX	854	4.4	30	1	1	2	5	11	14	24
" MULTIPLE DX	742	10.1	105	1	2	8	14	21	30	99+
TOTAL 0-27 DYS	5	11.4	86	2	3	21	99+	99+	99+	99+
1-11 MOS	205	9.3	113	1	1	6	13	22	33	99+
1-5 YRS	581	5.4	40	1	1	3	7	14	18	31
6-12 YRS	331	6.0	52	1	1	3	8	14	19	30
13-19 YRS	474	8.9	101	1	1	6	12	20	26	70
GRAND TOTAL	**1596**	**7.1**	**73**	**1**	**1**	**4**	**10**	**17**	**23**	**60**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	5.9	7	3	3	5	8	10	10	10
1-11 MOS	16	6.4	48	1	2	4	5	21	22	22
1-5 YRS	23	5.1	25	1	1	4	6	15	17	18
6-12 YRS	12	10.8	311	1	2	4	8	36	59	63
13-19 YRS	90	7.0	50	2	2	5	8	12	20	44
2. MULTIPLE DX										
0-27 DYS	7	22.4	1083	4	4	12	57	99	99+	99+
1-11 MOS	24	10.4	142	1	2	8	13	22	36	57
1-5 YRS	31	6.1	28	1	2	4	9	12	13	27
6-12 YRS	30	11.3	220	2	2	7	14	21	28	82
13-19 YRS	134	11.1	121	3	3	7	13	24	35	79
TOT. SINGLE DX	148	6.9	65	1	2	5	7	15	21	54
" MULTIPLE DX	226	10.7	154	2	2	7	13	24	33	97
TOTAL 0-27 DYS	14	14.1	577	3	3	8	14	96	99	99+
1-11 MOS	40	8.8	106	1	2	5	12	21	24	57
1-5 YRS	54	5.7	26	1	1	4	8	12	16	27
6-12 YRS	42	11.1	239	1	2	6	10	24	42	82
13-19 YRS	224	9.5	96	2	3	6	10	21	31	59
GRAND TOTAL	**374**	**9.2**	**122**	**2**	**2**	**6**	**10**	**21**	**28**	**80**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	9	9.3	16	3	4	8	12	15	15	15
1-5 YRS	17	7.4	44	<1	<1	6	10	19	23	24
6-12 YRS	36	6.1	33	1	1	4	8	16	19	22
13-19 YRS	671	6.3	17	2	3	5	8	11	14	22
2. MULTIPLE DX										
0-27 DYS	26	26.7	586	1	5	22	66	99+	99+	99+
1-11 MOS	53	39.8	656	1	5	39	62	78	91	99+
1-5 YRS	100	20.6	247	4	5	16	31	47	55	99+
6-12 YRS	176	15.6	149	3	5	13	21	28	41	67
13-19 YRS	968	10.0	94	3	4	7	11	18	27	65
TOT. SINGLE DX	735	6.3	18	2	3	5	8	12	15	22
" MULTIPLE DX	1323	13.0	188	3	4	9	15	30	48	97
TOTAL 0-27 DYS	28	25.2	572	1	5	19	66	99+	99+	99+
1-11 MOS	62	35.3	678	2	5	35	56	77	88	99+
1-5 YRS	117	18.7	239	3	4	15	28	43	53	99+
6-12 YRS	212	14.0	142	2	3	11	19	27	36	66
13-19 YRS	1639	8.4	65	2	3	6	10	15	20	49
GRAND TOTAL	**2058**	**10.6**	**138**	**2**	**3**	**7**	**12**	**21**	**36**	**78**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	2.4	3	<1	1	2	3	6	7	7
1-5 YRS	161	4.9	10	<1	1	5	6	9	11	15
6-12 YRS	173	6.1	9	2	2	6	8	10	11	16
13-19 YRS	363	7.2	41	2	2	6	9	13	18	29
2. MULTIPLE DX										
0-27 DYS	4	8.8	34	2	2	8	13	16	16	16
1-11 MOS	9	12.2	127	4	4	8	15	32	35	35
1-5 YRS	39	13.2	253	2	3	8	16	26	54	73
6-12 YRS	68	10.4	78	1	2	8	13	22	26	46
13-19 YRS	210	11.6	131	2	2	9	14	25	33	92
TOT. SINGLE DX	714	6.3	27	1	2	6	8	11	14	22
" MULTIPLE DX	330	11.5	133	1	2	9	14	24	31	86
TOTAL 0-27 DYS	5	7.4	35	2	2	7	11	16	16	16
1-11 MOS	25	5.9	68	<1	1	3	6	11	30	35
1-5 YRS	200	6.6	68	<1	1	6	7	11	17	52
6-12 YRS	241	7.3	32	1	2	6	9	13	17	29
13-19 YRS	573	8.8	78	2	2	7	10	18	24	53
GRAND TOTAL	**1044**	**8.0**	**66**	**1**	**2**	**6**	**9**	**15**	**22**	**43**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	18.0	72	12	12	18	24	24	24	24
1-11 MOS	39	12.2	50	4	7	11	13	18	21	47
1-5 YRS	215	9.6	16	6	6	9	11	13	15	28
6-12 YRS	104	8.9	8	5	6	9	11	12	14	17
13-19 YRS	105	10.6	21	6	7	10	12	14	17	30
2. MULTIPLE DX										
0-27 DYS	3	34.0	1389	11	11	14	61	77	77	77
1-11 MOS	99	20.6	250	8	9	16	24	37	62	98
1-5 YRS	226	13.1	65	7	7	10	15	23	31	51
6-12 YRS	104	12.7	90	7	8	10	12	21	30	63
13-19 YRS	111	14.0	146	7	7	10	14	21	38	71
TOT. SINGLE DX	465	9.9	19	6	6	9	11	14	16	27
" MULTIPLE DX	543	14.7	134	7	8	11	16	26	38	77
TOTAL 0-27 DYS	5	27.6	789	11	11	14	37	77	77	77
1-11 MOS	138	18.2	207	7	9	14	21	32	51	97
1-5 YRS	441	11.4	44	6	7	10	12	18	25	42
6-12 YRS	208	10.8	53	6	7	9	11	14	21	46
13-19 YRS	216	12.3	88	6	7	10	13	18	26	58
GRAND TOTAL	**1008**	**12.5**	**87**	**6**	**7**	**10**	**13**	**20**	**28**	**62**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	11.0	8	9	9	11	13	13	13	13
1-11 MOS	3	12.7	2	11	11	13	14	14	14	14
1-5 YRS	2	10.0	2	9	9	10	11	11	11	11
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	3	11.0	4	9	9	11	12	13	13	13
2. MULTIPLE DX										
0-27 DYS	3	19.0	271	9	9	10	31	38	38	38
1-11 MOS	2	9.0	72	3	3	9	15	15	15	15
1-5 YRS	2	14.0	18	11	11	14	17	17	17	17
6-12 YRS	2	7.0	50	2	2	7	12	12	12	12
13-19 YRS	7	13.0	96	2	2	10	22	25	25	25
TOT. SINGLE DX	11	11.1	4	9	9	11	13	14	14	14
" MULTIPLE DX	16	13.0	96	2	2	11	18	25	34	38
TOTAL 0-27 DYS	5	15.8	157	9	9	10	19	38	38	38
1-11 MOS	5	11.2	23	3	3	13	14	15	15	15
1-5 YRS	4	12.0	12	9	9	11	14	17	17	17
6-12 YRS	3	7.7	26	2	2	9	11	12	12	12
13-19 YRS	10	12.4	62	2	2	11	19	24	25	25
GRAND TOTAL	**27**	**12.2**	**58**	**2**	**2**	**11**	**14**	**22**	**27**	**38**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	22	6.7	61	1	1	3	7	19	27	29
1-11 MOS	219	2.8	12	1	1	2	2	5	8	18
1-5 YRS	620	2.1	2	1	1	2	2	3	3	9
6-12 YRS	390	2.5	10	1	1	2	2	3	4	22
13-19 YRS	404	2.5	6	1	1	2	2	3	5	12
2. MULTIPLE DX										
0-27 DYS	74	14.0	351	2	2	7	14	47	66	73
1-11 MOS	464	4.9	47	1	2	2	5	11	17	37
1-5 YRS	657	2.6	11	1	1	2	2	3	5	16
6-12 YRS	379	3.2	31	1	1	2	2	4	8	39
13-19 YRS	424	4.3	34	1	1	2	4	9	14	32
TOT. SINGLE DX	1655	2.4	7	1	1	2	2	3	5	16
" MULTIPLE DX	1998	4.0	45	1	1	2	3	8	13	40
TOTAL 0-27 DYS	96	12.3	293	1	2	6	13	42	56	72
1-11 MOS	683	4.2	37	1	1	2	4	9	14	30
1-5 YRS	1277	2.3	7	1	1	2	2	3	4	14
6-12 YRS	769	2.8	21	1	1	2	2	3	7	29
13-19 YRS	828	3.4	21	1	1	2	3	7	11	29
GRAND TOTAL	3653	3.3	29	1	1	2	3	5	10	30

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	5.3	10	3	3	4	8	9	9	9
1-5 YRS	8	4.3	7	2	2	3	7	8	8	8
6-12 YRS	22	4.6	5	2	2	4	6	8	9	10
13-19 YRS	27	5.7	18	2	2	5	8	10	14	21
2. MULTIPLE DX										
0-27 DYS	2	17.5	85	11	11	17	24	24	24	24
1-11 MOS	14	10.4	36	2	3	9	14	19	22	23
1-5 YRS	15	12.3	79	2	3	10	16	28	29	30
6-12 YRS	23	10.6	63	3	4	8	15	22	28	35
13-19 YRS	56	11.9	152	2	3	8	14	25	50	98
TOT. SINGLE DX	60	5.1	11	2	2	4	7	8	10	20
" MULTIPLE DX	110	11.6	106	2	3	9	15	24	30	81
TOTAL 0-27 DYS	2	17.5	85	11	11	17	24	24	24	24
1-11 MOS	17	9.5	35	2	3	9	12	18	22	23
1-5 YRS	23	9.5	68	2	2	7	12	26	29	30
6-12 YRS	45	7.7	43	2	2	6	8	17	22	35
13-19 YRS	83	9.9	116	2	2	7	13	21	32	89
GRAND TOTAL	170	9.3	82	2	2	7	11	20	26	66

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	7.0	31	<1	<1	8	11	12	12	12
1-11 MOS	4	8.8	25	2	2	9	12	14	14	14
1-5 YRS	21	7.8	6	2	4	9	10	10	11	11
6-12 YRS	16	6.9	6	3	4	7	9	10	11	11
13-19 YRS	34	8.8	47	1	2	8	12	17	24	31
2. MULTIPLE DX										
0-27 DYS	4	23.5	214	9	9	23	36	38	38	38
1-11 MOS	10	12.4	71	2	4	11	14	25	33	33
1-5 YRS	10	19.9	611	3	5	11	16	59	87	87
6-12 YRS	25	11.6	119	2	3	8	13	32	38	46
13-19 YRS	43	14.1	161	3	4	10	16	26	40	65
TOT. SINGLE DX	78	8.1	26	1	2	8	10	12	16	29
" MULTIPLE DX	92	14.3	190	2	4	10	15	31	38	78
TOTAL 0-27 DYS	7	16.4	195	<1	2	12	29	37	38	38
1-11 MOS	14	11.4	58	2	2	10	14	19	30	33
1-5 YRS	31	11.7	221	3	4	9	10	14	30	87
6-12 YRS	41	9.8	79	2	3	7	10	16	34	46
13-19 YRS	77	11.8	117	1	2	9	14	24	30	63
GRAND TOTAL	170	11.4	124	2	3	9	12	22	32	64

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	13.3	142	1	1	12	23	27	27	27
1-11 MOS	51	4.8	24	<1	1	3	6	13	14	22
1-5 YRS	117	3.1	13	<1	<1	2	3	9	12	17
6-12 YRS	131	2.5	13	<1	<1	2	2	5	10	41
13-19 YRS	78	4.1	31	<1	1	2	5	9	18	29
2. MULTIPLE DX										
0-27 DYS	8	10.6	150	3	3	6	20	76	99+	99+
1-11 MOS	54	11.4	224	1	2	7	15	31	52	99
1-5 YRS	112	6.0	77	<1	<1	2	7	15	23	48
6-12 YRS	98	6.3	142	<1	1	2	6	18	52	99+
13-19 YRS	92	9.6	161	1	2	5	12	18	36	89
TOT. SINGLE DX	381	3.4	21	<1	1	2	3	9	13	26
" MULTIPLE DX	364	7.9	142	<1	1	4	9	20	37	99+
TOTAL 0-27 DYS	12	11.5	136	1	3	6	21	52	91	99+
1-11 MOS	105	8.2	137	1	1	4	10	21	32	89
1-5 YRS	229	4.5	46	<1	<1	2	5	11	17	36
6-12 YRS	229	4.2	72	<1	1	2	3	10	20	99+
13-19 YRS	170	7.0	108	1	1	4	8	15	25	73
GRAND TOTAL	745	5.6	85	<1	1	2	6	14	22	75

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	4.0	7	<1	<1	4	5	8	8	8
1-11 MOS	3	4.7	1	4	4	4	6	6	6	6
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	10	5.7	30	1	1	4	4	16	16	16
13-19 YRS	172	3.9	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	21.0	79	12	12	20	28	32	32	32
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	29	6.2	54	2	3	4	7	10	13	42
TOT. SINGLE DX	193	4.0	6	2	2	4	5	7	8	15
" MULTIPLE DX	35	8.0	74	2	3	5	8	16	30	42
TOTAL 0-27 DYS	7	4.4	7	<1	<1	5	7	8	8	8
1-11 MOS	7	14.0	116	4	4	12	22	30	32	32
1-5 YRS	3	5.3	14	1	1	7	8	8	8	8
6-12 YRS	10	5.7	30	1	1	4	4	16	16	16
13-19 YRS	201	4.3	12	2	2	4	5	7	8	14
GRAND TOTAL	228	4.6	18	2	2	4	5	8	10	26

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	9.5	18	5	6	9	10	15	20	21
1-5 YRS	15	10.6	38	3	7	8	12	19	26	28
6-12 YRS	13	17.2	290	2	3	12	17	50	58	60
13-19 YRS	30	5.6	14	<1	1	5	9	11	13	14
2. MULTIPLE DX										
0-27 DYS	12	18.1	88	6	7	18	26	31	32	32
1-11 MOS	39	14.7	57	8	8	11	20	27	30	34
1-5 YRS	31	11.5	50	5	7	9	13	21	23	41
6-12 YRS	26	15.1	114	5	6	12	19	25	41	51
13-19 YRS	112	16.3	221	2	4	11	20	34	60	81
TOT. SINGLE DX	71	9.4	84	2	2	8	11	16	21	57
" MULTIPLE DX	220	15.3	149	4	5	11	19	29	38	68
TOTAL 0-27 DYS	13	17.2	92	6	6	17	25	31	32	32
1-11 MOS	51	13.5	52	6	7	10	18	25	28	34
1-5 YRS	46	11.2	46	5	7	9	12	21	24	41
6-12 YRS	39	15.8	168	3	6	12	18	33	49	60
13-19 YRS	142	14.0	196	2	2	10	18	30	53	72
GRAND TOTAL	291	13.9	139	2	4	10	18	28	35	67

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	6	11.5	8	9	9	11	14	15	15	15
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	2	13.5	5	12	12	13	15	15	15	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	18.0	125	9	9	16	27	32	32	32
1-5 YRS	3	10.7	9	8	8	10	13	14	14	14
6-12 YRS	2	9.0		9	9	9	9	9	9	9
13-19 YRS	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	10	11.8	7	9	9	12	14	15	15	15
" MULTIPLE DX	10	13.2	61	8	8	10	14	27	32	32
TOTAL 0-27 DYS										
1-11 MOS	5	17.0	99	9	9	13	24	32	32	32
1-5 YRS	9	11.2	7	8	8	10	14	15	15	15
6-12 YRS	3	9.0		9	9	9	9	9	9	9
13-19 YRS	3	12.3	6	10	10	12	14	15	15	15
GRAND TOTAL	20	12.5	33	8	9	10	14	19	27	32

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	7.0	22	3	3	7	11	12	12	12
13-19 YRS	16	8.3	70	<1	1	5	11	19	28	32
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	2	18.5	545	2	2	18	35	35	35	35
1-5 YRS	3	5.0	4	3	3	5	6	7	7	7
6-12 YRS	46	6.5	59	1	1	4	9	14	18	47
13-19 YRS	246	6.4	48	<1	1	4	8	15	20	36
TOT. SINGLE DX	20	8.0	59	<1	1	5	11	17	25	32
" MULTIPLE DX	299	6.5	51	<1	1	4	8	15	20	40
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	2	18.5	545	2	2	18	35	35	35	35
1-5 YRS	3	5.0	4	3	3	5	6	7	7	7
6-12 YRS	50	6.5	56	1	1	4	9	13	18	47
13-19 YRS	262	6.5	49	<1	1	4	8	16	20	36
GRAND TOTAL	319	6.6	52	<1	1	4	8	15	20	38

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	72	7.0	33	1	2	5	10	15	18	26
1-11 MOS	278	10.1	61	2	3	9	12	17	22	50
1-5 YRS	320	8.1	30	1	2	7	11	14	18	28
6-12 YRS	167	6.3	37	1	1	5	8	12	21	40
13-19 YRS	427	6.7	57	1	1	5	8	13	17	38
2. MULTIPLE DX										
0-27 DYS	387	33.8	958	<1	3	34	79	99+	99+	99+
1-11 MOS	1276	30.2	504	1	5	30	48	63	75	99+
1-5 YRS	891	21.1	232	1	4	20	31	39	48	72
6-12 YRS	1616	15.0	101	2	4	14	20	26	32	54
13-19 YRS	2742	8.8	83	1	2	7	10	16	22	55
TOT. SINGLE DX	1264	7.7	49	1	2	6	10	15	19	38
" MULTIPLE DX	6912	17.2	310	1	3	11	23	46	63	99+
TOTAL 0-27 DYS	459	29.6	907	<1	2	20	74	99+	99+	99+
1-11 MOS	1554	26.6	484	2	4	19	45	60	71	99+
1-5 YRS	1211	17.7	212	1	3	12	28	37	45	69
6-12 YRS	1783	14.2	101	1	3	13	20	26	32	54
13-19 YRS	3169	8.5	80	1	2	6	10	15	21	55
GRAND TOTAL	8176	15.7	282	1	2	10	20	42	59	99+

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS	79	4.9	15	1	1	4	7	10	12	19
1-5 YRS	473	3.0	11	<1	<1	2	3	7	9	14
6-12 YRS	651	3.0	13	<1	1	2	3	6	9	17
13-19 YRS	1256	3.5	18	1	1	2	4	7	11	20
2. MULTIPLE DX										
0-27 DYS	2	12.5	61	7	7	12	18	18	18	18
1-11 MOS	56	8.4	106	1	2	6	9	13	34	56
1-5 YRS	171	5.3	37	1	1	3	7	10	16	37
6-12 YRS	206	4.1	12	1	1	3	6	9	11	19
13-19 YRS	440	6.5	41	1	2	4	8	15	18	30
TOT. SINGLE DX	2462	3.3	15	<1	1	2	4	7	10	18
" MULTIPLE DX	875	5.8	39	1	1	4	7	12	17	36
TOTAL 0-27 DYS	5	7.8	34	4	4	5	10	18	18	18
1-11 MOS	135	6.4	55	1	1	5	8	12	14	46
1-5 YRS	644	3.6	19	<1	<1	2	5	8	10	22
6-12 YRS	857	3.2	13	<1	1	2	3	7	10	17
13-19 YRS	1696	4.3	25	1	1	2	5	9	13	23
GRAND TOTAL	3337	4.0	23	<1	1	2	5	9	12	23

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	23	4.0	22	<1	1	2	4	8	14	23
6-12 YRS	28	2.5	3	1	1	2	3	4	8	8
13-19 YRS	66	3.7	13	1	1	2	4	8	9	21
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	12	4.5	24	1	1	2	7	12	16	17
6-12 YRS	12	4.4	8	1	1	4	6	9	10	10
13-19 YRS	47	10.2	55	2	2	9	13	15	21	47
TOT. SINGLE DX	118	3.5	12	1	1	2	4	8	9	22
" MULTIPLE DX	72	8.3	48	1	2	8	11	14	17	42
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	35	4.2	22	1	1	2	5	9	15	23
6-12 YRS	40	3.1	5	1	1	2	4	7	8	10
13-19 YRS	113	6.4	41	1	1	4	9	14	16	34
GRAND TOTAL	190	5.3	31	1	1	3	8	12	15	25

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	4	9.8	5	7	7	10	11	12	12	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	45.0		45	45	45	45	45	45	45
TOT. SINGLE DX	5	9.6	4	7	7	9	11	12	12	12
" MULTIPLE DX	2	24.0	882	3	3	24	45	45	45	45
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	5	16.8	252	7	7	11	20	45	45	45
GRAND TOTAL	7	13.7	199	3	4	9	12	38	45	45

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	5	4.4	2	3	3	4	5	7	7	7
13-19 YRS	8	3.9	1	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	14	4.3	2	2	3	4	5	7	7	7
" MULTIPLE DX	3	11.0	3	9	9	12	12	12	12	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	13	7	7	9	12	12	12	12
6-12 YRS	6	5.2	5	3	3	4	7	9	9	9
13-19 YRS	9	4.8	8	2	2	4	5	9	12	12
GRAND TOTAL	**17**	**5.5**	**9**	**2**	**3**	**4**	**7**	**11**	**12**	**12**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	13.9	133	4	4	12	19	33	36	36
1-11 MOS	54	5.3	39	1	1	3	6	9	22	33
1-5 YRS	410	6.4	44	<1	1	5	8	13	19	39
6-12 YRS	520	6.7	37	<1	1	6	8	12	17	37
13-19 YRS	870	8.8	72	2	3	7	9	16	22	49
2. MULTIPLE DX										
0-27 DYS	8	17.4	123	8	8	12	27	34	36	36
1-11 MOS	88	10.3	101	2	2	8	13	21	26	55
1-5 YRS	361	9.0	87	1	2	6	11	18	26	57
6-12 YRS	451	9.3	59	2	3	7	11	20	26	40
13-19 YRS	1195	13.4	185	3	4	9	15	30	46	89
TOT. SINGLE DX	1861	7.6	57	1	2	6	8	14	20	45
" MULTIPLE DX	2103	11.7	142	2	3	8	13	24	37	71
TOTAL 0-27 DYS	15	15.7	122	4	5	12	23	36	36	36
1-11 MOS	142	8.4	83	1	2	5	11	18	25	54
1-5 YRS	771	7.7	66	1	1	6	9	15	23	46
6-12 YRS	971	7.9	49	1	2	6	9	16	22	40
13-19 YRS	2065	11.5	143	2	3	8	12	22	38	73
GRAND TOTAL	**3964**	**9.8**	**106**	**1**	**2**	**7**	**11**	**19**	**30**	**59**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.3	8	<1	<1	4	6	7	7	7
1-11 MOS	24	8.6	49	2	3	6	11	16	52	99+
1-5 YRS	27	8.8	75	1	1	7	13	17	26	41
6-12 YRS	4	4.0	5	2	2	3	5	7	7	7
13-19 YRS	28	11.8	110	2	2	5	23	26	30	37
2. MULTIPLE DX										
0-27 DYS	11	14.8	803	1	2	8	38	99+	99+	99+
1-11 MOS	83	19.9	523	2	3	9	33	53	79	98
1-5 YRS	53	13.0	146	1	2	9	21	35	41	98
6-12 YRS	70	13.6	111	2	3	12	19	25	30	54
13-19 YRS	156	8.5	82	2	3	6	9	15	24	53
TOT. SINGLE DX	87	9.3	76	1	2	6	12	24	30	78
" MULTIPLE DX	373	12.8	231	2	3	7	15	35	49	99+
TOTAL 0-27 DYS	15	12.0	599	<1	1	6	13	99+	99+	99+
1-11 MOS	107	17.4	437	3	3	9	23	51	78	99+
1-5 YRS	80	11.6	125	1	2	8	16	31	40	84
6-12 YRS	74	13.1	110	2	2	11	19	25	29	54
13-19 YRS	184	9.0	87	2	3	6	9	21	27	51
GRAND TOTAL	**460**	**12.1**	**203**	**2**	**3**	**7**	**15**	**31**	**43**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	17	2.2	2	<1	<1	2	4	5	5	5
1-5 YRS	67	3.3	23	<1	<1	2	3	8	17	24
6-12 YRS	46	3.8	24	<1	1	2	5	10	17	99+
13-19 YRS	83	4.7	16	1	1	3	7	10	14	17
2. MULTIPLE DX										
0-27 DYS	3	35.7	1700	3	3	22	67	82	82	82
1-11 MOS	17	12.2	175	1	1	8	17	33	41	45
1-5 YRS	69	9.6	221	1	1	3	11	30	55	94
6-12 YRS	31	7.6	68	<1	1	5	10	25	32	99+
13-19 YRS	115	10.7	234	2	2	5	11	25	54	92
TOT. SINGLE DX	215	3.9	19	<1	1	2	5	9	14	26
" MULTIPLE DX	235	10.4	223	1	1	5	12	26	53	99+
TOTAL 0-27 DYS	5	24.2	1097	3	3	8	37	82	82	82
1-11 MOS	34	7.2	111	<1	<1	2	8	19	33	45
1-5 YRS	136	6.5	133	<1	1	2	6	18	32	74
6-12 YRS	77	5.3	45	<1	1	2	7	14	29	99+
13-19 YRS	198	8.2	151	1	1	5	8	18	26	85
GRAND TOTAL	**450**	**7.3**	**136**	**1**	**1**	**3**	**8**	**18**	**29**	**88**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	553	4.5	5	2	2	4	5	7	9	13
1-11 MOS	1302	4.3	6	2	2	4	5	7	8	13
1-5 YRS	19	5.5	3	2	4	5	7	8	8	8
6-12 YRS	14	5.5	4	2	3	5	7	8	10	10
13-19 YRS	5	7.2	16	4	4	6	9	14	14	14
2. MULTIPLE DX										
0-27 DYS	114	7.1	49	2	3	6	8	12	23	99+
1-11 MOS	288	6.5	23	2	3	5	8	11	14	28
1-5 YRS	5	9.6	164	1	1	7	31	93	99+	99+
6-12 YRS	4	16.8	151	7	7	13	25	34	34	34
13-19 YRS	14	12.9	60	5	6	10	18	24	28	29
TOT. SINGLE DX	1893	4.4	5	2	2	4	5	7	8	13
" MULTIPLE DX	425	7.0	35	2	3	6	8	12	18	52
TOTAL 0-27 DYS	667	4.9	14	2	2	4	6	8	10	19
1-11 MOS	1590	4.7	9	2	2	4	5	7	9	16
1-5 YRS	24	6.4	34	1	1	5	7	12	48	99+
6-12 YRS	18	8.0	53	3	4	6	8	15	27	34
13-19 YRS	19	11.4	53	4	5	9	15	24	27	29
GRAND TOTAL	2318	4.8	12	2	2	4	6	8	10	20

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	48.0		48	48	74	99+	99+	99+	99+
1-11 MOS	3	29.3	320	19	19	19	42	50	50	50
1-5 YRS	8	27.4	340	6	7	24	40	55	59	59
6-12 YRS	3	11.7	17	7	7	13	14	15	15	15
13-19 YRS	7	17.6	283	2	2	9	30	43	46	46
2. MULTIPLE DX										
0-27 DYS	1	38.0		38	38	99+	99+	99+	99+	99+
1-11 MOS	21	32.8	608	5	6	28	61	99+	99+	99+
1-5 YRS	29	21.6	347	5	6	15	31	73	99	99+
6-12 YRS	22	22.2	345	3	6	22	32	53	88	99+
13-19 YRS	44	28.5	551	5	7	30	64	99+	99+	99+
TOT. SINGLE DX	22	23.3	297	3	5	19	43	52	73	99+
" MULTIPLE DX	117	26.5	475	5	7	24	54	99+	99+	99+
TOTAL 0-27 DYS	2	43.0	50	38	40	99+	99+	99+	99+	99+
1-11 MOS	24	32.4	558	5	6	28	59	97	99+	99+
1-5 YRS	37	22.8	342	5	6	15	34	63	93	99+
6-12 YRS	25	20.9	316	4	7	14	28	46	86	99+
13-19 YRS	51	27.0	522	4	6	25	59	99+	99+	99+
GRAND TOTAL	139	26.0	446	5	6	24	48	99+	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	13	<1	<1	3	6	6	6	6
1-5 YRS	6	6.3	14	2	2	6	9	12	12	12
6-12 YRS	11	5.5	13	<1	1	5	9	10	11	11
13-19 YRS	93	6.0	13	2	2	5	8	11	12	18
2. MULTIPLE DX										
0-27 DYS	7	19.3	437	7	7	12	17	56	66	66
1-11 MOS										
1-5 YRS	11	10.1	34	3	4	9	13	20	21	21
6-12 YRS	17	6.5	16	1	2	5	10	12	14	15
13-19 YRS	133	8.6	53	2	3	7	10	15	22	44
TOT. SINGLE DX	112	5.9	13	2	2	5	8	11	12	17
" MULTIPLE DX	168	8.9	66	2	3	7	10	16	22	45
TOTAL 0-27 DYS	7	19.3	437	7	7	12	17	56	66	66
1-11 MOS	2	3.5	13	<1	<1	3	6	6	6	6
1-5 YRS	17	8.8	29	2	3	7	12	18	20	21
6-12 YRS	28	6.1	14	1	2	5	9	11	13	15
13-19 YRS	226	7.5	38	2	2	6	9	13	18	41
GRAND TOTAL	280	7.7	47	2	2	6	9	13	18	43

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.5	7	2	2	4	6	8	8	8
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	21	11.5	76	2	3	9	15	18	29	43
2. MULTIPLE DX										
0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	3	26.3	240	15	15	20	38	44	44	44
1-5 YRS	4	13.3	81	6	6	10	19	26	26	26
6-12 YRS	3	14.3	41	7	7	17	18	19	19	19
13-19 YRS	41	18.8	242	7	8	14	23	46	91	99+
TOT. SINGLE DX	28	10.0	65	2	2	9	13	17	20	43
" MULTIPLE DX	52	19.0	223	6	8	14	24	44	80	99+
TOTAL 0-27 DYS	5	12.0	287	2	2	5	16	42	42	42
1-11 MOS	5	18.4	241	4	4	15	26	44	44	44
1-5 YRS	5	12.2	66	6	6	8	16	26	26	26
6-12 YRS	3	14.3	41	7	7	17	18	19	19	19
13-19 YRS	62	16.3	196	3	6	13	19	43	62	99+
GRAND TOTAL	**80**	**15.9**	**185**	**3**	**5**	**12**	**19**	**42**	**47**	**99+**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	13.0	162	4	4	13	22	22	22	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
TOT. SINGLE DX	2	13.0	162	4	4	13	22	22	22	22
" MULTIPLE DX	2	8.0	18	5	5	8	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	3	12.3	82	4	4	11	19	22	22	22
GRAND TOTAL	**4**	**10.8**	**68**	**4**	**4**	**8**	**16**	**22**	**22**	**22**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	31	10.4	21	2	5	9	13	17	18	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	23.5	275	9	9	20	36	45	45	45
1-5 YRS										
6-12 YRS										
13-19 YRS	20	16.0	269	3	5	11	16	28	54	79
TOT. SINGLE DX	33	10.3	20	2	6	9	13	17	18	20
" MULTIPLE DX	24	17.2	267	4	7	11	20	31	55	79
TOTAL 0-27 DYS										
1-11 MOS	4	23.5	275	9	9	20	36	45	45	45
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	51	12.5	123	3	5	11	14	19	28	78
GRAND TOTAL	**57**	**13.2**	**133**	**3**	**6**	**11**	**14**	**22**	**29**	**77**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	5.3	4	2	3	5	7	8	8	8
1-11 MOS	71	6.2	23	2	2	4	8	11	16	25
1-5 YRS	11	7.5	19	1	2	7	9	14	17	17
6-12 YRS	11	7.7	5	5	5	8	9	11	13	13
13-19 YRS	129	9.4	17	6	6	8	10	14	17	28
2. MULTIPLE DX										
0-27 DYS	8	19.4	405	5	6	14	63	99+	99+	99+
1-11 MOS	61	17.9	226	3	4	16	26	60	99+	99+
1-5 YRS	39	16.0	204	3	4	12	23	35	51	60
6-12 YRS	28	15.8	248	5	6	11	17	25	41	88
13-19 YRS	144	14.1	196	4	6	10	15	28	52	99+
TOT. SINGLE DX	234	8.0	20	3	3	8	9	12	16	25
" MULTIPLE DX	280	15.5	214	4	5	11	18	36	64	99+
TOTAL 0-27 DYS	20	11.0	201	3	4	7	10	74	99+	99+
1-11 MOS	132	11.6	151	2	3	7	17	30	60	99+
1-5 YRS	50	14.1	174	3	3	9	17	32	49	60
6-12 YRS	39	13.5	191	5	6	10	14	21	32	88
13-19 YRS	273	11.9	116	5	6	9	12	18	35	94
GRAND TOTAL	**514**	**12.1**	**139**	**3**	**4**	**9**	**14**	**25**	**38**	**99+**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	9.6	78	2	2	7	15	23	25	25
1-11 MOS	22	6.1	69	<1	1	5	6	11	25	40
1-5 YRS	107	3.5	8	<1	1	2	5	8	9	12
6-12 YRS	124	5.1	11	1	2	4	7	10	11	15
13-19 YRS	265	6.5	24	1	2	6	8	11	15	25
2. MULTIPLE DX										
0-27 DYS	4	22.0	188	11	11	23	56	99+	99+	99+
1-11 MOS	75	7.0	77	1	1	5	9	20	47	99+
1-5 YRS	115	5.6	93	1	1	3	7	11	16	97
6-12 YRS	114	7.0	23	2	3	6	9	12	15	26
13-19 YRS	347	8.9	72	2	3	7	11	15	25	47
TOT. SINGLE DX	525	5.6	22	1	1	5	7	10	14	25
" MULTIPLE DX	655	7.9	71	1	2	6	10	15	23	80
TOTAL 0-27 DYS	11	14.1	142	2	2	13	24	59	94	99+
1-11 MOS	97	6.8	75	1	1	5	8	18	41	99+
1-5 YRS	222	4.6	52	1	1	3	6	9	12	42
6-12 YRS	238	6.0	18	1	2	5	8	11	14	22
13-19 YRS	612	7.8	53	2	2	6	9	14	20	36
GRAND TOTAL	1180	6.8	50	1	1	5	8	13	18	44

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	11.3	34	7	7	13	59	99+	99+	99+
1-11 MOS	10	8.7	18	5	5	7	9	16	19	19
1-5 YRS	11	10.7	33	5	6	8	12	21	22	22
6-12 YRS	29	8.3	7	5	5	8	10	12	14	14
13-19 YRS	54	10.5	43	5	6	9	11	18	21	44
2. MULTIPLE DX										
0-27 DYS	7	18.1	80	9	12	99+	99+	99+	99+	99+
1-11 MOS	28	22.0	614	4	5	10	48	79	99+	99+
1-5 YRS	37	11.2	54	4	5	9	13	26	73	99+
6-12 YRS	65	16.9	281	6	6	9	19	39	52	84
13-19 YRS	153	15.1	134	6	7	12	17	28	39	92
TOT. SINGLE DX	107	9.8	30	5	5	8	11	18	21	68
" MULTIPLE DX	290	15.7	206	5	6	11	20	54	99+	99+
TOTAL 0-27 DYS	10	16.1	72	8	9	99+	99+	99+	99+	99+
1-11 MOS	38	18.5	488	4	5	9	24	71	93	99+
1-5 YRS	48	11.1	49	5	5	9	13	24	41	99+
6-12 YRS	94	14.2	211	5	6	9	14	36	46	82
13-19 YRS	207	13.9	114	5	7	11	16	26	32	77
GRAND TOTAL	397	14.1	165	5	6	10	18	40	99+	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	12.0	65	1	3	11	19	23	27	27
1-11 MOS	21	8.7	30	3	4	8	11	13	20	28
1-5 YRS	12	11.3	23	4	6	10	14	18	21	21
6-12 YRS	29	11.5	44	4	6	10	12	20	25	36
13-19 YRS	109	15.2	96	6	7	12	18	27	35	54
2. MULTIPLE DX										
0-27 DYS	10	39.6	550	7	18	49	99+	99+	99+	99+
1-11 MOS	37	19.9	318	5	6	12	25	42	63	80
1-5 YRS	28	13.5	36	6	8	12	19	22	31	99+
6-12 YRS	49	17.6	183	5	6	13	21	33	54	60
13-19 YRS	172	21.6	267	7	8	15	28	50	63	96
TOT. SINGLE DX	181	13.4	78	5	6	11	16	23	29	52
" MULTIPLE DX	296	20.5	263	6	7	15	28	50	65	99+
TOTAL 0-27 DYS	20	25.8	492	3	5	24	51	99+	99+	99+
1-11 MOS	58	15.8	241	3	5	11	19	36	47	79
1-5 YRS	40	12.8	33	6	7	12	18	22	24	99+
6-12 YRS	78	15.3	139	4	6	11	19	28	42	59
13-19 YRS	281	19.1	210	7	8	15	22	40	54	81
GRAND TOTAL	477	17.8	204	6	7	13	21	39	55	99+

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	5	6.4	10	3	3	7	8	11	11	11
1-5 YRS	3	5.7	6	3	3	6	7	8	8	8
6-12 YRS	6	5.7	1	5	5	5	7	7	7	7
13-19 YRS	22	10.2	58	3	3	9	12	18	27	38
2. MULTIPLE DX										
0-27 DYS	4	20.8	297	8	9	46	99+	99+	99+	99+
1-11 MOS	8	27.3	965	5	6	13	37	82	91	91
1-5 YRS	13	17.6	258	5	6	11	20	44	58	61
6-12 YRS	14	13.3	46	7	7	11	16	20	30	33
13-19 YRS	46	16.3	158	4	6	12	20	37	38	68
TOT. SINGLE DX	37	8.7	41	3	3	7	11	15	19	38
" MULTIPLE DX	85	17.3	233	5	6	12	20	40	70	99+
TOTAL 0-27 DYS	5	19.6	229	8	9	31	99+	99+	99+	99+
1-11 MOS	13	19.2	678	3	4	11	14	66	86	91
1-5 YRS	16	15.4	231	4	5	10	18	38	55	61
6-12 YRS	20	11.0	44	5	5	9	14	18	26	33
13-19 YRS	68	14.3	133	4	5	11	17	33	38	63
GRAND TOTAL	122	14.7	190	4	5	11	16	38	60	99+

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	13.4	44	6	7	12	16	24	28	28
1-11 MOS	155	6.5	28	2	2	5	8	11	14	38
1-5 YRS	108	6.3	14	2	3	5	8	11	13	21
6-12 YRS	60	7.7	20	2	3	7	9	15	17	23
13-19 YRS	197	9.3	22	4	5	8	11	15	18	27
2. MULTIPLE DX										
0-27 DYS	19	22.1	434	4	5	21	33	99+	99+	99+
1-11 MOS	179	10.8	122	2	3	7	11	30	43	99+
1-5 YRS	98	10.7	87	3	4	8	11	17	31	55
6-12 YRS	65	13.2	149	5	5	8	15	31	61	99+
13-19 YRS	297	13.6	141	5	6	10	14	26	35	76
TOT. SINGLE DX	529	7.8	25	2	3	7	10	13	16	27
" MULTIPLE DX	658	12.6	140	3	5	9	14	29	40	99+
TOTAL 0-27 DYS	28	19.3	319	4	6	16	29	97	99+	99+
1-11 MOS	334	8.8	83	2	3	6	9	17	33	65
1-5 YRS	206	8.4	53	2	3	7	10	13	18	44
6-12 YRS	125	10.6	94	3	4	8	12	26	31	99+
13-19 YRS	494	11.9	98	4	6	9	13	21	29	63
GRAND TOTAL	**1187**	**10.5**	**95**	**3**	**4**	**8**	**12**	**19**	**31**	**76**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	13.2	36	7	7	12	17	22	23	23
1-11 MOS	9	10.1	16	5	6	10	12	16	18	18
1-5 YRS	6	12.2	47	7	7	9	18	22	23	23
6-12 YRS	4	10.5	36	4	4	10	15	17	17	17
13-19 YRS	17	12.8	204	2	3	9	13	32	51	59
2. MULTIPLE DX										
0-27 DYS	5	32.8	371	10	19	81	99+	99+	99+	99+
1-11 MOS	9	30.8	670	9	10	19	49	74	78	78
1-5 YRS	16	30.6	432	8	8	29	48	61	66	68
6-12 YRS	17	28.7	479	3	5	24	37	81	94	99+
13-19 YRS	53	19.8	274	4	6	17	27	93	99+	99+
TOT. SINGLE DX	42	12.0	97	3	4	10	14	20	28	59
" MULTIPLE DX	100	24.7	384	4	8	22	42	99+	99+	99+
TOTAL 0-27 DYS	11	22.1	271	7	8	28	99+	99+	99+	99+
1-11 MOS	18	20.4	436	6	7	12	19	60	74	78
1-5 YRS	22	25.5	390	7	7	17	40	56	64	68
6-12 YRS	21	25.2	442	3	4	23	33	76	90	99+
13-19 YRS	70	18.1	263	3	4	14	25	72	99+	99+
GRAND TOTAL	**142**	**20.9**	**331**	**4**	**6**	**16**	**33**	**74**	**99+**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	4.5	3	2	2	4	5	7	8	8
1-11 MOS	30	5.1	11	2	3	4	6	10	11	17
1-5 YRS	1085	5.8	18	2	2	5	7	10	12	18
6-12 YRS	12566	4.4	7	2	2	4	5	7	9	15
13-19 YRS	20964	4.5	8	2	2	4	5	7	9	15
2. MULTIPLE DX										
0-27 DYS	6	8.2	21	4	4	7	11	15	15	15
1-11 MOS	10	7.4	13	4	4	6	9	13	15	15
1-5 YRS	497	8.5	34	2	3	7	12	16	19	29
6-12 YRS	2867	7.1	30	2	3	5	9	14	18	28
13-19 YRS	5236	6.9	31	3	3	5	8	13	17	30
TOT. SINGLE DX	34655	4.5	8	2	2	4	5	7	9	15
" MULTIPLE DX	8616	7.1	31	3	3	5	8	13	17	28
TOTAL 0-27 DYS	16	5.9	12	2	3	5	7	11	14	15
1-11 MOS	40	5.7	12	2	3	4	7	11	13	17
1-5 YRS	1582	6.6	25	2	3	5	8	12	15	24
6-12 YRS	15433	4.9	13	2	2	4	5	9	11	20
13-19 YRS	26200	4.9	13	2	2	4	5	8	11	19
GRAND TOTAL	**43271**	**5.0**	**14**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	15	5.9	12	2	3	5	7	11	15	16
6-12 YRS	127	4.3	8	2	2	3	5	8	10	15
13-19 YRS	290	5.1	8	2	3	4	6	8	10	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	11	7.5	24	2	2	6	12	15	17	17
6-12 YRS	41	6.4	18	3	3	5	8	11	18	20
13-19 YRS	111	6.4	18	2	3	5	8	12	17	56
TOT. SINGLE DX	435	4.9	8	2	3	4	6	8	10	16
" MULTIPLE DX	164	6.5	18	2	3	5	8	12	17	28
TOTAL 0-27 DYS										
1-11 MOS	4	6.5	10	4	4	5	8	11	11	11
1-5 YRS	26	6.6	17	2	2	5	7	13	16	17
6-12 YRS	168	4.8	11	2	2	4	6	9	11	20
13-19 YRS	401	5.4	11	2	3	5	6	9	12	19
GRAND TOTAL	**599**	**5.3**	**11**	**2**	**3**	**4**	**6**	**9**	**12**	**19**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	7.7	12	3	3	9	11	11	11	11
6-12 YRS	80	8.9	30	2	3	8	12	16	18	27
13-19 YRS	99	8.3	19	3	3	8	11	14	16	23
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	14.6	32	7	7	15	20	20	20	20
6-12 YRS	28	13.2	54	5	7	10	18	22	28	37
13-19 YRS	26	10.5	38	3	4	9	13	17	25	29
TOT. SINGLE DX	188	8.5	23	3	3	8	11	15	17	27
" MULTIPLE DX	59	12.1	46	4	5	10	16	21	26	36
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	14	10.1	29	3	3	10	11	20	20	20
6-12 YRS	108	10.0	39	3	3	9	13	18	21	32
13-19 YRS	125	8.7	24	3	4	8	11	15	17	29
GRAND TOTAL	**247**	**9.3**	**31**	**3**	**3**	**9**	**12**	**16**	**20**	**29**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	10.5	35	2	3	9	16	19	20	20
1-11 MOS	43	4.3	31	1	1	2	5	7	17	29
1-5 YRS	162	3.3	27	<1	1	2	4	6	8	14
6-12 YRS	201	3.6	9	<1	1	3	5	8	10	14
13-19 YRS	329	5.4	23	1	2	4	7	10	13	22
2. MULTIPLE DX										
0-27 DYS	8	21.1	671	4	4	13	43	92	99+	99+
1-11 MOS	22	13.9	190	2	3	8	25	55	99+	99+
1-5 YRS	76	9.4	257	1	1	4	6	27	55	71
6-12 YRS	112	7.4	62	1	2	5	9	17	20	43
13-19 YRS	192	7.9	61	2	3	5	9	14	17	48
TOT. SINGLE DX	745	4.5	22	1	1	3	6	9	12	20
" MULTIPLE DX	410	8.6	119	1	2	5	10	17	31	77
TOTAL 0-27 DYS	18	15.2	324	3	4	11	19	61	91	99+
1-11 MOS	65	7.5	104	1	1	4	7	28	45	99+
1-5 YRS	238	5.2	108	<1	1	2	4	8	15	62
6-12 YRS	313	5.0	31	1	1	3	6	10	14	28
13-19 YRS	521	6.3	38	1	2	5	8	11	15	34
GRAND TOTAL	**1155**	**5.9**	**60**	**1**	**1**	**4**	**7**	**12**	**17**	**53**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	22	2.0	1	1	1	2	3	3	4	5
1-5 YRS	21	2.5	4	<1	1	2	3	5	7	8
6-12 YRS	18	3.3	4	1	1	3	4	6	7	8
13-19 YRS	201	3.9	6	1	2	3	5	7	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	13	5.3	24	1	1	3	6	15	17	17
1-5 YRS	7	3.6	2	2	2	4	5	5	5	5
6-12 YRS	9	5.9	13	3	3	5	6	12	15	15
13-19 YRS	61	5.9	41	1	1	4	6	9	19	35
TOT. SINGLE DX	264	3.6	5	1	1	3	4	6	8	13
" MULTIPLE DX	90	5.6	33	1	2	4	6	9	17	35
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	35	3.3	12	1	1	2	3	6	12	17
1-5 YRS	28	2.8	3	1	1	2	4	5	7	8
6-12 YRS	27	4.1	8	1	1	4	5	7	9	15
13-19 YRS	262	4.3	15	1	2	3	5	7	10	21
GRAND TOTAL	**354**	**4.1**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	16	9.0	16	2	3	10	11	15	16	16
1-5 YRS	23	10.5	42	1	2	10	14	17	21	29
6-12 YRS	11	6.4	26	1	1	6	10	14	15	15
13-19 YRS	24	16.5	377	1	2	11	20	40	56	90
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	58	99+	99+	99+	99+
1-11 MOS	38	14.7	147	5	6	11	15	33	48	55
1-5 YRS	27	16.1	222	5	6	12	17	24	48	79
6-12 YRS	10	18.5	523	<1	1	10	25	59	68	68
13-19 YRS	28	23.5	344	4	6	18	31	45	67	85
TOT. SINGLE DX	75	11.5	150	1	2	10	14	18	29	78
" MULTIPLE DX	104	17.8	258	4	5	12	20	42	57	92
TOTAL 0-27 DYS	2	14.0	8	12	12	16	79	99+	99+	99+
1-11 MOS	54	13.0	114	4	5	10	13	20	43	55
1-5 YRS	50	13.5	144	2	4	11	15	24	29	79
6-12 YRS	21	12.1	287	<1	1	9	12	35	58	68
13-19 YRS	52	20.3	364	2	3	15	27	41	63	90
GRAND TOTAL	**179**	**15.2**	**221**	**2**	**3**	**11**	**16**	**32**	**48**	**88**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	2.1	1	<1	1	2	3	3	4	4
1-5 YRS	29	3.9	18	<1	1	2	4	10	15	19
6-12 YRS	29	4.8	9	<1	1	4	7	9	9	14
13-19 YRS	79	6.8	39	1	2	5	9	13	21	32
2. MULTIPLE DX										
0-27 DYS	3	14.3	234	5	5	6	25	32	32	32
1-11 MOS	7	7.4	49	2	2	4	14	18	18	18
1-5 YRS	20	9.0	105	<1	1	4	13	21	32	42
6-12 YRS	22	8.0	36	2	2	6	11	18	19	21
13-19 YRS	136	9.0	73	2	2	7	11	17	24	76
TOT. SINGLE DX	150	5.4	28	1	1	4	7	11	15	30
" MULTIPLE DX	188	8.9	72	2	2	7	11	18	23	61
TOTAL 0-27 DYS	4	11.8	183	4	4	5	19	32	32	32
1-11 MOS	19	4.1	24	<1	1	2	4	13	18	18
1-5 YRS	49	6.0	59	<1	1	3	6	17	20	42
6-12 YRS	51	6.2	23	1	2	4	8	13	18	21
13-19 YRS	215	8.2	61	2	2	6	10	16	23	53
GRAND TOTAL	**338**	**7.4**	**55**	**1**	**2**	**5**	**9**	**16**	**21**	**42**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	69	1.9	2	<1	<1	2	2	3	4	8
1-5 YRS	20	1.9	1	<1	1	2	2	3	4	4
6-12 YRS	17	5.2	50	1	2	4	5	6	23	32
13-19 YRS	145	3.9	4	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	4	5.3	21	2	2	3	8	12	12	12
1-11 MOS	14	3.9	11	1	1	2	7	10	10	10
1-5 YRS	4	4.5	10	1	1	4	7	8	8	8
6-12 YRS	7	6.4	22	1	1	5	11	13	13	13
13-19 YRS	79	5.1	13	2	2	4	5	8	12	24
TOT. SINGLE DX	252	3.3	7	<1	1	3	4	5	6	10
" MULTIPLE DX	108	5.0	14	1	2	4	6	9	12	22
TOTAL 0-27 DYS	5	4.6	18	2	2	3	6	12	12	12
1-11 MOS	83	2.2	4	<1	<1	2	2	4	7	10
1-5 YRS	24	2.3	3	<1	1	2	3	4	7	8
6-12 YRS	24	5.5	41	1	2	4	5	12	19	32
13-19 YRS	224	4.3	7	2	2	4	5	6	8	18
GRAND TOTAL	**360**	**3.8**	**10**	**1**	**1**	**3**	**5**	**6**	**8**	**17**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	12	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	41	1.9	3	<1	<1	1	2	4	8	99+
6-12 YRS	19	1.8	2	<1	<1	1	2	4	6	6
13-19 YRS	267	3.3	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	1.3		<1	<1	1	2	2	2	2
1-5 YRS	13	2.9	3	1	1	3	4	5	7	7
6-12 YRS	11	4.0	7	1	1	3	6	8	9	9
13-19 YRS	154	4.7	11	2	2	4	5	7	9	26
TOT. SINGLE DX	341	3.0	4	<1	1	3	4	5	6	12
" MULTIPLE DX	185	4.4	10	1	2	4	5	7	9	22
TOTAL 0-27 DYS	3	4.3		4	4	4	5	5	5	5
1-11 MOS	18	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	54	2.1	3	<1	<1	2	3	5	7	95
6-12 YRS	30	2.6	5	<1	<1	2	3	6	7	9
13-19 YRS	421	3.8	7	1	2	3	5	6	8	15
GRAND TOTAL	**526**	**3.5**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	6	3.5	12	1	1	2	5	9	10	10
6-12 YRS	7	4.0	6	1	1	4	6	8	8	8
13-19 YRS	132	4.8	4	2	2	5	6	7	8	10
2. MULTIPLE DX										
0-27 DYS	3	9.3	50	3	3	8	15	17	17	17
1-11 MOS	10	9.0	84	3	3	6	9	22	34	34
1-5 YRS	6	6.2	86	1	1	3	4	23	25	25
6-12 YRS	14	6.0	54	<1	1	5	5	9	26	31
13-19 YRS	375	5.1	4	2	3	5	6	7	9	13
TOT. SINGLE DX	148	4.7	4	2	2	5	6	7	8	11
" MULTIPLE DX	408	5.3	9	2	3	5	6	8	9	16
TOTAL 0-27 DYS	4	9.8	34	3	3	9	14	17	17	17
1-11 MOS	12	8.1	73	2	3	6	8	18	32	34
1-5 YRS	12	4.8	47	1	1	2	4	14	23	25
6-12 YRS	21	5.3	38	1	1	5	5	7	18	31
13-19 YRS	507	5.0	4	2	3	5	6	7	8	12
GRAND TOTAL	**556**	**5.1**	**8**	**2**	**3**	**5**	**6**	**7**	**9**	**15**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	5.5	22	1	1	4	6	13	16	16
1-11 MOS	56	3.8	8	<1	1	3	5	7	11	14
1-5 YRS	51	4.3	29	1	1	3	5	8	12	33
6-12 YRS	32	3.0	7	1	1	2	3	6	9	14
13-19 YRS	271	3.9	10	1	1	3	5	7	9	17
2. MULTIPLE DX										
0-27 DYS	3	16.3	262	6	6	8	28	35	35	35
1-11 MOS	39	5.5	21	1	1	4	8	11	18	99+
1-5 YRS	37	5.1	49	1	1	2	5	14	19	37
6-12 YRS	31	6.1	41	1	2	3	7	14	24	26
13-19 YRS	142	6.3	44	2	2	4	7	12	19	38
TOT. SINGLE DX	418	3.9	12	1	1	3	5	7	10	17
" MULTIPLE DX	252	6.1	43	1	2	4	7	13	22	37
TOTAL 0-27 DYS	11	8.5	93	1	2	6	8	24	34	35
1-11 MOS	95	4.5	14	1	1	3	6	10	12	65
1-5 YRS	88	4.6	37	1	1	2	5	9	16	35
6-12 YRS	63	4.5	26	1	1	3	4	12	14	26
13-19 YRS	413	4.8	23	1	2	4	5	8	12	29
GRAND TOTAL	**670**	**4.7**	**25**	**1**	**1**	**3**	**5**	**9**	**13**	**33**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	20	8.8	69	1	2	6	10	19	28	36
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	9	8.4	16	2	3	8	10	14	16	16
13-19 YRS	30	14.7	151	2	3	11	18	34	37	49
TOT. SINGLE DX	22	8.5	63	2	2	6	10	19	26	36
" MULTIPLE DX	40	13.1	122	2	3	10	15	32	36	49
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	10	8.2	14	2	4	7	10	13	16	16
13-19 YRS	50	12.3	124	2	2	9	14	32	36	49
GRAND TOTAL	**62**	**11.5**	**105**	**2**	**3**	**8**	**13**	**31**	**36**	**48**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	30	10.0	47	1	2	9	14	20	24	25
1-5 YRS	30	5.7	31	1	1	3	9	13	16	25
6-12 YRS	36	5.1	17	1	1	4	7	12	14	16
13-19 YRS	201	7.3	48	1	2	6	10	15	22	33
2. MULTIPLE DX										
0-27 DYS	5	20.4	870	5	5	9	73	97	99+	99+
1-11 MOS	24	12.7	132	1	3	9	17	29	39	45
1-5 YRS	63	13.2	159	1	2	11	17	26	39	70
6-12 YRS	64	13.3	190	2	2	8	17	38	45	56
13-19 YRS	365	13.4	154	2	2	10	17	26	39	62
TOT. SINGLE DX	297	7.2	43	1	1	5	10	15	20	32
" MULTIPLE DX	521	13.4	163	2	2	9	17	28	41	73
TOTAL 0-27 DYS	5	20.4	870	5	5	9	73	97	99+	99+
1-11 MOS	54	11.2	85	1	2	9	15	24	28	45
1-5 YRS	93	10.8	129	1	2	7	15	24	30	62
6-12 YRS	100	10.3	142	1	1	7	11	25	40	54
13-19 YRS	566	11.2	124	1	2	8	14	25	32	56
GRAND TOTAL	**818**	**11.1**	**128**	**1**	**2**	**8**	**14**	**25**	**34**	**57**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	7.2	11	4	5	6	8	10	16	18
1-11 MOS	13	8.8	11	5	5	8	10	14	16	16
1-5 YRS	14	6.4	9	<1	2	7	8	10	12	12
6-12 YRS	29	8.8	44	5	5	7	9	14	18	40
13-19 YRS	1487	7.8	12	5	5	7	9	12	13	20
2. MULTIPLE DX										
0-27 DYS	15	11.4	30	5	6	10	14	16	24	27
1-11 MOS	14	14.0	103	4	5	12	17	24	39	43
1-5 YRS	15	14.3	38	5	6	16	16	23	26	27
6-12 YRS	33	13.4	70	5	6	10	16	28	32	37
13-19 YRS	881	10.0	29	5	5	9	12	16	19	29
TOT. SINGLE DX	1559	7.9	13	5	5	7	9	12	14	20
" MULTIPLE DX	958	10.3	32	5	5	9	12	16	20	31
TOTAL 0-27 DYS	31	9.2	24	5	5	8	11	16	18	27
1-11 MOS	27	11.5	64	5	5	9	14	20	25	43
1-5 YRS	29	10.4	40	2	3	9	16	19	23	27
6-12 YRS	62	11.2	62	5	5	8	13	21	32	40
13-19 YRS	2368	8.6	19	5	5	8	10	13	16	24
GRAND TOTAL	**2517**	**8.8**	**21**	**5**	**5**	**8**	**10**	**14**	**16**	**26**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	24.4	494	1	2	15	38	57	68	68
1-5 YRS	8	10.6	120	1	1	6	22	25	25	25
6-12 YRS	3	3.7	14	1	1	2	6	8	8	8
13-19 YRS	22	8.1	48	1	2	7	9	18	26	29
2. MULTIPLE DX										
0-27 DYS	4	18.5	90	10	10	17	49	99+	99+	99+
1-11 MOS	10	23.7	229	9	11	17	34	47	59	59
1-5 YRS	9	18.6	261	1	1	18	23	44	54	54
6-12 YRS	5	14.0	98	4	4	10	24	26	26	26
13-19 YRS	30	11.9	79	2	4	10	17	22	28	43
TOT. SINGLE DX	42	11.8	188	1	1	7	15	30	39	68
" MULTIPLE DX	58	15.6	145	2	4	14	21	33	49	96
TOTAL 0-27 DYS	4	18.5	90	10	10	17	49	99+	99+	99+
1-11 MOS	19	24.1	330	2	5	17	35	52	64	68
1-5 YRS	17	14.8	200	1	1	16	22	27	45	54
6-12 YRS	8	10.1	88	1	1	7	16	25	26	26
13-19 YRS	52	10.3	68	2	2	8	13	21	28	43
GRAND TOTAL	**100**	**14.0**	**165**	**1**	**2**	**10**	**20**	**32**	**42**	**84**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	5	8.4	106	1	1	7	12	26	26	26
6-12 YRS	6	9.0	78	2	2	7	9	24	26	26
13-19 YRS	28	7.7	42	1	1	8	10	15	20	30
2. MULTIPLE DX										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	4	32.5	1556	7	7	16	56	91	91	91
1-5 YRS	6	9.8	29	4	4	10	13	17	17	17
6-12 YRS	9	11.3	103	<1	<1	10	22	66	99+	99+
13-19 YRS	45	18.4	200	2	5	15	23	34	51	63
TOT. SINGLE DX	42	7.8	49	1	1	7	9	16	26	30
" MULTIPLE DX	65	17.5	251	2	4	13	22	34	60	99
TOTAL 0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	6	24.0	1107	6	6	9	21	84	91	91
1-5 YRS	11	9.2	57	1	1	7	13	21	26	26
6-12 YRS	15	10.4	88	<1	1	9	17	31	80	99+
13-19 YRS	73	14.3	165	1	2	11	17	31	45	62
GRAND TOTAL	**107**	**13.7**	**193**	**1**	**2**	**10**	**17**	**30**	**47**	**95**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	3.8	8	1	1	3	6	8	9	9
1-5 YRS	36	3.0	4	1	1	2	4	6	8	8
6-12 YRS	65	5.3	20	1	1	4	6	11	13	23
13-19 YRS	136	6.7	28	1	2	6	9	11	14	31
2. MULTIPLE DX										
0-27 DYS	3	25.0	769	8	8	10	45	57	57	57
1-11 MOS	12	10.5	26	4	5	10	13	17	22	23
1-5 YRS	17	3.9	11	<1	1	2	6	10	11	11
6-12 YRS	37	6.1	22	<1	1	5	8	12	18	20
13-19 YRS	155	9.5	139	2	3	6	10	17	24	73
TOT. SINGLE DX	247	5.7	23	1	1	5	8	11	13	29
" MULTIPLE DX	224	8.8	116	2	2	6	10	16	20	68
TOTAL 0-27 DYS	4	20.0	613	5	5	9	33	57	57	57
1-11 MOS	21	7.6	29	1	1	7	10	14	19	23
1-5 YRS	53	3.3	6	1	1	2	4	7	9	11
6-12 YRS	102	5.6	21	1	1	5	8	11	15	22
13-19 YRS	291	8.2	89	2	2	6	9	15	19	64
GRAND TOTAL	**471**	**7.1**	**69**	**1**	**2**	**5**	**9**	**13**	**18**	**53**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	133	3.1	13	<1	1	2	4	6	7	22
1-11 MOS	3359	2.0	6	<1	<1	2	2	3	4	8
1-5 YRS	5087	1.9	2	<1	<1	2	2	3	3	6
6-12 YRS	3989	2.2	3	<1	1	2	3	3	4	6
13-19 YRS	5572	3.5	4	2	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	106	7.1	218	1	1	3	6	17	51	99+
1-11 MOS	2138	3.2	30	<1	1	2	3	6	9	29
1-5 YRS	3675	2.3	5	<1	1	2	2	4	5	9
6-12 YRS	1865	2.8	8	1	1	2	3	5	6	11
13-19 YRS	1661	4.2	9	2	2	4	5	6	8	14
TOT. SINGLE DX	18140	2.5	4	<1	1	2	3	4	5	7
" MULTIPLE DX	9445	3.0	15	<1	1	2	3	5	7	15
TOTAL 0-27 DYS	239	4.9	107	<1	1	2	4	9	17	92
1-11 MOS	5497	2.5	16	<1	1	2	2	4	6	14
1-5 YRS	8762	2.0	4	<1	1	2	2	3	4	8
6-12 YRS	5854	2.4	5	1	1	2	3	4	5	8
13-19 YRS	7233	3.6	5	2	2	3	4	5	6	10
GRAND TOTAL	**27585**	**2.6**	**8**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	36	4.2	140	<1	<1	2	2	5	17	70
1-11 MOS	1421	1.8	2	<1	<1	2	2	3	4	8
1-5 YRS	1224	1.8	5	<1	<1	2	2	2	3	7
6-12 YRS	516	2.0	1	<1	<1	2	2	3	4	6
13-19 YRS	322	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	46	15.8	758	<1	1	5	23	97	99+	99+
1-11 MCS	1255	3.3	55	<1	<1	2	3	5	9	46
1-5 YRS	809	2.1	8	<1	<1	2	2	3	4	8
6-12 YRS	237	2.9	14	<1	1	2	3	5	7	29
13-19 YRS	120	5.8	33	2	3	5	6	8	14	57
TOT. SINGLE DX	3519	2.1	5	<1	<1	2	2	4	5	8
" MULTIPLE DX	2467	3.2	51	<1	<1	2	3	5	8	52
TOTAL 0-27 DYS	82	10.7	515	<1	<1	2	8	81	99+	99+
1-11 MOS	2676	2.5	27	<1	<1	2	2	4	6	16
1-5 YRS	2033	1.9	6	<1	<1	2	2	3	4	7
6-12 YRS	753	2.3	5	<1	<1	2	3	4	5	12
13-19 YRS	442	4.6	11	2	2	4	5	6	8	29
GRAND TOTAL	**5986**	**2.5**	**24**	**<1**	**<1**	**2**	**2**	**4**	**6**	**16**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	15	1.9	2	1	1	2	2	3	5	6
6-12 YRS	36	2.3	1	1	1	2	3	3	4	6
13-19 YRS	73	3.8	2	2	2	4	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	2	14.0	242	3	3	14	25	25	25	25
1-11 MOS	3	27.0	931	6	6	13	50	62	62	62
1-5 YRS	4	2.5	9	1	1	1	4	7	7	7
6-12 YRS	11	4.2	18	<1	1	3	5	10	16	16
13-19 YRS	22	5.2	5	2	3	5	6	8	10	11
TOT. SINGLE DX	128	3.1	3	1	1	3	4	5	6	8
" MULTIPLE DX	42	6.7	96	1	1	4	6	12	20	62
TOTAL 0-27 DYS	2	14.0	242	3	3	14	25	25	25	25
1-11 MOS	7	12.3	500	<1	<1	2	11	52	62	62
1-5 YRS	19	2.1	3	1	1	2	2	5	7	7
6-12 YRS	47	2.7	5	1	1	2	3	4	6	16
13-19 YRS	95	4.1	3	2	2	4	5	6	8	11
GRAND TOTAL	**170**	**4.0**	**28**	**1**	**1**	**3**	**4**	**6**	**8**	**23**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	5.7	53	<1	<1	2	8	19	22	22
1-11 MOS	554	2.4	10	<1	1	2	3	4	4	9
1-5 YRS	2105	2.2	6	<1	1	2	2	3	4	6
6-12 YRS	967	2.2	1	1	1	2	3	3	4	6
13-19 YRS	447	3.2	3	1	2	3	4	5	6	12
2. MULTIPLE DX										
0-27 DYS	3	30.7	536	5	8	75	99+	99+	99+	99+
1-11 MOS	174	4.6	41	1	1	3	5	9	14	58
1-5 YRS	415	3.3	12	1	1	2	3	6	8	17
6-12 YRS	241	3.3	9	1	2	3	4	5	7	18
13-19 YRS	139	5.7	70	2	2	4	6	9	17	39
TOT. SINGLE DX	4084	2.3	5	<1	1	2	3	4	4	7
" MULTIPLE DX	972	3.9	29	1	1	3	4	7	10	34
TOTAL 0-27 DYS	14	11.1	236	<1	1	5	40	99+	99+	99+
1-11 MOS	728	2.9	18	<1	1	2	3	5	7	17
1-5 YRS	2520	2.4	7	<1	1	2	2	4	5	9
6-12 YRS	1208	2.4	3	1	1	2	3	4	5	7
13-19 YRS	586	3.8	20	1	2	3	4	6	8	21
GRAND TOTAL	**5056**	**2.7**	**10**	**<1**	**1**	**2**	**3**	**4**	**5**	**13**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	37	3.1	8	<1	1	2	4	7	9	13
1-5 YRS	160	2.3	7	<1	<1	2	2	4	5	12
6-12 YRS	220	2.6	18	<1	1	2	3	4	5	12
13-19 YRS	340	3.2	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	3	7.0	21	2	2	8	10	11	11	11
1-11 MOS	13	8.5	84	<1	1	5	12	24	29	30
1-5 YRS	79	3.1	5	<1	1	2	4	6	8	10
6-12 YRS	50	3.7	7	1	2	3	5	8	9	11
13-19 YRS	97	4.8	10	1	2	4	6	10	12	16
TOT. SINGLE DX	759	2.8	8	<1	1	2	3	5	6	11
" MULTIPLE DX	242	4.2	13	1	1	3	5	9	11	17
TOTAL 0-27 DYS	5	5.6	15	2	2	5	9	11	11	11
1-11 MOS	50	4.5	32	<1	1	2	6	10	16	30
1-5 YRS	239	2.6	7	<1	<1	2	3	5	7	11
6-12 YRS	270	2.8	16	<1	1	2	3	4	6	11
13-19 YRS	437	3.5	5	1	2	3	4	6	8	12
GRAND TOTAL	**1001**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	10.3	55	1	1	11	16	18	18	18
1-11 MOS	18	4.8	10	<1	1	4	6	10	11	11
1-5 YRS	34	2.9	7	<1	<1	2	3	7	9	12
6-12 YRS	23	5.1	42	<1	1	3	6	10	19	32
13-19 YRS	45	5.1	10	1	2	4	6	10	12	15
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	19	9.6	143	1	2	6	13	25	39	49
1-5 YRS	30	10.4	256	1	1	3	14	24	50	74
6-12 YRS	28	10.7	254	1	2	4	10	37	53	63
13-19 YRS	47	9.4	32	2	3	8	12	18	22	27
TOT. SINGLE DX	124	4.6	18	<1	1	3	6	10	12	22
" MULTIPLE DX	125	9.9	148	1	2	7	11	21	35	66
TOTAL 0-27 DYS	5	9.0	49	1	1	8	15	18	18	18
1-11 MOS	37	7.2	82	1	2	5	8	16	25	49
1-5 YRS	64	6.4	136	<1	1	2	6	14	23	71
6-12 YRS	51	8.2	164	<1	1	3	8	20	38	63
13-19 YRS	92	7.3	26	2	3	6	9	14	18	25
GRAND TOTAL	249	7.3	90	1	1	4	9	14	22	52

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	7.3	43	3	3	4	11	17	17	17
1-11 MOS	64	3.6	22	<1	1	2	4	8	13	27
1-5 YRS	293	3.7	27	1	1	2	4	7	9	26
6-12 YRS	264	3.9	11	1	1	3	5	8	11	17
13-19 YRS	407	5.1	19	1	1	4	7	10	13	20
2. MULTIPLE DX										
0-27 DYS	6	6.8	11	2	2	6	10	11	11	11
1-11 MOS	39	5.5	33	1	1	4	7	14	20	23
1-5 YRS	125	6.1	61	1	2	3	7	15	20	74
6-12 YRS	127	6.8	59	1	2	5	8	14	21	37
13-19 YRS	258	8.0	59	1	2	6	10	17	22	94
TOT. SINGLE DX	1032	4.3	20	1	1	3	5	9	12	20
" MULTIPLE DX	555	7.1	58	1	2	5	9	16	21	64
TOTAL 0-27 DYS	10	7.0	20	2	2	6	10	14	17	17
1-11 MOS	103	4.3	27	<1	1	2	5	11	16	25
1-5 YRS	418	4.4	38	1	1	2	5	9	14	32
6-12 YRS	391	4.8	29	1	1	3	5	10	14	23
13-19 YRS	665	6.2	37	1	2	4	8	12	17	41
GRAND TOTAL	1587	5.3	35	1	1	4	6	11	16	33

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	6.0	18	2	2	5	9	11	11	11
1-11 MOS	23	6.5	18	1	2	6	9	13	15	16
1-5 YRS	99	6.5	33	2	2	5	8	12	18	36
6-12 YRS	304	6.9	25	2	3	5	8	13	16	27
13-19 YRS	1131	6.6	17	3	3	6	8	11	15	23
2. MULTIPLE DX										
0-27 DYS	9	15.9	109	3	5	23	99+	99+	99+	99+
1-11 MOS	32	15.3	244	4	5	10	17	58	95	99+
1-5 YRS	97	12.1	147	3	4	8	13	26	37	67
6-12 YRS	265	10.8	107	3	3	8	13	21	30	55
13-19 YRS	1264	10.6	108	3	4	8	12	21	34	78
TOT. SINGLE DX	1561	6.7	20	2	3	6	8	11	15	24
" MULTIPLE DX	1667	10.9	113	3	4	8	12	22	35	99
TOTAL 0-27 DYS	13	12.8	100	2	3	11	49	99+	99+	99+
1-11 MOS	55	11.6	166	2	3	8	16	30	69	99+
1-5 YRS	196	9.3	97	2	3	6	10	19	31	56
6-12 YRS	569	8.7	67	2	3	6	10	17	22	40
13-19 YRS	2395	8.7	69	3	3	6	10	16	24	58
GRAND TOTAL	3228	8.8	72	3	3	6	10	16	24	59

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	7	3.0	4	1	1	3	4	6	7	7
1-5 YRS	4	5.8	57	1	1	2	10	17	17	17
6-12 YRS	32	3.4	9	1	1	3	4	6	9	16
13-19 YRS	1845	3.4	7	1	1	2	4	7	8	12
2. MULTIPLE DX										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	9	5.7	22	1	1	4	8	13	15	15
1-5 YRS	3	7.0	19	2	2	9	10	10	10	10
6-12 YRS	24	5.8	11	1	2	6	9	11	11	11
13-19 YRS	1569	4.3	16	1	1	3	6	9	11	21
TOT. SINGLE DX	1892	3.4	7	1	1	2	4	7	8	12
" MULTIPLE DX	1608	4.3	16	1	1	3	6	9	11	21
TOTAL 0-27 DYS	7	1.7	1	<1	<1	1	3	3	3	3
1-11 MOS	16	4.5	15	1	1	3	6	11	14	15
1-5 YRS	7	6.3	35	1	1	3	10	16	17	17
6-12 YRS	56	4.5	11	1	1	3	7	9	11	16
13-19 YRS	3414	3.8	11	1	1	3	5	8	10	16
GRAND TOTAL	3500	3.8	11	1	1	3	5	8	10	16

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	9.4	6	6	6	9	11	13	14	14
1-11 MOS	19	10.7	106	3	4	8	9	27	39	43
1-5 YRS	31	6.5	15	2	2	6	8	11	16	17
6-12 YRS	87	6.9	30	1	2	6	8	12	14	32
13-19 YRS	322	6.6	19	1	2	6	8	12	15	21
2. MULTIPLE DX										
0-27 DYS	13	18.6	591	5	7	17	99+	99+	99+	99+
1-11 MOS	28	14.0	109	4	6	11	20	36	49	99+
1-5 YRS	58	10.7	81	2	3	8	13	18	27	53
6-12 YRS	95	12.7	225	3	3	8	14	27	67	99+
13-19 YRS	514	8.8	64	2	2	7	10	16	22	48
TOT. SINGLE DX	468	6.9	24	1	2	6	9	12	16	26
" MULTIPLE DX	708	9.9	101	2	2	7	12	20	29	99+
TOTAL 0-27 DYS	22	14.9	361	6	6	12	59	99+	99+	99+
1-11 MOS	47	12.7	108	4	5	9	15	32	43	99+
1-5 YRS	89	9.2	61	2	2	7	12	17	19	48
6-12 YRS	182	9.9	139	1	2	7	11	21	29	95
13-19 YRS	836	8.0	47	1	2	6	10	15	19	37
GRAND TOTAL	**1176**	**8.7**	**72**	**2**	**2**	**7**	**10**	**17**	**23**	**84**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	12.4	88	6	6	9	14	29	29	29
1-11 MOS	9	10.1	41	4	4	9	12	21	25	25
1-5 YRS	35	8.9	7	4	5	9	10	12	15	15
6-12 YRS	34	12.4	206	5	5	8	11	19	43	79
13-19 YRS	59	9.8	14	5	6	9	12	14	15	25
2. MULTIPLE DX										
0-27 DYS	6	11.8	16	6	6	13	15	16	16	16
1-11 MOS	17	11.1	34	6	6	9	13	19	25	28
1-5 YRS	80	13.3	106	4	5	10	16	31	33	52
6-12 YRS	92	12.5	93	5	5	10	15	23	30	83
13-19 YRS	170	12.9	95	5	6	11	14	21	27	69
TOT. SINGLE DX	142	10.3	62	5	5	9	11	14	18	49
" MULTIPLE DX	365	12.8	92	5	6	10	14	22	32	62
TOTAL 0-27 DYS	11	12.1	43	6	5	9	15	21	28	29
1-11 MOS	26	10.7	35	5	6	9	13	19	26	28
1-5 YRS	115	11.9	80	4	5	9	13	23	32	50
6-12 YRS	126	12.5	122	5	5	9	14	23	34	84
13-19 YRS	229	12.1	76	5	6	10	13	18	24	65
GRAND TOTAL	**507**	**12.1**	**85**	**5**	**6**	**10**	**13**	**20**	**30**	**61**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	5.5	10	2	2	5	8	10	10	10
1-11 MOS	22	8.8	32	2	2	8	13	17	19	21
1-5 YRS	99	8.4	68	2	2	7	10	15	19	52
6-12 YRS	197	7.6	29	2	2	7	10	14	18	26
13-19 YRS	443	8.3	45	2	2	8	11	16	18	35
2. MULTIPLE DX										
0-27 DYS	5	14.6	40	7	7	15	19	23	23	23
1-11 MOS	38	12.6	100	2	3	10	17	24	28	54
1-5 YRS	129	11.9	108	2	3	9	13	27	33	53
6-12 YRS	194	12.6	111	2	3	10	16	24	31	67
13-19 YRS	443	13.6	163	2	2	10	16	28	41	64
TOT. SINGLE DX	769	8.1	43	2	2	7	11	15	18	34
" MULTIPLE DX	809	13.0	138	2	3	10	16	26	36	64
TOTAL 0-27 DYS	13	9.0	41	2	2	7	11	19	22	23
1-11 MOS	60	11.2	77	2	3	9	16	21	25	51
1-5 YRS	228	10.4	93	2	2	8	12	18	29	53
6-12 YRS	391	10.1	76	2	2	8	12	19	26	56
13-19 YRS	886	10.9	111	2	2	8	13	22	29	57
GRAND TOTAL	**1578**	**10.6**	**98**	**2**	**2**	**8**	**13**	**21**	**28**	**56**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	11.0	18	8	8	11	14	14	14	14
1-5 YRS	5	5.2	5	3	3	6	7	8	8	8
6-12 YRS	19	8.5	24	2	2	8	12	14	18	21
13-19 YRS	96	9.4	24	3	4	9	11	15	20	69
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.8	18	1	1	6	7	12	13	13
6-12 YRS	11	10.5	121	1	1	8	15	25	38	39
13-19 YRS	57	10.1	46	4	5	9	11	15	34	95
TOT. SINGLE DX	122	9.1	24	3	3	8	11	15	20	52
" MULTIPLE DX	74	9.8	55	2	3	8	11	16	35	85
TOTAL 0-27 DYS										
1-11 MOS	2	11.0	18	8	8	11	14	14	14	14
1-5 YRS	11	5.5	11	1	2	6	7	10	13	13
6-12 YRS	30	9.2	58	1	2	8	12	16	21	39
13-19 YRS	153	9.7	32	3	4	9	11	15	21	97
GRAND TOTAL	**196**	**9.4**	**35**	**2**	**3**	**8**	**11**	**15**	**20**	**71**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	19	9.5	15	3	4	9	12	15	16	16
1-5 YRS	275	9.5	11	6	7	9	10	13	16	22
6-12 YRS	299	9.9	12	6	7	9	11	14	16	23
13-19 YRS	77	10.6	20	5	6	10	12	16	18	29
2. MULTIPLE DX										
0-27 DYS	2	32.5	1301	7	7	32	58	58	58	58
1-11 MOS	24	15.3	54	5	8	15	19	25	28	34
1-5 YRS	342	10.5	29	6	7	9	11	15	18	29
6-12 YRS	384	10.9	25	6	7	10	12	16	21	35
13-19 YRS	143	12.8	52	5	7	10	15	22	29	38
TOT. SINGLE DX	670	9.8	12	5	7	9	11	14	16	23
" MULTIPLE DX	895	11.2	35	6	7	10	12	17	22	37
TOTAL 0-27 DYS	2	32.5	1301	7	7	32	58	58	58	58
1-11 MOS	43	12.7	44	3	6	11	16	24	25	34
1-5 YRS	617	10.1	21	6	7	9	11	15	17	26
6-12 YRS	683	10.5	20	6	7	10	12	15	19	28
13-19 YRS	220	12.0	42	5	7	10	14	19	26	37
GRAND TOTAL	**1565**	**10.6**	**26**	**6**	**7**	**9**	**12**	**16**	**20**	**32**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	11.3	131	1	1	8	19	29	30	30
1-11 MOS	9	2.6	4	<1	<1	2	4	6	6	6
1-5 YRS	62	3.0	8	<1	<1	2	4	9	9	11
6-12 YRS	65	4.5	18	<1	1	2	8	10	13	16
13-19 YRS	221	5.3	10	2	2	5	7	9	11	17
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	16	18.9	262	2	6	17	22	32	60	71
1-5 YRS	93	7.6	47	<1	1	7	11	15	21	34
6-12 YRS	86	6.9	116	1	1	4	9	14	16	69
13-19 YRS	128	7.1	33	1	2	6	9	14	19	48
TOT. SINGLE DX	363	4.8	14	1	1	4	7	9	11	17
" MULTIPLE DX	324	7.8	76	1	1	6	10	16	21	43
TOTAL 0-27 DYS	7	9.9	124	<1	<1	4	17	28	30	30
1-11 MOS	25	13.0	229	<1	1	9	19	26	42	71
1-5 YRS	155	5.7	37	<1	1	2	9	13	17	33
6-12 YRS	151	5.9	75	<1	1	3	8	12	16	27
13-19 YRS	349	6.0	19	1	2	5	7	11	15	27
GRAND TOTAL	**687**	**6.2**	**45**	**1**	**1**	**5**	**8**	**12**	**16**	**32**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	14	2.9	7	<1	<1	2	3	8	9	9
1-11 MOS	93	2.7	12	<1	1	1	3	7	13	65
1-5 YRS	2176	2.0	10	<1	1	1	2	3	5	12
6-12 YRS	3042	2.1	9	<1	1	1	2	4	5	11
13-19 YRS	2426	3.2	10	<1	1	2	4	7	9	18
2. MULTIPLE DX										
0-27 DYS	22	6.5	26	1	2	5	9	14	19	20
1-11 MOS	116	6.4	71	<1	1	3	9	15	21	41
1-5 YRS	2428	2.5	9	<1	1	2	3	5	7	15
6-12 YRS	2999	2.8	11	<1	1	2	3	6	8	15
13-19 YRS	2951	4.5	31	1	1	3	6	9	12	26
TOT. SINGLE DX	7751	2.4	10	<1	1	2	3	5	7	14
" MULTIPLE DX	8516	3.4	19	<1	1	2	4	7	10	19
TOTAL 0-27 DYS	36	5.1	22	<1	1	4	7	11	16	20
1-11 MOS	209	4.8	48	<1	1	2	6	12	18	44
1-5 YRS	4604	2.3	10	<1	1	1	2	4	7	13
6-12 YRS	6041	2.5	10	<1	1	2	3	5	7	13
13-19 YRS	5377	3.9	22	1	1	3	5	8	11	22
GRAND TOTAL	**16267**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	5.0	13	1	1	4	6	11	12	12
1-5 YRS	13	6.0	11	1	2	8	9	10	10	10
6-12 YRS	14	3.9	6	1	2	3	5	8	9	9
13-19 YRS	43	3.2	3	1	1	3	4	5	7	8
2. MULTIPLE DX										
0-27 DYS	3	13.7	82	4	4	15	20	22	22	22
1-11 MOS	12	4.5	24	1	1	3	6	11	17	18
1-5 YRS	33	4.9	36	<1	1	2	5	13	17	29
6-12 YRS	46	4.8	25	<1	<1	3	5	10	17	25
13-19 YRS	112	5.4	50	1	1	4	6	10	14	44
TOT. SINGLE DX	78	4.0	6	1	1	3	5	8	9	12
" MULTIPLE DX	206	5.3	41	1	1	3	6	11	15	30
TOTAL 0-27 DYS	4	11.8	70	4	4	10	18	22	22	22
1-11 MOS	19	4.7	19	1	1	3	6	10	15	18
1-5 YRS	46	5.2	29	1	1	3	8	11	15	29
6-12 YRS	60	4.6	21	<1	1	3	5	10	13	24
13-19 YRS	155	4.8	38	1	1	3	6	9	13	31
GRAND TOTAL	**284**	**4.9**	**32**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	59	4.9	17	1	1	4	6	9	11	22
1-11 MOS	90	6.0	17	2	2	5	7	11	15	23
1-5 YRS	109	5.7	19	<1	1	5	8	12	13	19
6-12 YRS	100	5.5	23	<1	1	4	9	12	15	21
13-19 YRS	153	6.8	59	1	2	5	8	11	17	51
2. MULTIPLE DX										
0-27 DYS	50	8.6	64	2	3	6	11	21	32	99
1-11 MOS	170	9.4	181	2	2	6	10	14	33	80
1-5 YRS	164	9.8	111	1	2	6	11	22	31	49
6-12 YRS	218	10.0	60	1	2	9	13	21	28	38
13-19 YRS	409	10.8	129	2	3	7	13	26	45	99+
TOT. SINGLE DX	511	6.0	31	1	1	5	8	11	14	25
" MULTIPLE DX	1011	10.1	117	2	2	7	12	22	35	85
TOTAL 0-27 DYS	109	6.6	41	1	2	5	7	14	22	62
1-11 MOS	260	8.2	126	2	2	5	9	13	21	77
1-5 YRS	273	8.2	78	1	1	5	10	18	26	46
6-12 YRS	318	8.6	53	1	1	7	12	19	25	35
13-19 YRS	562	9.7	113	2	2	7	11	21	41	99+
GRAND TOTAL	**1522**	**8.7**	**92**	**1**	**2**	**6**	**10**	**18**	**29**	**65**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	46	1.3		<1	<1	1	1	2	3	4
1-5 YRS	1042	1.7	11	<1	<1	1	2	2	3	7
6-12 YRS	752	1.7	6	<1	<1	1	2	2	3	6
13-19 YRS	91	2.1	3	<1	1	2	2	3	4	11
2. MULTIPLE DX										
0-27 DYS	5	3.8	15	<1	<1	2	6	10	10	10
1-11 MOS	37	2.5	16	<1	<1	1	2	5	14	19
1-5 YRS	614	2.1	7	<1	1	2	2	4	5	10
6-12 YRS	763	2.2	5	<1	1	2	2	4	6	12
13-19 YRS	157	3.2	8	<1	1	2	4	7	9	17
TOT. SINGLE DX	1932	1.7	8	<1	<1	1	2	2	3	7
" MULTIPLE DX	1576	2.3	7	<1	1	2	2	4	6	12
TOTAL 0-27 DYS	6	3.5	12	<1	<1	2	5	9	10	10
1-11 MOS	83	1.8	7	<1	<1	1	1	2	4	18
1-5 YRS	1656	1.8	10	<1	<1	1	2	3	4	9
6-12 YRS	1515	2.0	6	<1	<1	2	2	3	5	9
13-19 YRS	248	2.8	7	<1	1	2	3	6	8	14
GRAND TOTAL	**3508**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	25	4.7	16	<1	<1	3	7	10	12	15
1-5 YRS	834	6.7	21	1	1	7	9	12	14	19
6-12 YRS	420	5.4	22	1	1	4	8	12	15	23
13-19 YRS	265	5.2	18	1	1	4	7	11	14	18
2. MULTIPLE DX										
0-27 DYS	3	11.7	74	4	4	10	18	21	21	21
1-11 MOS	19	7.7	48	<1	<1	6	10	21	23	23
1-5 YRS	407	5.4	21	1	1	4	9	12	15	18
6-12 YRS	367	4.8	44	1	1	2	6	12	15	40
13-19 YRS	262	6.4	79	1	1	4	8	14	20	99+
TOT. SINGLE DX	1544	6.0	21	1	1	5	9	12	14	20
" MULTIPLE DX	1058	5.5	44	1	1	3	8	12	16	40
TOTAL 0-27 DYS	3	11.7	74	4	4	10	18	21	21	21
1-11 MOS	44	6.0	31	<1	<1	4	9	12	20	23
1-5 YRS	1241	6.2	21	1	1	6	9	12	14	18
6-12 YRS	787	5.2	32	1	1	3	8	12	15	27
13-19 YRS	527	5.8	49	1	1	4	8	12	16	46
GRAND TOTAL	**2602**	**5.8**	**31**	**1**	**1**	**4**	**9**	**12**	**15**	**23**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	14	1.4	1	<1	<1	1	1	3	4	5
1-5 YRS	881	1.9	12	<1	<1	1	2	3	4	10
6-12 YRS	993	1.8	3	<1	1	1	2	3	4	10
13-19 YRS	507	2.6	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	9	4.1	13	1	1	3	6	10	11	11
1-11 MOS	51	4.6	43	<1	1	2	6	10	13	44
1-5 YRS	1413	2.1	6	<1	1	1	2	4	6	10
6-12 YRS	1548	2.3	7	<1	1	2	2	5	6	12
13-19 YRS	1021	3.6	21	1	1	2	4	7	9	16
TOT. SINGLE DX	2398	2.0	7	<1	<1	1	2	3	5	11
" MULTIPLE DX	4042	2.6	11	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	12	3.6	10	1	1	2	4	10	11	11
1-11 MOS	65	3.9	36	<1	<1	2	5	9	11	39
1-5 YRS	2294	2.0	9	<1	<1	1	2	3	5	10
6-12 YRS	2541	2.1	5	<1	1	2	2	4	6	11
13-19 YRS	1528	3.3	16	<1	1	2	4	7	9	14
GRAND TOTAL	**6440**	**2.4**	**10**	**<1**	**1**	**2**	**2**	**5**	**7**	**12**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.3	7	1	1	1	2	7	8	8
1-5 YRS	351	2.0	3	<1	<1	2	2	3	5	10
6-12 YRS	288	2.4	6	<1	1	2	2	5	6	16
13-19 YRS	209	3.5	8	1	1	3	4	7	9	17
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	10	2.5	4	<1	<1	2	3	6	7	7
1-5 YRS	369	2.4	4	1	1	2	3	5	7	10
6-12 YRS	375	2.5	7	1	1	2	3	4	6	12
13-19 YRS	317	4.0	19	1	1	3	4	8	11	26
TOT. SINGLE DX	857	2.5	6	<1	1	2	3	5	7	12
" MULTIPLE DX	1072	2.9	10	1	1	2	3	6	8	17
TOTAL 0-27 DYS	3	5.3	33	2	2	2	10	12	12	12
1-11 MOS	17	2.4	5	<1	1	2	3	7	8	8
1-5 YRS	720	2.2	3	<1	1	2	2	4	6	10
6-12 YRS	663	2.4	7	<1	1	2	3	4	6	14
13-19 YRS	526	3.8	15	1	1	3	4	7	11	21
GRAND TOTAL	**1929**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	13	3.5	4	1	2	3	4	6	8	9
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS	4	9.8	17	6	6	9	13	15	15	15
13-19 YRS	9	6.7	19	<1	1	7	10	13	13	13
TOT. SINGLE DX	18	5.4	13	1	2	4	10	10	11	12
" MULTIPLE DX	14	7.6	18	1	2	7	11	13	15	15
TOTAL 0-27 DYS	4	9.3	2	7	7	10	10	10	10	10
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	5	10.2	14	6	6	11	13	15	15	15
13-19 YRS	22	4.8	12	1	2	4	7	10	13	13
GRAND TOTAL	**32**	**6.4**	**16**	**1**	**2**	**5**	**10**	**12**	**13**	**15**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	5.2	16	<1	<1	3	9	10	10	10
13-19 YRS	4	7.8	36	2	2	6	12	16	16	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	17	8.4	14	2	4	8	11	13	15	16
13-19 YRS	4	7.5	19	4	4	7	11	13	13	13
TOT. SINGLE DX	9	6.3	24	<1	1	5	9	14	16	16
" MULTIPLE DX	22	8.2	13	3	4	8	11	13	14	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	22	7.7	15	1	2	8	11	12	14	16
13-19 YRS	8	7.6	24	2	3	6	11	15	16	16
GRAND TOTAL	**31**	**7.6**	**16**	**1**	**2**	**7**	**11**	**13**	**16**	**16**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	16	1.6	2	<1	<1	1	2	3	5	6
6-12 YRS	9	4.3	25	<1	<1	1	6	12	16	16
13-19 YRS	15	3.9	5	1	1	4	5	7	8	8
2. MULTIPLE DX										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	3	6.7	80	1	1	2	13	17	17	17
1-5 YRS	18	3.7	7	<1	1	2	5	8	8	8
6-12 YRS	31	4.7	50	<1	<1	3	5	10	22	35
13-19 YRS	25	5.8	27	<1	1	4	8	15	17	21
TOT. SINGLE DX	41	3.0	9	<1	<1	2	5	6	8	16
" MULTIPLE DX	78	5.1	37	<1	1	3	6	12	19	32
TOTAL 0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	4	5.3	62	1	1	2	9	17	17	17
1-5 YRS	34	2.7	5	<1	<1	2	3	8	8	8
6-12 YRS	40	4.6	44	<1	<1	2	5	10	19	35
13-19 YRS	40	5.1	19	<1	1	4	7	10	15	21
GRAND TOTAL	**119**	**4.4**	**28**	**<1**	**<1**	**2**	**5**	**9**	**16**	**27**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.0	15	<1	<1	3	7	9	9	9
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	11	4.9	18	1	1	4	5	13	15	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.4	23	<1	<1	7	11	11	11	11
6-12 YRS	7	8.1	22	2	3	7	10	16	17	17
13-19 YRS	20	11.1	79	2	2	10	15	20	31	39
TOT. SINGLE DX	17	4.5	15	<1	<1	4	5	11	14	15
" MULTIPLE DX	32	9.7	59	2	2	8	12	17	22	39
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	9	5.3	19	<1	<1	5	9	11	11	11
6-12 YRS	9	7.0	23	1	1	7	9	14	17	17
13-19 YRS	31	8.9	65	2	2	5	12	17	23	39
GRAND TOTAL	**49**	**7.9**	**50**	**<1**	**1**	**5**	**11**	**16**	**18**	**39**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	7.8	22	5	5	6	9	16	16	16
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	6	7.0	22	2	2	9	13	83	99+	99+
13-19 YRS	7	6.6	7	2	3	7	9	10	10	10
2. MULTIPLE DX										
0-27 DYS	11	8.6	13	4	5	8	11	14	16	16
1-11 MOS	17	8.6	12	5	5	7	11	13	16	17
1-5 YRS	8	17.5	127	8	8	13	22	36	42	42
6-12 YRS	14	10.0	133	1	2	7	10	17	41	48
13-19 YRS	15	9.7	37	2	4	9	10	23	23	23
TOT. SINGLE DX	21	6.8	14	1	2	7	9	15	50	99+
" MULTIPLE DX	65	10.2	62	2	5	9	11	17	23	47
TOTAL 0-27 DYS	16	8.4	14	4	5	7	10	15	16	16
1-11 MOS	18	8.6	11	5	5	8	11	13	15	17
1-5 YRS	10	14.8	134	1	4	11	22	32	42	42
6-12 YRS	20	9.1	99	1	2	8	10	28	71	99+
13-19 YRS	22	8.7	29	2	3	7	9	17	23	23
GRAND TOTAL	**86**	**9.4**	**52**	**2**	**4**	**8**	**11**	**16**	**23**	**81**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS	5	4.2	22	<1	<1	2	7	12	12	12
13-19 YRS	11	3.7	10	1	1	3	4	8	13	13
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	19.0	128	11	11	19	27	27	27	27
1-5 YRS	3	12.7	341	2	2	2	26	34	34	34
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	7	5.7	14	2	2	4	9	12	12	12
TOT. SINGLE DX	20	3.3	11	<1	<1	2	4	8	12	13
" MULTIPLE DX	14	9.8	93	2	2	7	11	28	33	34
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	19.0	128	11	11	19	27	27	27	27
1-5 YRS	7	6.0	153	<1	<1	1	2	28	34	34
6-12 YRS	6	5.2	23	<1	<1	3	10	12	12	12
13-19 YRS	18	4.5	12	1	2	3	4	11	13	13
GRAND TOTAL	**34**	**6.0**	**54**	**<1**	**1**	**3**	**10**	**12**	**24**	**34**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS	3	4.0	12	2	2	2	7	8	8	8
13-19 YRS	13	4.7	19	1	1	2	7	12	14	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	3	35.0	399	13	13	40	49	52	52	52
6-12 YRS	3	6.3	37	1	1	5	11	13	13	13
13-19 YRS	10	4.6	20	2	2	3	4	11	17	17
TOT. SINGLE DX	19	4.2	15	1	1	2	6	10	13	15
" MULTIPLE DX	17	11.1	207	1	2	4	14	36	48	52
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	5	22.2	507	3	3	13	43	52	52	52
6-12 YRS	6	5.2	21	1	1	4	8	12	13	13
13-19 YRS	23	4.7	19	1	2	3	5	12	16	17
GRAND TOTAL	**36**	**7.5**	**115**	**1**	**2**	**3**	**8**	**17**	**34**	**52**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	4.1	17	1	1	3	4	11	13	13
1-11 MOS	49	2.1	6	<1	<1	1	2	3	4	18
1-5 YRS	159	2.4	3	<1	1	2	3	4	5	12
6-12 YRS	141	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	343	3.4	6	1	1	3	4	6	7	16
2. MULTIPLE DX										
0-27 DYS	6	12.0	98	3	3	10	14	28	30	30
1-11 MOS	52	2.9	6	<1	1	2	3	7	10	11
1-5 YRS	144	3.1	28	1	1	2	3	4	6	19
6-12 YRS	105	3.0	3	1	1	3	4	5	6	10
13-19 YRS	171	6.4	116	2	2	4	6	9	14	91
TOT. SINGLE DX	699	2.9	5	1	1	2	3	5	6	12
" MULTIPLE DX	478	4.4	56	1	1	3	4	7	10	54
TOTAL 0-27 DYS	13	7.8	66	1	1	4	13	17	28	30
1-11 MOS	101	2.5	6	<1	<1	2	3	4	8	14
1-5 YRS	303	2.7	15	1	1	2	3	4	5	12
6-12 YRS	246	2.7	3	1	1	2	3	4	6	9
13-19 YRS	514	4.4	45	1	2	3	5	7	9	37
GRAND TOTAL	**1177**	**3.5**	**26**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	6	2.5	2	1	1	2	4	4	4	4
1-5 YRS	128	3.0	10	1	1	2	3	5	6	25
6-12 YRS	168	3.1	4	1	2	3	4	5	6	8
13-19 YRS	489	4.2	11	2	2	3	5	7	10	20
2. MULTIPLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	13	2.4	3	1	1	2	3	5	7	7
1-5 YRS	135	2.8	3	1	1	2	3	5	5	11
6-12 YRS	170	3.1	3	1	2	3	4	5	6	11
13-19 YRS	442	4.6	18	2	2	4	5	8	10	19
TOT. SINGLE DX	794	3.7	9	1	2	3	4	6	8	20
" MULTIPLE DX	763	3.9	12	1	2	3	4	7	9	15
TOTAL 0-27 DYS	6	2.7	3	1	1	2	4	5	5	5
1-11 MOS	19	2.4	3	1	1	2	4	4	6	7
1-5 YRS	263	2.9	7	1	1	2	3	5	6	13
6-12 YRS	338	3.1	3	1	2	3	4	5	6	9
13-19 YRS	931	4.4	14	2	2	4	5	8	10	19
GRAND TOTAL	**1557**	**3.8**	**11**	**1**	**2**	**3**	**4**	**6**	**9**	**18**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	18	2.4	1	<1	1	2	3	4	5	5
1-5 YRS	994	2.9	3	<1	1	3	4	5	6	9
6-12 YRS	1670	3.2	3	1	1	3	4	5	7	9
13-19 YRS	1118	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	36	3.7	40	<1	1	2	3	6	9	39
1-5 YRS	1021	3.1	4	<1	1	3	4	5	7	9
6-12 YRS	1133	3.6	4	1	2	3	5	6	8	11
13-19 YRS	430	4.0	9	1	2	4	5	7	8	12
TOT. SINGLE DX	3803	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	2620	3.5	5	1	1	3	4	6	8	10
TOTAL 0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	54	3.3	27	<1	1	2	3	5	6	38
1-5 YRS	2015	3.0	3	<1	1	3	4	5	6	9
6-12 YRS	2803	3.4	4	1	1	3	4	6	7	9
13-19 YRS	1548	3.3	6	1	1	3	4	6	7	10
GRAND TOTAL	6423	3.2	4	1	1	3	4	5	7	9

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (3)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	91	2.4	2	1	1	2	3	4	5	7
6-12 YRS	341	2.3	2	1	1	2	3	4	5	8
13-19 YRS	313	3.2	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	3.0	6	<1	<1	2	4	7	8	8
1-5 YRS	40	4.3	31	1	1	3	4	8	14	32
6-12 YRS	96	2.8	3	1	1	2	4	5	7	8
13-19 YRS	128	4.2	6	2	2	4	5	8	8	13
TOT. SINGLE DX	749	2.7	3	1	1	2	3	5	6	9
" MULTIPLE DX	272	3.7	9	1	1	3	4	7	8	17
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	2.8	4	<1	<1	2	4	6	8	8
1-5 YRS	131	3.0	11	1	1	2	3	5	7	21
6-12 YRS	437	2.4	2	1	1	2	3	4	5	8
13-19 YRS	441	3.4	5	1	1	3	4	6	8	11
GRAND TOTAL	1021	2.9	5	1	1	2	4	5	7	11

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.1	1	1	1	2	2	4	4	4
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	7	2.7	3	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	5	7.2	163	1	1	2	9	30	30	30
TOT. SINGLE DX	16	2.3	2	<1	<1	2	3	4	5	5
" MULTIPLE DX	8	5.4	99	1	1	2	3	22	30	30
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	8	2.1	1	1	1	2	2	4	4	4
6-12 YRS	4	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	12	4.6	66	<1	<1	2	4	12	27	30
GRAND TOTAL	24	3.3	34	<1	<1	2	3	4	12	30

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0	3	1	1	4	4	4	4	4
1-11 MOS	219	1.9	1	<1	<1	2	2	3	4	5
1-5 YRS	592	2.2	3	<1	1	2	2	3	4	9
6-12 YRS	402	2.5	2	1	1	2	3	4	5	8
13-19 YRS	1061	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	4.8	10	2	2	5	7	8	8	8
1-11 MOS	191	2.5	5	<1	1	2	3	4	6	14
1-5 YRS	574	2.5	5	<1	1	2	3	4	5	9
6-12 YRS	315	2.9	2	1	1	3	4	5	6	9
13-19 YRS	448	3.9	6	1	2	3	4	6	9	17
TOT. SINGLE DX	2277	2.7	3	1	1	2	3	4	5	8
" MULTIPLE DX	1532	3.0	5	1	1	3	4	5	6	11
TOTAL 0-27 DYS	7	4.0	7	1	1	4	6	8	8	8
1-11 MOS	410	2.2	3	<1	1	2	3	4	4	7
1-5 YRS	1166	2.3	4	<1	1	2	3	4	5	9
6-12 YRS	717	2.7	2	1	1	2	3	4	5	9
13-19 YRS	1509	3.4	4	1	2	3	4	5	7	10
GRAND TOTAL	3809	2.8	4	1	1	2	3	5	6	10

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		<1	<1	<1	2	2	2	2
1-11 MOS	23	1.9	2	<1	<1	1	2	4	5	5
1-5 YRS	162	2.8	7	<1	<1	2	4	6	9	10
6-12 YRS	102	3.8	19	<1	<1	2	5	9	11	24
13-19 YRS	188	3.4	9	<1	1	3	4	6	7	19
2. MULTIPLE DX										
0-27 DYS	2	9.5	113	2	2	9	17	17	17	17
1-11 MOS	11	3.5	7	<1	1	2	5	7	10	10
1-5 YRS	111	3.4	14	<1	1	2	4	8	12	20
6-12 YRS	69	4.6	22	1	1	3	5	11	16	22
13-19 YRS	169	5.1	50	1	2	3	5	8	14	31
TOT. SINGLE DX	478	3.2	10	<1	<1	2	4	6	9	15
" MULTIPLE DX	362	4.5	33	1	1	3	5	9	14	23
TOTAL 0-27 DYS	5	4.6	48	<1	<1	2	6	17	17	17
1-11 MOS	34	2.4	4	<1	1	2	3	5	5	10
1-5 YRS	273	3.0	10	<1	<1	2	4	7	9	15
6-12 YRS	171	4.1	20	<1	1	2	5	9	13	22
13-19 YRS	357	4.2	29	1	1	3	4	7	10	23
GRAND TOTAL	**840**	**3.7**	**20**	**<1**	**1**	**3**	**4**	**7**	**10**	**21**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.7	10	3	3	8	9	9	9	9
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	4	5.3	3	3	3	5	6	7	7	7
6-12 YRS	38	5.5	4	2	3	6	6	8	9	11
13-19 YRS	1294	5.8	7	3	3	5	7	8	10	16
2. MULTIPLE DX										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	11.0	32	7	7	11	15	15	15	15
6-12 YRS	34	6.5	10	3	3	6	8	12	13	16
13-19 YRS	1358	6.5	14	3	4	6	7	9	12	22
TOT. SINGLE DX	1341	5.8	7	3	3	5	7	8	10	16
" MULTIPLE DX	1397	6.5	14	3	4	6	7	9	12	21
TOTAL 0-27 DYS	5	6.8	7	3	3	8	9	9	9	9
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	6	7.2	17	3	3	6	7	14	15	15
6-12 YRS	72	6.0	7	3	3	6	7	9	12	15
13-19 YRS	2652	6.2	11	3	4	6	7	9	11	18
GRAND TOTAL	**2738**	**6.2**	**11**	**3**	**4**	**6**	**7**	**9**	**11**	**18**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	6	7.0	20	2	2	7	11	13	13	13
6-12 YRS	42	6.1	5	3	3	6	8	9	10	11
13-19 YRS	757	6.4	5	4	4	6	7	9	10	15
2. MULTIPLE DX										
0-27 DYS	4	7.0	12	4	4	6	9	12	12	12
1-11 MOS	11	7.7	19	1	2	6	11	13	15	15
1-5 YRS	11	6.7	10	3	3	6	9	12	13	13
6-12 YRS	55	5.5	4	3	3	5	7	8	9	11
13-19 YRS	876	7.2	10	4	5	6	8	11	13	21
TOT. SINGLE DX	808	6.4	6	4	4	6	7	9	10	15
" MULTIPLE DX	957	7.1	10	4	4	6	8	11	13	20
TOTAL 0-27 DYS	6	7.2	7	4	4	7	8	12	12	12
1-11 MOS	12	7.6	18	1	2	6	11	13	15	15
1-5 YRS	17	6.8	13	2	2	6	9	12	13	13
6-12 YRS	97	5.8	4	3	3	5	7	9	10	11
13-19 YRS	1633	6.8	8	4	4	6	8	10	12	19
GRAND TOTAL	**1765**	**6.8**	**8**	**4**	**4**	**6**	**8**	**10**	**12**	**18**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS										
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	32	7.1	28	2	3	6	7	13	21	26
2. MULTIPLE DX										
0-27 DYS	3	6.7		6	6	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	6.8	2	5	5	7	8	9	9	9
13-19 YRS	37	8.8	28	5	5	7	9	18	22	25
TOT. SINGLE DX	36	7.2	25	2	3	6	8	11	20	26
" MULTIPLE DX	46	8.3	23	5	5	7	8	16	22	25
TOTAL 0-27 DYS	4	7.8	5	6	6	7	9	11	11	11
1-11 MOS										
1-5 YRS	3	6.0	12	4	4	4	9	10	10	10
6-12 YRS	6	6.8	2	5	5	7	7	9	9	9
13-19 YRS	69	8.0	28	3	5	6	8	17	22	26
GRAND TOTAL	**82**	**7.8**	**24**	**3**	**4**	**6**	**8**	**15**	**21**	**26**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.7	1	2	2	4	4	5	5	5
13-19 YRS	226	4.3	11	1	1	4	6	8	10	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	4	3.0	2	2	2	3	4	5	5	5
13-19 YRS	216	6.1	41	1	2	5	7	11	15	30
TOT. SINGLE DX	232	4.3	10	1	1	4	6	8	10	15
" MULTIPLE DX	221	6.1	40	1	2	5	7	11	15	29
TOTAL 0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	10	3.4	1	2	2	3	4	5	5	5
13-19 YRS	442	5.2	26	1	2	4	6	9	13	19
GRAND TOTAL	**453**	**5.2**	**25**	**1**	**2**	**4**	**6**	**9**	**13**	**19**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.3		<1	<1	1	1	2	2	2
13-19 YRS	145	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.8	4	2	2	4	5	6	6	6
13-19 YRS	143	2.4	7	<1	<1	2	2	4	7	14
TOT. SINGLE DX	149	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	147	2.5	6	<1	<1	2	2	4	7	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.5	4	<1	<1	2	4	6	6	6
13-19 YRS	288	2.1	4	<1	<1	2	2	3	5	12
GRAND TOTAL	**296**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**12**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	177	3.3	7	1	1	3	4	5	7	23
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.0	5	1	1	2	3	7	8	8
13-19 YRS	379	4.5	19	1	2	3	5	7	10	20
TOT. SINGLE DX	180	3.3	7	1	1	3	4	5	7	23
" MULTIPLE DX	386	4.5	19	1	2	3	5	7	10	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	2.9	5	1	1	2	3	6	8	8
13-19 YRS	556	4.1	16	1	2	3	5	7	9	22
GRAND TOTAL	**566**	**4.1**	**15**	**1**	**2**	**3**	**5**	**7**	**9**	**22**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	6	4.7	5	2	2	4	6	8	8	8
13-19 YRS	510	5.4	6	2	3	5	6	8	10	13
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	4	4.5	6	1	1	5	6	6	6	6
1-5 YRS										
6-12 YRS	6	7.2	54	2	2	5	5	20	22	22
13-19 YRS	595	6.0	9	2	3	6	7	9	11	17
TOT. SINGLE DX	519	5.4	6	2	3	5	6	8	10	13
" MULTIPLE DX	607	6.0	10	2	3	6	7	9	11	18
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	3.8	7	<1	<1	5	6	6	6	6
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	12	5.9	28	2	2	5	6	12	21	22
13-19 YRS	1105	5.7	8	2	3	5	7	9	11	16
GRAND TOTAL	**1126**	**5.7**	**8**	**2**	**3**	**5**	**7**	**9**	**11**	**16**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	228	2.3	3	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	166	2.7	3	1	1	2	3	4	6	11
TOT. SINGLE DX	234	2.3	3	1	1	2	3	3	4	6
" MULTIPLE DX	166	2.7	3	1	1	2	3	4	6	11
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	394	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**400**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	5	3.4	4	2	2	3	4	7	7	7
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	184	2.3	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS										
1-5 YRS	1	21.0		21	21	21	21	21	21	21
6-12 YRS	6	2.7	6	1	1	2	4	7	7	7
13-19 YRS	205	3.0	7	<1	1	2	3	7	9	14
TOT. SINGLE DX	196	2.3	3	<1	1	2	3	4	6	9
" MULTIPLE DX	214	3.1	8	<1	1	2	3	7	9	17
TOTAL 0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	5	3.4	4	2	2	3	4	7	7	7
1-5 YRS	3	8.0	127	1	1	2	16	21	21	21
6-12 YRS	9	2.7	5	1	1	2	4	6	7	7
13-19 YRS	389	2.7	5	<1	1	2	3	5	8	14
GRAND TOTAL	**410**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	173	3.3	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	68	4.7	14	2	2	3	6	10	15	17
TOT. SINGLE DX	174	3.3	3	1	1	3	4	5	7	9
" MULTIPLE DX	68	4.7	14	2	2	3	6	10	15	17
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	241	3.7	6	1	2	3	4	6	9	16
GRAND TOTAL	**242**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**9**	**16**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	62	3.4	4	1	1	3	5	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	3	5.0	13	2	2	4	8	9	9	9
6-12 YRS	5	4.6	10	2	2	3	7	9	9	9
13-19 YRS	80	6.8	95	<1	1	5	7	11	18	64
TOT. SINGLE DX	65	3.4	4	1	1	3	5	6	7	9
" MULTIPLE DX	90	6.6	85	1	2	5	7	11	14	62
TOTAL 0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	4	4.3	11	2	2	3	6	9	9	9
6-12 YRS	7	4.0	9	1	1	3	6	9	9	9
13-19 YRS	142	5.3	58	1	1	4	6	9	12	55
GRAND TOTAL	**155**	**5.2**	**54**	**1**	**1**	**4**	**6**	**9**	**12**	**52**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	8.0		8	8	8	8	8	8	8
1-11 MOS	6	7.5	4	5	5	7	9	10	10	10
1-5 YRS	3	7.0	21	2	2	8	10	11	11	11
6-12 YRS	13	5.6	9	1	2	6	7	8	12	13
13-19 YRS	87	8.9	41	4	5	7	11	13	16	46
2. MULTIPLE DX										
0-27 DYS	19	8.7	3	6	7	9	10	11	12	12
1-11 MOS	24	8.5	19	5	5	8	9	12	21	23
1-5 YRS	10	8.5	12	5	5	8	9	14	17	17
6-12 YRS	40	7.2	16	4	4	6	8	12	15	24
13-19 YRS	347	8.4	14	5	5	7	9	13	16	22
TOT. SINGLE DX	112	8.4	35	2	5	7	10	12	15	38
" MULTIPLE DX	440	8.3	14	5	5	7	9	13	16	23
TOTAL 0-27 DYS	22	8.6	3	6	7	8	10	11	12	12
1-11 MOS	30	8.3	16	5	5	8	9	11	20	23
1-5 YRS	13	8.2	13	2	4	8	9	12	16	17
6-12 YRS	53	6.8	14	2	4	6	7	11	14	24
13-19 YRS	434	8.5	20	5	5	7	10	13	16	23
GRAND TOTAL	**552**	**8.3**	**18**	**4**	**5**	**7**	**9**	**13**	**16**	**23**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.0	1	5	5	6	7	7	7	7
1-11 MOS	2	12.5	5	11	11	12	14	14	14	14
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	19	5.6	4	3	3	5	6	8	10	11
2. MULTIPLE DX										
0-27 DYS	5	6.4	2	5	5	6	8	8	8	8
1-11 MOS	7	9.0	13	5	5	7	12	14	14	14
1-5 YRS	3	10.7	26	5	5	12	14	15	15	15
6-12 YRS	4	4.8	8	1	1	5	7	8	8	8
13-19 YRS	32	7.3	11	4	4	6	9	11	13	21
TOT. SINGLE DX	27	6.1	7	3	3	6	7	10	12	14
" MULTIPLE DX	51	7.4	12	4	5	6	9	12	14	21
TOTAL 0-27 DYS	8	6.3	2	5	5	6	7	8	8	8
1-11 MOS	9	9.8	13	5	5	11	13	14	14	14
1-5 YRS	4	9.8	21	5	5	9	13	15	15	15
6-12 YRS	6	4.5	5	1	1	4	5	8	8	8
13-19 YRS	51	6.7	9	3	4	6	8	10	11	21
GRAND TOTAL	**78**	**7.0**	**10**	**3**	**4**	**6**	**8**	**11**	**14**	**19**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	7.8	28	2	2	7	12	14	14	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	19.0	31	13	13	20	23	24	24	24
TOT. SINGLE DX	4	7.8	28	2	2	7	12	14	14	14
" MULTIPLE DX	3	19.0	31	13	13	20	23	24	24	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	12.6	61	2	3	13	18	23	24	24
GRAND TOTAL	**7**	**12.6**	**61**	**2**	**3**	**13**	**18**	**23**	**24**	**24**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	1630	1.4	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	389	3.2	28	<1	<1	2	3	6	9	30
TOT. SINGLE DX	1634	1.4	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	392	3.2	28	<1	<1	2	3	6	9	30
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	1.3		<1	<1	1	2	2	2	2
13-19 YRS	2019	1.8	7	<1	<1	1	2	3	5	11
GRAND TOTAL	**2026**	**1.8**	**7**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	2.4	2	<1	1	2	2	4	6	6
1-11 MOS	9	2.9	4	<1	<1	2	4	6	6	6
1-5 YRS	7	2.3	3	1	1	2	3	5	6	6
6-12 YRS	95	2.1	4	<1	1	2	2	3	6	12
13-19 YRS	14494	2.0	4	<1	1	2	2	3	5	9
2. MULTIPLE DX										
0-27 DYS	15	2.5	7	1	1	2	2	7	9	10
1-11 MOS	22	6.0	48	1	2	4	7	13	24	31
1-5 YRS	6	4.7	21	<1	<1	3	7	12	13	13
6-12 YRS	63	3.1	6	1	1	2	3	5	8	15
13-19 YRS	5835	3.4	16	1	1	2	4	7	9	18
TOT. SINGLE DX	14616	2.0	4	<1	1	2	2	3	5	9
" MULTIPLE DX	5941	3.4	16	1	1	2	4	7	9	18
TOTAL 0-27 DYS	26	2.4	4	<1	1	2	2	6	8	10
1-11 MOS	31	5.1	37	<1	1	3	6	9	19	31
1-5 YRS	13	3.4	12	<1	<1	2	4	8	12	13
6-12 YRS	158	2.5	5	<1	1	2	3	5	6	14
13-19 YRS	20329	2.4	8	<1	1	2	3	4	6	12
GRAND TOTAL	**20557**	**2.4**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	27	1.4	1	<1	<1	<1	2	3	15	99+
13-19 YRS	4254	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.3		<1	<1	<1	1	2	3	3
13-19 YRS	1658	1.8	13	<1	<1	<1	1	3	5	13
TOT. SINGLE DX	4281	1.2	1	<1	<1	<1	1	2	2	4
" MULTIPLE DX	1671	1.8	13	<1	<1	<1	1	3	5	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	40	1.4	1	<1	<1	<1	2	3	4	99+
13-19 YRS	5912	1.4	5	<1	<1	<1	1	2	2	7
GRAND TOTAL	**5952**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.2	3	1	1	1	3	5	5	5
13-19 YRS	1138	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	281	2.7	16	<1	<1	2	3	5	7	18
TOT. SINGLE DX	1143	1.6	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	281	2.7	16	<1	<1	2	3	5	7	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.2	3	1	1	1	3	5	5	5
13-19 YRS	1419	1.8	5	<1	<1	1	2	3	5	8
GRAND TOTAL	**1424**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	5.1	5	1	1	6	7	7	8	8
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	63	5.9	3	3	4	6	7	8	9	87
TOT. SINGLE DX	16	5.1	5	1	1	6	7	7	8	8
" MULTIPLE DX	66	5.9	3	3	4	6	7	8	9	85
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	79	5.8	3	2	4	6	7	8	9	73
GRAND TOTAL	**82**	**5.8**	**3**	**3**	**4**	**6**	**7**	**8**	**9**	**70**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	10	3.2	5	<1	<1	3	4	6	7	7
6-12 YRS	6	5.3	6	3	3	5	5	10	10	10
13-19 YRS	253	3.1	9	<1	1	2	5	6	8	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.3	6	2	2	4	6	7	7	7
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	118	4.8	11	1	1	4	7	9	12	16
TOT. SINGLE DX	270	3.2	10	<1	1	2	5	6	8	13
" MULTIPLE DX	122	4.8	11	1	1	4	7	9	12	16
TOTAL 0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	13	3.5	5	<1	1	4	5	7	7	7
6-12 YRS	7	5.9	7	3	3	5	8	10	10	10
13-19 YRS	371	3.6	11	1	1	2	5	8	9	14
GRAND TOTAL	**392**	**3.7**	**11**	**1**	**1**	**2**	**5**	**8**	**10**	**14**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	11.0		11	11	11	11	11	11	11
1-11 MOS	5	5.4	6	2	2	5	7	9	9	9
1-5 YRS										
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	6	4.3	4	2	2	4	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	3	9.0	13	6	6	8	12	13	13	13
1-11 MOS	5	8.2	8	5	5	7	10	12	12	12
1-5 YRS	2	8.0	32	4	4	8	12	12	12	12
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	9	4.2	5	2	2	4	5	8	8	8
TOT. SINGLE DX	15	5.5	9	2	2	5	7	11	11	11
" MULTIPLE DX	20	6.8	14	2	2	6	9	12	13	13
TOTAL 0-27 DYS	5	9.8	8	6	6	11	12	13	13	13
1-11 MOS	10	6.8	8	2	3	6	9	11	12	12
1-5 YRS	2	8.0	32	4	4	8	12	12	12	12
6-12 YRS	3	7.0	31	2	2	6	11	13	13	13
13-19 YRS	15	4.3	5	2	2	4	6	8	8	8
GRAND TOTAL	**35**	**6.2**	**12**	**2**	**2**	**6**	**8**	**12**	**13**	**13**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	3.8	18	1	1	2	6	10	10	10
1-5 YRS	17	2.1	7	<1	<1	1	2	6	10	11
6-12 YRS	48	1.9	4	<1	1	1	2	5	7	9
13-19 YRS	160	3.6	33	<1	1	2	4	7	12	18
2. MULTIPLE DX										
0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	7	4.4	8	2	2	3	6	9	10	10
1-5 YRS	16	2.8	7	<1	<1	2	3	8	9	9
6-12 YRS	29	3.8	11	1	1	3	6	8	11	14
13-19 YRS	105	5.8	46	1	1	3	7	14	19	37
TOT. SINGLE DX	229	3.1	25	<1	1	2	3	7	11	16
" MULTIPLE DX	159	5.1	35	1	1	3	7	12	16	31
TOTAL 0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	11	4.2	11	1	1	3	6	10	10	10
1-5 YRS	33	2.5	7	<1	<1	1	2	7	9	11
6-12 YRS	77	2.6	7	1	1	1	3	7	8	13
13-19 YRS	265	4.5	39	<1	1	3	5	11	14	31
GRAND TOTAL	**388**	**3.9**	**30**	**<1**	**1**	**2**	**4**	**9**	**12**	**25**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	8.8	232	1	1	2	11	36	36	36
1-5 YRS	28	1.9	3	<1	<1	1	2	3	5	10
6-12 YRS	47	3.3	18	<1	<1	2	4	9	12	24
13-19 YRS	687	2.5	7	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	35	2.9	17	<1	1	2	3	5	13	22
6-12 YRS	64	3.6	8	1	1	3	5	7	10	15
13-19 YRS	421	4.6	25	1	1	3	5	9	15	28
TOT. SINGLE DX	768	2.6	9	<1	<1	2	3	5	8	16
" MULTIPLE DX	524	4.4	23	1	1	3	5	9	14	26
TOTAL 0-27 DYS	3	5.0	19	2	2	3	8	10	10	10
1-11 MOS	7	8.1	160	1	1	3	8	31	36	36
1-5 YRS	63	2.4	11	<1	1	2	2	4	7	21
6-12 YRS	111	3.5	12	<1	1	2	4	7	11	19
13-19 YRS	1108	3.3	15	<1	<1	2	3	7	10	23
GRAND TOTAL	**1292**	**3.3**	**15**	**<1**	**1**	**2**	**3**	**7**	**10**	**23**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.3	8	2	2	4	6	8	8	8
1-11 MOS	19	4.1	46	<1	<1	1	4	11	22	29
1-5 YRS	56	2.5	4	<1	<1	2	4	5	7	8
6-12 YRS	71	2.6	4	1	1	2	3	5	6	12
13-19 YRS	1137	2.5	10	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	50	3.3	23	1	1	2	3	6	9	33
6-12 YRS	44	2.8	8	<1	1	2	3	5	7	17
13-19 YRS	371	3.9	12	1	1	3	5	7	10	21
TOT. SINGLE DX	1287	2.6	10	<1	1	2	3	4	5	10
" MULTIPLE DX	468	3.7	13	1	1	3	4	7	10	21
TOTAL 0-27 DYS	5	4.0	7	2	2	3	6	8	8	8
1-11 MOS	21	3.9	42	<1	<1	1	3	9	20	29
1-5 YRS	106	2.9	13	<1	1	2	4	6	8	21
6-12 YRS	115	2.7	6	<1	1	2	3	5	6	14
13-19 YRS	1508	2.9	11	<1	1	2	3	5	7	12
GRAND TOTAL	**1755**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	2.4	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.9	13	<1	1	4	7	10	11	11
TOT. SINGLE DX	25	2.4	1	<1	1	2	3	4	4	5
" MULTIPLE DX	11	4.2	11	<1	<1	4	6	10	11	11
TOTAL 0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	33	3.0	5	<1	1	2	4	5	9	11
GRAND TOTAL	**36**	**3.0**	**5**	**<1**	**1**	**2**	**4**	**5**	**8**	**11**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	47	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	102	1.6	2	<1	<1	1	2	3	4	9
13-19 YRS	89	2.8	3	<1	1	3	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	2	9.5	25	6	6	9	13	13	13	13
1-5 YRS	21	2.7	3	1	1	2	3	5	6	8
6-12 YRS	36	3.9	21	1	1	2	5	10	14	22
13-19 YRS	70	4.3	12	<1	1	3	6	10	12	14
TOT. SINGLE DX	238	2.0	2	<1	<1	1	3	4	5	8
" MULTIPLE DX	130	4.1	15	<1	1	3	5	10	13	18
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	2	9.5	25	6	6	9	13	13	13	13
1-5 YRS	68	1.8	2	<1	<1	1	2	3	4	8
6-12 YRS	138	2.2	8	<1	<1	1	2	4	7	15
13-19 YRS	159	3.5	7	<1	1	3	4	7	10	14
GRAND TOTAL	368	2.8	8	<1	1	2	3	6	9	14

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	3.3	5	1	1	3	6	6	6	6
6-12 YRS	8	3.0	10	<1	<1	2	4	8	10	10
13-19 YRS	15	2.4	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	4.0	11	1	1	2	7	9	9	9
6-12 YRS	8	2.4	3	<1	<1	2	3	5	6	6
13-19 YRS	12	5.7	30	1	1	4	7	14	19	20
TOT. SINGLE DX	30	2.7	4	<1	1	2	4	5	6	10
" MULTIPLE DX	27	4.3	18	<1	1	2	6	9	12	20
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	13	3.7	8	1	1	2	6	8	9	9
6-12 YRS	16	2.7	6	<1	<1	2	3	6	9	10
13-19 YRS	27	3.9	16	1	1	2	4	8	12	20
GRAND TOTAL	57	3.5	11	<1	1	2	4	7	10	19

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	49	3.1	2	2	2	3	4	5	5	9
13-19 YRS	23428	3.3	3	2	2	3	4	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	27	4.2	7	2	2	3	5	8	10	11
13-19 YRS	11262	3.7	7	2	2	3	4	5	6	12
TOT. SINGLE DX	23477	3.3	3	2	2	3	4	4	5	7
" MULTIPLE DX	11289	3.7	7	2	2	3	4	5	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	76	3.5	4	2	2	3	4	6	8	11
13-19 YRS	34690	3.4	4	2	2	3	4	5	5	9
GRAND TOTAL	34766	3.4	4	2	2	3	4	5	5	9

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	365	3.3	8	1	2	3	4	4	5	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	530	3.3	5	1	1	3	4	5	7	13
TOT. SINGLE DX	366	3.3	8	1	2	3	4	4	5	12
" MULTIPLE DX	533	3.3	5	1	1	3	4	5	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.8	2	1	1	3	4	4	4	4
13-19 YRS	895	3.3	6	1	2	3	4	5	6	13
GRAND TOTAL	899	3.3	6	1	2	3	4	5	6	12

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.6	1	2	2	3	5	5	5	5
13-19 YRS	2299	3.4	4	2	2	3	4	5	5	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	3.8	1	2	2	4	5	5	6	6
13-19 YRS	2378	3.8	5	2	2	3	4	5	7	11
TOT. SINGLE DX	2306	3.4	4	2	2	3	4	5	5	10
" MULTIPLE DX	2390	3.8	5	2	2	3	4	5	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	3.7	1	2	2	3	5	5	6	6
13-19 YRS	4677	3.6	4	2	2	3	4	5	6	10
GRAND TOTAL	**4696**	**3.6**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	29	2.9	1	2	2	3	3	4	4	5
13-19 YRS	13186	3.1	3	2	2	3	4	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	4.0	5	2	2	3	5	8	10	10
13-19 YRS	6213	3.7	8	2	2	3	4	5	7	13
TOT. SINGLE DX	13215	3.1	3	2	2	3	4	4	5	8
" MULTIPLE DX	6231	3.7	8	2	2	3	4	5	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	47	3.3	3	2	2	3	4	5	6	10
13-19 YRS	19399	3.3	5	2	2	3	4	5	5	10
GRAND TOTAL	**19446**	**3.3**	**5**	**2**	**2**	**3**	**4**	**5**	**5**	**10**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	5.8	1	4	5	6	6	7	9	9
13-19 YRS	7509	6.0	9	4	4	6	7	8	9	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	36	7.7	43	4	5	6	8	11	12	44
13-19 YRS	11932	6.9	14	4	4	6	7	10	12	20
TOT. SINGLE DX	7522	6.0	9	4	4	6	7	8	9	14
" MULTIPLE DX	11968	6.9	14	4	4	6	7	10	12	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	49	7.2	32	4	5	6	7	10	12	44
13-19 YRS	19441	6.5	12	4	4	6	7	9	11	19
GRAND TOTAL	**19490**	**6.5**	**12**	**4**	**4**	**6**	**7**	**9**	**11**	**19**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	980	5.9	4	4	4	6	7	8	9	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	9.2	30	5	5	7	12	18	19	19
13-19 YRS	1119	7.2	21	4	4	6	8	10	12	24
TOT. SINGLE DX	981	5.9	4	4	4	6	7	8	9	14
" MULTIPLE DX	1125	7.2	21	4	4	6	8	10	12	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	8.6	28	5	5	6	11	18	19	19
13-19 YRS	2099	6.6	14	4	4	6	7	9	11	20
GRAND TOTAL	**2106**	**6.6**	**14**	**4**	**4**	**6**	**7**	**9**	**11**	**20**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	6.0	4	3	3	6	7	9	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	6.1	6	3	4	6	7	9	11	13
TOT. SINGLE DX	8	6.0	4	3	3	6	7	9	9	9
" MULTIPLE DX	26	6.1	6	3	4	6	7	9	11	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	34	6.1	5	3	4	6	7	9	10	13
GRAND TOTAL	**34**	**6.1**	**5**	**3**	**4**	**6**	**7**	**9**	**10**	**13**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.4	2	1	1	2	4	5	5	5
13-19 YRS	2890	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	2.5	3	1	1	2	3	4	7	8
13-19 YRS	817	2.1	13	1	1	2	2	3	4	11
TOT. SINGLE DX	2901	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	830	2.1	13	1	1	2	2	3	4	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	2.4	3	1	1	2	3	4	6	8
13-19 YRS	3707	1.8	4	1	1	2	2	3	3	6
GRAND TOTAL	**3731**	**1.8**	**4**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	210	4.1	34	<1	<1	2	4	9	12	21
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	106	5.7	30	1	1	4	7	12	15	30
TOT. SINGLE DX	210	4.1	34	<1	<1	2	4	9	12	21
" MULTIPLE DX	107	5.6	30	1	1	4	7	12	15	30
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	316	4.6	33	<1	1	3	5	10	14	24
GRAND TOTAL	**317**	**4.6**	**33**	**<1**	**1**	**3**	**5**	**10**	**14**	**24**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	2.7	1	1	1	3	3	4	4	4
13-19 YRS	3322	2.5	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6	2	1	1	2	3	5	5	5
13-19 YRS	1019	3.3	9	<1	1	3	4	5	7	11
TOT. SINGLE DX	3331	2.5	3	<1	<1	2	3	4	5	7
" MULTIPLE DX	1024	3.3	9	<1	1	3	4	5	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.6	1	1	1	3	3	4	5	5
13-19 YRS	4341	2.7	4	<1	<1	3	3	4	5	9
GRAND TOTAL	**4355**	**2.7**	**4**	**<1**	**<1**	**3**	**3**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	2.2	1	1	1	2	3	4	4	4
13-19 YRS	8134	3.0	7	1	2	3	3	4	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	3.8	5	<1	1	4	5	7	9	9
13-19 YRS	4906	3.5	5	2	2	3	4	5	6	11
TOT. SINGLE DX	8155	3.0	7	1	2	3	3	4	5	6
" MULTIPLE DX	4920	3.5	5	2	2	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	35	2.9	3	1	1	2	4	5	7	9
13-19 YRS	13040	3.2	6	1	2	3	4	4	5	9
GRAND TOTAL	13075	3.2	6	1	2	3	4	4	5	9

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	16	4.3	14	<1	<1	3	5	11	12	12
6-12 YRS	54	2.6	4	<1	<1	2	3	5	6	12
13-19 YRS	125	3.2	3	1	2	3	4	5	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	5.0	2	3	3	5	6	6	6	6
6-12 YRS	14	2.9	7	<1	1	2	3	7	9	10
13-19 YRS	66	4.4	16	1	2	4	5	7	8	27
TOT. SINGLE DX	196	3.1	4	<1	1	2	4	5	7	12
" MULTIPLE DX	87	4.2	13	1	2	4	5	7	8	25
TOTAL 0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	22	4.5	11	<1	1	4	6	11	12	12
6-12 YRS	68	2.7	4	<1	<1	2	3	5	7	12
13-19 YRS	191	3.6	8	1	2	3	4	6	7	16
GRAND TOTAL	283	3.4	7	1	1	3	4	6	7	12

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	22	4.2	7	1	1	4	5	9	10	10
13-19 YRS	944	4.0	3	2	3	4	5	5	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.0	1	3	3	4	5	5	5	5
6-12 YRS	15	5.5	19	1	2	4	9	12	14	15
13-19 YRS	652	4.6	7	2	3	4	5	7	8	18
TOT. SINGLE DX	970	4.0	3	2	3	4	5	6	6	10
" MULTIPLE DX	671	4.6	7	2	3	4	5	7	9	18
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.0	4	1	1	4	5	7	7	7
6-12 YRS	37	4.7	11	1	2	4	5	10	12	15
13-19 YRS	1596	4.3	5	2	3	4	5	6	7	14
GRAND TOTAL	1641	4.3	5	2	3	4	5	6	7	15

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS										
1-5 YRS	35	2.6	4	1	1	2	3	5	8	10
6-12 YRS	164	2.6	2	1	1	2	3	4	5	10
13-19 YRS	890	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	58	5.1	56	1	1	3	5	10	14	48
6-12 YRS	214	4.1	23	1	1	3	5	7	10	43
13-19 YRS	885	5.9	65	1	2	4	6	11	15	58
TOT. SINGLE DX	1091	2.9	4	1	1	2	4	5	6	10
" MULTIPLE DX	1159	5.5	57	1	2	4	6	10	14	51
TOTAL 0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	93	4.2	38	1	1	2	4	8	11	41
6-12 YRS	378	3.4	14	1	1	2	4	6	8	19
13-19 YRS	1775	4.4	37	1	1	3	5	8	11	30
GRAND TOTAL	2250	4.3	33	1	1	3	5	7	11	30

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	4.4	17	1	1	3	5	10	15	16
6-12 YRS	68	3.2	4	1	1	3	4	6	7	11
13-19 YRS	768	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	13.8	125	5	5	10	16	33	35	35
1-5 YRS	39	6.4	45	1	2	4	8	12	19	38
6-12 YRS	107	7.0	33	2	2	5	8	14	17	30
13-19 YRS	984	8.1	86	2	2	5	9	16	24	59
TOT. SINGLE DX	851	3.8	7	1	2	3	5	7	9	14
" MULTIPLE DX	1136	7.9	80	2	2	5	9	15	23	56
TOTAL 0-27 DYS										
1-11 MOS	7	12.0	128	1	2	8	15	31	35	35
1-5 YRS	53	5.9	38	1	2	4	7	11	16	38
6-12 YRS	175	5.5	25	2	2	4	7	12	15	28
13-19 YRS	1752	6.2	56	2	2	4	7	12	17	45
GRAND TOTAL	**1987**	**6.2**	**53**	**2**	**2**	**4**	**7**	**12**	**17**	**43**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	4.7	6	2	2	5	6	7	7	7
6-12 YRS	18	5.3	26	1	1	4	6	11	19	23
13-19 YRS	48	3.1	5	1	1	2	3	6	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.5	5	1	1	3	5	7	7	7
6-12 YRS	11	5.1	3	3	3	4	6	8	8	8
13-19 YRS	38	6.9	41	1	2	5	7	18	24	26
TOT. SINGLE DX	70	3.8	11	1	1	3	5	7	10	21
" MULTIPLE DX	55	6.2	31	1	2	5	7	12	22	26
TOTAL 0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	9	3.9	5	1	1	4	6	7	7	7
6-12 YRS	29	5.2	17	1	2	4	6	8	13	23
13-19 YRS	86	4.8	24	1	1	3	5	9	17	26
GRAND TOTAL	**125**	**4.8**	**21**	**1**	**1**	**4**	**6**	**8**	**13**	**25**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	18	10.7	141	1	1	5	20	26	38	45
1-5 YRS	246	7.0	44	2	2	5	8	14	24	31
6-12 YRS	628	7.4	51	2	2	5	9	15	22	42
13-19 YRS	1148	5.6	31	1	2	4	6	11	15	31
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	13.4	198	<1	1	6	22	36	38	38
1-5 YRS	154	9.3	87	2	3	6	11	22	28	55
6-12 YRS	345	8.8	73	2	3	6	10	18	24	48
13-19 YRS	676	7.3	69	2	2	5	8	13	25	49
TOT. SINGLE DX	2042	6.4	40	2	2	5	7	12	19	32
" MULTIPLE DX	1184	8.0	74	2	2	5	9	16	25	50
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	27	11.6	155	1	1	6	20	32	39	45
1-5 YRS	400	7.9	62	2	2	5	9	17	26	47
6-12 YRS	973	7.9	59	2	2	6	9	16	23	43
13-19 YRS	1824	6.2	46	2	2	4	7	11	17	41
GRAND TOTAL	**3226**	**7.0**	**54**	**2**	**2**	**5**	**8**	**14**	**22**	**43**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.0	4	4	4	6	7	8	8	8
1-11 MOS										
1-5 YRS	4	3.8	2	2	2	4	5	5	5	5
6-12 YRS	84	4.0	3	2	2	4	5	6	7	11
13-19 YRS	945	4.3	14	2	2	4	5	6	7	12
2. MULTIPLE DX										
0-27 DYS	3	3.7	6	<1	<1	4	5	6	6	6
1-11 MOS	4	7.3	42	4	4	4	11	17	17	17
1-5 YRS	4	6.5	26	3	3	4	9	14	14	14
6-12 YRS	85	4.7	4	3	3	4	5	7	9	12
13-19 YRS	1054	4.6	8	2	3	4	5	6	8	12
TOT. SINGLE DX	1036	4.3	13	2	2	4	5	6	7	12
" MULTIPLE DX	1150	4.6	8	2	3	4	5	7	8	13
TOTAL 0-27 DYS	6	4.8	6	<1	<1	5	6	8	8	8
1-11 MOS	4	7.3	42	4	4	4	11	17	17	17
1-5 YRS	8	5.1	14	2	2	4	5	11	14	14
6-12 YRS	169	4.4	4	2	2	4	5	7	8	12
13-19 YRS	1999	4.4	10	2	2	4	5	6	8	12
GRAND TOTAL	**2186**	**4.4**	**10**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	8.3	90	1	1	5	10	24	30	30
1-11 MOS	26	5.3	55	1	1	3	6	9	24	35
1-5 YRS	225	5.4	36	1	1	3	7	14	19	27
6-12 YRS	1400	4.7	28	1	2	3	5	8	14	33
13-19 YRS	4571	4.5	24	1	2	3	5	8	11	27
2. MULTIPLE DX										
0-27 DYS	3	31.0	1057	7	7	43	84	99+	99+	99+
1-11 MOS	20	12.0	176	1	2	4	22	34	39	41
1-5 YRS	116	7.6	76	1	1	5	9	18	26	52
6-12 YRS	485	9.5	155	2	2	4	10	25	35	70
13-19 YRS	2141	8.6	139	1	2	4	8	22	37	74
TOT. SINGLE DX	6230	4.6	26	1	2	3	5	8	12	28
" MULTIPLE DX	2765	8.8	141	1	2	4	9	23	36	73
TOTAL 0-27 DYS	11	14.5	387	1	2	8	24	78	97	99+
1-11 MOS	46	8.2	116	1	1	3	8	28	36	41
1-5 YRS	341	6.1	50	1	1	3	8	15	22	29
6-12 YRS	1885	6.0	65	1	2	4	6	12	21	47
13-19 YRS	6712	5.8	65	1	2	4	6	10	19	49
GRAND TOTAL	8995	5.9	65	1	2	4	6	11	20	49

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	6.3	2	5	5	6	7	8	8	8
1-11 MOS	9	4.4	36	<1	<1	2	4	14	20	20
1-5 YRS	81	11.0	142	1	1	5	19	28	32	55
6-12 YRS	549	8.2	62	2	2	6	9	18	26	37
13-19 YRS	1473	6.1	35	2	2	5	7	11	15	35
2. MULTIPLE DX										
0-27 DYS	1	31.0		31	31	31	31	31	31	31
1-11 MOS	4	7.5	83	2	2	4	13	21	21	21
1-5 YRS	45	11.5	144	1	2	6	18	31	36	48
6-12 YRS	201	11.2	152	2	2	7	13	27	36	64
13-19 YRS	582	10.8	190	2	3	6	11	24	41	77
TOT. SINGLE DX	2116	6.8	48	2	2	5	7	13	21	37
" MULTIPLE DX	833	11.0	178	2	2	6	12	26	40	69
TOTAL 0-27 DYS	5	11.2	124	5	5	7	14	31	31	31
1-11 MOS	13	5.4	47	<1	1	2	5	20	21	21
1-5 YRS	126	11.2	142	1	1	5	18	28	33	50
6-12 YRS	750	9.0	88	2	2	6	9	21	29	44
13-19 YRS	2055	7.4	84	2	2	5	8	14	22	54
GRAND TOTAL	2949	8.0	88	2	2	5	8	17	26	52

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	28	1.4		<1	<1	1	2	2	2	3
1-5 YRS	192	2.8	19	<1	<1	2	2	4	12	25
6-12 YRS	609	3.8	53	<1	1	2	4	6	11	34
13-19 YRS	3565	3.1	18	<1	1	2	3	5	6	19
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	13.0	510	<1	<1	2	13	54	61	61
1-5 YRS	69	5.8	64	<1	1	2	6	18	24	36
6-12 YRS	195	6.3	84	1	1	3	5	14	26	53
13-19 YRS	778	5.1	44	1	2	3	5	10	17	36
TOT. SINGLE DX	4395	3.2	23	<1	1	2	3	5	7	22
" MULTIPLE DX	1052	5.5	57	1	1	3	5	12	20	43
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	37	4.2	139	<1	<1	1	2	3	29	61
1-5 YRS	261	3.6	33	<1	<1	2	3	8	18	31
6-12 YRS	804	4.4	62	<1	1	2	4	8	14	42
13-19 YRS	4343	3.5	23	<1	1	2	4	5	8	25
GRAND TOTAL	5447	3.6	30	<1	1	2	4	6	9	29

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	2	10.5	113	3	3	10	18	18	18	18
1-5 YRS	84	17.9	131	2	2	20	24	31	36	51
6-12 YRS	190	23.6	221	3	6	24	32	40	48	75
13-19 YRS	209	20.3	276	3	5	14	30	42	53	76
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	30	20.3	151	2	3	23	27	33	36	54
6-12 YRS	90	28.9	219	6	7	30	39	46	51	65
13-19 YRS	259	28.4	374	7	10	22	41	58	69	99+
TOT. SINGLE DX	486	21.1	232	3	4	19	30	40	48	74
" MULTIPLE DX	379	27.9	323	6	8	25	39	51	63	97
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	2	10.5	113	3	3	10	18	18	18	18
1-5 YRS	114	18.5	136	2	2	21	25	31	36	54
6-12 YRS	280	25.3	226	3	6	25	35	43	49	72
13-19 YRS	468	24.8	346	4	6	18	37	51	62	93
GRAND TOTAL	865	24.1	283	3	6	21	34	46	57	80

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	19.3	126	4	4	21	26	31	31	31
1-11 MOS	14	15.2	42	6	6	15	18	25	26	26
1-5 YRS	21	16.4	195	3	4	14	22	28	45	65
6-12 YRS	167	11.4	74	3	4	9	13	24	32	53
13-19 YRS	618	13.4	99	4	5	11	16	23	30	47
2. MULTIPLE DX										
0-27 DYS	3	10.3	16	6	6	11	13	14	14	14
1-11 MOS	11	16.4	110	<1	3	19	26	53	93	99+
1-5 YRS	17	16.8	103	6	6	15	20	35	40	41
6-12 YRS	82	21.0	267	4	6	16	27	49	67	99+
13-19 YRS	926	22.2	254	6	8	18	27	44	59	97
TOT. SINGLE DX	824	13.1	96	4	5	11	16	24	30	50
" MULTIPLE DX	1039	21.9	251	6	8	17	27	44	59	99+
TOTAL 0-27 DYS	7	15.4	91	4	4	14	21	29	31	31
1-11 MOS	25	15.7	69	3	6	16	23	28	46	99+
1-5 YRS	38	16.6	150	3	5	14	20	28	39	65
6-12 YRS	249	14.6	157	3	5	11	17	34	47	99+
13-19 YRS	1544	18.7	210	5	6	15	23	35	51	90
GRAND TOTAL	1863	18.0	201	4	6	14	22	35	49	92

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.8	27	1	1	3	8	12	12	12
1-11 MOS	94	9.6	74	1	1	8	15	21	23	41
1-5 YRS	369	12.0	108	1	1	8	20	26	33	40
6-12 YRS	405	16.2	150	2	3	14	25	32	36	54
13-19 YRS	417	13.6	237	2	2	7	18	37	45	69
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	27	10.2	62	2	3	7	16	24	26	26
1-5 YRS	126	16.1	156	2	2	14	23	30	36	72
6-12 YRS	215	21.3	223	2	3	20	30	39	48	84
13-19 YRS	303	24.8	395	3	4	21	37	53	66	95
TOT. SINGLE DX	1289	13.6	164	1	2	9	21	31	37	54
" MULTIPLE DX	672	21.4	297	2	3	18	30	45	57	87
TOTAL 0-27 DYS	5	4.6	20	1	1	4	7	12	12	12
1-11 MOS	121	9.8	71	1	1	8	16	21	24	34
1-5 YRS	495	13.1	123	1	2	10	21	26	34	42
6-12 YRS	620	18.0	181	2	3	17	27	35	40	57
13-19 YRS	720	18.3	334	2	3	10	29	45	55	84
GRAND TOTAL	1961	16.3	223	2	2	12	24	36	45	70

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	226	7.2	44	1	1	4	12	17	21	24
6-12 YRS	538	7.2	62	1	1	3	11	19	23	32
13-19 YRS	967	4.4	27	1	1	3	5	9	16	28
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	5.7	7	2	2	6	6	10	10	10
1-5 YRS	55	11.2	80	2	2	8	16	23	27	40
6-12 YRS	202	12.3	140	1	2	8	19	26	37	51
13-19 YRS	514	11.2	194	1	2	6	14	27	50	98
TOT. SINGLE DX	1736	5.6	42	1	1	3	6	15	20	29
" MULTIPLE DX	777	11.4	171	1	2	6	15	26	43	68
TOTAL 0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	8	4.8	8	1	1	5	6	9	10	10
1-5 YRS	281	8.0	53	1	1	4	14	19	22	27
6-12 YRS	740	8.6	88	1	1	4	14	22	26	43
13-19 YRS	1481	6.7	96	1	1	3	7	16	25	62
GRAND TOTAL	2513	7.4	89	1	1	4	9	19	25	53

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.3	6	2	2	4	6	7	7	7
1-11 MOS	7	4.7	8	2	2	5	6	9	10	10
1-5 YRS	323	3.3	8	1	1	3	4	6	8	15
6-12 YRS	1445	3.7	12	1	1	3	4	7	10	16
13-19 YRS	5284	4.1	16	1	1	3	5	8	10	18
2. MULTIPLE DX										
0-27 DYS	4	19.8	254	1	1	20	32	37	37	37
1-11 MOS	6	8.5	59	1	1	6	17	19	19	19
1-5 YRS	124	6.6	73	1	1	3	7	17	27	42
6-12 YRS	524	6.5	91	1	2	4	6	12	24	56
13-19 YRS	2894	8.2	104	1	2	5	9	17	27	63
TOT. SINGLE DX	7062	4.0	15	1	1	3	5	7	10	18
" MULTIPLE DX	3552	7.9	101	1	2	5	9	17	27	60
TOTAL 0-27 DYS	7	13.1	197	1	1	7	24	35	37	37
1-11 MOS	13	6.5	32	1	2	5	8	17	19	19
1-5 YRS	447	4.3	28	1	1	3	5	8	13	31
6-12 YRS	1969	4.5	35	1	1	3	5	8	12	32
13-19 YRS	8178	5.6	51	1	2	4	6	11	16	43
GRAND TOTAL	10614	5.3	47	1	1	4	6	10	15	40

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	3.4	9	<1	<1	3	4	9	9	9
1-11 MOS	57	3.4	24	1	1	2	3	8	10	26
1-5 YRS	2218	2.6	14	<1	1	1	2	5	11	20
6-12 YRS	9005	2.5	12	1	1	2	3	5	7	19
13-19 YRS	6677	3.2	15	1	1	2	4	6	9	17
2. MULTIPLE DX										
0-27 DYS	4	4.8	14	1	1	4	32	99+	99+	99+
1-11 MOS	23	10.2	155	1	2	7	13	21	36	59
1-5 YRS	473	4.4	31	1	1	2	5	10	18	30
6-12 YRS	1942	4.8	47	1	1	2	5	11	19	32
13-19 YRS	3049	7.4	109	1	1	4	8	16	27	62
TOT. SINGLE DX	17966	2.8	13	1	1	2	3	5	8	19
" MULTIPLE DX	5491	6.2	82	1	1	3	7	14	23	53
TOTAL 0-27 DYS	13	3.8	10	<1	1	3	8	19	82	99+
1-11 MOS	80	5.3	70	1	1	2	6	12	22	49
1-5 YRS	2691	2.9	17	<1	1	2	3	6	11	22
6-12 YRS	10947	2.9	19	1	1	2	3	6	10	22
13-19 YRS	9726	4.5	48	1	1	3	5	9	14	39
GRAND TOTAL	**23457**	**3.6**	**32**	**1**	**1**	**2**	**4**	**7**	**12**	**27**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	4.1	11	<1	<1	3	8	8	8	8
1-11 MOS	253	7.0	45	<1	<1	5	11	16	19	29
1-5 YRS	187	5.8	49	<1	1	2	8	16	21	28
6-12 YRS	482	3.6	28	<1	1	2	3	8	16	26
13-19 YRS	955	3.4	21	<1	1	2	4	7	11	23
2. MULTIPLE DX										
0-27 DYS	2	5.0	32	<1	<1	4	9	9	9	9
1-11 MOS	43	8.9	75	<1	1	7	13	23	28	34
1-5 YRS	53	7.3	64	1	1	4	8	21	25	36
6-12 YRS	159	5.5	106	1	1	2	5	12	24	50
13-19 YRS	506	8.7	120	1	1	5	11	22	30	59
TOT. SINGLE DX	1884	4.2	31	<1	1	2	5	11	16	26
" MULTIPLE DX	763	7.9	112	1	1	4	9	21	28	52
TOTAL 0-27 DYS	9	4.3	13	<1	<1	3	8	9	9	9
1-11 MOS	296	7.3	49	<1	<1	6	11	16	21	30
1-5 YRS	240	6.2	52	<1	1	3	8	17	22	29
6-12 YRS	641	4.0	48	<1	1	2	4	9	17	32
13-19 YRS	1461	5.2	62	<1	1	2	6	13	21	44
GRAND TOTAL	**2647**	**5.2**	**57**	**<1**	**1**	**2**	**6**	**13**	**20**	**39**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	43	7.7	67	1	2	5	9	22	26	36
1-5 YRS	59	7.7	48	1	1	5	11	21	23	26
6-12 YRS	169	3.9	32	1	1	2	4	8	14	23
13-19 YRS	700	4.1	25	1	1	3	5	6	9	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	14	14.1	168	4	4	8	22	28	45	50
1-5 YRS	33	11.4	102	1	2	8	18	26	42	99+
6-12 YRS	61	6.5	46	1	1	4	7	14	24	32
13-19 YRS	266	8.0	81	2	2	5	9	19	24	60
TOT. SINGLE DX	972	4.4	31	1	1	3	5	7	12	24
" MULTIPLE DX	374	8.3	82	1	2	5	10	20	25	59
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	57	9.3	97	1	2	5	11	24	28	49
1-5 YRS	92	9.0	70	1	2	5	14	23	25	76
6-12 YRS	230	4.6	37	1	1	3	5	10	19	30
13-19 YRS	966	5.1	43	1	1	4	5	9	15	29
GRAND TOTAL	**1346**	**5.5**	**48**	**1**	**1**	**4**	**6**	**11**	**19**	**32**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	12.6	235	2	2	5	21	38	38	38
1-11 MOS	121	6.1	42	2	2	4	6	12	17	42
1-5 YRS	274	7.2	48	1	2	5	9	19	22	29
6-12 YRS	454	5.3	32	1	2	4	6	11	16	30
13-19 YRS	3056	4.3	12	1	2	4	5	7	9	18
2. MULTIPLE DX										
0-27 DYS	2	25.0	18	22	22	25	28	28	28	28
1-11 MOS	77	12.7	119	2	3	9	17	28	32	52
1-5 YRS	113	12.8	131	2	2	9	20	26	40	51
6-12 YRS	172	11.3	143	2	3	7	14	27	39	64
13-19 YRS	1597	5.3	26	2	2	4	6	9	13	31
TOT. SINGLE DX	3910	4.7	19	1	2	4	5	8	11	24
" MULTIPLE DX	1961	6.6	53	2	2	4	7	13	21	41
TOTAL 0-27 DYS	7	16.1	196	2	2	16	26	36	38	38
1-11 MOS	198	8.6	82	2	2	5	10	21	28	46
1-5 YRS	387	8.9	78	1	2	5	11	22	25	44
6-12 YRS	626	6.9	70	1	2	4	7	15	24	42
13-19 YRS	4653	4.6	17	2	2	4	5	8	10	22
GRAND TOTAL	**5871**	**5.3**	**31**	**1**	**2**	**4**	**6**	**9**	**15**	**32**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	13.3	21	7	7	14	17	19	19	19
1-11 MOS	12	12.3	49	4	5	10	18	23	25	25
1-5 YRS	3	20.3	97	9	9	25	26	27	27	27
6-12 YRS	13	10.7	32	4	5	9	13	19	23	24
13-19 YRS	496	10.6	33	4	5	9	12	18	23	33
2. MULTIPLE DX										
0-27 DYS	3	10.3	44	6	6	7	15	18	18	18
1-11 MOS	4	11.3	26	4	4	12	14	16	16	16
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	6	26.5	760	7	7	16	27	76	81	81
13-19 YRS	98	16.3	217	5	6	13	21	37	89	99+
TOT. SINGLE DX	531	10.7	34	4	5	9	12	19	23	33
" MULTIPLE DX	112	16.5	233	5	6	13	20	36	82	99+
TOTAL 0-27 DYS	10	12.4	26	6	6	13	17	18	19	19
1-11 MOS	16	12.1	42	4	4	12	15	22	24	25
1-5 YRS	4	18.8	75	9	9	19	26	27	27	27
6-12 YRS	19	15.7	289	4	5	10	17	26	57	81
13-19 YRS	594	11.5	68	4	5	10	14	20	27	91
GRAND TOTAL	**643**	**11.7**	**73**	**4**	**5**	**10**	**14**	**21**	**27**	**83**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.5	3	3	3	4	6	7	7	7
1-11 MOS	3	7.7	30	4	4	5	12	14	14	14
1-5 YRS	11	3.7	5	2	2	3	5	7	9	9
6-12 YRS	160	4.6	4	3	3	4	5	7	8	11
13-19 YRS	6759	4.5	6	2	3	4	5	6	8	11
2. MULTIPLE DX										
0-27 DYS	6	3.8	5	<1	<1	5	6	81	99+	99+
1-11 MOS	7	4.0	3	1	1	4	5	6	6	6
1-5 YRS	4	6.5	4	5	5	6	8	9	9	9
6-12 YRS	46	6.0	16	3	3	4	7	12	17	20
13-19 YRS	2992	5.2	10	2	3	5	6	8	9	16
TOT. SINGLE DX	6937	4.5	6	2	3	4	5	7	8	11
" MULTIPLE DX	3055	5.2	10	2	3	5	6	8	9	17
TOTAL 0-27 DYS	10	4.1	4	<1	<1	4	6	44	95	99+
1-11 MOS	10	5.1	12	1	2	4	5	10	14	14
1-5 YRS	15	4.5	6	2	2	5	5	9	9	9
6-12 YRS	206	4.9	7	3	3	4	6	8	10	17
13-19 YRS	9751	4.7	7	2	3	4	5	7	8	13
GRAND TOTAL	**9992**	**4.7**	**7**	**2**	**3**	**4**	**5**	**7**	**8**	**13**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	2	1	1	3	52	99+	99+	99+
1-11 MOS	23	3.9	28	<1	1	2	3	10	19	21
1-5 YRS	101	5.7	112	<1	1	2	5	14	22	60
6-12 YRS	528	3.6	18	1	1	2	4	7	11	26
13-19 YRS	4574	3.2	9	<1	1	2	4	6	7	12
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	16.6	585	<1	1	5	22	59	70	70
1-5 YRS	26	4.8	23	1	1	3	7	12	15	21
6-12 YRS	120	5.7	129	1	1	3	5	11	15	80
13-19 YRS	1926	3.9	18	1	1	3	5	7	9	20
TOT. SINGLE DX	5229	3.3	12	<1	1	2	4	6	7	15
" MULTIPLE DX	2081	4.1	28	1	1	3	5	7	10	25
TOTAL 0-27 DYS	4	2.3	2	1	1	2	28	99+	99+	99+
1-11 MOS	31	7.2	189	<1	1	2	6	19	34	70
1-5 YRS	127	5.5	94	1	1	2	5	13	21	44
6-12 YRS	648	4.0	39	1	1	2	4	8	11	31
13-19 YRS	6500	3.4	12	<1	1	3	4	6	8	15
GRAND TOTAL	**7310**	**3.5**	**17**	**<1**	**1**	**3**	**4**	**6**	**8**	**17**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	7.3	4	5	5	8	9	9	9	9
1-5 YRS	13	8.5	39	1	2	8	9	14	25	27
6-12 YRS	142	14.3	47	7	8	13	17	21	26	42
13-19 YRS	706	15.1	51	7	8	13	18	25	29	41
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	17.3	116	3	3	18	24	29	29	29
1-5 YRS	11	18.1	236	1	4	13	28	41	53	54
6-12 YRS	88	16.9	106	7	8	15	21	31	49	99+
13-19 YRS	346	22.5	263	7	8	18	30	51	81	99+
TOT. SINGLE DX	864	14.8	51	7	8	13	18	24	29	41
" MULTIPLE DX	449	21.2	234	6	8	17	27	49	74	99+
TOTAL 0-27 DYS										
1-11 MOS	7	13.0	88	3	3	9	19	27	29	29
1-5 YRS	24	12.9	147	1	2	9	13	32	39	54
6-12 YRS	230	15.3	71	7	8	13	18	25	32	63
13-19 YRS	1052	17.5	133	7	8	15	20	32	45	99+
GRAND TOTAL	**1313**	**17.0**	**123**	**7**	**8**	**15**	**19**	**31**	**42**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	58	3.8	7	1	1	3	5	7	10	13
6-12 YRS	141	4.6	10	1	2	4	6	9	11	16
13-19 YRS	507	4.9	25	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	4.8	19	<1	<1	4	7	12	12	12
1-5 YRS	38	4.6	9	2	3	4	5	6	11	18
6-12 YRS	113	5.2	9	2	2	5	6	9	13	16
13-19 YRS	350	6.2	23	1	2	5	8	12	15	33
TOT. SINGLE DX	710	4.8	20	1	2	4	6	8	11	16
" MULTIPLE DX	506	5.8	19	2	2	5	7	11	15	26
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	7	4.6	14	<1	<1	4	6	11	12	12
1-5 YRS	96	4.1	7	1	2	4	5	7	10	16
6-12 YRS	254	4.8	10	1	2	4	6	9	12	16
13-19 YRS	857	5.4	24	2	2	4	7	10	13	23
GRAND TOTAL	**1216**	**5.2**	**20**	**1**	**2**	**4**	**6**	**10**	**12**	**21**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	14.0	8	12	12	14	16	16	16	16
1-11 MOS	2	19.0	50	14	14	19	24	24	24	24
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	20	14.6	21	10	10	13	17	21	25	27
2. MULTIPLE DX										
0-27 DYS	2	13.5	1	13	13	13	14	14	14	14
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	15.0	32	11	11	15	19	19	19	19
6-12 YRS	2	16.0	50	11	11	16	21	21	21	21
13-19 YRS	31	18.8	138	6	9	15	22	39	43	53
TOT. SINGLE DX	26	14.7	21	10	10	13	16	23	25	27
" MULTIPLE DX	38	17.8	120	6	9	14	21	35	42	53
TOTAL 0-27 DYS	4	13.8	3	12	12	13	15	16	16	16
1-11 MOS	3	14.7	81	6	6	14	21	24	24	24
1-5 YRS	3	13.0	28	9	9	11	17	19	19	19
6-12 YRS	3	16.0	25	11	11	16	20	21	21	21
13-19 YRS	51	17.1	95	9	10	14	20	30	41	53
GRAND TOTAL	**64**	**16.6**	**82**	**8**	**9**	**14**	**19**	**27**	**38**	**52**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	21.5	61	16	16	21	27	27	27	27
1-11 MOS	5	13.8	47	2	2	16	17	20	20	20
1-5 YRS	14	15.4	138	2	3	14	24	28	39	42
6-12 YRS	23	9.9	40	3	4	8	14	19	24	25
13-19 YRS	63	9.7	47	3	4	7	13	20	24	35
2. MULTIPLE DX										
0-27 DYS	2	21.0	32	17	17	21	25	25	25	25
1-11 MOS	4	35.3	1341	2	2	27	63	84	84	84
1-5 YRS	15	24.1	416	6	12	22	24	45	79	90
6-12 YRS	9	14.2	163	2	2	13	18	34	44	44
13-19 YRS	34	16.4	155	3	3	11	24	33	39	56
TOT. SINGLE DX	107	10.9	61	3	3	8	16	23	26	39
" MULTIPLE DX	64	19.3	289	3	3	14	24	40	48	89
TOTAL 0-27 DYS	4	21.3	31	16	16	21	26	27	27	27
1-11 MOS	9	23.3	654	2	2	16	25	67	84	84
1-5 YRS	29	19.9	292	3	3	16	24	36	47	90
6-12 YRS	32	11.1	74	2	3	8	16	20	25	44
13-19 YRS	97	12.1	94	3	3	9	15	26	32	48
GRAND TOTAL	**171**	**14.0**	**162**	**3**	**3**	**11**	**18**	**26**	**36**	**78**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	8.0	50	3	3	8	13	13	13	13
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	6	9.5	62	4	4	6	13	23	24	24
6-12 YRS	124	5.4	21	2	3	4	6	7	10	31
13-19 YRS	2610	5.3	6	3	3	5	6	8	9	14
2. MULTIPLE DX										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	2	12.0	50	7	7	12	17	17	17	17
1-5 YRS	8	3.8	2	1	2	4	5	6	6	6
6-12 YRS	73	6.6	30	2	3	5	8	9	12	36
13-19 YRS	1818	6.1	20	3	3	5	7	9	11	20
TOT. SINGLE DX	2743	5.3	7	2	3	5	6	8	9	15
" MULTIPLE DX	1903	6.1	20	3	3	5	7	9	11	21
TOTAL 0-27 DYS	4	7.3	26	3	3	7	11	13	13	13
1-11 MOS	3	10.0	37	6	6	7	14	17	17	17
1-5 YRS	14	6.2	34	1	3	4	6	14	22	24
6-12 YRS	197	5.8	24	2	3	5	6	9	11	35
13-19 YRS	4428	5.6	12	3	3	5	6	8	10	17
GRAND TOTAL	**4646**	**5.6**	**12**	**3**	**3**	**5**	**6**	**8**	**10**	**17**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.6	5	1	1	3	5	7	8	9
1-5 YRS	41	4.0	13	<1	1	3	5	8	12	17
6-12 YRS	141	3.5	6	1	1	3	4	6	8	13
13-19 YRS	3087	3.9	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	20	3.9	20	1	1	3	4	7	14	21
6-12 YRS	47	4.1	7	1	1	3	6	8	9	12
13-19 YRS	732	4.7	17	1	2	4	5	7	11	29
TOT. SINGLE DX	3284	3.9	4	2	2	4	5	6	7	10
" MULTIPLE DX	803	4.6	16	1	2	4	5	7	10	27
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	17	3.4	5	1	1	3	4	6	8	9
1-5 YRS	61	4.0	15	1	1	3	5	8	12	21
6-12 YRS	188	3.6	6	1	1	3	4	6	8	12
13-19 YRS	3819	4.0	6	2	2	4	5	6	7	13
GRAND TOTAL	**4087**	**4.0**	**6**	**1**	**2**	**4**	**5**	**6**	**7**	**14**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	3.3	7	1	1	2	6	7	7	7
1-11 MOS	132	4.3	26	<1	1	2	4	11	17	23
1-5 YRS	395	3.1	15	<1	1	2	3	6	10	21
6-12 YRS	362	4.1	19	<1	1	3	5	7	12	24
13-19 YRS	912	4.4	20	1	1	3	5	8	11	24
2. MULTIPLE DX										
0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	54	8.8	57	1	1	6	15	21	24	30
1-5 YRS	200	6.1	49	1	2	4	6	15	21	35
6-12 YRS	255	6.2	58	1	2	4	7	12	20	73
13-19 YRS	514	6.7	67	1	2	5	7	14	22	56
TOT. SINGLE DX	1808	4.0	19	<1	1	3	5	8	11	23
" MULTIPLE DX	1025	6.6	61	1	2	4	7	15	22	47
TOTAL 0-27 DYS	9	4.8	20	1	1	2	7	12	15	15
1-11 MOS	186	5.6	39	<1	1	3	7	16	19	28
1-5 YRS	595	4.1	29	<1	1	2	4	8	15	31
6-12 YRS	617	4.9	36	1	1	3	5	9	14	41
13-19 YRS	1426	5.2	38	1	1	4	6	10	15	34
GRAND TOTAL	**2833**	**4.9**	**36**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.4	3	<1	<1	2	3	5	5	5
1-11 MOS	61	3.5	18	1	1	2	3	8	14	24
1-5 YRS	496	2.2	2	<1	1	2	3	4	5	9
6-12 YRS	1140	2.3	6	<1	1	2	2	4	5	12
13-19 YRS	3090	2.3	7	<1	1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	4	8.5	39	2	2	7	12	17	17	17
1-11 MOS	26	7.5	50	<1	1	4	11	18	23	30
1-5 YRS	90	4.4	35	1	1	2	5	9	12	37
6-12 YRS	124	4.6	59	<1	1	2	4	10	16	70
13-19 YRS	484	4.1	27	1	1	2	4	8	12	30
TOT. SINGLE DX	4792	2.3	6	<1	1	2	2	3	5	9
" MULTIPLE DX	728	4.4	35	1	1	2	4	9	14	35
TOTAL 0-27 DYS	9	5.1	26	<1	<1	3	7	13	17	17
1-11 MOS	87	4.7	31	1	1	2	5	12	16	28
1-5 YRS	586	2.5	8	<1	1	2	3	4	6	13
6-12 YRS	1264	2.6	12	<1	1	2	3	4	5	15
13-19 YRS	3574	2.5	10	<1	1	2	3	4	5	14
GRAND TOTAL	**5520**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**4**	**6**	**15**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	40	2.5	14	<1	<1	2	2	3	9	22
6-12 YRS	32	2.6	5	<1	1	2	3	5	9	10
13-19 YRS	120	2.7	8	<1	1	2	3	4	5	21
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	14	3.4	4	1	2	3	3	7	8	8
6-12 YRS	26	4.2	10	1	1	3	5	10	11	12
13-19 YRS	67	4.5	46	1	1	3	4	8	14	92
TOT. SINGLE DX	198	2.6	8	<1	1	2	3	4	6	21
" MULTIPLE DX	110	4.2	31	1	1	3	4	8	12	72
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	7	2.3	1	1	1	2	3	4	4	4
1-5 YRS	54	2.7	11	<1	<1	2	3	5	8	22
6-12 YRS	58	3.3	8	1	1	2	4	9	10	12
13-19 YRS	187	3.3	22	<1	1	2	4	5	8	43
GRAND TOTAL	**308**	**3.2**	**17**	**<1**	**1**	**2**	**3**	**5**	**10**	**23**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.0	3	3	3	6	6	6	6	6
1-11 MOS	29	2.2	2	1	1	2	3	5	5	6
1-5 YRS	260	2.2	4	<1	1	2	2	3	5	10
6-12 YRS	437	2.3	3	1	1	2	3	4	5	12
13-19 YRS	1706	2.4	6	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	150	2.3	3	1	1	2	3	4	6	9
6-12 YRS	292	2.7	10	1	1	2	3	5	6	12
13-19 YRS	1103	3.0	13	1	1	2	3	5	8	15
TOT. SINGLE DX	2435	2.3	5	<1	1	2	3	4	5	10
" MULTIPLE DX	1551	2.9	11	1	1	2	3	5	7	14
TOTAL 0-27 DYS	4	4.3	4	2	2	4	6	6	6	6
1-11 MOS	34	2.2	2	1	1	2	3	4	5	6
1-5 YRS	410	2.2	4	1	1	2	3	4	5	10
6-12 YRS	729	2.5	6	1	1	2	3	4	6	12
13-19 YRS	2809	2.6	8	1	1	2	3	5	6	13
GRAND TOTAL	**3986**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.4	4	1	1	2	3	6	7	7
1-5 YRS	126	2.8	16	1	1	2	3	4	6	30
6-12 YRS	299	2.9	6	1	1	2	4	5	7	13
13-19 YRS	801	3.0	8	1	1	2	4	5	7	14
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	4.0	7	<1	<1	3	6	8	8	8
1-5 YRS	54	4.4	32	1	1	2	4	10	17	27
6-12 YRS	133	4.7	50	1	1	3	5	10	14	30
13-19 YRS	474	4.6	35	1	1	3	5	9	12	33
TOT. SINGLE DX	1235	2.9	8	1	1	2	3	5	7	14
" MULTIPLE DX	668	4.6	37	1	1	3	5	9	13	31
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.1	5	<1	1	2	4	7	8	8
1-5 YRS	180	3.3	21	1	1	2	3	6	11	29
6-12 YRS	432	3.5	20	1	1	2	4	6	9	21
13-19 YRS	1275	3.6	18	1	1	2	4	6	9	25
GRAND TOTAL	**1903**	**3.5**	**19**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.0	13	2	2	4	8	9	9	9
1-11 MOS	400	3.3	7	1	1	3	4	5	7	10
1-5 YRS	516	3.4	6	1	1	3	4	6	7	15
6-12 YRS	513	3.8	9	1	2	3	4	6	8	15
13-19 YRS	1379	4.4	20	1	2	4	5	8	9	15
2. MULTIPLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	87	4.7	24	1	2	3	5	10	13	30
1-5 YRS	361	4.2	25	1	2	3	4	7	10	26
6-12 YRS	492	4.6	13	2	2	4	5	8	10	16
13-19 YRS	759	5.7	47	1	2	4	6	9	14	44
TOT. SINGLE DX	2811	4.0	14	1	1	3	5	7	8	14
" MULTIPLE DX	1701	5.0	31	1	2	4	6	8	12	38
TOTAL 0-27 DYS	5	4.6	7	2	2	4	5	9	9	9
1-11 MOS	487	3.5	10	1	1	3	4	6	8	17
1-5 YRS	877	3.7	14	1	2	3	4	6	8	17
6-12 YRS	1005	4.2	11	1	2	3	5	7	9	15
13-19 YRS	2138	4.9	30	1	2	4	6	8	10	33
GRAND TOTAL	**4512**	**4.4**	**21**	**1**	**2**	**3**	**5**	**7**	**9**	**21**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	24	2.7	14	1	1	2	2	3	9	20
1-5 YRS	105	2.5	11	<1	1	2	3	4	7	22
6-12 YRS	101	2.2	5	1	1	2	2	4	6	14
13-19 YRS	329	2.9	11	1	1	2	3	6	10	19
2. MULTIPLE DX										
0-27 DYS	2	13.5	113	6	6	13	21	21	21	21
1-11 MOS	9	1.8		1	1	2	2	2	2	2
1-5 YRS	32	3.7	35	1	1	2	4	10	28	99+
6-12 YRS	43	4.0	24	1	1	2	4	10	14	27
13-19 YRS	232	5.1	48	1	1	3	5	10	16	43
TOT. SINGLE DX	561	2.7	10	<1	1	2	3	5	8	17
" MULTIPLE DX	318	4.8	43	1	1	3	5	10	17	43
TOTAL 0-27 DYS	4	7.5	86	1	1	4	13	21	21	21
1-11 MOS	33	2.5	10	1	1	2	2	3	4	20
1-5 YRS	137	2.8	17	<1	1	2	3	5	8	38
6-12 YRS	144	2.7	11	1	1	2	3	5	9	18
13-19 YRS	561	3.8	27	1	1	2	4	7	12	36
GRAND TOTAL	**879**	**3.4**	**23**	**1**	**1**	**2**	**4**	**6**	**11**	**30**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.9	1	<1	<1	2	3	3	3	3
6-12 YRS	5	3.4	8	1	1	2	5	8	8	8
13-19 YRS	42	6.5	56	1	1	4	7	17	24	35
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	1	28.0		28	28	28	28	28	28	28
6-12 YRS	2	7.5	85	1	1	7	14	14	14	14
13-19 YRS	21	12.0	203	1	1	6	18	34	47	53
TOT. SINGLE DX	54	5.6	47	1	1	3	6	13	22	35
" MULTIPLE DX	25	12.0	188	1	1	6	18	29	45	53
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	8	5.1	86	<1	<1	2	3	21	28	28
6-12 YRS	7	4.6	23	1	1	2	7	13	14	14
13-19 YRS	63	8.3	109	1	1	4	10	21	31	52
GRAND TOTAL	**79**	**7.6**	**98**	**1**	**1**	**4**	**8**	**21**	**29**	**50**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	2.0	1	<1	<1	2	2	3	4	5
1-5 YRS	41	2.6	2	1	1	2	3	5	6	7
6-12 YRS	31	7.7	90	1	2	4	7	24	33	36
13-19 YRS	117	5.5	40	1	1	4	6	14	19	35
2. MULTIPLE DX										
0-27 DYS	2	57.0	2592	21	21	57	93	93	93	93
1-11 MOS	4	4.8	56	1	1	1	9	16	16	16
1-5 YRS	18	5.2	13	2	2	4	7	11	13	14
6-12 YRS	29	8.3	64	1	1	5	11	16	23	39
13-19 YRS	112	9.3	176	1	2	5	8	21	42	65
TOT. SINGLE DX	211	4.9	39	1	1	3	5	11	19	35
" MULTIPLE DX	165	9.1	179	1	2	5	9	19	39	82
TOTAL 0-27 DYS	3	38.3	2341	1	1	21	75	93	93	93
1-11 MOS	25	2.4	9	<1	1	2	2	4	8	16
1-5 YRS	59	3.4	7	1	1	2	4	7	9	14
6-12 YRS	60	8.0	76	1	2	5	10	18	32	39
13-19 YRS	229	7.4	110	1	1	4	7	17	27	50
GRAND TOTAL	**376**	**6.8**	**104**	**1**	**1**	**4**	**6**	**16**	**23**	**49**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	19.5	545	3	3	19	36	36	36	36
6-12 YRS	6	15.2	83	8	8	12	18	31	32	32
13-19 YRS	8	32.1	291	14	15	29	46	57	57	57
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	10.3	40	3	3	14	14	14	14	14
1-5 YRS	3	23.0	79	13	13	26	29	30	30	30
6-12 YRS	10	24.1	484	<1	3	16	40	59	61	61
13-19 YRS	27	31.6	446	6	9	29	46	70	94	99+
TOT. SINGLE DX	16	24.2	269	4	8	18	34	54	57	57
" MULTIPLE DX	44	27.4	417	4	7	22	37	58	79	99+
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	10.3	40	3	3	14	14	14	14	14
1-5 YRS	5	21.6	179	3	3	26	31	36	36	36
6-12 YRS	16	20.8	338	2	7	13	29	56	60	61
13-19 YRS	35	31.7	401	7	10	29	46	57	88	99+
GRAND TOTAL	**60**	**26.6**	**374**	**4**	**7**	**22**	**36**	**57**	**67**	**99**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	8.8	16	3	3	10	11	12	12	12
6-12 YRS	3	26.7	156	14	14	27	36	39	39	39
13-19 YRS	19	15.4	91	5	6	12	24	31	32	33
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	22.5	159	4	5	21	35	37	37	37
1-5 YRS	6	12.7	52	6	6	10	19	23	24	24
6-12 YRS	8	21.8	561	3	3	15	26	62	75	75
13-19 YRS	18	27.8	349	5	7	25	40	67	91	99+
TOT. SINGLE DX	26	15.7	102	5	6	12	25	31	34	39
" MULTIPLE DX	38	23.3	324	3	5	20	34	49	77	99+
TOTAL 0-27 DYS										
1-11 MOS	6	22.5	159	4	5	21	35	37	37	37
1-5 YRS	10	11.1	39	3	4	10	12	21	24	24
6-12 YRS	11	23.1	429	3	3	21	30	53	73	75
13-19 YRS	37	21.4	249	5	6	19	30	46	67	99+
GRAND TOTAL	**64**	**20.2**	**245**	**4**	**6**	**17**	**28**	**40**	**55**	**97**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	11	7.1	31	2	2	6	9	16	21	21
6-12 YRS	5	8.0	19	4	4	6	10	15	15	15
13-19 YRS	11	18.5	228	2	7	14	20	43	56	57
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	7	8.4	26	3	3	8	12	15	16	16
6-12 YRS	7	27.7	774	4	4	16	42	74	81	81
13-19 YRS	16	23.6	205	7	9	22	28	51	55	56
TOT. SINGLE DX	28	11.6	132	2	2	9	14	22	36	57
" MULTIPLE DX	31	20.5	324	3	4	16	26	49	56	81
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	18	7.6	28	2	2	6	11	15	19	21
6-12 YRS	12	19.5	532	4	4	10	23	56	77	81
13-19 YRS	27	21.6	212	5	9	16	26	49	56	57
GRAND TOTAL	**59**	**16.2**	**249**	**2**	**3**	**11**	**21**	**33**	**55**	**79**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	45	2.6	19	<1	1	1	2	5	6	29
6-12 YRS	28	7.0	321	<1	1	3	5	11	20	97
13-19 YRS	58	7.9	117	1	1	5	9	16	23	68
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	19	7.9	129	<1	1	4	8	21	38	48
6-12 YRS	6	13.0	414	1	1	6	9	49	54	54
13-19 YRS	32	9.4	111	1	2	7	12	16	18	61
TOT. SINGLE DX	135	5.8	127	<1	1	3	6	11	17	75
" MULTIPLE DX	58	9.2	140	1	1	6	10	16	39	60
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	64	4.2	56	<1	1	2	4	7	19	45
6-12 YRS	34	8.1	331	<1	1	3	6	11	46	97
13-19 YRS	90	8.4	114	1	1	6	10	16	19	67
GRAND TOTAL	**193**	**6.8**	**132**	**1**	**1**	**3**	**7**	**14**	**19**	**67**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	39	2.0	4	<1	<1	2	2	3	5	13
6-12 YRS	51	3.1	13	<1	1	2	3	6	11	22
13-19 YRS	139	3.5	39	1	1	2	4	6	7	34
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	9.5	616	<1	1	2	2	33	80	88
6-12 YRS	17	4.3	23	<1	1	2	5	11	17	19
13-19 YRS	79	5.2	35	1	1	3	5	11	19	31
TOT. SINGLE DX	233	3.1	27	<1	1	2	3	5	8	24
" MULTIPLE DX	110	5.4	93	1	1	3	5	11	19	55
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	51	3.7	149	<1	<1	2	2	3	9	87
6-12 YRS	68	3.4	16	<1	1	2	3	8	12	21
13-19 YRS	218	4.1	38	1	1	2	4	7	11	31
GRAND TOTAL	**343**	**3.9**	**49**	**<1**	**1**	**2**	**4**	**7**	**11**	**30**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	5	10.6	290	2	2	3	14	41	41	41
13-19 YRS	12	4.0	23	1	1	3	4	9	18	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	18	6.1	93	1	1	3	4	16	32	41
" MULTIPLE DX	3	9.0	49	4	4	6	14	17	17	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.5	5	6	6	7	9	9	9	9
6-12 YRS	6	11.7	239	2	2	4	17	39	41	41
13-19 YRS	13	4.0	22	1	1	3	4	7	17	19
GRAND TOTAL	**21**	**6.5**	**85**	**1**	**1**	**3**	**5**	**18**	**29**	**41**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	3.3	10	1	1	2	3	8	12	12
1-11 MOS	21	2.3	2	<1	<1	2	3	4	5	5
1-5 YRS	14	3.7	15	<1	<1	2	6	11	12	12
6-12 YRS	112	2.0		1	1	2	2	3	3	40
13-19 YRS	3938	2.2	4	<1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	4	22.3	1388	1	1	5	42	78	78	78
1-11 MOS	13	3.2	2	2	2	3	4	5	5	5
1-5 YRS	11	2.9	5	<1	<1	2	4	7	8	8
6-12 YRS	21	2.1	1	<1	1	2	2	4	5	6
13-19 YRS	713	3.2	12	1	1	2	3	5	8	17
TOT. SINGLE DX	4095	2.2	4	<1	1	2	2	3	4	6
" MULTIPLE DX	762	3.2	19	1	1	2	3	5	8	19
TOTAL 0-27 DYS	14	8.7	406	1	1	3	4	19	65	78
1-11 MOS	34	2.6	2	<1	1	2	4	5	5	5
1-5 YRS	25	3.4	11	<1	<1	2	5	8	11	12
6-12 YRS	133	2.0	1	1	1	2	2	3	3	21
13-19 YRS	4651	2.3	5	<1	1	2	2	3	4	9
GRAND TOTAL	**4857**	**2.3**	**6**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS										
6-12 YRS	34	2.7	5	1	1	2	3	4	6	13
13-19 YRS	451	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	3.1	1	2	2	3	4	5	5	5
13-19 YRS	55	3.3	4	1	2	3	4	5	8	9
TOT. SINGLE DX	486	2.7	3	1	1	2	3	4	5	9
" MULTIPLE DX	65	3.6	11	1	2	3	4	5	9	23
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	42	2.8	4	1	1	2	3	4	6	13
13-19 YRS	506	2.7	3	1	1	2	3	4	5	9
GRAND TOTAL	**551**	**2.8**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	8.0	12	6	6	6	11	12	12	12
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	8.0	32	4	4	8	12	12	12	12
6-12 YRS	5	3.0	3	2	2	2	4	6	6	6
13-19 YRS	14	2.8	2	1	2	2	4	4	6	6
2. MULTIPLE DX										
0-27 DYS	3	14.7	69	8	8	12	21	24	24	24
1-11 MOS	3	10.0	7	8	8	9	12	13	13	13
1-5 YRS										
6-12 YRS	6	6.5	12	3	3	6	10	10	10	10
13-19 YRS	11	6.7	21	2	2	5	9	13	17	17
TOT. SINGLE DX	25	4.0	8	1	2	3	5	6	12	12
" MULTIPLE DX	23	8.1	27	2	3	8	10	14	19	24
TOTAL 0-27 DYS	6	11.3	46	6	6	10	12	23	24	24
1-11 MOS	4	8.8	11	5	5	8	11	13	13	13
1-5 YRS	2	8.0	32	4	4	8	12	12	12	12
6-12 YRS	11	4.9	11	2	2	3	8	10	10	10
13-19 YRS	25	4.5	14	1	2	3	5	10	12	17
GRAND TOTAL	**48**	**6.0**	**21**	**2**	**2**	**4**	**9**	**12**	**13**	**24**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	23	4.7	8	1	2	4	6	8	11	14
1-11 MOS	16	3.4	3	1	1	3	4	6	7	8
1-5 YRS	8	2.4	1	1	1	3	3	4	4	4
6-12 YRS	56	4.4	145	1	1	2	4	5	8	87
13-19 YRS	1212	3.3	4	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	9	3.9	4	<1	1	4	5	7	8	8
1-11 MOS	6	4.3	6	2	2	4	5	9	9	9
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	17	4.2	4	2	2	4	5	7	8	8
13-19 YRS	337	4.1	12	1	2	3	5	7	9	14
TOT. SINGLE DX	1315	3.3	10	1	1	3	4	5	6	10
" MULTIPLE DX	371	4.1	12	1	2	3	5	7	9	14
TOTAL 0-27 DYS	32	4.5	7	1	2	4	6	8	9	14
1-11 MOS	22	3.7	4	1	2	3	4	7	8	9
1-5 YRS	10	3.3	7	1	1	3	4	7	10	10
6-12 YRS	73	4.4	111	1	1	3	4	6	8	73
13-19 YRS	1549	3.4	6	1	2	3	4	5	7	11
GRAND TOTAL	1686	3.5	10	1	2	3	4	6	7	12

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.0	9	<1	<1	4	6	7	7	7
1-11 MOS	16	2.7	4	<1	<1	2	4	6	7	7
1-5 YRS	33	2.2	4	<1	1	2	2	3	4	13
6-12 YRS	54	3.7	11	<1	1	3	4	6	11	20
13-19 YRS	4984	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	9	3.3	10	1	1	2	4	8	11	11
6-12 YRS	9	5.6	42	1	1	4	6	16	22	22
13-19 YRS	558	5.3	18	2	2	4	6	9	12	25
TOT. SINGLE DX	5091	4.2	5	2	2	4	5	7	8	12
" MULTIPLE DX	579	5.3	19	2	2	4	6	9	12	25
TOTAL 0-27 DYS	5	3.8	7	<1	<1	3	6	7	7	7
1-11 MOS	18	2.9	5	<1	<1	2	5	7	8	8
1-5 YRS	42	2.5	6	<1	1	2	2	4	7	13
6-12 YRS	63	4.0	15	<1	1	3	4	7	12	22
13-19 YRS	5542	4.3	7	2	2	4	5	7	8	13
GRAND TOTAL	5670	4.3	7	2	2	4	5	7	8	14

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	21	3.6	7	2	2	3	4	8	10	11
1-11 MOS	387	2.3	5	<1	<1	2	2	5	7	14
1-5 YRS	1563	2.1	12	<1	<1	1	2	3	6	14
6-12 YRS	2203	2.3	7	<1	<1	2	2	4	6	14
13-19 YRS	3453	2.8	13	<1	1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	13	6.5	52	2	2	3	8	14	25	28
1-11 MOS	93	6.3	43	<1	1	4	8	14	18	33
1-5 YRS	376	3.9	29	<1	1	2	4	9	13	31
6-12 YRS	596	4.1	35	<1	1	2	4	9	14	35
13-19 YRS	1486	5.3	59	1	1	3	5	10	18	48
TOT. SINGLE DX	7627	2.5	11	<1	<1	2	2	4	7	15
" MULTIPLE DX	2564	4.9	49	1	1	3	5	10	16	38
TOTAL 0-27 DYS	34	4.7	25	2	2	3	5	10	11	28
1-11 MOS	480	3.1	15	<1	<1	2	3	7	10	22
1-5 YRS	1939	2.5	16	<1	<1	2	2	4	8	19
6-12 YRS	2799	2.6	14	<1	<1	2	2	5	7	20
13-19 YRS	4939	3.6	28	<1	1	2	3	7	10	28
GRAND TOTAL	10191	3.1	21	<1	<1	2	3	6	9	24

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	30	5.4	27	<1	1	4	6	11	15	26
1-11 MOS	336	5.7	31	1	1	4	7	11	14	32
1-5 YRS	1823	4.1	36	<1	1	2	5	9	13	33
6-12 YRS	2348	4.3	35	1	1	2	5	10	15	33
13-19 YRS	4078	4.7	38	1	1	3	5	10	14	32
2. MULTIPLE DX										
0-27 DYS	35	12.6	158	1	2	8	17	34	37	53
1-11 MOS	282	7.7	72	1	1	6	9	15	21	62
1-5 YRS	1761	6.5	81	1	1	3	7	15	24	44
6-12 YRS	2286	6.5	93	1	1	3	7	16	26	58
13-19 YRS	7728	6.1	86	1	1	3	6	13	23	58
TOT. SINGLE DX	8615	4.5	36	<1	1	3	5	10	14	32
" MULTIPLE DX	12092	6.3	86	1	1	3	7	14	24	56
TOTAL 0-27 DYS	65	9.3	109	1	1	5	11	26	34	51
1-11 MOS	618	6.6	50	1	1	5	8	13	19	43
1-5 YRS	3584	5.3	59	1	1	3	6	12	19	39
6-12 YRS	4634	5.4	65	1	1	3	6	12	21	45
13-19 YRS	11806	5.6	70	1	1	3	6	12	20	51
GRAND TOTAL	20707	5.5	66	1	1	3	6	12	20	47

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	25	10.4	217	<1	1	6	10	30	43	66
1-5 YRS	349	8.6	134	1	1	4	10	25	29	56
6-12 YRS	476	8.3	88	1	1	5	10	19	31	44
13-19 YRS	809	7.1	81	1	1	4	9	16	23	46
2. MULTIPLE DX										
0-27 DYS	3	25.7	4	24	24	26	64	99+	99+	99+
1-11 MOS	46	23.4	265	2	3	24	33	42	49	78
1-5 YRS	289	17.6	202	2	2	14	28	37	48	59
6-12 YRS	324	17.6	239	2	2	14	25	39	48	77
13-19 YRS	579	14.5	212	1	2	10	21	35	45	77
TOT. SINGLE DX	1660	7.8	96	1	1	4	9	18	28	49
" MULTIPLE DX	1241	16.4	222	1	2	12	24	37	48	77
TOTAL 0-27 DYS	4	20.5	110	5	5	25	46	99+	99+	99+
1-11 MOS	71	18.8	284	1	2	16	31	37	48	75
1-5 YRS	638	12.7	184	1	1	7	20	31	40	57
6-12 YRS	800	12.1	170	1	2	7	16	32	40	60
13-19 YRS	1388	10.2	149	1	1	6	13	25	37	70
GRAND TOTAL	**2901**	**11.5**	**168**	**1**	**1**	**7**	**16**	**29**	**39**	**62**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.0	1	1	1	2	3	3	3	3
1-5 YRS	91	4.9	112	<1	1	2	3	10	26	63
6-12 YRS	149	5.4	77	1	1	2	5	12	20	47
13-19 YRS	345	4.7	49	1	1	2	4	13	18	45
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	40	6.6	98	<1	1	3	6	17	35	43
6-12 YRS	73	8.6	129	1	2	4	10	20	42	49
13-19 YRS	208	9.5	151	1	2	4	11	27	40	62
TOT. SINGLE DX	592	4.9	65	1	1	2	4	12	19	46
" MULTIPLE DX	323	8.9	139	1	1	4	10	25	39	58
TOTAL 0-27 DYS										
1-11 MOS	9	1.9	1	1	1	2	2	3	3	3
1-5 YRS	131	5.4	108	<1	1	2	4	12	29	51
6-12 YRS	222	6.5	96	1	1	3	7	16	26	49
13-19 YRS	553	6.5	93	1	1	3	7	17	29	57
GRAND TOTAL	**915**	**6.3**	**95**	**1**	**1**	**2**	**6**	**16**	**28**	**55**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	79	2.7	8	<1	1	2	3	6	10	75
1-5 YRS	472	2.4	8	<1	1	2	3	4	6	19
6-12 YRS	791	2.5	15	<1	1	2	2	4	6	12
13-19 YRS	1939	2.6	9	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-27 DYS	3	15.3	329	2	2	8	29	36	36	36
1-11 MOS	28	5.4	36	1	1	3	6	16	19	24
1-5 YRS	244	4.1	30	1	1	2	4	8	13	35
6-12 YRS	324	3.8	21	1	1	2	4	8	13	30
13-19 YRS	807	4.5	49	1	1	3	5	8	15	45
TOT. SINGLE DX	3284	2.5	10	<1	1	2	3	4	6	12
" MULTIPLE DX	1406	4.3	40	1	1	2	4	8	14	38
TOTAL 0-27 DYS	6	8.8	183	1	1	3	8	33	36	36
1-11 MOS	107	3.4	16	<1	1	2	3	8	14	56
1-5 YRS	716	3.0	16	<1	1	2	3	6	9	27
6-12 YRS	1115	2.9	17	<1	1	2	3	5	8	19
13-19 YRS	2746	3.1	22	<1	1	2	3	5	8	28
GRAND TOTAL	**4690**	**3.1**	**20**	**<1**	**1**	**2**	**3**	**5**	**8**	**25**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	14	3.6	9	1	1	3	4	8	11	12
1-5 YRS	18	3.2	13	<1	1	2	3	10	13	13
6-12 YRS	55	5.3	93	1	1	3	4	10	19	62
13-19 YRS	94	6.6	135	1	1	3	6	17	47	99+
2. MULTIPLE DX										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	16	5.6	23	<1	1	4	8	14	15	15
1-5 YRS	30	4.9	32	1	1	3	5	14	19	23
6-12 YRS	43	10.9	448	1	2	3	5	26	67	97
13-19 YRS	101	7.3	114	1	1	4	9	17	22	84
TOT. SINGLE DX	184	5.6	100	1	1	3	5	12	24	89
" MULTIPLE DX	192	7.6	169	1	1	4	7	17	23	95
TOTAL 0-27 DYS	5	2.4	4	1	1	2	3	6	6	6
1-11 MOS	30	4.7	17	1	1	3	7	12	15	15
1-5 YRS	48	4.3	25	1	1	2	4	12	18	23
6-12 YRS	98	7.7	254	1	1	3	5	17	30	95
13-19 YRS	195	7.0	124	1	1	4	7	17	37	99+
GRAND TOTAL	**376**	**6.6**	**136**	**1**	**1**	**3**	**6**	**15**	**23**	**96**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	3.7	3	<1	1	4	5	6	6	6
1-11 MOS	20	4.7	23	<1	1	3	6	12	16	18
1-5 YRS	43	4.8	18	1	1	3	6	11	13	21
6-12 YRS	109	3.3	5	1	1	2	4	7	9	11
13-19 YRS	1005	6.1	39	1	1	4	9	13	17	26
2. MULTIPLE DX										
0-27 DYS	3	13.7	281	3	3	5	26	33	33	33
1-11 MOS	16	6.8	65	1	2	4	6	21	28	31
1-5 YRS	41	5.9	39	2	2	3	6	14	20	30
6-12 YRS	76	6.2	40	1	2	3	7	18	20	25
13-19 YRS	451	7.7	48	1	2	5	10	16	22	40
TOT. SINGLE DX	1187	5.8	35	1	1	4	8	13	16	24
" MULTIPLE DX	587	7.4	47	1	2	5	10	16	22	37
TOTAL 0-27 DYS	13	6.0	68	<1	1	4	5	12	29	33
1-11 MOS	36	5.6	41	<1	1	3	6	14	21	31
1-5 YRS	84	5.4	28	1	2	3	6	12	15	28
6-12 YRS	185	4.5	21	1	1	3	5	10	15	24
13-19 YRS	1456	6.6	42	1	2	4	9	14	18	35
GRAND TOTAL	**1774**	**6.3**	**40**	**1**	**2**	**4**	**9**	**14**	**18**	**31**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	16.6	1054	2	2	6	8	74	90	90
1-5 YRS	35	4.6	17	1	2	3	6	10	16	17
6-12 YRS	79	4.9	13	1	2	4	6	11	13	15
13-19 YRS	313	5.5	41	1	2	4	7	10	14	27
2. MULTIPLE DX										
0-27 DYS	3	25.7	604	10	10	13	44	54	54	54
1-11 MOS	17	6.6	31	1	1	5	11	15	17	18
1-5 YRS	22	8.0	23	2	2	8	11	15	16	16
6-12 YRS	74	10.1	90	1	3	7	13	25	30	89
13-19 YRS	254	11.9	179	2	2	7	15	28	45	71
TOT. SINGLE DX	436	5.4	50	1	2	4	7	10	14	26
" MULTIPLE DX	370	11.2	150	1	2	7	14	26	40	70
TOTAL 0-27 DYS	5	16.0	478	1	1	10	23	54	54	54
1-11 MOS	24	9.5	318	1	1	5	9	15	40	90
1-5 YRS	57	5.9	22	1	2	4	9	14	16	17
6-12 YRS	153	7.4	57	1	2	5	9	15	25	57
13-19 YRS	567	8.4	113	1	2	5	9	18	28	63
GRAND TOTAL	**806**	**8.1**	**104**	**1**	**2**	**5**	**9**	**16**	**26**	**61**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	11	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	4.9	20	2	2	2	6	13	14	14
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	2.7	3	1	1	2	3	6	6	6
TOT. SINGLE DX	15	2.3		2	2	2	3	3	3	3
" MULTIPLE DX	19	3.5	9	1	2	2	4	7	11	14
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	9	4.3	16	2	2	2	5	11	14	14
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	22	2.5	2	1	2	2	3	4	6	6
GRAND TOTAL	**34**	**3.0**	**6**	**2**	**2**	**2**	**3**	**6**	**7**	**14**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	3.8	8	1	1	3	6	8	8	8
1-11 MOS	8	4.5	9	1	1	3	7	9	9	9
1-5 YRS	27	2.9	5	1	1	2	3	6	8	12
6-12 YRS	106	4.5	24	1	1	3	6	9	12	27
13-19 YRS	625	5.2	23	1	1	3	7	12	14	23
2. MULTIPLE DX										
0-27 DYS	12	13.2	70	5	5	12	19	25	29	30
1-11 MOS	23	10.0	213	2	2	5	9	24	48	66
1-5 YRS	43	5.0	32	1	1	2	6	13	19	26
6-12 YRS	82	5.9	34	1	1	4	7	14	20	28
13-19 YRS	474	8.5	82	1	2	6	10	19	26	53
TOT. SINGLE DX	771	5.0	22	1	1	3	7	11	14	23
" MULTIPLE DX	634	8.1	79	1	2	5	10	19	25	53
TOTAL 0-27 DYS	17	10.4	69	1	2	7	15	23	28	30
1-11 MOS	31	8.6	165	2	2	5	8	17	37	66
1-5 YRS	70	4.2	23	1	1	2	4	11	14	25
6-12 YRS	188	5.1	29	1	1	3	6	10	18	28
13-19 YRS	1099	6.6	51	1	1	4	8	14	20	37
GRAND TOTAL	**1405**	**6.4**	**50**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	6.5	26	<1	<1	6	10	13	15	15
1-11 MOS	107	5.2	53	1	1	2	7	12	16	41
1-5 YRS	404	3.4	16	1	1	2	4	8	11	24
6-12 YRS	608	4.1	24	1	1	3	5	9	12	29
13-19 YRS	988	4.6	26	1	1	3	5	9	12	31
2. MULTIPLE DX										
0-27 DYS	19	10.1	61	2	3	7	15	20	27	32
1-11 MOS	174	9.4	92	1	1	7	12	20	24	72
1-5 YRS	449	4.9	37	1	1	3	6	10	15	36
6-12 YRS	614	5.4	59	1	1	3	6	10	16	43
13-19 YRS	1178	6.7	64	1	2	5	8	13	20	50
TOT. SINGLE DX	2117	4.3	25	1	1	3	5	9	12	29
" MULTIPLE DX	2434	6.2	61	1	1	4	7	13	19	46
TOTAL 0-27 DYS	29	8.9	51	1	1	7	12	19	21	32
1-11 MOS	281	7.8	81	1	1	5	10	18	22	60
1-5 YRS	853	4.2	28	1	1	2	5	9	13	29
6-12 YRS	1222	4.7	42	1	1	3	5	10	14	34
13-19 YRS	2166	5.7	48	1	1	4	7	11	16	43
GRAND TOTAL	**4551**	**5.3**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	12	7.1	62	<1	<1	4	12	18	25	26
1-5 YRS	61	13.4	111	1	1	14	23	28	30	35
6-12 YRS	125	15.5	187	1	1	12	26	35	42	49
13-19 YRS	343	8.8	158	1	1	4	10	23	37	72
2. MULTIPLE DX										
0-27 DYS	5	12.8	103	2	4	22	99+	99+	99+	99+
1-11 MOS	22	25.8	731	<1	2	16	48	87	93	99+
1-5 YRS	50	21.5	169	2	4	22	31	35	42	60
6-12 YRS	130	18.3	271	1	2	12	31	44	49	74
13-19 YRS	404	16.3	353	1	2	8	25	47	66	99+
TOT. SINGLE DX	542	10.8	165	1	1	5	16	29	37	57
" MULTIPLE DX	611	17.5	335	1	2	10	29	47	62	99+
TOTAL 0-27 DYS	6	14.0	91	2	5	20	99+	99+	99+	99+
1-11 MOS	34	19.2	568	<1	1	12	25	58	88	99+
1-5 YRS	111	17.1	152	1	2	17	26	32	35	51
6-12 YRS	255	16.9	231	1	1	12	29	42	46	58
13-19 YRS	747	12.9	277	1	2	6	16	38	55	99
GRAND TOTAL	**1153**	**14.4**	**266**	**1**	**2**	**7**	**22**	**39**	**50**	**99+**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	8.8	79	1	1	5	12	23	28	28
1-11 MOS	51	4.9	29	<1	1	3	6	9	19	26
1-5 YRS	249	2.2	5	<1	1	1	3	4	7	13
6-12 YRS	211	3.2	23	1	1	2	3	6	9	29
13-19 YRS	334	4.0	48	1	1	2	4	7	13	39
2. MULTIPLE DX										
0-27 DYS	29	21.8	729	1	3	13	82	99+	99+	99+
1-11 MOS	99	15.1	395	1	2	6	14	50	63	94
1-5 YRS	353	4.4	63	<1	1	2	4	8	14	47
6-12 YRS	348	6.4	99	<1	1	3	6	18	25	64
13-19 YRS	512	6.9	113	1	1	4	7	16	29	71
TOT. SINGLE DX	853	3.4	29	1	1	2	3	7	11	31
" MULTIPLE DX	1341	7.0	141	1	1	3	7	17	33	98
TOTAL 0-27 DYS	37	19.0	612	1	2	12	72	99+	99+	99+
1-11 MOS	150	11.6	293	1	1	5	10	44	55	88
1-5 YRS	602	3.5	40	<1	1	2	3	7	11	43
6-12 YRS	559	5.2	73	1	1	2	5	14	24	43
13-19 YRS	846	5.8	89	1	1	3	6	12	24	59
GRAND TOTAL	2194	5.6	101	1	1	2	5	12	25	75

Distribution Tables

Table 1 displays total U.S. pediatric patients and days of care (after exclusions*) in each of the diagnosis groups containing patients under 20 years of age. Also shown is the corresponding rate per 10,000 pediatric discharges and the rate per 10,000 days of care. Deliveries (groups 270-287) and newborn (groups 393-395) are excluded.

Table 1

Distribution of Pediatric Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	21,462	137.3	85	131.9
2	Respiratory tuberculosis	192	1.2	2	3.3
3	Nonrespiratory tuberculosis	101	0.6	1	1.2
4.	Streptococcal sore throat and scarlet fever	3,847	24.6	13	20.4
5	Septicemia	2,303	14.7	18	27.5
6	Miscellaneous bacterial diseases	1,767	11.3	15	22.5
7	Poliomyelitis and other enteroviral diseases of central nervous system	4,611	29.5	21	32.4
8	Viral diseases with exanthem	4,815	30.8	19	29.2
9	Viral Hepatitis	1,763	11.3	12	19.0
10	Infectious mononucleosis	6,027	38.5	30	46.5
11	Viral warts	2,233	14.3	5	8.1
12	Miscellaneous viral diseases	12,900	82.5	46	70.8
13	Rickettsioses and other arthropod-borne diseases	572	3.7	3	4.9
14	Syphilis and other veneral diseases	1,140	7.3	6	9.7
15	Mycoses	563	3.6	4	5.5
16	Helminthiases	310	2.0	1	2.2
17	Miscellaneous infective and parasitic diseases	561	3.6	3	4.7
18	Late effects of infectious and parasitic diseases	36	0.2	<1	0.3

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19 Malignant neoplasm of lip, oral cavity, and pharynx	98	0.6	1	0.8
20 Malignant neoplasm of esophagus	4	0.0	<1	0.1
21 Malignant neoplasm of stomach	17	0.1	<1	0.4
22 Malignant neoplasm of small intestine	1	0.0	<1	0.0
23 Malignant neoplasm of colon	57	0.4	1	1.4
24 Malignant neoplasm of rectum, rectosigmoid junction and anus	28	0.2	<1	0.6
25 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	81	0.5	1	1.3
26 Malignant neoplasm of pancreas	14	0.1	<1	0.2
27 Malignant neoplasm of bronchus, lung, and trachea	82	0.5	1	1.5
28 Other malignant neoplasm of respiratory system and thoracic cavity	90	0.6	1	1.1
29 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	869	5.6	6	9.1
30 Malignant melanoma of skin, excluding genital organs	53	0.3	<1	0.5
31 Other malignant neoplasm of skin, excluding genital organs	75	0.5	<1	0.4
32 Malignant neoplasm of breast (female) (male)	74	0.5	<1	0.7
33 Malignant neoplasm of cervix uteri excluding carcinoma in situ	36	0.2	<1	0.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	30	0.2	<1	0.4
35 Malignant neoplasm of ovary	127	0.8	1	1.7
36 Malignant neoplasm of other female genital organs	41	0.3	<1	0.6
37 Malignant neoplasm of prostate	42	0.3	<1	0.7
38 Malignant neoplasm of male genitalia, except prostate	191	1.2	1	2.2
39 Malignant neoplasm of bladder	50	0.3	<1	0.5
40 Malignant neoplasm of kidney and other urinary organs	195	1.2	2	2.8
41 Malignant neoplasm of eye	132	0.8	<1	0.6
42 Malignant neoplasm of brain	591	3.8	9	13.2
43 Malignant neoplasm of other parts of nervous system	91	0.6	1	1.6
44 Malignant neoplasm of endocrine glands	358	2.3	2	3.4
45 Malignant neoplasm of ill-defined and secondary sites	419	2.7	3	4.8
46 Hodgkin's disease	698	4.5	5	7.9
47 Lymphoid leukemia	1,127	7.2	8	13.0
48 Leukemia, except lymphoid	548	3.5	5	8.0
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	456	2.9	3	5.2
50 Benign neoplasm of lip, oral cavity, and pharynx	358	2.3	1	1.7
51 Benign neoplasm of other parts of digestive system	432	2.8	2	3.4
52 Benign neoplasm of respiratory system and intrathoracic organs	584	3.7	2	2.5
53 Benign neoplasm of bone, muscle, and connective tissue	4,022	25.7	13	20.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54 Benign neoplasm of skin, blood vessels, and miscellaneous sites	4,230	27.1	11	17.5
55 Benign neoplasm of breast	2,772	17.7	6	9.3
56 Uterine leiomyoma	86	0.5	1	0.8
57 Benign neoplasm of uterus, except leiomyoma	19	0.1	<1	0.1
58 Benign neoplasm of ovary	1,011	6.5	6	9.8
59 Benign neoplasm of female genitalia, except uterus and ovary	72	0.5	<1	0.4
60 Benign neoplasm of male genital organ	60	0.4	<1	0.3
61 Benign neoplasm of urinary organ	31	0.2	<1	0.2
62 Benign neoplasm of eye	225	1.4	<1	0.6
63 Benign neoplasm of central nervous system	107	0.7	1	2.1
64 Benign neoplasm of thyroid glands	288	1.8	1	1.8
65 Benign neoplasm of endocrine glands, except thyroid	61	0.4	1	0.9
66 Carcinoma in situ of cervix	150	1.0	<1	0.8
67 Carcinoma in situ, except cervix uteri	73	0.5	<1	0.4
68 Neoplasms of uncertain behavior and unspecified nature	1,392	8.9	7	11.1
69 Simple and non-toxic nodular goiter	262	1.7	1	1.7
70 Other diseases of thyroid gland	950	6.1	6	8.9
71 Diabetes mellitus without complication	4,320	27.6	28	43.1
72 Diabetic Acidosis or coma	4,719	30.2	27	41.8
73 Other complicated diabetes mellitus	1,312	8.4	8	13.1
74 Ovarian dysfunction	494	3.2	2	3.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	1,876	12.0	9	13.3
76	Nutritional deficiencies	302	1.9	3	4.6
77	Cystic fibrosis	879	5.6	10	14.9
78	Obesity of nonendocrine origin	462	3.0	4	5.7
79	Miscellaneous metabolic disorders	1,403	9.0	7	11.0
80	Gout	28	0.2	<1	0.2
81	Disorders of fluid, electrolyte, and acid-base balance	2,870	18.4	13	20.4
82	Iron deficiency anemia	983	6.3	5	7.7
83	Sickle-cell anemia and trait	2,309	14.8	14	21.1
84	Anemia except iron deficiency and sickle-cell	2,081	13.3	9	13.3
85	Hemophilia (congenital factor VIII disorder)	337	2.2	2	2.6
86	Disease of hematopoietic system, except anemia and hemophilia	2,706	17.3	16	23.9
87	Nonspecific mesenteric lymphadenitis	9,[illegible]45	61.0	30	46.8
88	Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	2,111	13.5	9	13.8
89	Transient organic psychotic conditions	173	1.1	2	3.1
90	Chronic organic brain syndrome, except arteriosclerotic dementia	1,520	9.7	9	13.7
91	Arteriosclerotic dementia	0	0.0	0	0.0
92	Alcoholic psychoses	106	0.7	1	0.9
93	Drug psychoses	427	2.7	4	6.5
94	Paranoid schizophrenia	1,193	7.6	26	39.4
95	Acute schizophrenic episode	289	1.8	6	9.4
96	Miscellaneous schizophrenia	2,701	17.3	58	89.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97 Childhood psychosis	132	0.8	3	4.0
98 Major depressive psychoses	613	3.9	10	15.3
99 Other affective psychoses	623	4.0	12	19.1
100 Miscellaneous psychoses	1,091	7.0	17	26.3
101 Anxiety states	1,448	9.3	10	15.4
102 Neurotic depression	3,882	24.8	69	106.1
103 Miscellaneous neuroses and personality disorders	3,169	20.3	41	63.8
104 Alcoholic dependence syndrome	2,059	13.2	26	39.8
105 Opioid dependence	54	0.3	1	1.2
106 Drug dependence except opioid	610	3.9	13	20.7
107 Nondependent abuse of alcohol	1,818	11.6	4	6.3
108 Nondependent abuse of drugs, except alcohol	523	3.3	5	7.3
109 Psychophysiologic disorder	1,348	8.6	6	9.4
110 Adjustment reactions and acute reactions to stress	5,536	35.4	71	108.8
111 Miscellaneous mental disorders	5,285	33.8	73	112.2
112 Mental retardation	532	3.4	6	9.0
113 Inflammatory diseases of central nervous system	4,070	26.0	50	77.4
114 Parkinson's disease	17	0.1	<1	0.3
115 Multiple sclerosis	119	0.8	1	1.6
116 Epilepsy	4,979	31.8	22	34.0
117 Miscellaneous disease of central nervous system	5,507	35.2	38	58.2
118 Migraine	1,966	12.6	7	10.6
119 Carpal tunnel syndrome and other lesions of median nerve	319	2.0	1	1.5
120 Peripheral nervous system disorder, except sciatica	1,691	10.8	10	15.7
121 Retinal detachment and defects	585	3.7	3	4.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122	Open angle and primary closure glaucoma	81	0.5	<1	0.4
123	Other glaucoma	157	1.0	1	0.8
124	Senile cataract	0	0.0	0	0.0
125	Cataract, except senile	800	5.1	2	3.7
126	Strabismus	13,988	89.5	26	40.2
127	Miscellaneous disorders of superficial structures of eye	3,806	24.3	10	14.9
128	Miscellaneous disorders of deep structures of eye	2,936	18.8	13	19.9
129	Other disorders of eye	424	2.7	1	1.9
130	Otitis media, chronic and unspecified	52,415	335.2	107	164.6
131	Other inflammation of ear and mastoid	7,931	50.7	18	28.3
132	Vertiginous syndromes	428	2.7	2	2.8
133	Otosclerosis	191	1.2	1	0.9
134	Miscellaneous diseases of ear	6,318	40.4	14	21.6
135	Rheumatic fever, acute	791	5.1	7	10.4
136	Chronic rheumatic heart disease	223	1.4	1	2.3
137	Essential hypertension	873	5.6	4	6.9
138	Hypertensive heart disease	65	0.4	1	0.8
139	Miscellaneous hypertensive disease	176	1.1	1	2.0
140	Acute myocardial infarction	159	1.0	2	3.1
141	Angina pectoris	108	0.7	1	0.9
142	Other acute and subacute forms of ischemic heart disease	59	0.4	<1	0.7
143	Miscellaneous ischemic heart disease	279	1.8	2	3.0
144	Pulmonary embolism and infarction	180	1.2	2	3.2
145	Acute and subacute endocarditis	81	0.5	2	3.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	322	2.1	1	1.7
147	Atrial fibrillation and flutter	137	0.9	1	1.0
148	Other arrhythmia and conduction disorders	841	5.4	4	6.2
149	Heart failure	585	3.7	5	7.8
150	Miscellaneous diseases of heart	1,302	8.3	8	11.9
151	Cardiovascular disease, unspecified	21	0.1	<1	0.3
152	Subarachnoid hemorrhage without paralysis	67	0.4	1	1.5
153	Subarachnoid hemorrhage with paralysis	3	0.0	<1	0.1
154	Intracerebral hemorrhage without paralysis	138	0.9	2	3.1
155	Intracerebral hemorrhage with paralysis	2	0.0	<1	0.0
156	Precerebral artery occlusion without paralysis	30	0.2	<1	0.4
157	Precerebral occlusion with paralysis	2	0.0	<1	0.1
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	63	0.4	1	1.0
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	14	0.1	<1	0.5
160	Transient cerebral ischemia without paralysis	101	0.6	1	0.9
161	Acute, but ill-defined, cerebrovascular disease without paralysis	124	0.8	1	1.7
162	Acute, but ill-defined, cerebrovascular disease with paralysis	36	0.2	1	0.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	150	1.0	1	2.1
164	Atherosclerosis	43	0.3	1	0.9
165	Aortic aneurysm	17	0.1	<1	0.4
166	Aneurysm except aortic	57	0.4	1	0.8
167	Arterial embolism and thrombosis	67	0.4	1	1.1
168	Miscellaneous diseases of arteries	582	3.7	4	6.5
169	Phlebitis and thrombophlebitis	856	5.5	7	11.2
170	Varicose veins of lower extremities	246	1.6	1	1.7
171	Hemorrhoids	744	4.8	3	5.3
172	Miscellaneous diseases of veins and circulatory system	1,286	8.2	6	8.9
173	Acute URI except streptococcal	58,592	374.7	195	300.3
174	Bronchitis and bronchiolitis, acute	37,836	242.0	168	259.4
175	Deviated nasal septum	8,034	51.4	22	34.4
176	Nasal polyp	582	3.7	2	2.4
177	Chronic disease of tonsils and adenoids	153,975	984.7	286	441.6
178	Miscellaneous diseases of upper respiratory system	9,026	57.7	29	45.0
179	Pneumonia	76,074	486.5	409	631.5
180	Influenza	3,252	20.8	11	17.7
181	Bronchitis, chronic and unspecified	13,991	89.5	59	91.4
182	Emphysema	72	0.5	1	0.8
183	Asthma	36,978	236.5	152	234.1
184	Miscellaneous obstructive lung diseases	462	3.0	3	4.3
185	Spontaneous pneumothorax	1,219	7.8	8	12.3
186	Miscellaneous lung and pleural diseases	4,976	31.8	28	42.7

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	25,996	166.3	53	82.0
188	Disease of mouth, except dental	2,415	15.4	8	12.9
189	Diseases of esophagus	2,091	13.4	12	18.0
190	Gastric ulcer without complication	283	1.8	2	2.4
191	Gastric ulcer with hemorrhage or perforation	167	1.1	1	1.6
192	Nongastric peptic ulcer without complication	1,920	12.3	10	15.1
193	Nongastric peptic ulcer with hemorrhage or perforation	507	3.2	3	5.0
194	Peptic ulcer with obstruction	53	0.3	<1	0.7
195	Gastritis and duodenitis	9,308	59.5	34	52.5
196	Disease of stomach and duodenum, except ulcer and inflammation	3,023	19.3	12	18.7
197	Acute appendicitis without peritonitis	27,826	178.0	117	180.1
198	Acute appendicitis with peritonitis	7,429	47.5	64	98.6
199	Disease of appendix, except acute appendicitis	5,221	33.4	23	36.2
200	Inguinal hernia without complication	31,964	204.4	78	120.9
201	Inguinal hernia, complicated	2,158	13.8	6	8.7
202	Umbilical hernia without complication	4,888	31.3	12	18.7
203	Ventral hernia without complication	953	6.1	3	4.5
204	Diaphragmatic hernia without complication	258	1.6	2	2.5
205	Other hernia of abdominal cavity without complication	262	1.7	1	1.5
206	Complicated hernia of abdominal cavity, except inguinal	397	2.5	2	2.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	2,298	14.7	15	23.0
208	Noninfectious gastroenteritis and colitis	60,895	389.4	237	365.4
209	Diverticula of intestine	138	0.9	1	1.7
210	Anal fissure, fistula, and abscess	1,761	11.3	7	10.6
211	Miscellaneous diseases of intestine and peritoneum	11,179	71.5	59	91.7
212	Alcoholic liver disease	30	0.2	<1	0.6
213	Other cirrhosis and chronic liver disease	301	1.9	2	3.0
214	Miscellaneous diseases of liver	836	5.3	6	8.7
215	Gallbladder disease with calculus	2,499	16.0	19	29.4
216	Gallbladder disease without mention of calculus	910	5.8	6	8.7
217	Diseases of bile ducts with calculus	133	0.9	1	1.7
218	Diseases of bile ducts without mention of calculus	144	0.7	1	1.7
219	Diseases of pancreas	819	5.2	6	9.6
220	Gastrointestinal hemorrhage	1,506	9.6	7	10.4
221	Intestinal malabsorption	875	5.6	5	8.2
222	Chronic glomerulonephritis and nephrotic syndrome	1,383	8.8	10	15.6
223	Miscellaneous nephritis and functional disorders	721	4.6	5	7.2
224	Chronic renal failure	495	3.2	5	7.4
225	Other renal failure	159	1.0	1	2.2
226	Acute pyelonephritis	3,004	19.2	14	22.1
227	Miscellaneous kidney infections	3,387	21.7	16	24.8
228	Calculus of kidney	730	4.7	4	5.7
229	Calculus of ureter	1,934	12.4	8	12.2
230	Miscellaneous diseases of kidney and ureter	4,904	31.4	30	47.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231 Urinary calculus, except kidney and ureter	282	1.8	1	1.8
232 Cystitis	5,465	35.0	17	26.7
233 Urethral stricture	10,815	69.2	23	34.8
234 Miscellaneous urinary diseases	18,597	118.9	65	100.8
235 Hyperplasia of prostate	129	0.8	1	1.4
236 Diseases of prostate, except hypertrophy	443	2.8	1	2.1
237 Hydrocele	3,327	21.3	9	13.7
238 Orchitis and epididymitis	1,417	9.1	7	10.1
239 Redundant prepuce and phimosis	9,295	59.4	18	27.7
240 Miscellaneous diseases of male genital organs	4,443	28.4	12	19.1
241 Benign mammary dysplasia	1,366	8.7	3	4.8
242 Miscellaneous diseases of breast	2,779	17.8	9	13.5
243 Ovarian cyst	5,800	37.1	27	41.2
244 Pelvic inflammatory disease	11,012	70.4	58	88.8
245 Endometriosis	722	4.6	3	4.5
246 Inflammatory disease of cervix uteri	451	2.9	1	2.1
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	2,116	13.5	7	11.1
248 Genital prolapse	112	0.7	1	1.1
249 Metrorrhagia	258	1.6	1	1.0
250 Other disorders of menstruation	5,827	37.3	15	23.6
251 Menopausal and postmenopausal disorders	19	0.1	<1	0.1
252 Miscellaneous diseases of female genitalia	2,632	16.8	9	13.1
253 Signs and symptoms referable to female genital organs	3,630	23.2	10	16.2
254 Ectopic pregnancy	971	6.2	5	8.3
255 Legally induced abortion	12,132	77.6	18	28.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	23	0.1	<1	0.1
257	Spontaneous and unspecified abortion	13,509	86.4	25	39.2
258	Other pregnancy with abortive outcome	1,498	9.6	4	6.9
259	Threatened abortion	1,948	12.5	5	7.8
260	Other early pregnancy hemorrhage	148	0.9	<1	0.5
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	1,633	10.4	7	10.0
262	Excessive vomiting in pregnancy	1,799	11.5	6	10.0
263	False labor	11,214	71.7	15	22.5
264	Placenta previa without delivery	321	2.1	1	1.7
265	Other antepartum hemorrhage without delivery	919	5.9	2	3.2
266	Infections of pregnancy without delivery	2,583	16.5	9	14.2
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	1,051	6.7	5	7.2
268	Miscellaneous complications of pregnancy without delivery	3,558	22.8	10	16.1
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	1,057	6.8	5	8.3
288	Major puerperal infections	459	2.9	2	3.3
289	Puerperal hemorrhage (after 24 hrs.)	659	4.2	2	2.4
290	Other puerperal complications	447	2.9	2	3.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	9,200	58.8	48	73.6
292	Miscellaneous infections of skin and subcutaneous tissue	4,302	27.5	20	31.5
293	Pilonidal cyst	6,087	38.9	26	39.9
294	Sebaceous cyst	1,584	10.1	3	4.4
295	Miscellaneous diseases of skin and subcutaneous tissue	12,231	78.2	50	77.4
296	Diffuse diseases of connective tissue	514	3.3	5	7.2
297	Rheumatoid arthritis, except spine	1,172	7.5	9	13.3
298	Osteoarthrosis (osteoarthritis), except spine	216	1.4	1	2.2
299	Other arthropathies	1,728	11.1	17	26.0
300	Internal derangement of knee joint	9,758	62.4	41	63.3
301	Other disorders of joint	9,330	59.7	42	64.3
302	Ankylosing spondylitis	29	0.2	<1	0.4
303	Spondylosis and allied disorders	107	0.7	1	1.4
304	Derangement and displacement of lumbar disc	1,186	7.6	11	17.1
305	Derangement and displacement of intervertebral disc, except lumbar	249	1.6	2	3.1
306	Sacroiliac joint disorder	282	1.8	2	3.2
307	Sciatica	94	0.6	1	1.1
308	Other dorsopathies	2,233	14.3	12	18.8
309	Bursitis and synovitis, except spine	3,454	22.1	13	20.0
310	Bunion and deformities of toe	2,528	16.2	10	16.0
311	Ganglion and cyst	4,766	30.5	10	16.0
312	Osteomyelitis	1,595	10.2	26	40.5
313	Localized disorders of bone and cartilage	7,504	48.0	42	64.6

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	2,107	13.5	10	14.8
315	Neuralgia, neuritis, and radiculitis, unspecified	61	0.4	<1	0.5
316	Miscellaneous disorders of musculoskeletal system	6,890	44.1	34	52.3
317	Somatic dysfunction	78	0.5	<1	0.6
318	Congenital anomaly of nervous system	1,503	9.6	13	19.8
319	Congenital anomaly of eye, ear, face, and neck	4,679	29.9	11	16.5
320	Congenital anomaly of heart and circulatory system	5,681	36.3	33	51.1
321	Cleft palate and lip	2,684	17.2	11	17.6
322	Congenital hypertrophic pyloric stenosis	2,140	13.7	10	15.0
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	3,162	20.2	18	27.3
324	Undescended testicle	6,426	41.1	21	32.9
325	Miscellaneous congenital anomalies of genitourinary system	5,457	34.9	27	42.3
326	Clubfoot	2,660	17.0	11	17.5
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	10,410	66.6	51	78.5
328	Perinatal conditions causing morbidity and mortality	11,266	72.0	75	115.3
329	Convulsions	18,205	116.4	68	104.5
330	Pyrexia of unknown origin	7,454	47.7	29	44.1
331	Headache	3,719	23.8	14	21.4
332	Epistaxis	989	6.3	3	4.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	2,131	13.6	6	9.7
334	Gangrene	252	1.6	2	2.5
335	Chest pain	1,190	7.6	4	6.5
336	Other signs and symptoms referable to respiratory system and chest	2,240	14.3	9	14.6
337	Signs and symptoms referable to urinary system	3,583	22.9	9	13.3
338	Abdominal pain	20,485	131.0	65	100.4
339	Other signs and symptoms referable to upper GI tract and abdomen	3,616	23.1	14	21.4
340	Miscellaneous signs, symptoms, and ill-defined conditions	17,452	111.6	82	127.2
341	Fracture of vault of skull	4,733	30.3	24	36.4
342	Fracture of base of skull	2,433	15.6	14	21.3
343	Fracture of face bones	10,175	65.1	33	51.0
344	Fracture of vertebral column without mention of spinal cord injury	3,075	19.7	26	40.5
345	Fracture of vertebral column with cord injury	285	1.8	7	11.1
346	Fracture of ribs, sternum, larynx and trachea	888	5.7	5	7.5
347	Fracture of pelvis	1,861	11.9	22	34.4
348	Fracture of humerus	7,837	50.1	43	67.1
349	Fracture of radius and ulna	13,981	89.4	36	55.5
350	Miscellaneous fractures of upper extremity	5,116	32.7	13	20.8
351	Fracture of neck of femur	1,349	8.6	24	36.6
352	Other femoral fracture	7,696	49.2	163	251.7
353	Fracture of tibia and fibula	8,789	56.2	53	81.7
354	Miscellaneous fractures of lower extremity	8,728	55.8	43	67.0
355	Fracture of other bones	1,537	9.8	6	9.8

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	230	1.5	2	3.0
357	Dislocation of shoulder	1,118	7.1	4	5.8
358	Dislocation of knee	8,667	55.4	41	62.9
359	Other dislocation	2,512	16.1	14	21.7
360	Sprains and strains of knee and leg	3,198	20.5	14	22.1
361	Sprains and strains of sacroiliac region	1,677	10.7	10	15.4
362	Sprains and strains of other and unspecified parts of back	3,455	22.1	15	23.2
363	Other sprains and strains	2,421	15.5	8	11.8
364	Concussion	31,258	199.9	80	122.7
365	Intracranial injury, except concussion	9,271	59.3	47	73.2
366	Internal injury to thoracic region	1,094	7.0	8	12.4
367	Internal injury, except chest	5,134	32.8	39	59.4
368	Laceration or enucleation of eye	2,556	16.3	9	14.6
369	Other laceration of head and neck	7,677	49.1	24	36.3
370	Other laceration of trunk and multiple and unspecified sites	3,276	21.0	16	24.1
371	Open wound of upper limb	9,762	62.4	29	45.1
372	Open wound of lower limb	6,071	38.8	32	49.9
373	Injury to blood vessels	480	3.1	3	5.1
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	3,531	22.6	17	26.5
375	Contusion of eye and adnexa	2,925	18.7	13	20.2
376	Other superficial injuries	13,704	87.6	38	59.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	1,099	7.0	7	10.1
378	Foreign body on external eye	183	1.2	<1	0.6
379	Foreign body entering through other body orifice	4,426	28.3	9	14.1
380	Third degree burns	1,912	12.2	29	45.0
381	Other burns	6,442	41.2	48	73.9
382	Injury to nerve and spinal cord	1,381	8.8	6	8.7
383	Certain traumatic complications and unspecified injuries	3,757	24.0	16	25.0
384	Poisoning by drugs, medicinal, and biological substances	16,005	102.4	48	73.9
385	Toxic effects of substances chiefly nonmedicinal as to source	6,547	41.9	17	26.2
386	Miscellaneous adverse effects	3,884	24.8	15	23.4
387	Complications peculiar to certain specified procedures	3,043	19.5	22	33.2
388	Hemorrhage or hematoma complicating a procedure	2,570	16.4	6	8.7
389	Postoperative wound infection	1,280	8.2	9	13.8
390	Other complications of surgical procedures	1,118	7.1	6	8.9
391	Other complications of medical care, except drugs	284	1.8	1	1.5
392	Admission for prophylactic sterilization	533	3.4	1	2.0
396	Aftercare for removal of internal fixation device	4,503	28.8	13	20.8
397	Aftercare involving intermittent dialysis	188	1.2	<1	0.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	16,779	107.3	57	87.9
All patients except deliveries and newborn	1,563,658	10,000.0	6,481	10,000.0

Tables 2 and 3 display frequency rankings of U.S. pediatric patients and total stay according to diagnosis group. Excluded are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer. Delivery and newborn groups are excluded, as are groups containing no pediatric patients.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Pediatric Discharges U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
177	Chronic disease of tonsils and adenoids	153,975	1
179	Pneumonia	76,074	2
208	Noninfectious gastroenteritis and colitis	60,895	3
173	Acute URI except streptococcal	58,592	4
130	Otitis media, chronic and unspecified	52,415	5
174	Bronchitis and bronchiolitis, acute	37,836	6
183	Asthma	36,978	7
200	Inguinal hernia without complication	31,964	8
364	Concussion	31,258	9
197	Acute appendicitis without peritonitis	27,826	10
187	Disease of teeth and jaws	25,996	11
1	Intestinal infectious disease	21,462	12
338	Abdominal pain	20,485	13
234	Miscellaneous urinary diseases	18,597	14
329	Convulsions	18,205	15
340	Miscellaneous signs, symptoms, and ill-defined conditions	17,452	16
398	Admission for special examinations and miscellaneous reasons	16,779	17
384	Poisoning by drugs, medicinal, and biological substances	16,005	18
181	Bronchitis, chronic and unspecified	13,991	19
126	Strabismus	13,988	20
349	Fracture of radius and ulna	13,981	21
376	Other superficial injuries	13,704	22
257	Spontaneous and unspecified abortion	13,509	23
12	Miscellaneous viral diseases	12,900	24
295	Miscellaneous diseases of skin and subcutaneous tissue	12,231	25
255	Legally induced abortion	12,132	26

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
328	Perinatal conditions causing morbidity and mortality	11,266	27
263	False labor	11,214	28
211	Miscellaneous diseases of intestine and peritoneum	11,179	29
244	Pelvic inflammatory disease	11,012	30
233	Urethral stricture	10,815	31
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	10,410	32
343	Fracture of face bones	10,175	33
371	Open wound of upper limb	9,762	34
300	Internal derangement of knee joint	9,758	35
87	Nonspecific mesenteric lymphadenitis	9,545	36
301	Other disorders of joint	9,330	37
195	Gastritis and duodenitis	9,308	38
239	Redundant prepuce and phimosis	9,295	39
365	Intracranial injury, except concussion	9,271	40
291	Cellulitis and abscess, except digit	9,200	41
178	Miscellaneous diseases of upper respiratory system	9,026	42
353	Fracture of tibia and fibula	8,789	43
354	Miscellaneous fractures of lower extremity	8,728	44
358	Dislocation of knee	8,667	45
175	Deviated nasal septum	8,034	46
131	Other inflammation of ear and mastoid	7,931	47
348	Fracture of humerus	7,837	48
352	Other femoral fracture	7,696	49
369	Other laceration of head and neck	7,677	50
313	Localized disorders of bone and cartilage	7,504	51
330	Pyrexia of unknown origin	7,454	52
198	Acute appendicitis with peritonitis	7,429	53
316	Miscellaneous disorders of musculoskeletal system	6,890	54
385	Toxic effects of substances chiefly non-medicinal as to source	6,547	55
381	Other burns	6,442	56
324	Undescended testicle	6,426	57
134	Miscellaneous diseases of ear	6,318	58
293	Pilonidal cyst	6,087	59
372	Open wound of lower limb	6,071	60

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
10	Infectious mononucleosis	6,027	61
250	Other disorders of menstruation	5,827	62
243	Ovarian cyst	5,800	63
320	Congenital anomaly of heart and circulatory system	5,681	64
110	Adjustment reactions and acute reactions to stress	5,536	65
117	Miscellaneous disease of central nervous system	5,507	66
232	Cystitis	5,465	67
325	Miscellaneous congenital anomalies of genitourinary system	5,457	68
111	Miscellaneous mental disorders	5,285	69
199	Disease of appendix, except acute appendicitis	5,221	70
367	Internal injury, except chest	5,134	71
350	Miscellaneous fractures of upper extremity	5,116	72
116	Epilepsy	4,979	73
186	Miscellaneous lung and pleural diseases	4,976	74
230	Miscellaneous diseases of kidney and ureter	4,904	75
202	Umbilical hernia without complication	4,888	76
8	Viral diseases with exanthem	4,815	77
311	Ganglion and cyst	4,766	78
341	Fracture of vault of skull	4,733	79
72	Diabetic acidosis or coma	4,719	80
319	Congenital anomaly of eye, ear, face, and neck	4,679	81
7	Poliomyelitis and other enteroviral diseases of central nervous system	4,611	82
396	Aftercare for removal of internal fixation device	4,503	83
240	Miscellaneous diseases of male genital organs	4,443	84
379	Foreign body entering through other body Orifice	4,426	85
71	Diabetes mellitus without complication	4,320	86
292	Miscellaneous infections of skin and subcutaneous tissue	4,302	87
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	4,230	88
113	Inflammatory diseases of central nervous system	4,070	89
53	Benign neoplasm of bone, muscle, and connective tissue	4,022	90

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
386	Miscellaneous adverse effects	3,884	91
102	Neurotic depression	3,882	92
4	Streptococcal sore throat and scarlet fever	3,847	93
127	Miscellaneous disorders of superficial structures of eye	3,806	94
383	Certain traumatic complications and unspecified injuries	3,757	95
331	Headache	3,719	96
253	Signs and symptoms referable to female genital organs	3,630	97
339	Other signs and symptoms referable to upper GI tract and abdomen	3,616	98
337	Signs and symptoms referable to urinary system	3,583	99
268	Miscellaneous complications of pregnancy without delivery	3,558	100
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	3,531	101
362	Sprains and strains of other and unspecified parts of back	3,455	102
309	Bursitis and synovitis, except spine	3,454	103
227	Miscellaneous kidney infections	3,387	104
237	Hydrocele	3,327	105
370	Other laceration of trunk and multiple and unspecified sites	3,276	106
180	Influenza	3,252	107
360	Sprains and strains of knee and leg	3,198	108
103	Miscellaneous neuroses and personality disorders	3,169	109
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	3,162	110
344	Fracture of vertebral column without mention of spinal cord injury	3,075	111
387	Complications peculiar to certain specified procedures	3,043	112
196	Disease of stomach and duodenum, except ulcer and inflammation	3,023	113
226	Acute pyelonephritis	3,004	114
128	Miscellaneous disorders of deep structures of eye	2,936	115

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
375	Contusion of eye and adnexa	2,925	116
81	Disorders of fluid, electrolyte, and acid-base balance	2,870	117
242	Miscellaneous diseases of breast	2,779	118
55	Benign neoplasm of breast	2,772	119
86	Disease of hematopoietic system, except anemia and hemophilia	2,706	120
96	Miscellaneous schizophrenia	2,701	121
321	Cleft palate and lip	2,684	122
326	Clubfoot	2,660	123
252	Miscellaneous diseases of female genitalia	2,632	124
266	Infections of pregnancy without delivery	2,583	125
388	Hemorrhage or hematoma complicating a procedure	2,570	126
368	Laceration or enucleation of eye	2,556	127
310	Bunion and deformities of toe	2,528	128
359	Other dislocation	2,512	129
215	Gallbladder disease with calculus	2,499	130
342	Fracture of base of skull	2,433	131
363	Other sprains and strains	2,421	132
188	Disease of mouth, except dental	2,415	133
83	Sickle-cell anemia and trait	2,309	134
5	Septicemia	2,303	135
207	Intestinal obstruction without mention of hernia	2,298	136
336	Other signs and symptoms referable to respiratory system and chest	2,240	137
11	Viral warts	2,233	138
308	Other dorsopathies	2,233	139
201	Inguinal hernia, complicated	2,158	140
322	Congenital hypertrophic pyloric stenosis	2,140	141
333	Signs and symptoms referable to the cardiovascular system, except gangrene	2,131	142
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	2,116	143
88	Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	2,111	144
314	Acquired deformities of limbs, except toe	2,107	145
189	Diseases of esophagus	2,091	146
84	Anemia except iron deficiency and sickle-cell	2,081	147
104	Alcoholic dependence syndrome	2,059	148

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
118	Migraine	1,966	149
259	Threatened abortion	1,948	150
229	Calculus of ureter	1,934	151
192	Nongastric peptic ulcer without complications	1,920	152
380	Third degree burns	1,912	153
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	1,876	154
347	Fracture of pelvis	1,861	155
107	Nondependent abuse of alcohol	1,818	156
262	Excessive vomiting in pregnancy	1,799	157
6	Miscellaneous bacterial diseases	1,767	158
9	Viral hepatitis	1,763	159
210	Anal fissure, fistula, and abscess	1,761	160
299	Other arthropathies	1,728	161
120	Peripheral nervous system disorder, except sciatica	1,691	162
361	Sprains and strains of sacroiliac region	1,677	163
261	Hypertension complicating pregnancy, childbirth and the puerperium not delivered this admission	1,633	164
312	Osteomyelitis	1,595	165
294	Sebaceous cyst	1,584	166
355	Fracture of other bones	1,537	167
90	Chronic organic brain syndrome, except arteriosclerotic dementia	1,520	168
220	Gastrointestinal hemorrhage	1,506	169
318	Congenital anomaly of nervous system	1,503	170
258	Other pregnancy with abortive outcome	1,498	171
101	Anxiety states	1,448	172
238	Orchitis and epididymitis	1,417	173
79	Miscellaneous metabolic disorders	1,403	174
68	Neoplasms of uncertain behavior and unspecified nature	1,392	175
222	Chronic glomerolonephritis and nephrotic syndrome	1,383	176
382	Injury to nerve and spinal cord	1,381	177
241	Benign mammary dysplasia	1,366	178
351	Fracture of neck of femur	1,349	179
109	Psychophysiologic disorder	1,348	180
73	Other complicated diabetes mellitus	1,312	181
150	Miscellaneous diseases of heart	1,302	182

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
172	Miscellaneous diseases of veins and circulatory system	1,286	183
389	Postoperative wound infection	1,280	184
185	Spontaneous pneumothorax	1,219	185
94	Paranoid schizophrenia	1,193	186
335	Chest pain	1,190	187
304	Derangement and displacement of lumbar disc	1,186	188
297	Rheumatoid arthritis, except spine	1,172	189
14	Syphilis and other venereal diseases	1,140	190
47	Lymphoid leukemia	1,127	191
357	Dislocation of shoulder	1,118	192
390	Other complications of surgical procedures	1,118	193
377	Miscellaneous crushing injury	1,099	194
366	Internal injury to thoracic region	1,094	195
100	Miscellaneous psychoses	1,091	196
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	1,057	197
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	1,051	198
58	Benign neoplasm of ovary	1,011	199
332	Epistaxis	989	200
82	Iron deficiency anemia	983	201
254	Ectopic pregnancy	971	202
203	Ventral hernia without complication	953	203
70	Other diseases of thyroid gland	950	204
265	Other antepartum hemorrhage without delivery	919	205
216	Gallbladder disease without mention of calculus	910	206
346	Fracture of ribs, sternum, larynx and trachea	888	207
77	Cystic fibrosis	879	208
221	Intestinal malabsorption	875	209
137	Essential hypertension	873	210
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	869	211
169	Phlebitis and thrombophlebitis	856	212
148	Other arrhythmia and conduction disorders	841	213
214	Miscellaneous diseases of liver	836	214
219	Diseases of pancreas	819	215
125	Cataract, except senile	800	216
135	Rheumatic fever, acute	791	217
171	Hemorrhoids	744	218

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
228	Calculus of kidney	730	219
245	Endometriosis	722	220
223	Miscellaneous nephritis and functional disorders	721	221
46	Hodgkin's disease	698	222
289	Puerperal hemorrhage (after 24 hours)	659	223
99	Other affective psychoses	623	224
98	Major depressive psychoses	613	225
106	Drug dependence except opioid	610	226
42	Malignant neoplasm of brain	591	227
121	Retinal detachment and defects	585	228
149	Heart failure	585	229
52	Benign neoplasm of respiratory system and intrathoracic organs	584	230
168	Miscellaneous diseases of arteries	582	231
176	Nasal polyp	582	232
13	Rickettsioses and other arthropod-borne diseases	572	233
15	Mycoses	563	234
17	Miscellaneous infective and parasitic diseases	561	235
48	Leukemia, except lymphoid	548	236
392	Admission for prophylactic sterilization	533	237
112	Mental retardation	532	238
108	Nondependent abuse of drugs, except alcohol	523	239
296	Diffuse diseases of connective tissue	514	240
193	Nongastric peptic ulcer with hemorrhage or perforation	507	241
224	Chronic renal failure	495	242
74	Ovarian dysfunction	494	243
373	Injury to blood vessels	480	244
78	Obesity of nonendocrine origin	462	245
184	Miscellaneous obstructive lung diseases	462	246
288	Major puerperal infections	459	247
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	456	248
246	Inflammatory disease of cervix uteri	451	249
290	Other puerperal complications	447	250
236	Diseases of prostate, except hypertrophy	443	251
51	Benign neoplasm of other parts of digestive system	432	252
132	Vertiginous syndromes	428	253
93	Drug psychoses	427	254
129	Other disorders of eye	424	255

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
45	Malignant neoplasm of ill-defined and secondary sites	419	256
206	Complicated hernia of abdominal cavity, except inguinal	397	257
44	Malignant neoplasm of endocrine glands	358	258
50	Benign neoplasm of lip, oral cavity, and pharynx	358	259
85	Hemophilia (congenital factor VIII disorder)	337	260
146	Paroxysmal supraventricular tachycardia	322	261
264	Placenta previa without delivery	321	262
119	Carpal tunnel syndrome and other lesions of median nerve	319	263
16	Helminthiases	310	264
76	Nutritional deficiencies	302	265
213	Other cirrhosis and chronic liver disease	301	266
95	Acute schizophrenic episode	289	267
64	Benign neoplasm of thyroid glands	288	268
345	Fracture of vertebral column with cord injury	285	269
391	Other complications of medical care, except drugs	284	270
190	Gastric ulcer without complication	283	271
231	Urinary calculus, except kidney and ureter	282	272
306	Sacroiliac joint disorder	282	273
143	Miscellaneous ischemic heart disease	279	274
69	Simple and non-toxic nodular goiter	262	275
205	Other hernia of abdominal cavity without complication	262	276
204	Diaphragmatic hernia without complication	258	277
249	Metrorrhagia	258	278
334	Gangrene	252	279
305	Derangement and displacement of intervertebral disc, except lumbar	249	280
170	Varicose veins of lower extremities	246	281
356	Fracture of multiple bones	230	282
62	Benign neoplasm of eye	225	283
136	Chronic rheumatic heart disease	223	284
298	Osteoarthrosis (osteoarthritis), except spine	216	285
40	Malignant neoplasm of kidney and other urinary organs	195	286
2	Respiratory tuberculosis	192	287
38	Malignant neoplasm of male genitalia, except prostrate	191	288

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
133	Otosclerosis	191	289
397	Aftercare involving intermittent dialysis	188	290
378	Foreign body on external eye	183	291
144	Pulmonary embolism and infarction	180	292
139	Miscellaneous hypertensive disease	176	293
89	Transient organic psychotic conditions	173	294
191	Gastric ulcer with hemorrhage or perforation	167	295
140	Acute myocardial infarction	159	296
225	Other renal failure	159	297
123	Other glaucoma	157	298
66	Carcinoma in situ of cervix	150	299
163	Other and ill-defined cerebrovascular disease	150	300
260	Other early pregnancy hemorrhage	148	301
154	Intracerebral hemorrhage without paralysis	138	302
209	Diverticula of intestine	138	303
147	Atrial fibrillation and flutter	137	304
217	Diseases of bile ducts with calculus	133	305
41	Malignant neoplasm of eye	132	306
97	Childhood psychosis	132	307
235	Hyperplasia of prostrate	129	308
35	Malignant neoplasm of ovary	127	309
161	Acute, but ill-defined, cerebrovascular disease without paralysis	124	310
115	Multiple sclerosis	119	311
218	Diseases of bile ducts without mention of calculus	114	312
248	Genital prolapse	112	313
141	Angina pectoris	108	314
63	Benign neoplasm of central nervous system	107	315
303	Spondylosis and allied disorders	107	316
92	Alcoholic psychoses	106	317
3	Nonrespiratory tuberculosis	101	318
160	Transient cerebral ischemia without paralysis	101	319
19	Malignant neoplasm of lip, oral cavity, and pharynx	98	320
307	Sciatica	94	321
43	Malignant neoplasm of other parts of nervous system	91	322
28	Other malignant neoplasm of respiratory system and thoracic cavity	90	323
56	Uterine leiomyoma	86	324

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
27	Malignant neoplasm of bronchus, lung, and trachea	82	325
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	81	326
122	Open angle and primary closure glaucoma	81	327
145	Acute and subacute endocarditis	81	328
317	Somatic dysfunction	78	329
31	Other malignant neoplasm of skin, excluding genital organs	75	330
32	Malignant neoplasm of breast (female) (male)	74	331
67	Carcinoma in situ, except cervix uteri	73	332
59	Benign neoplasm of female genitalia, except uterus and ovary	72	333
182	Emphysema	72	334
152	Subarachnoid hemorrhage without paralysis	67	335
167	Arterial embolism and thrombosis	67	336
138	Hyptertensive heart disease	65	337
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	63	338
65	Benign neoplasm of endocrine glands, except thyroid	61	339
315	Neuralgia, neuritis, and radiculitis, unspecified	61	340
60	Benign neoplasm of male genital organ	60	341
142	Other acute and subacute forms of ischemic heart disease	59	342
23	Malignant neoplasm of colon	57	343
166	Aneurysm except aortic	57	344
105	Opioid dependence	54	345
30	Malignant melanoma of skin, excluding genital organs	53	346
194	Peptic ulcer with obstruction	53	347
39	Malignant neoplasm of bladder	50	348
164	Atherosclerosis	43	349
37	Malignant neoplasm of prostate	42	350
36	Malignant neoplasm of other female genital organs	41	351
18	Late effects of infectious and parasitic diseases	36	352
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	36	353
162	Acute, but ill-defined, cerebrovascular disease with paralysis	36	354
61	Benign neoplasm of urinary organ	31	355

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
34	Malignant neoplasm of corpus uteri	30	356
156	Precerebral artery occlusion without paralysis	30	357
212	Alcoholic liver disease	30	358
302	Ankylosing spondylitis	29	359
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	28	360
80	Gout	28	361
256	Other induced abortion	23	362
151	Cardiovascular disease, unspecified	21	363
57	Benign neoplasm of uterus, except leiomyoma	19	364
251	Menopausal and postmenopausal disorders	19	365
21	Malignant neoplasm of stomach	17	366
114	Parkinson's disease	17	367
165	Aortic aneurysm	17	368
26	Malignant neoplasm of pancreas	14	369
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	14	370
20	Malignant neoplasm of esophagus	4	371
153	Subarachnoid hemorrhage with paralysis	3	372
155	Intracerebral hemorrhage with paralysis	2	373
157	Precerebral occlusion with paralysis	2	374
22	Malignant neoplasm of small intestine	1	375
	All patients except deliveries and newborn	1,563,658	

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
Pediatric Patients
U.S. PAS Hospitals, 1979

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
179	Pneumonia	409	1
177	Chronic disease of tonsils and adenoids	286	2
208	Noninfectious gastroenteritis and colitis	237	3
173	Acute URI except streptococcal	195	4
174	Bronchitis and bronchiolitis, acute	168	5
352	Other femoral fracture	163	6
183	Asthma	152	7
197	Acute appendicitis without peritonitis	117	8
130	Otitis media, chronic and unspecified	107	9
1	Intestinal infectious disease	85	10
340	Miscellaneous signs, symptoms, and ill-defined conditions	82	11
364	Concussion	80	12
200	Inguinal hernia without complication	78	13
328	Perinatal conditions causing morbidity and mortality	75	14
111	Miscellaneous mental disorders	73	15
110	Adjustment reactions and acute reactions to stress	71	16
102	Neurotic depression	69	17
329	Convulsions	68	18
234	Miscellaneous urinary diseases	65	19
338	Abdominal pain	65	20
198	Acute appendicitis with peritonitis	64	21
211	Miscellaneous diseases of intestine and peritoneum	59	22
181	Bronchitis, chronic and unspecified	59	23
96	Miscellaneous schizophrenia	58	24
244	Pelvic inflammatory disease	58	25
398	Admission for special examinations and miscellaneous reasons	57	26

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
187	Disease of teeth and jaws	53	27
353	Fracture of tibia and fibula	53	28
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	51	29
113	Inflammatory diseases of central nervous system	50	30
295	Miscellaneous diseases of skin and subcutaneous tissue	50	31
384	Poisoning by drugs, medicinal, and biological substances	48	32
381	Other burns	48	33
291	Cellulitis and abscess, except digit	48	34
365	Intracranial injury, except concussion	47	35
12	Miscellaneous viral diseases	46	36
348	Fracture of humerus	43	37
354	Miscellaneous fractures of lower extremity	43	38
313	Localized disorders of bone and cartilage	42	39
301	Other disorders of joint	42	40
103	Miscellaneous neuroses and personality disorders	41	41
300	Internal derangement of knee joint	41	42
358	Dislocation of knee	41	43
367	Internal injury, except chest	39	44
376	Other superficial injuries	38	45
117	Miscellaneous disease of central nervous system	38	46
349	Fracture of radius and ulna	36	47
195	Gastritis and duodenitis	34	48
316	Miscellaneous disorders of musculoskeletal system	34	49
320	Congenital anomaly of heart and circulatory system	33	50
343	Fracture of face bones	33	51
372	Open wound of lower limb	32	52

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
230	Miscellaneous diseases of kidney and ureter	30	53
87	Nonspecific mesenteric lymphadenitis	30	54
10	Infectious mononucleosis	30	55
371	Open wound of upper limb	29	56
380	Third degree burns	29	57
178	Miscellaneous diseases of upper respiratory system	29	58
330	Pyrexia of unknown origin	29	59
71	Diabetes mellitus without complication	28	60
186	Miscellaneous lung and pleural diseases	28	61
325	Miscellaneous congenital anomalies of genitourinary system	27	62
72	Diabetic acidosis or coma	27	63
243	Ovarian cyst	27	64
344	Fracture of vertebral column without mention of spinal cord injury	26	65
312	Osteomyelitis	26	66
126	Strabismus	26	67
293	Pilonidal cyst	26	68
104	Alcoholic dependence syndrome	26	69
94	Paranoid schizophrenia	26	70
257	Spontaneous and unspecified abortion	25	71
351	Fracture of neck of femur	24	72
341	Fracture of vault of skull	24	73
369	Other laceration of head and neck	24	74
199	Disease of appendix, except acute appendicitis	23	75
233	Urethral stricture	23	76
175	Deviated nasal septum	22	77
347	Fracture of pelvis	22	78
116	Epilepsy	22	79
387	Complications peculiar to certain specified procedures	22	80
324	Undescended testicle	21	81

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
7	Poliomyelitis and other enteroviral diseases of central nervous system	21	82
292	Miscellaneous infections of skin and subcutaneous tissue	20	83
215	Gallbladder disease with calculus	19	84
8	Viral diseases with exanthem	19	85
255	Legally induced abortion	18	86
131	Other inflammation of ear and mastoid	18	87
239	Redundant prepuce and phimosis	18	88
5	Septicemia	18	89
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	18	90
232	Cystitis	17	91
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17	92
100	Miscellaneous psychoses	17	93
385	Toxic effects of substances chiefly nonmedicinal as to source	17	94
299	Other arthropathies	17	95
383	Certain traumatic complications and unspecified injuries	16	96
227	Miscellaneous kidney infections	16	97
370	Other laceration of trunk and multiple and unspecified sites	16	98
86	Disease of hematopoietic system, except anemia and hemophilia	16	99
250	Other disorders of menstruation	15	100
386	Miscellaneous adverse effects	15	101
362	Sprains and strains of other and unspecified parts of back	15	102
207	Intestinal obstruction without mention of hernia	15	103
6	Miscellaneous bacterial diseases	15	104
263	False labor	15	105

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
360	Sprains and strains of knee and leg	14	106
226	Acute pyelonephritis	14	107
359	Other dislocation	14	108
134	Miscellaneous diseases of ear	14	109
339	Other signs and symptoms referable to upper GI tract and abdomen	14	110
331	Headache	14	111
342	Fracture of base of skull	14	112
83	Sickle-cell anemia and trait	14	113
396	Aftercare for removal of internal fixation device	13	114
350	Miscellaneous fractures of upper extremity	13	115
106	Drug dependence except opioid	13	116
53	Benign neoplasm of bone, muscle, and connective tissue	13	117
81	Disorders of fluid, electrolyte, and acid-base balance	13	118
4	Streptococcal sore throat and scarlet fever	13	119
375	Contusion of eye and adnexa	13	120
309	Bursitis and synovitis, except spine	13	121
128	Miscellaneous disorders of deep structures of eye	13	122
318	Congenital anomaly of nervous system	13	123
240	Miscellaneous diseases of male genital organs	12	124
99	Other affective psychoses	12	125
9	Viral hepatitis	12	126
308	Other dorsopathies	12	127
196	Disease of stomach and duodenum, except ulcer and inflammation	12	128
202	Umbilical hernia without complication	12	129
189	Diseases of esophagus	12	130
180	Influenza	11	131
321	Cleft palate and lip	11	132
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	11	133

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
326	Clubfoot	11	134
304	Derangement and displacement of lumbar disc	11	135
319	Congenital anomaly of eye, ear, face, and neck	11	136
253	Signs and symptoms referable to female genital organs	10	137
268	Miscellaneous complications of pregnancy without delivery	10	138
311	Ganglion and cyst	10	139
310	Bunion and deformities of toe	10	140
120	Peripheral nervous system disorder, except sciatica	10	141
222	Chronic glomerulonephritis and nephrotic syndrome	10	142
361	Sprains and strains of sacroiliac region	10	143
101	Anxiety states	10	144
98	Major depressive psychoses	10	145
192	Nongastric peptic ulcer without complication	10	146
322	Congenital hypertrophic pyloric stenosis	10	147
127	Miscellaneous disorders of superficial structures of eye	10	148
77	Cystic fibrosis	10	149
314	Acquired deformities of limbs, except toe	10	150
336	Other signs and symptoms referable to respiratory system and chest	9	151
368	Laceration or enucleation of eye	9	152
266	Infections of pregnancy without delivery	9	153
379	Foreign body entering through other body orifice	9	154
88	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	9	155
389	Postoperative wound infection	9	156
237	Hydrocele	9	157

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
90	Chronic organic brain syndrome, except arteriosclerotic dementia	9	158
242	Miscellaneous diseases of breast	9	159
337	Signs and symptoms referable to urinary system	9	160
84	Anemia except iron deficiency and sickle-cell	9	161
297	Rheumatoid arthritis, except spine	9	162
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	9	163
42	Malignant neoplasm of brain	9	164
252	Miscellaneous diseases of female genitalia	9	165
73	Other complicated diabetes mellitus	8	166
47	Lymphoid leukemia	8	167
188	Disease of mouth, except dental	8	168
366	Internal injury to thoracic region	8	169
185	Spontaneous pneumothorax	8	170
229	Calculus of ureter	8	171
150	Miscellaneous diseases of heart	8	172
363	Other sprains and strains	8	173
169	Phlebitis and thrombophlebitis	7	174
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	7	175
68	Neoplasms of uncertain behavior and unspecified nature	7	176
345	Fracture of vertebral column with cord injury	7	177
79	Miscellaneous metabolic disorders	7	178
118	Migraine	7	179
210	Anal fissure, fistula, and abscess	7	180
220	Gastrointestinal hemorrhage	7	181
135	Rheumatic fever, acute	7	182
238	Orchitis and epididymitis	7	183
377	Miscellaneous crushing injury	7	184

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	7	185
262	Excessive vomiting in pregnancy	6	186
58	Benign neoplasm of ovary	6	187
355	Fracture of other bones	6	188
333	Signs and symptoms referable to the cardiovascular system except gangrene	6	189
14	Syphilis and other venereal diseases	6	190
219	Diseases of pancreas	6	191
109	Psychophysiologic disorder	6	192
95	Acute schizophrenic episode	6	193
55	Benign neoplasm of breast	6	194
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	6	195
112	Mental retardation	6	196
172	Miscellaneous diseases of veins and circulatory system	6	197
390	Other complications of surgical procedures	6	198
70	Other diseases of thyroid gland	6	199
214	Miscellaneous diseases of liver	6	200
201	Inguinal hernia, complicated	6	201
216	Gallbladder disease without mention of calculus	6	202
362	Injury to nerve and spinal cord	6	203
388	Hemorrhage or hematoma complicating a procedure	6	204
269	Maternal conditions classifiable elsewhere but with delivery	5	205
254	Ectopic pregnancy	5	206
221	Intestinal malabsorption	5	207
11	Viral warts	5	208
48	Leukemia, except lymphoid	5	209
46	Hodgkin's disease	5	210
259	Threatened abortion	5	211
149	Heart failure	5	212

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
82	Iron deficiency anemia	5	213
346	Fracture of ribs, sternum, larynx and trachea	5	214
224	Chronic renal failure	5	215
108	Nondependent abuse of drugs, except alcohol	5	216
267	Maternal conditions classifiable elsewhere but without delivery	5	217
296	Diffuse diseases of connective tissue	5	218
223	Miscellaneous nephritis and functional disorders	5	219
137	Essential hypertension	4	220
258	Other pregnancy with abortive outcome	4	221
168	Miscellaneous diseases of arteries	4	222
335	Chest pain	4	223
93	Drug psychoses	4	224
107	Nondependent abuse of alcohol	4	225
148	Other arrhythmia and conduction disorders	4	226
357	Dislocation of shoulder	4	227
228	Calculus of kidney	4	228
78	Obesity of nonendocrine origin	4	229
15	Mycoses	4	230
171	Hemorrhoids	3	231
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	3	232
373	Injury to blood vessels	3	233
193	Nongastric peptic ulcer with hemorrhage or perforation	3	234
13	Rickettsioses and other arthropod-borne diseases	3	235
121	Retinal detachment and defects	3	236
45	Malignant neoplasm of ill-defined and secondary sites	3	237
241	Benign mammary dysplasia	3	238
17	Miscellaneous infective and parasitic diseases	3	239
76	Nutritional deficiencies	3	240

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
203	Ventral hernia without complication	3	241
245	Endometriosis	3	242
294	Sebaceous cyst	3	243
184	Miscellaneous obstructive lung diseases	3	244
332	Epistaxis	3	245
97	Childhood psychosis	3	246
125	Cataract, except senile	2	247
74	Ovarian dysfunction	2	248
44	Malignant neoplasm of endocrine glands	2	249
51	Benign neoplasm of other parts of digestive system	2	250
2	Respiratory tuberculosis	2	251
288	Major puerperal infections	2	252
306	Sacroiliac joint disorder	2	253
265	Other antepartum hemorrhage without delivery	2	254
144	Pulmonary embolism and infarction	2	255
145	Acute and subacute endocarditis	2	256
140	Acute myocardial infarction	2	257
154	Intracerebral hemorrhage without paralysis	2	258
305	Derangement and displacement of intervertebral disc, except lumbar	2	259
89	Transient organic psychotic conditions	2	260
356	Fracture of multiple bones	2	261
213	Other cirrhosis and chronic liver disease	2	262
143	Miscellaneous ischemic heart disease	2	263
290	Other puerperal complications	2	264
132	Vertiginous syndromes	2	265
40	Malignant neoplasm of kidney and other urinary organs	2	266
85	Hemophilia (congenital factor VIII disorder)	2	267
334	Gangrene	2	268

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
206	Complicated hernia of abdominal cavity, except inguinal	2	269
52	Benign neoplasm of respiratory system and intrathoracic organs	2	270
204	Diaphragmatic hernia without complication	2	271
289	Puerperal hemorrhage (after 24 hrs.)	2	272
190	Gastric ulcer without complication	2	273
176	Nasal polyp	2	274
136	Chronic rheumatic heart disease	1	275
298	Osteoarthrosis (osteoarthritis), except spine	1	276
225	Other renal failure	1	277
16	Helminthiases	1	278
38	Malignant neoplasm of male genitalia, except prostate	1	279
63	Benign neoplasm of central nrevous system	1	280
163	Other and ill-defined cerebrovascular disease	1	281
236	Diseases of prostate, except hypertrophy	1	282
246	Inflammatory disease of cervix uteri	1	283
392	Admission for prophylactic sterilization	1	284
139	Miscellaneous hypertensive disease	1	285
129	Other disorders of eye	1	286
64	Benign neoplasm of thyroid glands	1	287
231	Urinary calculus, except kidney and ureter	1	288
161	Acute, but ill-defined, cerebrovascular disease without paralysis	1	289
218	Diseases of bile ducts without mention of calculus	1	290
217	Diseases of bile ducts with calculus	1	291
35	Malignant neoplasm of ovary	1	292
69	Simple and non-toxic nodular goiter	1	293

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
50	Benign neoplasm of lip, oral cavity, and pharynx	1	294
264	Placenta previa without delivery	1	295
170	Varicose veins of lower extremities	1	296
146	Paroxysmal supraventricular tachycardia	1	297
209	Diverticula of intestine	1	298
191	Gastric ulcer with hemorrhage or perforation	1	299
115	Multiple sclerosis	1	300
43	Malignant neoplasm of other parts of nervous system	1	301
152	Subarachnoid hemorrhage without paralysis	1	302
205	Other hernia of abdominal cavity without complication	1	303
27	Malignant neoplasm of bronchus, lung, and trachea	1	304
391	Other complications of medical care, except drugs	1	305
119	Carpal tunnel syndrome and other lesions of median nerve	1	306
23	Malignant neoplasm of colon	1	307
303	Spondylosis and allied disorders	1	308
235	Hyperplasia of prostate	1	309
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	1	310
3	Nonrespiratory tuberculosis	1	311
105	Opioid dependence	1	312
28	Other malignant neoplasm of respiratory system and thoracic cavity	1	313
248	Genital prolapse	1	314
167	Arterial embolism and thrombosis	1	315
307	Sciatica	1	316
249	Metrorrhagia	1	317
147	Atrial fibrillation and flutter	1	318
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	1	319

Table 3 (Continued)

Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
141 Angina pectoris	1	320
160 Transient cerebral ischemia without paralysis	1	321
92 Alcoholic psychoses	1	322
133 Otosclerosis	1	323
164 Atherosclerosis	1	324
65 Benign neoplasm of endocrine glands, except thyroid	1	325
162 Acute, but ill-defined, cerebrovascular disease with paralysis	1	326
19 Malignant neoplasm of lip, oral cavity, and pharynx	1	327
182 Emphysema	1	328
166 Aneurysm except aortic	1	329
56 Uterine leiomyoma	1	330
138 Hypertensive heart disease	1	331
123 Other glaucoma	1	332
18 Late effects of infectious and parasitic diseases	<1	333
20 Malignant neoplasm of esophagus	<1	334
21 Malignant neoplasm of stomach	<1	335
22 Malignant neoplasm of small intestine	<1	336
24 Malignant neoplasm of rectum, rectosigmoid junction and anus	<1	337
26 Malignant neoplasm of pancreas	<1	338
30 Malignant melanoma of skin, excluding genital organs	<1	339
31 Other malignant neoplasm of skin, excluding genital organs	<1	340
32 Malignant neoplasm of breast (female) (male)	<1	341
33 Malignant neoplasm of cervix uteri excluding carcinoma in situ	<1	342
34 Malignant neoplasm of corpus uteri	<1	343
36 Malignant neoplasm of other female genital organs	<1	344
37 Malignant neoplasm of prostate	<1	345

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
39	Malignant neoplasm of bladder	<1	346
41	Malignant neoplasm of eye	<1	347
57	Malignant neoplasm of uterus, except leiomyoma	<1	348
59	Benign neoplasm of female genitalia, except uterus and ovary	<1	349
60	Benign neoplasm of male genital organ	<1	350
61	Benign neoplasm of urinary organ	<1	351
62	Benign neoplasm of eye	<1	352
66	Carcinoma in situ of cervix	<1	353
67	Carcinoma in situ, except cervix uteri	<1	354
80	Gout	<1	355
114	Parkinson's disease	<1	356
122	Open angle and primary closure glaucoma	<1	357
142	Other acute and subacute forms of ischemic heart disease	<1	358
151	Cardiovascular disease, unspecified	<1	359
153	Subarachnoid hemorrhage with paralysis	<1	360
155	Intracerebral hemorrhage with paralysis	<1	361
156	Precerebral artery occlusion without paralysis	<1	362
157	Precerebral occlusion with paralysis	<1	363
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	<1	364
165	Aortic aneurysm	<1	365
194	Peptic ulcer with obstruction	<1	366
212	Alcoholic liver disease	<1	367
251	Menopausal and postmenopausal disorders	<1	368
256	Other induced abortion	<1	369
260	Other early pregnancy hemorrhage	<1	370
302	Ankylosing spondylitis	<1	371
315	Neuralgia, neuritis, and radiculitis, unspecified	<1	372

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
316	Miscellaneous disorders of musculoskeletal system	<1	373
378	Foreign body on external eye	<1	374
397	Aftercare involving intermittent dialysis	<1	375
	All diagnosis groups	6,481	

Table 4 displays total U.S. pediatric patients and days of care (after exclusions*) in each of the operation groups containing patients under 20 years of age, except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated pediatric discharges and the rate per 10,000 days of care.

Table 4

Distribution of Pediatric Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501 Incision, excision of skull, brain, and cerebral meninges	891	10.7	15	46.5
502 Craniotomy and craniectomy	916	11.0	15	47.2
503 Cranioplasty	1,191	14.3	10	32.2
504 Ventricular shunt, extracranial	684	8.2	11	33.7
505 Miscellaneous operations on brain and cerebral meninges	1,683	20.2	20	62.3
506 Exploration and decompression of spinal canal structures	263	3.2	5	15.0
507 Operations on spinal cord structures, except exploration	436	5.2	7	21.1
508 Excision or destruction of lesion of cranial or peripheral nerve	567	6.8	2	6.6
509 Miscellaneous operations on cranial and other peripheral nerves	1,861	22.3	6	17.3
510 Sympathectomy	49	0.6	<1	1.1
511 Miscellaneous operations on sympathetic nerves and ganglia	64	0.8	<1	1.1

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
513	Thyroidectomy	961	11.5	5	16.0
514	Operations on parathyroid and thyroid, except thyroidectomy	1,225	14.7	4	11.8
515	Operations on endocrine glands, except parathyroid and thyroid	107	1.3	1	3.8
517	Excision or destruction of lesion or tissue of eyelid	1,311	15.7	2	7.1
518	Miscellaneous operations on eyelid	2,864	34.3	8	23.6
519	Operations on lacrimal system	402	4.8	1	3.0
520	Operations on conjunctiva	300	3.6	1	2.0
521	Corneal transplant	159	1.9	1	2.7
522	Miscellaneous operations on cornea	836	10.0	4	10.8
523	Operations for regulation of intraocular pressure	295	3.5	1	3.3
524	Other operations on iris, ciliary body, sclera and anterior chamber	521	6.2	3	8.5
525	Intracapsular extraction of lens	171	2.0	1	1.9
526	Other lens extraction	1,100	13.2	3	10.4
527	Miscellaneous operations on lens	45	0.5	<1	0.4
528	Repair of retina	641	7.7	3	10.6
529	Miscellaneous operations on retina, choroid, and vitreous	227	2.7	1	3.5
530	Resection and recession of ocular muscle	13,421	160.8	25	77.1
531	Miscellaneous operations on ocular muscle	80	1.0	<1	0.6
532	Operations on orbit and eyeball	1,092	13.1	4	12.5
534	Operations on external ear	3,378	40.5	9	27.4
535	Stapes mobilization and stapedectomy	458	5.5	1	3.5
536	Tympanoplasty	5,531	66.3	12	38.1
537	Myringotomy	31,636	379.0	48	146.5
538	Mastoidectomy	2,311	27.7	8	23.6
539	Miscellaneous operations on middle ear and inner ear	1,914	22.9	4	11.7

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
541	Submucous resection of nasal septum	3,530	42.3	11	33.3
542	Rhinoplasty	8,425	100.9	24	72.5
543	Other incision, excision of nose	1,272	15.2	3	10.0
544	Miscellaneous operations on nose	5,279	63.2	13	38.6
545	Radical maxillary antrotomy	472	5.7	2	5.6
546	Miscellaneous operations on accessory sinus	978	11.7	4	12.0
547	Tooth extraction	20,343	243.7	41	126.3
548	Tooth restoration and orthodontia	2,731	32.7	4	12.0
549	Operations on teeth and gums except extraction and restoration	1,045	12.5	3	9.4
550	Operations on salivary glands and ducts	799	9.6	3	8.2
551	Palatoplasty	1,616	19.4	7	22.2
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	4,676	56.0	15	46.8
553	Tonsillectomy without adenoidectomy	39,396	472.0	81	248.8
554	Tonsillectomy with adenoidectomy	104,756	1,255.0	194	596.0
555	Adenoidectomy without tonsillectomy	23,747	284.5	37	114.8
556	Operations on pharynx except tonsillectomy and adenoidectomy	2,859	34.3	8	24.2
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	81	1.0	<1	0.7
558	Excision of lesion of larynx	959	11.5	2	6.6
559	Partial laryngectomy and local excision of lesion of trachea	71	0.9	<1	1.3

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
560	Complete laryngectomy	4	0.0	<1	0.1
561	Permanent tracheostomy	22	0.3	1	2.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	608	7.3	9	28.5
563	Incision and local excision or destruction of lesion of bronchus	227	2.7	2	5.5
564	Bronchial resection and miscellaneous operations on bronchus	11	0.1	<1	0.3
565	Local excision or destruction of lesion or tissue of lung	283	3.4	4	12.0
566	Lobectomy and complete pneumonectomy	79	0.9	2	5.0
567	Bronchoscopy (using natural orifice)	1,596	19.1	11	34.6
568	Miscellaneous operations on lung	374	4.5	3	10.6
569	Thoracotomy	2,058	24.7	22	67.3
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	1,044	12.5	8	25.6
571	Open heart operations	1,008	12.1	13	38.7
572	Direct heart revascularization	27	0.3	<1	1.0
573	Cardiac catheterization	3,653	43.8	12	37.1
574	Pacemaker insertion, replacement, removal, and repair	170	2.0	2	4.9
575	Miscellaneous operations on heart	170	2.0	2	6.0
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	745	8.9	4	12.9
577	Ligation and stripping of varicose veins	228	2.7	1	3.2
578	Systemic shunt or graft bypass	291	3.5	4	12.4
579	Extracorporeal circulation	20	0.2	<1	0.8
580	Hemodialysis	319	3.8	2	6.5

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
581	Other operations on blood vessels	8,176	97.9	129	395.5
582	Incision, excision of lymphatic structures	3,337	40.0	13	40.9
583	Radical excision of lymph nodes	190	2.3	1	3.1
584	Miscellaneous operations on lymphatic system	7	0.1	<1	0.3
585	Bone marrow transplant	17	0.2	<1	0.3
586	Miscellaneous operations on spleen and bone marrow	3,964	47.5	39	118.9
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	460	5.5	6	17.2
588	Operations on esophagus	450	5.4	3	10.1
590	Gastrotomy, pyloromyotomy	2,318	27.8	11	34.5
591	Gastrostomy	139	1.7	4	11.1
592	Local excision or destruction of lesion or tissue of stomach	280	3.4	2	6.6
593	Partial gastrectomy	80	1.0	1	3.9
594	Total gastrectomy	4	0.0	<1	0.1
595	Vagotomy	57	0.7	1	2.3
596	Miscellaneous operations on stomach	514	6.2	6	19.1
597	Local excision or destruction of intestinal lesion or tissue	1,180	14.1	8	24.8
598	Resection of small intestine	397	4.8	6	17.2
599	Colectomy	477	5.7	9	26.2
600	Other incision, resection of intestine	122	1.5	2	5.5
601	Intestinal anastomosis or repair	1,187	14.2	12	38.2
602	Ileostomy, colostomy, and other enterostomy	142	1.7	3	9.1
603	Appendectomy	43,271	518.4	216	665.1
604	Incidental appendectomy	599	7.2	3	9.8

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
605	Operations on appendix except appendectomy	247	3.0	2	7.1
606	Local excision or destruction of lesion or tissue of rectum	1,155	13.8	7	21.1
607	Other incision of rectum and incision or excision of perirectal tissue	354	4.2	1	4.4
608	Proctectomy	179	2.1	3	8.4
609	Miscellaneous operations on intestine	338	4.0	2	7.7
610	Incision or excision of anal fistula	360	4.3	1	4.2
611	Local excision or destruction of lesion or tissue of anus	526	6.3	2	5.6
612	Hemmorhoidectomy	556	6.7	3	8.7
613	Miscellaneous operations on anus	670	8.0	3	9.8
614	Incision of liver	62	0.7	1	2.2
615	Miscellaneous operations on liver	818	9.8	9	27.9
616	Cholecystectomy	2,517	30.2	22	67.9
617	Operations on biliary tract and gallbladder except cholecystectomy	100	1.2	1	4.3
618	Operations on pancreas	107	1.3	1	4.5
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	471	5.6	3	10.3
620	Unilateral repair of inguinal hernia	27,585	330.5	73	223.7
621	Bilateral repair of inguinal hernia	5,986	71.7	15	46.8
622	Unilateral or bilateral repair of femoral hernia	170	2.0	1	2.1
623	Repair of umbilical hernia	5,056	60.6	13	41.2
624	Repair of other hernia of anterior abdominal wall	1,001	12.0	3	9.7

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
625	Repair of diaphragmatic and other hernia	249	3.0	2	5.6
626	Incision, excision of abdominal wall and peritoneum except laparotomy	1,587	19.0	8	25.8
627	Laparotomy	3,228	38.7	29	87.6
628	Laparoscopy (excluding that for destruction of fallopian tubes)	3,500	41.9	13	40.9
630	Miscellaneous operations on abdominal wall and peritoneum	1,176	14.1	10	31.4
631	Complete nephrectomy	507	6.1	6	18.8
632	Miscellaneous operations on kidney	1,578	18.9	17	51.6
633	Ureterotomy	196	2.3	2	5.6
634	Ureteral diversion	1,565	18.7	17	51.1
635	Miscellaneous operations on ureter	687	8.2	4	13.1
636	Cystoscopy and urethroscopy	16,267	194.9	48	146.3
637	Transurethral excision or destruction of bladder lesion	284	3.4	1	4.3
638	Miscellaneous operations on bladder	1,522	18.2	13	40.8
639	Urethral meatotomy	3,508	42.0	7	21.2
640	Excision of urethral lesion, repair of urethra	2,602	31.2	15	46.6
641	Urethral dilation	6,440	77.2	15	47.2
642	Miscellaneous operations on urethra	1,929	23.1	5	16.3
643	Urethral suspension	32	0.4	<1	0.6
644	Other repair of stress incontinence	31	0.4	<1	0.7
645	Ureteral catheterization	119	1.4	1	1.6
646	Miscellaneous operations on urinary tract	49	0.6	<1	1.2
648	Transurethral prostatectomy	86	1.0	1	2.5
649	Other prostatectomy	34	0.4	<1	0.6

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
650	Miscellaneous operations on prostate and seminal vesicles	36	0.4	<1	0.8
651	Operations on scrotum and tunica vaginalis	1,177	14.1	4	12.6
652	Orchiectomy	1,557	18.7	6	18.3
653	Orchiopexy	6,423	76.9	21	63.8
654	Miscellaneous operations on testis	1,021	12.2	3	9.2
655	Interruption of vas deferens	24	0.3	<1	0.2
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	3,809	45.6	11	32.9
658	Miscellaneous operations on penis	840	10.1	3	9.6
660	Local excision or destruction of ovarian lesion or tissue	2,738	32.8	17	52.1
661	Unilateral oophorectomy or salpingo-oophorectomy	1,765	21.1	12	36.8
662	Bilateral oophorectomy or salpingo-oophorectomy	82	1.0	1	2.0
663	Miscellaneous operations on ovary	453	5.4	2	7.2
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	296	3.5	1	1.9
665	Other bilateral tubal interruption or salpingectomy	566	6.8	2	7.1
666	Miscellaneous operations on fallopian tube	1,126	13.5	6	19.8
667	Conization of cervix	400	4.8	1	3.0
668	Other excision or destruction of lesion or tissue of cervix	410	4.9	1	3.4
669	Repair and plastic operations on cervix	242	2.9	1	2.8
670	Hysterotomy and excision of lesion of uterus	155	1.9	1	2.5
671	Abdominal hysterectomy	552	6.6	5	14.1

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
672	Vaginal hysterectomy	78	0.9	1	1.7
673	Radical hysterectomy and pelvic evisceration	7	0.1	<1	0.3
674	Dilation and curettage of uterus for termination of pregnancy	2,026	24.3	4	10.9
675	Other dilation and curettage	20,557	246.3	50	153.0
676	Aspiration curettage for termination of pregnancy	5,952	71.3	8	25.6
677	Other aspiration curettage	1,424	17.1	3	8.0
678	Repair and plastic operations on supporting structures of uterus	82	1.0	<1	1.5
679	Miscellaneous operations on uterus, cervix, and supporting structures	392	4.7	1	4.5
680	Plastic repair of cystocele and rectocele	35	0.4	<1	0.7
681	Other colporrhaphy	388	4.6	2	4.7
682	Miscellaneous operations on vagina	1,292	15.5	4	13.2
683	Incision and excision of lesion of vulva and perineum	1,755	21.0	5	15.5
684	Vulvectomy	36	0.4	<1	0.3
685	Miscellaneous operations on vulva and perineum	368	4.4	1	3.1
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	57	0.7	<1	0.6
687	Low forceps with and without episiotomy	34,766	416.5	118	364.2
688	Breech extraction	899	10.8	3	9.1
689	Other extraction procedures to assist delivery	4,696	56.3	17	52.4
690	Other procedures to assist delivery	19,446	233.0	64	197.9
691	Low cervical cesarean section	19,490	233.5	127	391.4
692	Other cesarean section	2,106	25.2	14	42.5
693	Other abdominal operation to remove embryo or fetus	34	0.4	<1	0.6

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
694	Intra-amniotic injection for abortion	3,731	44.7	7	21.2
695	Diagnostic amniocentesis	317	3.8	1	4.5
696	Intrauterine procedures on fetus and amnion	4,355	52.2	12	36.0
697	Miscellaneous obstetric procedures	13,075	156.6	42	127.6
698	Excision of facial bone	283	3.4	1	3.0
699	Repair and plastic operations on facial bones	1,641	19.7	7	21.5
700	Closed reduction of maxillofacial fractures	2,250	27.0	10	29.4
701	Open reduction of maxillofacial fractures	1,987	23.8	12	37.7
702	Miscellaneous maxillofacial surgery	125	1.5	1	1.9
703	Incision and division of bones except facial	3,226	38.6	22	69.1
704	Bunionectomy	2,186	26.2	10	29.9
705	Excision of bone except facial	8,995	107.8	53	162.5
706	Repair and plastic operation on bone except facial	2,949	35.3	23	72.2
707	Removal of internal fixation device	5,447	65.3	20	60.5
708	Closed reduction of fracture of femur with internal fixation	865	10.4	21	64.0
709	Open reduction of fracture of femur with internal fixation	1,863	22.3	34	103.3
710	Reduction of fracture of femur without internal fixation	1,961	23.5	32	98.3
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	2,513	30.1	19	57.2

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
712	Open reduction of fracture with internal fixation, except maxillofacial and femur	10,614	127.2	57	174.0
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	23,457	281.0	84	258.7
714	Closed reduction of dislocation	2,647	31.7	14	42.7
715	Open reduction of dislocation	1,346	16.1	7	22.7
716	Arthrotomy and division of joint capsule	5,871	70.3	31	95.8
717	Excision of intervertebral disc	643	7.7	8	23.2
718	Excision of semilunar cartilage of knee joint	9,992	119.7	47	144.7
719	Miscellaneous excisions of joint structures	7,310	87.6	26	78.4
720	Spinal fusion	1,313	15.7	22	68.7
721	Arthrodesis and stabilization of joint	1,216	14.6	6	19.5
722	Total hip replacement	64	0.8	1	3.3
723	Other arthroplasty of hip	171	2.0	2	7.4
724	Arthroplasty of knee	4,646	55.7	26	80.4
725	Repair of other joint	4,087	49.0	16	50.5
726	Incision and division of muscle, tendon, fascia and bursa	2,833	33.9	14	43.1
727	Excision of lesion of muscle, tendon, fascia, and bursa	5,520	66.1	14	43.7
728	Division and resection of muscle, tendon, and fascia of hand	308	3.7	1	3.0
729	Repair and plastic operations on hand	3,986	47.8	10	31.1
730	Resection and suture of muscle, tendon, and fascia, except hand	1,903	22.8	7	20.6

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	4,512	54.1	20	60.4
732	Amputation of fingers and thumb	879	10.5	3	9.3
733	Amputation of hand, forearm, and upper arm	79	0.9	1	1.8
734	Amputation of toes	376	4.5	3	7.8
735	Below-knee amputation	60	0.7	2	4.9
736	Above-knee amputation	64	0.8	1	4.0
737	Other amputation of lower extremity	59	0.7	1	2.9
738	Reattachment of extremity	193	2.3	1	4.0
739	Revision of amputation stump	343	4.1	1	4.1
740	Miscellaneous operations on musculoskeletal system	21	0.3	<1	0.4
742	Local excision or destruction of lesion of breast	4,857	58.2	11	34.7
743	Simple mastectomy	551	6.6	2	4.7
744	Extended simple mastectomy and radical mastectomy	48	0.6	<1	0.9
745	Miscellaneous operations on breast	1,686	20.2	6	18.1
746	Incision and excision of pilonidal cyst or sinus	5,670	67.9	24	74.4
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	10,191	122.1	31	96.6
748	Other incision, excision, and suture of skin	20,707	248.1	115	352.7
749	Free skin grafts	2,901	34.8	33	102.2
750	Pedicle graft of skin	915	11.0	6	17.7
751	Miscellaneous operations on skin and subcutaneous tissue	4,690	56.2	14	44.4
753	Encephalography and ventriculography	376	4.5	2	7.6
754	Myelography	1,774	21.3	11	34.4
755	Cerebral arteriography	806	9.7	7	20.0
756	Coronary arteriography	34	0.4	<1	0.3

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
757	Other arteriography and phlebography	1,405	16.8	9	27.6
758	Other radiography and special diagnostic procedures	4,551	54.5	24	74.6
760	Special therapies and rehabilitation	1,153	13.8	17	50.9
764	Miscellaneous diagnostic and therapeutic procedures	2,194	26.3	12	37.9
	All patients in operation groups	834,714	10,000.0	3,253	10,000.0

Tables 5 and 6 display frequency rankings of U.S. pediatric patients and total stay according to operation group. Excluded are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer. Also excluded are groups consisting solely of class 2-4 procedures (see explanation for Table 4).

Table 5

Ranking of *ICD-9-CM* List B Operation Groups by Live Pediatric Discharges U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
554	Tonsillectomy with adenoidectomy	104,756	1
603	Appendectomy	43,271	2
553	Tonsillectomy without adenoidectomy	39,396	3
687	Low forceps with and without episiotomy	34,766	4
537	Myringotomy	31,636	5
620	Unilateral repair of inguinal hernia	27,585	6
555	Adenoidectomy without tonsillectomy	23,747	7
713	Other reduction of fracture without internal fixation, femur	23,457	8
748	Other incision, excision, and suture of skin	20,707	9
675	Other dilation and curettage	20,557	10
547	Tooth extraction	20,343	11
691	Low cervical cesarean section	19,490	12
690	Other procedures to assist delivery	19,446	13
636	Cystoscopy and urethroscopy	16,267	14
530	Resection and recession of ocular muscle	13,421	15
697	Miscellaneous obstetric procedures	13,075	16
712	Open reduction of fracture with internal fixation, femur	10,614	17
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	10,191	18
718	Excision of semilunar cartilage of knee joint	9,992	19
705	Excision of bone except facial	8,995	20

Table 5 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
542 Rhinoplasty	8,425	21
581 Other operations on blood vessels	8,176	22
719 Miscellaneous excisions of joint structures	7,310	23
641 Urethral dilation	6,440	24
653 Orchiopexy	6,423	25
621 Bilateral repair of inguinal hernia	5,986	26
676 Aspiration curettage for termination of pregnancy	5,952	27
716 Arthrotomy and division of joint capsule	5,871	28
746 Incision and excision of pilonidal cyst or sinus	5,670	29
536 Tympanoplasty	5,531	30
727 Excision of lesion of muscle, tendon, fascia, and bursa	5,520	31
707 Removal of internal fixation device	5,447	32
544 Miscellaneous operations on nose	5,279	33
623 Repair of umbilical hernia	5,056	34
742 Local excision or destruction of lesion of breast	4,857	35
689 Other extraction procedures to assist delivery	4,696	36
751 Miscellaneous operations on skin and subcutaneous tissue	4,690	37
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	4,676	38
724 Arthroplasty of knee	4,646	39
758 Other radiography and special diagnostic procedures	4,551	40
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	4,512	41
696 Intrauterine procedures on fetus and amnion	4,355	42
725 Repair of other joint	4,087	43
729 Repair and plastic operations on hand	3,986	44
586 Miscellaneous operations on spleen and bone marrow	3,964	45

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	3,809	46
694	Intra-amniotic injection for abortion	3,731	47
573	Cardiac catheterization	3,653	48
541	Submucous resection of nasal septum	3,530	49
639	Urethral meatotomy	3,508	50
628	Laparoscopy (excluding that for destruction of fallopian tubes)	3,500	51
534	Operations on external ear	3,378	52
582	Incision, excision of lymphatic structures	3,337	53
627	Laparotomy	3,228	54
703	Incision and division of bones except facial	3,226	55
706	Repair and plastic operation on bone except facial	2,949	56
749	Free skin grafts	2,901	57
518	Miscellaneous operations on eyelid	2,864	58
556	Operations on pharynx except tonsillectomy and adenoidectomy	2,859	59
726	Incision and division of muscle, tendon, fascia and bursa	2,833	60
660	Local excision or destruction of ovarian lesion or tissue	2,738	61
548	Tooth restoration and orthodontia	2,731	62
714	Closed reduction of dislocation	2,647	63
640	Excision of urethral lesion, repair of urethra	2,602	64
616	Cholecystectomy	2,517	65
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	2,513	66
590	Gastrotomy, pyloromyotomy	2,318	67
538	Mastoidectomy	2,311	68
700	Closed reduction of maxillofacial fractures	2,250	69
764	Miscellaneous diagnostic and therapeutic procedures	2,194	70
704	Bunionectomy	2,186	71

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
692	Other cesarean section	2,106	72
569	Thoracotomy	2,058	73
674	Dilation and curettage of uterus for termination of pregnancy	2,026	74
701	Open reduction of maxillofacial fractures	1,987	75
710	Reduction of fracture of femur without internal fixation	1,961	76
642	Miscellaneous operations on urethra	1,929	77
539	Miscellaneous operations on middle ear and inner ear	1,914	78
730	Resection and suture of muscle, tendon, and fascia, except hand	1,903	79
709	Open reduction of fracture of femur with internal fixation	1,863	80
509	Miscellaneous operations on cranial and other peripheral nerves	1,861	81
754	Myelography	1,774	82
661	Unilateral oophorectomy or salpingo-oophorectomy	1,765	83
683	Incision and excision of lesion of vulva and perineum	1,755	84
745	Miscellaneous operations on breast	1,686	85
505	Miscellaneous operations on brain and cerebral meninges	1,683	86
699	Repair and plastic operations on facial bones	1,641	87
551	Palatoplasty	1,616	88
567	Bronchoscopy (using natural orifice)	1,596	89
626	Incision, excision of abdominal wall and peritoneum except laparotomy	1,587	90
632	Miscellaneous operations on kidney	1,578	91
634	Ureteral diversion	1,565	92
652	Orchiectomy	1,557	93
638	Miscellaneous operations on bladder	1,522	94
677	Other aspiration curettage	1,424	95
757	Other arteriography and phlebography	1,405	96
715	Open reduction of dislocation	1,346	97
720	Spinal fusion	1,313	98

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
517	Excision or destruction of lesion or tissue of eyelid	1,311	99
682	Miscellaneous operations on vagina	1,292	100
543	Other incision, excision of nose	1,272	101
514	Operations on parathyroid and thyroid, except thyroidectomy	1,225	102
721	Arthrodesis and stabilization of joint	1,216	103
503	Cranioplasty	1,191	104
601	Intestinal anastomosis or repair	1,187	105
597	Local excision or destruction of intestinal lesion or tissue	1,180	106
651	Operations on scrotum and tunica vaginalis	1,177	107
630	Miscellaneous operations on abdominal wall and peritoneum	1,176	108
606	Local excision or destruction of lesion or tissue of rectum	1,155	109
760	Special therapies and rehabilitation	1,153	110
666	Miscellaneous operations on fallopian tube	1,126	111
526	Other lens extraction	1,100	112
532	Operations on orbit and eyeball	1,092	113
549	Operations on teeth and gums except extraction and restoration	1,045	114
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	1,044	115
654	Miscellaneous operations on testis	1,021	116
571	Open heart operations	1,008	117
624	Repair of other hernia of anterior abdominal wall	1,001	118
546	Miscellaneous operations on accessory sinus	978	119
513	Thyroidectomy	961	120
558	Excision of lesion of larynx	959	121
502	Craniotomy and craniectomy	916	122
750	Pedicle graft of skin	915	123
688	Breech extraction	899	124

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
501	Incision, excision of skull, brain, and cerebral meninges	891	125
732	Amputation of fingers and thumb	879	126
708	Closed reduction of fracture of femur with internal fixation	865	127
658	Miscellaneous operations on penis	840	128
522	Miscellaneous operations on cornea	836	129
615	Miscellaneous operations on liver	818	130
755	Cerebral arteriography	806	131
550	Operations on salivary glands and ducts	799	132
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	745	133
635	Miscellaneous operations on ureter	687	134
504	Ventricular shunt, extracranial	684	135
613	Miscellaneous operations on anus	670	136
717	Excision of intervertebral disc	643	137
528	Repair of retina	641	138
562	Operations on larynx and trachea except excision and permanent tracheostomy	608	139
604	Incidental appendectomy	599	140
508	Excision or destruction of lesion of cranial or peripheral nerve	567	141
665	Other bilateral tubal interruption or salpingectomy	566	142
612	Hemorrhoidectomy	556	143
671	Abdominal hysterectomy	552	144
743	Simple mastectomy	551	145
611	Local excision or destruction of lesion or tissue of anus	526	146
524	Other operations on iris, ciliary body, sclera and anterior chamber	521	147
596	Miscellaneous operations on stomach	514	148
631	Complete nephrectomy	507	149
599	Colectomy	477	150
545	Radical maxillary antrotomy	472	151

Table 5 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	471	152
587 Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	460	153
535 Stapes mobilization and stapedectomy	458	154
663 Miscellaneous operations on ovary	453	155
588 Operations on esophagus	450	156
507 Operations on spinal cord structures, except exploration	436	157
668 Other excision or destruction of lesion or tissue of cervix	410	158
519 Operations on lacrimal system	402	159
667 Conization of cervix	400	160
598 Resection of small intestine	397	161
679 Miscellaneous operations on uterus, cervix, and supporting structures	392	162
681 Other colporrhaphy	388	163
734 Amputation of toes	376	164
753 Encephalography and ventricolography	376	165
568 Miscellaneous operations on lung	374	166
685 Miscellaneous operations on vulva and perineum	368	167
610 Incision or excision of anal fistula	360	168
607 Other incision of rectum and incision or excision of perirectal tissue	354	169
739 Revision of amputation stump	343	170
609 Miscellaneous operations on intestine	338	171
580 Hemodialysis	319	172
695 Diagnostic amniocentesis	317	173
728 Division and resection of muscle, tendon, and fascia of hand	308	174
520 Operations on conjunctiva	300	175
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	296	176

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
523	Operations for regulation of intraocular pressure	295	177
578	Systemic shunt or graft bypass	291	178
637	Transurethral excision or destruction of bladder lesion	284	179
565	Local excision or destruction of lesion or tissue of lung	283	180
698	Excision of facial bone	283	181
592	Local excision or destruction of lesion or tissue of stomach	280	182
506	Exploration and decompression of spinal canal structures	263	183
625	Repair of diaphragmatic and other hernia	249	184
605	Operations on appendix except appendectomy	247	185
669	Repair and plastic operations on cervix	242	186
577	Ligation and stripping of varicose veins	228	187
529	Miscellaneous operations on retina, choroid, and vitreous	227	188
563	Incision and local excision or destruction of lesion of bronchus	227	189
633	Ureterotomy	196	190
738	Reattachment of extremity	193	191
583	Radical excision of lymph nodes	190	192
608	Proctectomy	179	193
525	Intracapsular extraction of lens	171	194
723	Other arthroplasty of hip	171	195
574	Pacemaker insertion, replacement, removal, and repair	170	196
575	Miscellaneous operations on heart	170	197
622	Unilateral or bilateral repair of femoral hernia	170	198
521	Corneal transplant	159	199
670	Hysterotomy and excision of lesion of uterus	155	200
602	Ileostomy, colostomy, and other enterostomy	142	201
591	Gastrostomy	139	202

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
702	Miscellaneous maxillofacial surgery	125	203
600	Other incision, resection of intestine	122	204
645	Ureteral catheterization	119	205
515	Operations on endocrine glands, except parathyroid and thyroid	107	206
618	Operations on pancreas	107	207
617	Operations on biliary tract and gallbladder except cholecystectomy	100	208
648	Transurethral prostatectomy	86	209
662	Bilateral oophorectomy or salpingo-oophorectomy	82	210
678	Repair and plastic operations on supporting structures of uterus	82	211
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	81	212
531	Miscellaneous operations on ocular muscle	80	213
593	Partial gastrectomy	80	214
566	Lobectomy and complete pneumonectomy	79	215
733	Amputation of hand, forearm, and upper arm	79	216
672	Vaginal hysterectomy	78	217
559	Partial laryngectomy and local excision of lesion of trachea	71	218
511	Miscellaneous operations on sympathetic nerves and ganglia	64	219
722	Total hip replacement	64	220
736	Above-knee amputation	64	221
614	Incision of liver	62	222
735	Below-knee amputation	60	223
737	Other amputation of lower extremity	59	224
595	Vagotomy	57	225
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	57	226
510	Sympathectomy	49	227

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
646	Miscellaneous operations on urinary tract	49	228
744	Extended simple mastectomy and radical mastectomy	48	229
527	Miscellaneous operations on lens	45	230
650	Miscellaneous operations on prostate and seminal vesicles	36	231
684	Vulvectomy	36	232
680	Plastic repair of cystocele and rectocele	35	233
649	Other prostatectomy	34	234
693	Other abdominal operation to remove embryo or fetus	34	235
756	Coronary arteriography	34	236
643	Urethral suspension	32	237
644	Other repair of stress incontinence	31	238
572	Direct heart revascularization	27	239
655	Interruption of vas deferens	24	240
561	Permanent tracheostomy	22	241
740	Miscellaneous operations on musculoskeletal system	21	242
579	Extracorporeal circulation	20	243
585	Bone marrow transplant	17	244
564	Bronchial resection and miscellaneous operations on bronchus	11	245
584	Miscellaneous operations on lymphatic system	7	246
673	Radical hysterectomy and pelvic evisceration	7	247
560	Complete laryngectomy	4	248
594	Total gastrectomy	4	249
	All patients in operation groups	834,714	

Table 6

Ranking of *ICD-9-CM* List B Operation Groups by Days of Care
Pediatric Patients
U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
603	Appendectomy	216	1
554	Tonsillectomy with adenoidectomy	194	2
581	Other operations on blood vessels	129	3
691	Low cervical cesarean section	127	4
687	Low forceps with and without episiotomy	118	5
748	Other incision, excision, and suture of skin	115	6
713	Other reduction of fracture without internal fixation, femur	84	7
553	Tonsillectomy without adenoidectomy	81	8
620	Unilateral repair of inguinal hernia	73	9
690	Other procedures to assist delivery	64	10
712	Open reduction of fracture with internal fixation, femur	57	11
705	Excision of bone except facial	53	12
675	Other dilation and curettage	50	13
537	Myringotomy	48	14
636	Cystoscopy and urethroscopy	48	15
718	Excision of semilunar cartilage of knee joint	47	16
697	Miscellaneous obstetric procedures	42	17
547	Tooth extraction	41	18
586	Miscellaneous operations on spleen and bone marrow	39	19
555	Adenoidectomy without tonsillectomy	37	20
709	Open reduction of fracture of femur with internal fixation	34	21
749	Free skin grafts	33	22
710	Reduction of fracture of femur without internal fixation	32	23
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	31	24

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
716	Arthrotomy and division of joint capsule	31	25
627	Laparotomy	29	26
724	Arthroplasty of knee	26	27
719	Miscellaneous excisions of joint structures	26	28
530	Resection and recession of ocular muscle	25	29
758	Other radiography and special diagnostic procedures	24	30
746	Incision and excision of pilonidal cyst or sinus	24	31
542	Rhinoplasty	24	32
706	Repair and plastic operation on bone except facial	23	33
703	Incision and division of bones except facial	22	34
720	Spinal fusion	22	35
616	Cholecystectomy	22	36
569	Thoracotomy	22	37
708	Closed reduction of fracture of femur with internal fixation	21	38
653	Orchiopexy	21	39
505	Miscellaneous operations on brain and cerebral meninges	20	40
707	Removal of internal fixation device	20	41
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	20	42
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	19	43
689	Other extraction procedures to assist delivery	17	44
660	Local excision or destruction of ovarian lesion or tissue	17	45
632	Miscellaneous operations on kidney	17	46
634	Ureteral diversion	17	47
760	Special therapies and rehabilitation	17	48

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
725	Repair of other joint	16	49
641	Urethral dilation	15	50
502	Craniotomy and craniectomy	15	51
621	Bilateral repair of inguinal hernia	15	52
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	15	53
640	Excision of urethral lesion, repair of urethra	15	54
501	Incision, excision of skull, brain, and cerebral meninges	15	55
751	Miscellaneous operations on skin and subcutaneous tissue	14	56
727	Excision of lesion of muscle, tendon, fascia, and bursa	14	57
726	Incision and division of muscle, tendon, fascia and bursa	14	58
714	Closed reduction of dislocation	14	59
692	Other cesarean section	14	60
623	Repair of umbilical hernia	13	61
582	Incision, excision of lymphatic structures	13	62
628	Laparoscopy (excluding that for destruction of fallopian tubes)	13	63
638	Miscellaneous operations on bladder	13	64
571	Open heart operations	13	65
544	Miscellaneous operations on nose	13	66
601	Intestinal anastomosis or repair	12	67
536	Tympanoplasty	12	68
764	Miscellaneous diagnostic and therapeutic procedures	12	69
701	Open reduction of maxillofacial fractures	12	70
573	Cardiac catheterization	12	71
661	Unilateral oophorectomy or salpingo-oophorectomy	12	72
696	Intrauterine procedures on fetus and amnion	12	73
742	Local excision or destruction of lesion of breast	11	74

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
567	Bronchoscopy (using natural orifice)	11	75
590	Gastrotomy, pyloromyotomy	11	76
754	Myelography	11	77
504	Ventricular shunt, extracranial	11	78
541	Submucous resection of nasal septum	11	79
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	11	80
503	Cranioplasty	10	81
630	Miscellaneous operations on abdominal wall and peritoneum	10	82
729	Repair and plastic operations on hand	10	83
704	Bunionectomy	10	84
700	Closed reduction of maxillofacial fractures	10	85
562	Operations on larynx and trachea except excision and permanent tracheostomy	9	86
615	Miscellaneous operations on liver	9	87
757	Other arteriography and phlebography	9	88
534	Operations on external ear	9	89
599	Colectomy	9	90
626	Incision, excision of abdominal wall and peritoneum except laparotomy	8	91
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	8	92
676	Aspiration curettage for termination of pregnancy	8	93
597	Local excision or destruction of intestinal lesion or tissue	8	94
556	Operations on pharynx except tonsillectomy and adenoidectomy	8	95
538	Mastoidectomy	8	96
518	Miscellaneous operations on eyelid	8	97
717	Excision of intervertebral disc	8	98
715	Open reduction of dislocation	7	99
551	Palatoplasty	7	100

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
699	Repair and plastic operations on facial bones	7	101
639	Urethral meatotomy	7	102
694	Intra-amniotic injection for abortion	7	103
507	Operations on spinal cord structures, except exploration	7	104
606	Local excision or destruction of lesion or tissue of rectum	7	105
730	Resection and suture of muscle, tendon, and fascia, except hand	7	106
755	Cerebral arteriography	7	107
666	Miscellaneous operations on fallopian tube	6	108
721	Arthrodesis and stabilization of joint	6	109
596	Miscellaneous operations on stomach	6	110
631	Complete nephrectomy	6	111
652	Orchiectomy	6	112
745	Miscellaneous operations on breast	6	113
750	Pedicle graft of skin	6	114
509	Miscellaneous operations on cranial and other peripheral nerves	6	115
598	Resection of small intestine	6	116
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	6	117
642	Miscellaneous operations on urethra	5	118
513	Thyroidectomy	5	119
683	Incision and excision of lesion of vulva and perineum	5	120
506	Exploration and decompression of spinal canal structures	5	121
671	Abdominal hysterectomy	5	122
682	Miscellaneous operations on vagina	4	123
635	Miscellaneous operations on ureter	4	124
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	4	125
651	Operations on scrotum and tunica vaginalis	4	126

Table 6 (Continued)

Operation Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
532 Operations on orbit and eyeball	4	127
578 Systemic shunt or graft bypass	4	128
546 Miscellaneous operations on accessory sinus	4	129
565 Local excision or destruction of lesion or tissue of lung	4	130
548 Tooth restoration and orthodontia	4	131
514 Operations on parathyroid and thyroid, except thyroidectomy	4	132
539 Miscellaneous operations on middle ear and inner ear	4	133
591 Gastrostomy	4	134
674 Dilation and curettage of uterus for termination of pregnancy	4	135
522 Miscellaneous operations on cornea	4	136
568 Miscellaneous operations on lung	3	137
528 Repair of retina	3	138
526 Other lens extraction	3	139
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	3	140
588 Operations on esophagus	3	141
543 Other incision, excision of nose	3	142
604 Incidental appendectomy	3	143
613 Miscellaneous operations on anus	3	144
624 Repair of other hernia of anterior abdominal wall	3	145
658 Miscellaneous operations on penis	3	146
549 Operations on teeth and gums except extraction and restoration	3	147
732 Amputation of fingers and thumb	3	148
654 Miscellaneous operations on testis	3	149
602 Ileostomy, colostomy, and other enterostomy	3	150
688 Breech extraction	3	151
612 Hemorrhoidectomy	3	152
524 Other operations on iris, ciliary body, sclera and anterior chamber	3	153
608 Proctectomy	3	154

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
550	Operations on salivary glands and ducts	3	155
677	Other aspiration curettage	3	156
734	Amputation of toes	3	157
609	Miscellaneous operations on intestine	2	158
753	Encephalography and ventriculography	2	159
723	Other arthroplasty of hip	2	160
663	Miscellaneous operations on ovary	2	161
665	Other bilateral tubal interruption or salpingectomy	2	162
517	Excision or destruction of lesion or tissue of eyelid	2	163
605	Operations on appendix except appendectomy	2	164
592	Local excision or destruction of lesion or tissue of stomach	2	165
558	Excision of lesion of larynx	2	166
508	Excision or destruction of lesion of cranial or peripheral nerve	2	167
580	Hemodialysis	2	168
575	Miscellaneous operations on heart	2	169
633	Ureterotomy	2	170
611	Local excision or destruction of lesion or tissue of anus	2	171
545	Radical maxillary antrotomy	2	172
625	Repair of diaphragmatic and other hernia	2	173
563	Incision and local excision or destruction of lesion of bronchus	2	174
600	Other incision, resection of intestine	2	175
566	Lobectomy and complete pneumonectomy	2	176
735	Below-knee amputation	2	177
574	Pacemaker insertion, replacement, removal, and repair	2	178
743	Simple mastectomy	2	179
681	Other colporrhaphy	2	180
618	Operations on pancreas	1	181
695	Diagnostic amniocentesis	1	182

Table 6 (Continued)

	Operation Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
679	Miscellaneous operations on uterus, cervix, and supporting structures	1	183
607	Other incision of rectum and incision or excision of perirectal tissue	1	184
617	Operations on biliary tract and gallbladder except cholecystectomy	1	185
637	Transurethral excision or destruction of bladder lesion	1	186
610	Incision or excision of anal fistula	1	187
739	Revision of amputation stump	1	188
738	Reattachment of extremity	1	189
736	Above-knee amputation	1	190
593	Partial gastrectomy	1	191
515	Operations on endocrine glands, except parathyroid and thyroid	1	192
529	Miscellaneous operations on retina, choroid, and vitreous	1	193
535	Stapes mobilization and stapedectomy	1	194
668	Other excision or destruction of lesion or tissue of cervix	1	195
523	Operations for regulation of intraocular pressure	1	196
722	Total hip replacement	1	197
577	Ligation and stripping of varicose veins	1	198
685	Miscellaneous operations on vulva and perineum	1	199
583	Radical excision of lymph nodes	1	200
728	Divsion and resection of muscle, tendon, and fascia of hand	1	201
667	Conization of cervix	1	202
519	Operations on lacrimal system	1	203
698	Excision of facial bone	1	204
737	Other amputation of lower extremity	1	205
669	Repair and plastic operations on cervix	1	206
521	Corneal transplant	1	207
670	Hysterotomy and excision of lesion of uterus	1	208

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
648	Transurethral prostatectomy	1	209
595	Vagotomy	1	210
614	Incision of liiver	1	211
561	Permanent tracheostomy	1	212
622	Unilateral or bilateral repair of femoral hernia	1	213
662	Bilateral oophorectomy or salpingo-oophorectomy	1	214
520	Operations on conjunctiva	1	215
525	Intracapsular extraction of lens	1	216
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	1	217
702	Miscellaneous maxillofacial surgery	1	218
733	Amputation of hand, forearm, and upper arm	1	219
672	Vaginal hysterectomy	1	220
645	Ureteral catheterization	1	221
510	Sympathectomy	<1	222
511	Miscellaneous operations on sympathetic nerves and ganglia	<1	223
527	Miscellaneous operations on lens	<1	224
531	Miscellaneous operations on ocular muscle	<1	225
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	<1	226
559	Partial laryngectomy and local excision of lesion of trachea	<1	227
560	Complete laryngectomy	<1	228
564	Bronchial resection and miscellaneous operations on bronchus	<1	229
572	Direct heart revascularization	<1	230
579	Extracorporeal circulation	<1	231
584	Miscellaneous operations on lymphatic system	<1	232
585	Bone marrow transplant	<1	233
594	Total gastrectomy	<1	234
643	Urethral suspension	<1	235
644	Other repair of stress incontinence	<1	236

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
646	Miscellaneous operations on urinary tract	<1	237
649	Other prostatectomy	<1	238
650	Miscellaneous operations on prostate and seminal vesicles	<1	239
655	Interruption of vas deferens	<1	240
673	Radical hysterectomy and pelvic evisceration	<1	241
678	Repair and plastic operations on supporting structures of uterus	<1	242
680	Plastic repair of cystocele and rectocele	<1	243
684	Vulvectomy	<1	244
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	<1	245
693	Other abdominal operation to remove embryo or fetus	<1	246
740	Miscellaneous operations on musculoskeletal system	<1	247
744	Extended simple mastectomy and radical mastectomy	<1	248
756	Coronary arteriography	<1	249
	All operation groups	3,253	

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number — Title

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular – *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other